



Retail Food Establishment

Inspection Report

State Form 48669 (R2/2-05)

SDH Form 51-0001

Hendricks County Health Department

Telephone (317) 745-9217

Fax (317) 745-9218

Based on the inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements.
The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name Subway #29403	Telephone Number Est 317-892-8000	Date of Inspection 09/16/2024 11:58 am	ID# 1742
Establishment Address 8 E Main St, Pittsboro IN 46167			
Owner Pittsboro SBY 29403 LLC	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up NO	Released 09/26/2024
Owner's Address		Menu Type 1 <input type="checkbox"/> 2 <input checked="" type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/>	
Person in Charge Trina Lawrence			
Responsible Person's Email			
Certified Food Handler Harjinder Dhami	Exp. ServSafe 03/26/2024		

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C/NC	R	Narrative	To Be Corrected By
294	C	0	The concentration of sanitizing solution in the 3-bay was 100 ppm on a quaternary ammonium test strip. The concentration of sanitizing solution in the sanitizer bucket on the front counter was <100 ppm on a quaternary ammonium test strip.	Corrected

Summary of Violations C 1 NC 0 R 0

Received by (name and title printed):

Reviewed w/person-in-charge

Inspected by (name and title printed):

BRIAN PORTWOOD

Received by (signature):

Inspected by (signature):

cc:

cc:

cc: