



Fax (317) 745-9218

Based on the inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

<b>Establishment Name</b> BB&B Bread Truck LLC			<b>Telephone Number</b> Est	<b>Date of Inspection</b> 04/06/2024	<b>ID#</b> 2096
<b>Establishment Address</b> ,					
<b>Owner</b> Joseph Adamje Feeney-Ruiz			<b>Purpose</b> <input checked="" type="checkbox"/> <b>Routine</b> <input type="checkbox"/> <b>Follow-up</b> <input type="checkbox"/> <b>Complaint</b> <input type="checkbox"/> <b>Pre-Operational</b> <input type="checkbox"/> <b>Temporary</b> <input type="checkbox"/> <b>HACCP</b> <input type="checkbox"/> <b>Other (list)</b>	<b>Follow Up</b> NO	<b>Released</b> 04/16/2024
<b>Owner's Address</b>				<b>Menu Type</b> 1__ 2__ 3 <input checked="" type="checkbox"/> 4__ 5__	
<b>Person in Charge</b> Jacob Moore					
<b>Responsible Person's Email</b>					
<b>Certified Food Handler</b> Joesph Feeney-Ruiz					
<b>Exp.</b> Servsafe 03/02/2026					

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C/NC	R	Narrative	To Be Corrected By
			@ Kegs and Eggs @ Washington Township Pavillion Center	
310	NC	0	An accumulation of grease was observed on the hood ventilation system.	One Week
431	NC	0	An accumulation of food debris was observed on floor around cooking equipment.	Today

<b>Summary of Violations</b> <b>C</b> <u>  <b>0</b>  </u> <b>NC</b> <u>  <b>2</b>  </u> <b>R</b> <u>  <b>0</b>  </u>			
Received by (name and title printed): Person in charge		Inspected by (name and title printed): YOCELI PALAFOX	
Received by (signature):		Inspected by (signature):	
cc:		cc:	