

Township No 16 North.

Range No 2 West.

Growth in Mathematics



Harvard

THAM ASI/N. Y. N. Y.

Township N. 16 North,

1	4	6	16	5	13	11	10	3	8	2	6	1	3
		16		15	13		10		8		6		
12	4	7	15	8	12	9	10	10	8	11	6	12	2
		15		15		12		10		8		5	
13	3	18	15	17	12	16	10	15	7	14	5	13	2
		14		14		12		9		7		5	
24	3	19	14	20	11	21	7	22	7	23	5	24	2
		14		14		11		9		7		5	
25	3	30	13	29	11	28	9	27	7	26	4	25	2
		13		13		11		9		7		4	
36	3	31	13	32	11	33	8	34	6	35	4	36	2
		2		1		1		1		1		1	

Range N. 2 West

Range N. 3 West

Growth in Mathematics

Tiffany ASI/AL Y. N. Y.

38

Township N. 16 N. Range N. 2 West 2. meridian Indiana. Variation S. 55 E.

Chains
Links

South boundary.

West

On S. Boundary section 36.

30.00

a Dry Branch — links wide co. S.

40.40

Let ptn section Post from which

a Beech 10 in. dr. bears N. 86° W. 23 links

a do. 14 in. " " S. 53° E. 11 "

80.00

Let Post cor. to sections 35 & 36, fr. which

a Beech 10 in. dr. bears N. 44° E. 30 lks

a Sugar 9 in. " " S. 34° W. 10 "

West

On S. Boundary of Sec. 35.

20.00

Let ptn sec. Post from which

a Beech 8 in. dr. bears S. 63° W. 10 lks

a Hickory 9 " " S. 72° E. 12 "

80.00

Let Post cor. to Secs 34 & 35 fr. which

a Beech 11 in. dr. bears N. 26° W. 6 lks

a Hickory 30 in. " " South 10 "

West

On S. Boundary of Sec. 34.

30.00

a Brook 10 links wide co. N.

40.00

Let ptn sec. Post from which

a Beech 12 in. dr. bears S. 77° W. 21 lks

a do. 27 " " N. 17° E. 32 "

Chains
Links

80.00

Let Post cor. to Secs 33 & 34 from which

a Beech 20 in. dr. bears S. 63° E. 8 links

a do. 20 in. " " N. 68° W. 33 "

West

On S. Boundary of section 33.

40.00

Let ptn section Post from which

a Sugar 11 in. dr. bears S. 37° E. 12 links

a Beech 8 " " S. 21° W. 10 "

40.50

a Brook 12 links wide co. North

80.00

Let Post cor. to Secs 32 & 33, from which

a Beech 14 in. dr. bears N. 75° E. 30 lks

a Hick 30 " " S. 86° W. 17 "

West

On S. Boundary of section 32.

27.00

a Brook 10 links wide co. North

110.00

Let ptn sec. Post from which

a Hickory 15 in. dr. bears N. 56° E. 22 lks

a Sugar 8 " " S. 52° W. 16 "

80.00

Let Post cor. to Secs 31 & 32, from which

a Beech 12 in. dr. bears S. 65° E. 24 lks

a Hickory 30 in. " " S. 53° W. 9 "

a do. 27 in. " " S. 32° E. 30 "

Land a little rising. Beech
Land similar part wet.
Rich & good for farming.

Should part be in upper sec. 31 & 32? Under the
chain same measurement, go
out 100 links

And since
the same as a
last mile

Description of Land owned

mm 1 2 3 4 5 6

Grow with

Tiffany AS/PA Y. M. Y.

find and
finishes the same
as on last
side and

land a little rolling but level and timber
superior to the Lake. Breeding the same as on last mile
good farming land.

variation 6. 156.
Land near port
west of F. R. Beech
C. E. M. S. M. M. M. M.
as by M. M. M. M. M.

variation 6. 156.
Land near port
west of F. R. Beech
C. E. M. S. M. M. M. M.
as by M. M. M. M. M.

Land level. Rich
and good for farming.

Corner to
East. Set Pos
from which

tion 6. 15 E.
Level
for farming
Kauai, W. H.

Land level $\frac{1}{4}$ inch
Good for farming.
Buck. Sugar. Hickory & sh.

Found the same
as last described

See Repton of
Sandwich

V. R. S. H.

North On E. Boundary of Sec. 12, T. 16, N. R. 3 W.
 40.00 Set 9th. sec. Post from which
 a Sugar 8 in. Dr. bears S. 24° E. 16 links
 a Hickory 9 " " N. 3° E. 24 "
 40.00 Set Post Cor. to sec. 1 & 12 fr. which
 a Maple 27 in. Dr. bears S. 25° E. 16 links
 an Elm 27 " " N. 38° W. 48 "

Land level Beech
 Oak Elm Sugar
 a Do. 10 in. Dr. bears S. 25° E. 16 links

North On E. Boundary of Sec. 1, T. 16, N. R. 3 W.
 40.00 Set 9th. sec. Post from which
 a Hawth 9 in. Dr. bears S. 38° E. 32 links
 a Beech 12 " " N. 31° W. 21 "
 80.00 Set pump Township Corner.
 80.68 Intersected Correction line 34.41 Chs. E. of corner of
 T. 17 N. R. 2 & 3 W. (+ Set post Corner of T. 16 & 17
 N. R. 2 & 3 W.) from which
 a B. Walnut 30 in. Dr. bears N. 75° W. 6 links
 a Beech 10 in. " " S. 55° E. 17 "

Land level part wet, timber same
 Destroyed in 1879, by
 William Harris, D. L.

Subdivision

North Between Sections 35 & 36.
 24.25 a Beech 14 in. Diameter
 40.00 Set 9th. sec. Post from which
 a Sugar 8 in. Dr. bears N. 23° E. 29 links
 a Beech 12 " " S. 23° W. 23 "
 68.20 a Beech 16 in. Diameter.
 74.50 a Branch 15 links wide Co. S. W.
 80.00 Set Post Cor. to Sec. 25, 26, 35 & 36 from which
 a Beech 12 in. Dr. bears S. 54° E. 42 links
 a Do. 12 " " S. 73° W. 8 "

Rolling 2nd Rate Land
 Beech, Sugar, Ash, Hickory, Spice

East On Random Between Sec. 25 & 36
 40.00 Set temp. 9th. sec. Post
 79.80 Intersected E. Boundary at Post.

Land rolling
 2nd Rate, Beech
 Sugar, Ash, Oak
 Walnut, Hickory, Spice

West Corrected Between Sec. 25 & 36.
 39.90 Set 9th. sec. Post at even dist. from which
 a Sugar 24 in. Dr. bears S. 64° E. 6 links
 a Do. 14 " " N. 64° W. 25 "
 79.80 To Section Corner.

North Between Sec. 25 & 36.
 14.25 a Sugar 18 in. Diameter
 146.00 Set 9th. sec. Post from which



Chains
 Links

a Beech 36 in. Dr. bears S. 23° W. 15 links
 a H. Ash 12 " " N. 23° E. 20 "
 29.00 a Sugar 16 in. Diameter.
 80.00 Set Post Cor. to Sec. 23, 24, 25 & 26 from which
 an Elm 24 in. Dr. bears N. 12° E. 20 links
 a Beech 16 " " S. 42° W. 35 "

Rolling 2nd Rate Land
 Beech, Sugar, Ash, Hickory, Oak
 Undergrowth, Spice

East On Random Between Sec. 24 & 25.
 40.00 Set temp. 9th. section Post
 79.75 Intersected N. W. line 25 links N. of Post, Undergrowth, Spice

West Corrected Between Sec. 24 & 25.
 39.87 Set 9th. sec. Post at even dist. from which
 a Beech 12 in. Dr. bears S. 31° E. 20 links
 No other bearing trees.
 79.75 To Section Corner.

North Between Sec. 23 & 24.
 26.00 a Beech 9 in. Diameter
 40.00 Set 9th. Post from which
 a Hickory 10 in. Dr. bears N. 31° E. 8 links
 an Elm 24 " " S. 6° E. 7 "
 57.50 a Branch 15 links wide Co. S. W.
 58.50 a Beech 9 in. Diameter.
 80.00 Set Post Cor. to Sec. 23, 24, 25 & 26 from which
 a Beech 10 in. Dr. bears N. 1° W. 13 links
 a Do. 9 " " S. 66° W. 28 "

Rolling 2nd Rate Land
 Beech, Sugar, Ash, Hickory
 Undergrowth, Spice

Chains
 Links

East On Random Between Sec. 13 & 24
 40.00 Set temp. 9th. section Post.
 79.75 Intersected E. boundary 30 links N. of Post (Undergrowth, Spice, Maple)

West Corrected Between Sec. 13 & 24.
 39.87 Set 9th. section Post at even dist. from which
 a Beech 12 in. Dr. bears S. 31° E. 24 links
 a Sugar 24 in. " " N. 25° E. 20 "
 79.75 To Section Corner.

North Between Sections 13 & 14.
 17.35 a Sugar 12 in. Diameter
 40.00 Set 9th. section Post from which
 a Beech 10 in. Dr. bears S. 35° E. 33 links
 a Do. 9 in. " " S. 15° W. 12 "
 73.28 a Do. 11 in. Diameter.
 80.00 Set Cor. of Sec. 11, 12, 13 & 14 from which
 a Beech 14 in. Dr. bears N. 16° E. 18 links
 a Do. 20 in. " " S. 2° W. 24 "

Land rolling & 2nd Rate
 Beech, Ash, Sugar, Maple, Hickory
 Undergrowth, Spice

East On Random Between sections 12 & 13.
 110.00 Set temp. 9th. sec. Post from which
 79.80 Intersected E. Boundary line 12 Chs. N. of Post

Rolling 2nd Rate Land: Beech, Sugar, Ash, Hickory
 Maple, Hickory & Elm, Spice & Maple

Novanovich
27 28 29 30

Chains Links		Chains Links	
80.00	Set Post Corner to set 10, 11, 14 & 15 from which a Hickory 30 in. Dr. bears N. 62° E. 43 lks. a Red Oak 15 in. " " N. 33° W. 30 "	West	Corrected Between sections 2 & 11. Set qtr. section Post at even dist. from which a Hickory 14 in. Dr. bears N. 35° W. 24 lks a do. 9 " " " S. 44° E. 38 "
East	Between sections 11 & 14. 40.00 Set temp. qtr. section Post. 80.00 Intersected N. & S. line at Post.	80.25	To section Corner
West	Corrected Between sec. 11, 14. 40.12 Set qtr. section Post at even dist. from which a Beech 15 in. Dr. bears S. 82° W. 21 lks. a Hickory 9 in. " " N. 16° E. 17 lks 80.25 To section Corner.	North	Between sections 2 & 3. 32.32 a W. Oak 6 in. Diameter 36.00 a Stream 50 links wide Co. N. W. 40.00 Set qtr. section Post from which a Beech 9 in. Dr. bears N. 35° E. 26 lks. a do. 10 " " " S. 38° W. 30 "
North	Between sections 10 & 11 25.50 a Hickory 30 in. Diameter 40.00 Set qtr. section Post from which a Beech 11 in. Dr. bears N. 15° E. 6 lks. a do. 9 " " " S. 32° E. 23 "	69.54	a Beech 20 in. Diameter
East	On Random Between sec. 2 & 11. 40.00 Set temp. qtr. section Post. 80.00 Intersected the N. & S. line at Post.	77.30	Intersected the N. Boundary & set Post. Cor. to Sections 2 & 3. from which a Hickory 12 in. Dr. bears N. 25° W. 16 lks a do. 14 in. " " S. 87° E. 31 lks
West	Corrected Between sections 10 & 11. 40.00 Set qtr. section Post from which a Beech 11 in. Dr. bears N. 15° E. 6 lks. a do. 9 " " " S. 32° E. 23 "	North	Between sections 33 & 34 23.75 a W. Oak 6 in. Diameter 40.00 Set qtr. section Post from which a Hickory 12 in. Dr. bears N. 35° W. 10 lks. a W. Oak 15 in. " " S. 13° W. 29 "
East	On Random Between sec. 2 & 11. 40.00 Set temp. qtr. section Post. 80.00 Intersected the N. & S. line at Post.	62.90	a W. Oak 16 in. Diameter
West	Corrected Between sections 10 & 11. 40.00 Set qtr. section Post at average dist. from which a Sugar 12 in. Dr. bears S. 44° E. 20 lks a Beech 9 " " " N. 2° W. 36 "	80.00	Set Post Cor. to sec. 27, 28, 33 & 34 from which a W. Elm 24 in. Dr. bears N. 45° W. 35 lks a W. Oak 20 in. " " S. 73° E. 24 lks

Land rolling rate
Sugar 11 in. Poplar
W. Oak 11 in. Sugar
W. Oak 11 in. Sugar

40.34
29.34
11

Land rolling rate
Sugar 11 in. Poplar
W. Oak 11 in. Sugar
W. Oak 11 in. Sugar

Chains Links		Chains Links	
East	On Random Between sec. 27 & 34. 40.00 Set temp. qtr. section Post. 80.00 Intersected the N. & S. line 6 links N. of Post. Sugar & Beech	West	Corrected between sections 22, 23. Set qtr. section Post at even dist. from which a Beech 5 in. Dr. bears S. 17° W. 14 lks. a do. 6 in. " " N. 56° E. 14 "
West	Corrected Between sec. 27 & 34. 40.00 Set qtr. section Post at even dist. from which a Beech 15 in. Dr. bears S. 55° E. 17 lks a do. 16 in. " " N. 47° W. 19 "	80.00	To section Corner.
North	Between sections 27 & 28. 20.06 a Beech 16 in. Diameter 37.50 a Stream 25 links wide Co. West 40.00 Set qtr. section Post from which a W. Walnut 16 in. Dr. bears S. 23° W. 11 lks. a Beech 5 in. " " N. 51° E. 20 "	North	Between sections 21 & 22. 19.41 a Burr Oak 14 in. Diameter 40.00 Set qtr. section Post from which an Ironwood 4 in. Dr. bears S. 8° E. 13 lks a W. Oak 12 in. " " S. 15° W. 10 "
East	On Random Between sec. 22 & 27. 40.00 Set temp. qtr. section Post. 80.00 Intersected the N. & S. line 6 links N. of Post. Sugar & Beech	119.20	a Branch 20 links wide Co. West.
West	Corrected Between sections 22 & 27. 40.00 Set qtr. section Post at average dist. from which a Sugar 12 in. Dr. bears S. 44° E. 20 lks a Beech 9 " " " N. 2° W. 36 "	52.43	a do. 20 " " East
East	On Random Between sec. 22 & 27. 40.00 Set temp. qtr. section Post. 80.00 Intersected the N. & S. line 6 links N. of Post. Sugar & Beech	65.36	a Burr oak 20 in. Diameter.
West	Corrected Between sections 22 & 27. 40.00 Set qtr. section Post at average dist. from which a Sugar 12 in. Dr. bears S. 44° E. 20 lks a Beech 9 " " " N. 2° W. 36 "	80.00	Set Post cor. to sec. 15, 16, 21 & 22 from which a Beech 9 in. Dr. bears S. 26° E. 12 lks a Cherry 20 in. " " N. 35° W. 21 in.
East	On Random Between sec. 22 & 27. 40.00 Set temp. qtr. section Post. 80.00 Intersected the N. & S. line 6 links N. of Post. Sugar & Beech	East	On Random Between sec. 15 & 22. 40.00 Set temp. qtr. section Post. 80.00 Intersected the N. & S. line 6 links N. of Post. Sugar & Beech
West	Corrected Between sections 22 & 27. 40.00 Set qtr. section Post at average dist. from which a Sugar 12 in. Dr. bears S. 44° E. 20 lks a Beech 9 " " " N. 2° W. 36 "	West	Corrected between sections 15 & 22. 40.00 Set qtr. section Post at average dist. from which a Sugar 12 in. Dr. bears S. 44° E. 20 lks a Beech 9 " " " N. 2° W. 36 "
East	On Random Between sec. 22 & 27. 40.00 Set temp. qtr. section Post. 80.00 Intersected the N. & S. line 6 links N. of Post. Sugar & Beech	80.00	To section Corner.

Land level rate
Beech, Hickory, Sugar, Ash & Elm
W. Oak, Sugar, Beech, Hickory, Sugar, Ash & Elm

Land rolling rate
Sugar 11 in. Poplar
W. Oak 11 in. Sugar
W. Oak 11 in. Sugar

10		Chains		
North	Between sections 15 & 16	76.50	a Stream 40 links wide Co. West	
0.50	a Hickory 18 in. Diameter	80.00	Set Post Cor. to Sec. 3, 4, 9 & 10 from which	
40.00	Set gtr. section Post from which		a Red Elm 16 in. Dr. bears South 12 lbs.	
	a Beech 4 in. Dr. bears S. 38° E. 11 lbs.		a Do. do. 13 " " S. 77° E. 27 lbs.	
	a Hickory 18 in. " " N. 12° E. 20 "			
60.04	a Beech 15 in. Diameter	East	Random between Sec. 3 & 10	Land rolling
80.00	Set Post Cor. to Sec. 9, 10, 15 & 16 from which	20.90	a Stream 40 links wide Co. S. W.	3 rate, Buck, Sugar, Hickory, Ash
	a Poplar 10 in. Dr. bears S. 8° E. 13 lbs.	110.00	Set temp. gtr. section Post	Do. Rock.
	a Beech 4 in. " " N. 87° E. W. 11 "	80.00	Intersected the N. & S. line at Post	Land rolling, Spine
Land rolling				
East	On Random between sections 10 & 15	West	Corrected between Sec. 3 & 10	
40.00	Set temp. gtr. section Post	110.00	Set gtr. Post at even dist. from which	
80.00	Intersected N. & S. line at the Post		a Beech 16 in. Dr. bears S. 51° W. 24 links	
			a Do. 14 in. " " N. 26° E. 43 "	
West	Corrected between sections 10 & 15	80.00	To section corner	
100.00	Set gtr. sec. Post at even dist. from which			
	a Hickory 15 in. Dr. bears N. 37° W. 25 links.	North	Between sections 3 & 4	
	a Buckeye 9 in. " " N. 31° E. 10 "	15.50	a Hickory 20 in. Diameter	
0.00	To section corner	110.00	Set gtr. sec. Post from which	
			a Beech 14 in. Dr. bears S. 87° E. 14 lbs.	
North	Between Sec. 9 & 10		a Do. 10 " " West 38. "	
17.10	a Beech 9 in. Diameter	56.12	a Beech 12 in. Diameter	
40.00	Set gtr. section Post from which	78.00	a Stream 50 links wide Co. S. W.	
	a Beech 14 in. Dr. bears S. 33° E. 10 lbs.	89.00	Intersected the N. Boundary & set Post at intersection	
	a Sugar 20 in. " " North 9 "		Corner to sections 3 & 4 from which	
0.50	a W. Elm 20 in. Diameter		an Elm 15 in. Dr. bears S. 12° W. 11 links	
			a Beech 12 " " " S. 34° E. 17 "	

		Chains		
North	Between sections 32 & 33.			
27.25	a Hickory 9 in. Diameter			
40.00	Set gtr. section Post from which			
	a Beech 14 in. Dr. bears N. 10° E. 31 lbs.			
	a Do. 16 in. " " S. 4° W. 17 "			
71.42	a Sugar 12 in. Diameter			
80.00	Set Post Corner to Sec. 28, 29, 32 & 33 from which			
	a Beech 14 in. Dr. bears N. 37° E. 37 links			
	a Sugar 14 " " " S. 4° E. 12 "			
East	On Random between Sec. 28 & 33.			
40.00	Set temp. gtr. section Post			
79.75	Intersected N. & S. line at Post			
West	Corrected between sections 28 & 33.			
39.87	Set gtr. section Post at even dist. from which			
	a Beech 5 in. Dr. bears S. 36° E. 12 links			
	a Do. 14 " " " N. 11° W. 23 "			
79.75	To section corner			
North	Between sections 28 & 29.			
20.80	a Branch 12 links wide Co. N. E.			
25.92	a Sugar 14 in. Diameter			
40.00	Set gtr. section Post from which			
	a Beech 24 in. Dr. bears N. 68° E. 3 lbs.			
	a Do. 14 in. " " S. 25° W. 20 "			
Chains				
55.10	a Branch 18 links wide Co. N. W.			
62.08	a Spoon more 48 in. Diameter			
80.00	Set Post Cor. to sections 20, 21, 28 & 29 from which			
	a Sugar 12 in. Dr. bears N. 63° W. 20 links			
	a Buckeye 12 " " " S. 65° E. 27 "			
East	On Random between Sec. 21 & 28.			
29.00	a Stream 50 links wide Co. N. W.			
40.00	Set temp. gtr. section Post			
79.75	Intersected N. & S. line at Post			
West	Corrected between Sec. 21 & 28.			
39.87	Set gtr. sec. Post at even dist. from which			
	a Buckeye 12 in. Dr. bears S. 5° E. 33 lbs.			
	an Elm 10 " " " N. 62° W. 7 "			
79.75	To section corner			
North	Between sections 20 & 21.			
26.66	a Hickory 12 in. Diameter			
40.00	Set gtr. section Post from which			
	an Ironwood 5 in. Dr. bears N. 60° E. 7 links			
	a Beech 9 in. Dr. bears S. 53° W. 7 links			
53.00	a Branch 12 links wide Co. East.			
62.75	a Sugar 12 in. Diameter			
80.00	Set Post Cor. to Sec. 16, 17, 20 & 21 from which			
	a W. Oak 24 in. Dr. bears N. 4° E. 25 links			
	a Do. 12 in. " " " N. 77° E. 12 "			

Chain links		Chain links	
West	Corrected between Sections 1st & 2d.	East	On Random between 29 & 32.
39.87	Let 2d. section Post at same dist. from which a Beech 16 in. dr. bears S. 30° E. 37 links.	40.00	Let temp. 2d. section Post.
	a W. Oak 15 in. " " N. 5° W. 36 "	80.18	Intersected N. & S. line at Post
79.75	To section corner		
North	Between Sections 4 & 5	West	Corrected between Secs 29 & 32.
23.50	Let 2d. section Post from which a W. Oak 4 in. dr. bears S. 60° E. 4 links	40.09	Let 2d. sec. Post at same dist. from which a Beech 6 in. dr. bears N. 17° E. 9 lks
	a W. Oak 14 " " N. 3° W. 35 "		a Sugar 30 in. " " S. 22° W. 25 "
89.25	Intersected the North Boundary & Let Post at Intersection Corner to Sec. 4 & 5 from which a Beech 18 in. dr. bears N. 51° W. 20 links	80.18	To section corner.
	a do. 18 in. " " N. 84° E. 14 "		
North	Between Sections 31 & 32	West	Between sections 30 & 31.
28.90	a Hickory 16 in. Diameter.	29.25	a Sugar 14 in. Diameter.
40.00	Let 2d. section Post from which an Elm 13 in. dr. bears West 18 links	40.00	Let 2d. section Post from which a Beech 10 in. dr. bears N. 85° E. 8 links
	a B. Ash 9 in. " " East 6 "		a Hickory 9 in. " " S. 39° W. 30 "
3.60	a Beech 8 in. Diameter	66.00	a Sugar 18 in. Diameter
80.00	Let Post Cor. to Secs 29, 30, 31 & 32 from which a Beech 15 in. dr. bears N. 3° E. 20 links	68.50	Intersected N. & S. line 37 links N. of Post. 1
	a do. 9 in. " " S. 24° E. 10 "		Let Post corner to Secs 30 & 31. from which a Beech 10 in. dr. bears N. 61° W. 20 links
			a Hickory 14 in. dr. " S. 46° E. 14 "
North	Between Sections 29 & 30.	North	Between Sections 29 & 30.
31.16	a Beech 10 in. Diameter.	31.16	a Beech 10 in. Diameter.
42.00	Let 2d. section Post from which a Hickory 27 in. dr. bears S. 41° E. 4 links	42.00	Let 2d. section Post from which a Beech 12 in. " " S. 41° E. 4 "
	a Beech 12 in. " " S. 41° E. 4 "		

14

10.88 a Beech 18 in. Diameter

10.00 Set Post cor. to Sect 19, 20, 29 & 30 from which
a Beech 18 in. Dr. bears N. 85° E. 32 links

East On Random between Sects 20 & 29
40.00 Set temp. gtr. Section Post.
80.20 Intersected N. & E. line at Post

West Corrected Between Sects 20 & 29.
40.10 Set gtr. Section Post at average dist. from which
a Hickory 22 in. Dr. bears S. 31° W. 8 links
a Beech 6 in. " " N. 31° E. 8. "

80.20 To Section Corner.

Between Sections 19 & 30
11.50 a Beech 12 in. Diameter
40.00 Set gtr. Section Post from which
a Beech 17 in. Dr. bears S. 76° E. 9 links
at So. 12 in. " " S. 54° W. 28 "

82.30 a Poplar 30 in. Diameter
Intersected West Boundary at Post.

North Between Sections 19 & 29
50.20 a Beech 12 in. Diameter
10.00 Set gtr. Section Post from which

Chain Links

a Beech 18 in. Dr. bears N. 75° E. 34 links
at So. 14 in. " " N. 89° W. 22 "

61.36 a Beech 12 in. Diameter
80.00 Set Post cor. to Sect 19, 18, 17 & 20 from which
a Beech 13 in. Dr. bears S. 40° E. 32 links
at So. 10 in. " " N. 40° W. 8 "

East On Random between Sects 17 & 20
40.00 Set temp. gtr. Section Post.
80.18 Intersected N. & E. line at Post

West Corrected between Sections 17 & 20
40.09 Set gtr. Section Post at average dist. from which
a Walnut 14 in. Dr. bears S. 47° E. 14 links
a Cedar 9 in. " " N. 66° E. 13 "

80.18 To Section Corner.

West Between Sections 18 & 19
19.40 a Beech 16 in. Diameter
28.06 a Branch 25 links wide co. N.
40.00 Set gtr. Section Post from which
a Beech 14 in. Dr. bears N. 78° E. 18 links
at So. 16 in. " " S. 5° E. 17 "

57.55 a Beech 10 in. Diameter
61.10 Intersected the W. Boundary at Post

Chain Links

North Between Sections 17 & 18
17.35 a Beech 15 in. Diameter
40.00 Set gtr. Section Post from which
a Beech 9 in. Dr. bears S. 64° E. 8 links
a So. 9 in. " " N. 64° W. 20 "

56.63 a Beech 20 in. Diameter
80.00 Corner to Sections 7, 8, 17 & 18 in the middle of a
Stream 75 links wide. Intense
a Hickory 30 in. Dr. bears S. 7° 40 links (about)
at So. " " " N. E. 60 " (about)
on the opposite side of the stream.

East On Random Between sections 8 & 17
37.60 a Stream 5 links wide co. S. W.
40.00 Set temp. gtr. Section Post.
80.16 Intersected N. & E. line at Post

West Connected Between Sections 8 & 17
40.08 Set gtr. Section Post at same dist. from which
a Wh. Thorn 6 in. Dr. bears N. 50° W. 17 links
a W. Walnut 12 in. " " S. 50° E. 27 "

80.16 To Section corner.

West Between Sections 7 & 18
31.75 an Elm 30 in. Diameter
32.25 a Stream 75 links wide co. S. W.

Chain Links

40.00 Set gtr. Section Post from which
a Beech 10 in. Dr. bears N. 7° W. 32 links
a Box Elder 4 in. " " S. 46° E. 19 "

44.00 Stream 75 links wide co. N. W.
56.40 a Bl. Walnut 30 in. Diameter
57.00 a Stream 100 links wide co. S. W.
68.40 Intersected the west boundary at Post

North Between Sections 7 & 8
29.20 a Hickory 15 in. Dr. bears
40.00 Set gtr. Section Post from which
a Hickory 16 in. Dr. bears N. 88° E. 30 links
a So. 20 in. " " S. 88° W. 4 "

75.00 a Stream 50 links wide co. S. W.
80.00 Set Post cor. to Sects 5, 6, 7 & 8 from which
a W. Elm 10 in. Dr. bears S. 47° E. 47 links
a Hickory 10 in. " " S. 56° E. 9 links

East On Random Between Sects 5 & 8. Land and Timber
40.00 Set temp. gtr. Section Post. the same as on the
80.12 Intersected N. & E. line at Post. last mile

West Connected Between Sections 5 & 8
40.06 Set gtr. Section Post from which
a Hickory 22 in. Dr. bears N. 56° E. 35 links
an Ironwood 5 in. " " N. 26° W. 27 "

80.12 To Section corner.



Chains
Links

16

West. Between Sections 6 & 7.
25 a Branch 25 links wide Co. N. W.
19.75 a Buck 6 in. Diameter
110.00 Set 9th Section Post from which
a Buck 30 in. dr. bears N. 76° W. 5 links
a Hickory 9 in. " " N. 70° E. 30 "
68.40 Intersected N. Boundary at Post.

Land rolling at rate
Buck. Sugar. Elm. Poplar
Hickory. Hy. camrose. Spruce

Chains
Links

North Between Sections 5 & 6.
23.10 a Hickory 15 in. Diameter
140.00 Set 9th Section Post from which
a Hickory 10 in. dr. bears N. 32° W. 14 links
a Sugar 20 in. " " N. 88° E. 20 "
56.57 a Stream 50 links wide Co. S. W.
4.40 a Buck 9 in. Diameter
1.22 Intersected North Boundary & Set Post at said
9th section. Corner to Sec. 5 & 6. from which
a Buckeye 9 in. dr. bears N. 33° E. 13 links
a Buck 18 in. " " N. 47° W. 31 "


Land rolling at rate: Buck. W. Oak. Elm.
Black Walnut. Hy. camrose & Sugar.
Undergrowth Spruce.

Surveyed in 1819 by

Allen Wright L. S.

68.40
27.

Section 1 T. 16 North, Range 2 West.



Owners names to	Cor	Witnesses	Dr	Bearings	Links
Joseph Plummer, Sec 1	D	an ash	9	N. 48° W.	26
S. 1/4 of N.E. 1/4 N.W. 1/4		a Hickory	17	N. 52° E	26
Book B, p 177					
Center N. of S. 1/4 Sec. 1		a Beech	24	S. 21° E	21
Stone 20+18		a Hickory	22	N. 57° E	36
Center S. of S. 1/4 Sec. 1		S. Oak	40	S. 21° E	85
Stone 20+18		a Beech	20	S. 81° W.	71 1/2
Book C, p 25					
Center E. of Sec. 1				S. 40° W	15
Missed 3...		a Cherry	3	N. 52° W	17
Thence West 23 3/4 Poles		a Beech	14	S. 6° E	3
Thence North 68 3/4 poles		a S. Ash	7	S. 65° E	4 1/2
		a B. Oak	24	N. 13° E	9
Thence East 23 3/4 Poles		an Elm	24	S. 12° W	38
		a Lynn	18	N. 83° W	25
Thence North 22 1/2 poles		an Elm	6	S. 19° W	35
by 1/2 Sec. 1 E. corner		a Beech	10	S. 38° W	27
S. West corner		a W. Oak	28	S. 49° E	38
		a Hickory	12	S. 31° W	42
N. East corner		a Beech	13	S. 15° E	57
		a Hickory	16	N. 70° E	23 1/2
		an Elm	15	N. 49° W	15
Book C, p 31					

Owners names to	Cor	Witnesses	Dr	Bearings	Links
S. N.E. 1/4 Sec. 1	A	a B. Oak		N. 67° W	7 1/2
Milton Davis		a R. Elm	9	N. 67° E	3 1/2
West corner	B	a B. Oak	30	N. 25° W	28
E. 1/4 of N.E. 1/4		a S. Ash	12	S. 25° E	4 1/2
are Sec. 1 N.W.	C	a Hickory	22	N. 5° E	20
Corner		an Elm	12	S. 61° E	14 1/2
Book B, p 177					
N. E. 1/4 Sec. 1		an Elm	21	S. 49° W	2
W. corner		a Hornbeam	8	West	13
N. E. corner		a Hickory	10	S. 76° W	16
Book B, p 177		an Elm	8	N. 50° W	20



Owners names to	Cor	Witnesses	Dr	Bearings	Links
10 Sec. 1 off S. 1/4 Sec. 1		and a Stone 8+10 at S.E. - Sec 1			
1/2 Sec. 1 N.E. 1/4 N.W. 1/4		= corner of the same 10 acre tract			
Stone 16+24					
Corner 7 1/2 Rods S. Center		a B. Walnut	4	N. 15° E	22
N. N.E. 1/4 Sec. 1		a Locust	20	N. 75° W	38
Corner 120 Rods N. of Sec. 1		an Elm	16	S. 88° W	26
1/2 Sec. 1 Stone 9+16		an Elm	20	N. 49° W	37
Book C, p 212					

Section 1 T. 16-N.W.

Owners names to	Cor	Witnesses	Dr	Bearings	Links
Center South of S.E. 1/4		a B. Walnut	6	N. 64° E	69 1/2
a Stone 18+10+5		a Ditto	4	N. 12° E	29 1/4
Thence North 176 Rods		a M. Elm	18	S. 80° E	43
S.E. to S. line, a Stone 12+11+8		a M. Hickory	10	N. 13° W	12
Thence West across the 80:		a B. Walnut	8	S. 19° E	43
a Stone 18+12+9		a Ditto	6	N. 73° E	102
Center East in 1/2 1/4		a M. Oak	18	N. 7° E	104 1/2
a Stone 16+10+7, on side		a B. Walnut	2	N. 3° W	9 1/2
Book C, p 338					

Owners names to	Cor	Witnesses	Dr	Bearings	Links
Center & Center a Stone set by measurement					
1 C N Center & Center					
a Stone 17X10X8		Sugar	12	N 59° W	35
		"	14	West	36
Center S E 1/4					
a Stone 19X12X10		Ash	12	S 58 1/2° E	60
		"	24	S 59° W	80
Book C, p 385					

Letters refer to plot on following page:
A - Stone found Walnut 10 N 2° E 9.75', Walnut 10 N 70° E 34.8'
and wood cor post N 45° W 21.2'
B - Stone found 1' deep about 126' S. of C. - Oak 14 N 3° E 6.3'
Oak 14 S 4° W 6.2' Elm 16 N 70° W 26.2'
Stanley Shurtle, Feb 25, 1952.

[illegible]

993
29,81

A. - Stone 4x17x20 B. Walnut 8 S. 50½ E. 20¼ ft.
Do 12 N. 17½ W. 42½ "
Elm 12 N. 16½ W. 39¼ "

B - Stone 10x12 on top of old cen. stone.

C - Stone 8x12 W. Oak 18 S. 25 W. 38 ft.
Do 30 S. 25½ W. 50½ "

D - Stone 10x10x12 W. Cherry 12 S. 67 W. 63 ft.

E - Stone 8x12x20 B. Walnut 12 S. 47½ W. 26 ft.
Do 10 N. 43 E. 47 "

F - Stone 10x14 B. Walnut 10 N. 47¾ W. 37½ "
Do 10 N. 68½ W. 24½ "

G - Stone 5x15x24 B. Walnut 8 S. 85 W. 80½ "
Do 12 S. 5 W. 56 "

H - Already set - See old Record.

I - S½ mile of 1-16-2 W. Stone 8x11x17
B. Walnut 10 N. 43 W. 43½ ft.
Ash 6 N. 41 W. 42 "

J - Stone 6x8x18 - This is cen. S. of Cen. of Sec. 12.
Mt. Stone East 20 feet.

K - Stone 3x5x16 - Cen. of S.E. ¼ - 12.
B. Walnut 12 N. 64½ W. 15½ feet.
Do 10 N. 80 W. 42½ "

L - Stone 6x12x17 Cen. E. of Cen. of Sec. 12.
Ironwood N. 54½ E. 38½ "
Ash N. 73½ E. 69½ "

M. - Stone 12x12x18 E½ mile of Sec. 12
Oak 20 N. 79 W. 22½ ft.
Maple 10 N. 51½ W. 17½ "


N. - Stone 12 x 12 x 17 B. Walnut 10 N. 19 W. 34 ft.
Do 8 N. 75 W. 55 "
O - Stone 8 x 12 x 17 Hickory 12 N. 19 1/2 E. 32 1/2 "
Beech 20 S. 89 W. 20 2/3 "
P - Stone 9 x 10 x 17 Grey Ash 12 N. 6 W. 13 "
Swamp " 10 N. 1 W. 33 "
Q - Stone 8 x 8 x 12 B. Walnut 12 N. 21 1/2 E. 23 1/2 "
S. Oak 10 S. 70 E. 38 "
R - Stone 12 x 18 Maple 15 N. 84 1/2 W. 16 feet.
Do 15 N. 21 W. 19 "
S - Stone 5 x 17 x 24
T - Stone 12 x 12 x 16
U - Stone 7 x 7 x 9 S.E. cor. of 1st & N.E. cor. of 12,
Ash 24 N. 72 W. 57 1/3 feet.
Do 18 N. 70 1/2 W. 110 7/6 "
V - Stone 8 x 8 x 14 B. Walnut 10 N. 7 E. 19 feet.
Do 10 N. 67 E. 42 1/2 "
W - Stone 6 x 14 x 22 on S. line of R.R.
Nix stone S. 74 1/2 E. 20 feet.
X -

For Balance of Plummer partition see Sec. 32-17-17,
and 5-16-17.

J. W. Trotter, Surrogate N. C.

Jan. 1897.

Section 2 T. 76 North, Range 2 West.



<u>Owner name &c</u>	<u>Co.</u>	<u>Acres</u>	<u>Range</u>	<u>Section</u>
<u>Daniel Davidson</u>	A	as Dogwood	6	N. 19° W. 20
<u>Chas. L. E. & S. E. former</u>		as Elm	12	S. 31° W. 20
<u>Kiram Trust L. & P. of</u>	B	as Dogwood	2	S. 6° W. 2
<u>G. E. & S. E. former</u>		as Elm	10	S. 30° E. 11


Book B. p 179

Owner names &c.	Cor	Witnesses	Dr	Bearings	Links
1/2 mile Post on North	at Hickory	28	S. 47 1/2° E	29	
of Section 2	sa Sugar	12	S. 27° W	31	
Center North of	at Hickory	24	N. 37° E	93	
N. East 1/4	sa Sugar	15	S. 24 1/2° W	86 1/2	
Center of the Section	at Mr. Oak	15	N. 62° E	48	
	sa Buckeye	6	S. 31° E	17 1/2	
Center East of Center	a Crab Apple	6	S. 6° W	69	
	sa Beech	18	N. 43° W	92	
The Mill Tract Begins	58 poles North of the S. East Cor.				
of the Tract	at Walnut	6	S. 30° E	38 1/2	
	sa Do.	2	N. 87° W	24	
Then S. 61° W. 36 Poles	a Buckeye	10	N. 42 1/2° W	12	
	sa Beech	18	East	14	
Then N. 85° W. 14 Poles	a Sugar	11	S. 85° E	4	
	sa Do.	15	S. 42 1/2° W	20	
Then S. 57° W. 14 Poles.	a Buck	20	N. 51° E	15	
Then West 7 Poles	sa Oak stump	30	N. 71° W	20	
Then North 10 poles	a Birch	24	S. 85° W.	24	
	sa Walnut	8	N. 11° W	3	
Then N. 56° E. 76 1/2 Poles	a Pin Oak	24	N. 48° W	40 1/2	
to East line of the Tract.	sa Buckeye	10	S. 72 1/2° W	42	
Thence South 28 Poles,	Containing 9 Acres	60	Poles.		
Then North 10 Poles from	at Mr. Oak	36	N. 6° W.	15	
the N. E. Cor. of Mill Tract	sa Sugar	12	S. 45 1/2° W	38	
			Book C. p.	37	

<u>Diversity names etc.</u>	<u>Cor</u>	<u>Witnesses</u>	<u>Dr</u>	<u>Bearings</u>	<u>Links</u>
S.W. 1/4 Center North <u>Stone 2</u>		a W Oak	110	S. 77° E	214 1/2
Stone 15 + 10		a Walnut	6	S. 26 3/4° W	113
1/2 mile Post on West side Flat Stone 20 + 15		a Beech	18	S. 19° E	43 1/2
Relocated from Stamp plain		a Do.	8	S. 64 3/4° W	98 1/2
S.W. Cor. of the Relocated		a Poplar	40	S. 89° W	154
Stone from old Stamp plain, good		a Beech	22	S. 16 1/2° W	103
S.W. 1/4 Center S. good Stone		a Forked Walnut	36	S. 33 1/2° E	26 1/2
Book C. p. 125					
S.E. Cor. Relocated from old witness. Stone		a Elm	16	N. 16 1/2° W	47
Center S. of S.E. 1/4		a Walnut	2	N. 61 1/2° E	53
Stone 12 + 16		R. oak	16	N. 34° E	31
		a W. Oak	20	S. 86° E	70
Book C. p. 212					

[illegible]

Section 3, T. 16 N. R. 2. W. 2.



Owners names &c. Cor. Witnesses Dr. Bearings links
 Survey for Davidson & Balis. South 1/2 mile Relocated by Sec. 3.
 = measurement.
 Center South of
 S. West 1/4
 aycamore 16 N. 14° W.
 Center of Section
 an Oak 40 S. 80 1/2° E. 80 1/2
 S. Ash 8 N. 59 1/2° W. 38
 Center S. of the Center
 a split 8 S. 20° W. 32
 a Do. 8 N. 53° W. 57 1/2
 Center of S. 1/4
 an Elm 12 S. 67 1/2° E. 71
 Beginning at the last above named corner
 Thence East 4.80 chains
 chains, Thence
 chains to the Beginning.
 Chains to the Beginning.
 more or less. Note.
 Corners, and also
 E. of the N. 1/4 of
 Section 10 in Town N. N. R. 2 W.
 Book C. p. 145

See P. 116 Plot L. Robins lrs.

Owners names &c. Cor. Witnesses Dr. Bearings links
 Survey for Davidson & Balis. South 1/2 mile Relocated by Sec. 3.
 = measurement.
 Center South of
 S. West 1/4
 aycamore 16 N. 14° W.
 Center of Section
 an Oak 40 S. 80 1/2° E. 80 1/2
 S. Ash 8 N. 59 1/2° W. 38
 Center S. of the Center
 a split 8 S. 20° W. 32
 a Do. 8 N. 53° W. 57 1/2
 Center of S. 1/4
 an Elm 12 S. 67 1/2° E. 71

Beginning at the last above named corner
 Thence East 4.80 chains
 chains, Thence
 chains to the Beginning.
 Chains to the Beginning.
 more or less. Note.
 Corners, and also
 E. of the N. 1/4 of
 Section 10 in Town N. N. R. 2 W.
 Book C. p. 145

Lane Davidson's
 N. E. 1/4 Thence West
 20.00 ch. to Cen. S. of N. E. 1/4
 Thence North
 20.00 Chains
 Thence East
 20.00 Chains
 Thence South 20.00
 Chains to Beginning, containing 40 acres.

Owners names &c. Cor. Witnesses Dr. Bearings links
 Survey for Davidson & Balis. South 1/2 mile Relocated by Sec. 3.
 = measurement.
 Center South of
 S. West 1/4
 aycamore 16 N. 14° W.
 Center of Section
 an Oak 40 S. 80 1/2° E. 80 1/2
 S. Ash 8 N. 59 1/2° W. 38
 Center S. of the Center
 a split 8 S. 20° W. 32
 a Do. 8 N. 53° W. 57 1/2
 Center of S. 1/4
 an Elm 12 S. 67 1/2° E. 71

32 Rods E of Center a Stone 10x12
 a white oak 24 N. 58 1/2° E. 142
 a cor. 10 S. E. of the above corner.

cen. N. of N. E. 1/4 Relocated by measurement
 a Stone 12x15 with a stone 15x12 link west.
 a corner 75.91 N. S. of cen. N. of N. E. 1/4. Stone
 promised - Thence West 47.96 ft. another cor.
 Stone promised. (The above for Hayot Henry.)

Owners names &c. Cor. Witnesses Dr. Bearings links
 Survey for Davidson & Balis. South 1/2 mile Relocated by Sec. 3.
 = measurement.
 Center South of
 S. West 1/4
 aycamore 16 N. 14° W.
 Center of Section
 an Oak 40 S. 80 1/2° E. 80 1/2
 S. Ash 8 N. 59 1/2° W. 38
 Center S. of the Center
 a split 8 S. 20° W. 32
 a Do. 8 N. 53° W. 57 1/2
 Center of S. 1/4
 an Elm 12 S. 67 1/2° E. 71

Section 4 T. 16 N. Range 2 West.

Owners names &c. Co. Witnesses Dr. Bearings Links

Jones, Clifton & Davidson

Partition Between.

North 1/2 mile Post a Beech 18 S. 64° E 111

a Beech 18 S. 27 1/2° E 12 1/2

Center N. of N. 8 1/4 an Ash 30 S. 41° E 27 1/2

Thence South 84 poles a Beech 12 S. 32 1/4° E 64

Thence East at 5 1/2 poles a Beech 30 S. 15° E 11

to Sec. line 80 poles a Beech 24 S. 65 1/4° W 49

Clifton's part Begins about 90 poles S. of N. 1/2 corner

of the 1/4 on the North line of N. 1/2 Salem

Thence East 27 poles with Oak 36 S. 75° E 36

a Beech 18 N. 65° W 27

Thence N. 79° E. 52 poles to the other corner

Thence N. 84 poles to the Sec. line

Kice & Heirs, Partition Beginning at the S. East

Corner of town, Thence West to the West line of the 1/4

or Center of the Street Thence S. 8 poles Thence East

17 poles & 9 links Thence North 8 poles

Containing nearly 7/8 of an acre.

Davidson's Begins at the N. E. corner of the

Town, Thence South about 43 1/2 poles to the North

Line of N. 1/2 Salem.

Thence East 26 poles a Beech 18 N. 41° W 19 1/2

Thence North 63 1/2 poles a Beech 20 S. 67° E 44 1/2

an Ash 12 N. 89 1/2° E 68

a Beech 30 N. 49° W 100

a Beech 30 S. 74° E 157

a Beech 18 N. 37° E 153 1/2

Book C. p. 24

See P. 116 L. Robin's Lrs.

See 1 Page back p. 27 N. Salem.

In balance next page

See page 116 for Corner for Districtal

Owners names &c. Co. Witnesses Dr. Bearings Links

line of the portion laid off for Jeremiah Buckhalter

Thence East 8 poles + 16 links to the North East corner

of the lot laid off to Buckhalter. Thence South

63 1/2 poles, to the South line of the Quarter. Thence

East 134 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

Thence North 112 poles to the S. E. corner of the Tract,

See New Book for Survey for Grant Sells & See Hydes

Owners names &c. Co. Witnesses Dr. Bearings Links

N. West Corner a Beech 12 N. 55° W 68

a Beech 10 N. 84° E 57 1/2

N. East Corner a Beech 24 S. 71° E 11

a Beech 28 S. 51° W 25

Book C. p. 31

Steam Sawmill lot North of N. Salem, N. E. corner of the

lot which is 18 poles N. & 8 poles North of the

Town line a Beech 16 S. 28° W 40 1/2

Thence East 14 poles a Beech 20 S. 65° E 19

S. E. corner of Mill lot a Beech 20 N. 31° E 5

N. E. corner of an Ash 26 S. 6° W 38 1/2

Herring Sawmill a Beech 10 S. 54° E 25

Thence S. 2 lots each 60 feet wide, Thence an Alley 10 feet

Thence S. another lot 60 feet a Beech 30 N. 66° E 11

Thence three lots at John Clifton, The S. lot, David Thompson,

The middle lot, and Thomas Herring on the North lot,

1st Mo. 1850 Book C. p. 45

Tanyard lot N. of North Salem, Beginning at the

N. E. corner of the Meth odist Meeting House lot,

Thence N. with the Section Bearing 7 poles & 3 links,

Thence N. 48 1/2° W. 7 poles + 6 links, Thence N. 55° E. 13 poles

+ 19 links, to the E. line of the 1/4. Thence South 12 poles,

Thomas Mar. lot, Begins at the N. E. corner of the

above lot, Thence S. 55° W. 13 poles & 19 links, Thence N. 84 1/2° W. 4 poles & 15 links,

Thence N. 51 1/2° E. 15 poles + 16 links, Thence South 2 poles to the Beginning,

N. E. corner of the lot a Beech 20 N. 11° W 38

Section 4 M continued

Owners names &c. Cor. Witnesses Dr. Bearings Links
 Wesley H. Wright? Lot Begins at the N.W.
 corner of Claypool's Lot N. 48 1/2° E. 1/4 from
 Fullins Lot thence N. 48 1/2° W. 4 poles
 1 21 links thence N. 48 1/2° E. 9 poles Sugar 18 N. 119 1/2° E. 32.
 Thence S. 48 1/2° E. 4 poles 1 21 links thence S. 48 1/2° W.
 9 poles & 17 1/2 links; Claypool's N. line is S. 48 1/2° E.
 7 poles & 10 links; Thence S. 61 1/2° W.
 10 poles & 11 links, to Fullins corner.
 Pennington's Lot Begins 4 poles North of
 the North line of Town's Thence East 8 poles
 Thence West 8 poles, Thence West 8 poles,
 Thence South with the line 4 poles to the Beginning.
 Book C. p. 74
 John A. Huntington House Lot. Beginning on the N. line
 of Sec. 4, & E. of 1/2 mile Post 40 poles.
 Thence S. with S. bearing a B. Walnut 33 S. 17° W. 9 1/4
 10 poles; Stone 16 + 10 B. Walnut 27 N. 12 1/2° E. 83 1/2
 Thence E. with S. bearing R. Elm 20 N. 4° E. 73 1/2
 16 poles; Stone 18 + 10 Bearing 10 poles to the North
 Thence N. with Section boundary line of said
 Section, a Stone 17 + 10 a B. Walnut 30 S. 79° E. 177
 Thence West with said line 16 poles to the
 Beginning Book C. p. 82

Owners names &c. Cor. Witnesses Dr. Bearings Links
 Sec. 4. Grove land Boundary. Beginning at the
 1/2 mile Post on the N. of the Section. Thence with the
 line dividing the Section North South through the center
 56 poles & 5 links; Thence N. 85° E. 8 poles
 1 23 1/2 links; a small stone a width 22 N. 83 1/2° E. 47
 Thence S. 6° E. (secant) 3 poles 117 links thence N. 85° E. 8 poles
 1 1/2 links thence S. 5° E. (secant) 30 poles & 9 links from N. 88 1/2° E. 3 poles
 1 17 links; to the N. E. cor. of New Salem, Thence N. 86° E. 9 poles
 1 7 links; Thence N. 30° E. 52 poles & 6 links thence N. 16 1/2° W. 84 poles
 1 17 links, to the North boundary line of Sec. Thence West with
 said line 79 poles & 11 links to the Beginning.
 Book C. p. 82

Mill Lot. Beginning on the line dividing
 Sec. 4 N. & S. through the center & S. of 1/2 mile Post on the
 North 53 poles & 7 links, Thence S. 5° E. 11 poles &
 1 5 1/2 links, Thence S. 48 1/2° E. 2 poles
 1 21 1/2 links, Thence N. 85° E. 8 poles
 Thence N. 5° W. 13 poles & 16 links to the Beginning.
 Book C. p. 84

Center on the N. of N. W. 1/4 a Bush 18 N. 45 1/2° E. 69 1/2
 8 1/2 acres off of N. W. corner of the E. 1/2 of N. W. 1/4. Beginning
 at the N. W. cor. Thence S. on division line of 1/4 (1/2 E. 6.
 Thence East with Section of Crawfordville Road
 a Bush 18 N. 45 1/2° E. 69 1/2
 a R. Oak 20 S. 88° W. 60 1/2
 a Sugar 20 S. 23° E. 32
 Bearing 10 1/2 links to center
 Appleton 6 S. 48° W. 66 1/2
 Rollance next page

Owners names &c. Cor. Witnesses Dr. Bearings Links
 Thence N. 35 1/4° W. with said Road 13, 55 to Section line
 Post a B. Oak 35 N. 15 1/2° W. 121
 Thence West on Section 3, 21 links to the Beginning.
 Section 4. Book C. p. 136
 Commencing at the 1/2 mile Post on N. of said Section
 4. Thence on line dividing the N. E. & N. W. 1/4 56 Rods & 5 links
 Thence E. 14 Rods, Thence S. 60 feet, Thence E. 6 Rods,
 Thence N. 30 Rods & 10 links a Hickory 16 N. 66° E. 101
 Stone promised a P. Oak 19 N. 9° E. 17
 Thence E. 7 Rods & 2 links to Hadley's old corner in Claypool's
 Estate. Thence N. 8 1/2° E. (at face of compass) 52 Rods & 6 links,
 to another old corner in said Estate. Thence North
 on dividing line of N. E. 1/4 84 Rods & 12 links to the
 Section line, Thence West on Sec. line 23 Rods & 11 links
 Thence N. 10 Rods, Thence S. 16 Rods, Thence S. 6 Rods,
 Thence West 20 Rods, Thence N. 16 Rods to Section line.
 Thence West to the Beginning, containing 36 acres
 more or less Book C. p. 168

Bateman's Mill Lot. Part of 1/2 of N. E. 1/4 commencing
 about 26 Rods East of Center of Section at a corner
 made by Hadley, Relevance a P. Oak 16 S. 7° W. 95
 Stone 6 + 8 a Beech 36 N. 3° E. 111 1/4
 Thence E. 64 Rods to center of Campsville Road, Stone 1084
 Thence N. 18° W. 40 Rods with Road Thence N. 34 1/2° W. 20 Rods
 Rollance at the top

Owners names &c. Cor. Witnesses Dr. Bearings Links
 Thence N. 57° W. 11 Rods & 22 links a Beech 16 N. 81 1/2° E. 96
 Sec. 4. Stone 10 + 12 a Do. 12 S. 25 1/2° W. 132
 Thence N. leaving Road 30 1/4 Rods a Walnut Post about 4 feet
 in the ground. a Burr Oak 36 East on line 1996 in
 Thence South 60 Rods to the Beginning, containing 19 acres more or less
 Book C. p. 180

Sec. 4. Blake's Survey for. In Sec. 4, S. 16, R. 27, and
 Sec. 33 T. 17 R. 2 W. being part of the N. E. 1/4 of N. E. 1/4 of Section
 11 as above & part of the S. W. 1/4 of the S. W. 1/4 of Sec. 33 aforesaid.
 Commencing at N. E. cor. of said N. E. 1/4 of N. E. 1/4, Thence
 S. on E. line 25 Rods & 19 links, Thence West 32 Rods,
 & 3 links, Thence N. 105 Rods & 19 links to a line of said
 S. W. 1/4 of S. W. 1/4 of Sec. 33. Thence E. 29 Rods & 2 links,
 to East line, Thence S. on East line 80 Rods to E.
 corner of the same, Thence E. 76 links to the Beginning,
 containing 20 acres. Book C. p. 180

Sec. 11. again, part of the N. E. 1/4 of N. E. 1/4 commencing at
 Rods & 19 links, S. of N. E. cor. of said 1/4 1/4, Thence S. (on E. line) 24
 Rods & 22 1/2 links; Thence West 32 Rods & 3 links, Thence N. 24 Rods & 22 1/2
 links, Thence E. 32 Rods & 3 links to the Beginning. Book C. p. 180
 containing 5 acres on


Section 4 T16 North, Range N^o 2 West.

Owner's name &c.	Co.	Witnesses	Dr.	Bearings	Links
William Peirce	10 acres off of the South end of the				
19 acres width	of the same 26.84 chains;				
N.E. corner is a stone	a Beech 18	West on line 50			
Then West 55 1/2 Rods to	a point 26 Rods & 21 links North				
of S.W. corner, where	a Lycamore 40	N. 5° E 135;			
John Harden	1 acre Lot Begins 29 Rods 10 links				
Thence N. 18 1/2 Rods	a Beech 16	S. 10° E 16			
Thence West 8 Rods	+ 18 links;				
N.W. corner is	a P. Oak 24	N. 46° E 52			
S.E. corner is	a Beech 20	S. 20° E 34			
Lot 3, 11 acres, is 11	Rods & 2 feet by 24 Rods & 12 feet;				
as run off by Davis to	Genabel; Commencing 10 feet South				
of S.W. corner Block N ^o 3	in North Salem; Thence S. 11 Rods & 2 feet				
Thence East 34 Rods; Thence	North 18 Rods; Thence N.W. 14 Rods				
+ 14 feet; Thence West 7 Rods	+ 14 feet; Thence South 18; Thence				
West 19 Rods & 1/2 foot	to center of the Street; Measure				
from beginning East	16 Rods & 21 links; West from the				
back East corner of the	From Street East 260 feet, or				
15 Rods & 20 links to	South East corner of Town;				
Thence North with the	Town line 18 1/2 Rods to center of				
Gravel Road;	Thence S 81° E 7 Rods & 6 3/4 links;				
Thence S 5° E, 14 Rods	+ 21 links; Thence South 18 1/4 Rods, to				
the line of the mill	land; Thence West 4 1/2 to the West				
edge of the stump	within 192 of the corner,				

see next page bottom

a Continuation of

North Salem. Robert Conover's addition to: Plat.



These are Lots of one acre each; including 1/2 of the Streets, & also part of the alley as plat shows.

Beginning at the 1/2 mile post on the North of Sec. 4, T. 16 N. Range 2 West; Thence S. with the line dividing said Sec. N & S through the Center of 6 poles & 5 links Thence E. with Sec. line, being 110 poles to the center of the alley; Thence N. parallel with the

line 56 poles & 5 links to the North boundary line of said Sec. Thence West with said line 40 poles to the Beginning.

All Lots front 8 poles & tail 20 poles; Except N^o 7 which fronts 8 poles & 5 links, & tails as the others, and lot N^o 13 fronts 16 poles & tails as the others. Sp^l 30 1/2 1852.

An addition to W. Wright's Lot in North Salem.

Beginning at N.W. cor. at A. Thence N. 85° E 3 poles & 6 links; Thence S. 5° E 3 poles & 15 1/2 links, to B. So being 2 sides of right angle triangle; Book C. p. 53. The N^o of said Lot not given.

Survey for Robins & Harvey Page 117.

North Salem.

a Plat of 6 Lots added & numbered to the Town of North Salem,

5	10 feet
4	
3	
2	6
1	

but not regularly surveyed; some of them measured & some not; Lot N^o 1 fronts 66 feet & tails 14 poles;

N^o 2 fronts 66 feet & tails 159 feet 9 inches; N^o 3 fronts 18

poles & tails 14; N^o 4 fronts 60 feet & tails 10 poles; N^o 5

fronts 60 feet & tails 136 feet 6 inches; N^o 6 is 66 by 72

feet 3 inches. Between 1 & 5 there is a 10 foot alley.

Book C. p. 84.

Owner's name &c. Co. Witnesses Dr. Bearings Links

In all 247 Poles, being 38 Rods	West; Thence NW 2 Rods;
The foregoing Lot contains	4 acres & 5 Rods;
The Cor. of Sec. 3, 4, 9 & 10 Relocated	by crossing to the best of my ability;
a Stone 20 x 18 x 8	a W. Oak 18 N. 10° W

Book C. p. 327

Washington Riggins a survey for.

Beginning at a stone 6 x 10 x 14 Maple 6 S 35 1/2° E 87

which is 135 feet N. of N.E. cor. of Lot 8 Block I N. Salem.

Thence N. 92 feet to Maple 6 S. 31° E. 16 1/4 feet.

a stone 5 x 8 x 10 do S. 80 1/2° W. 42 "

Thence N. 39 1/2° W. 118 feet Locust 12 S 30 1/2° E 11 1/2 "

to a stone 8 x 10 S. Poplar 10 N. 53 1/2° E 19 "

Thence N. 61° E 195 feet Stone N. 7 1/2 "

to a stone 10 x 12 Beech 20 S 58 1/4° W. 68 "

ninety rods North of the South East corner of the W 1/2 N. W 1/4. A stone 12 x 20 in the road & a witness stone North on the line 26 Links

Beginning at the East 1/2 mile stone of Section Thence North 21 Rods to the right of way of the I.D. & S.R.R. Thence, S 79 1/2° West with said R.R. 69.8 Rods To East side of the road; Thence, South 30 1/2 East, 13.28 Rods; Thence East to the place of Beginning - 62 Rods - Estimated to contain 6.65 acres more or less.


Also one & one half acres off West End of the stone, as follows - Beginning 46 Rods West of the E 1/2 mile stake, Thence North 74 1/4 Rods to the Right of way of the I.D. & S.R.R. Thence South 79 1/2 West with the R.R. 18 Rods to the East side of the Gravel road; Thence South 30 1/2 E 13.28 Rods. Thence East 16 Rods to the place of Beginning.

Thence South to the Beginning. Estimated to contain 46 acres. W.H. Viseheart and Frank North chainmen. June 1890.

See page 112 & Page 115

Section 5, T. 16 N. R. 2 E. West.

Owners names &c. Cor. Witnesses &c. Bearings Links



Thence Commencing at the West 1/2 mile Post
Thence S. 5° E. 10 Chains a B. Oak 30 N. 72° W. 39
Corner a B. Beech 6 S. 31° W. 29
Thence E. with 1/2 inch bear. 5.00
links. corner in creek a Sugar 6 S. 58° E. 30
Thence N. with 1/2 inch bear. 10
Chains. corner a Sugar 18 N. 46° W. 27
Thence West with bearing 5 Chains to the Beginning
Estimated at 5 links a Walnut 5 N. 86° E. 12
Book C.P. 136

Thence S. 1/2 mile from the S. 1/2 mile 197 Rods
the N. 1/2 of the S. 1/2 a stone 12 x 15 a Walnut 24 S 64° E 17
Thence E. 5 chains a stone 12 x 15
Thence North 10 chains a Walnut 36 S 61° W 39
Thence West 5 chains to the Beginning, containing 5 Acres
Thence South 10 chains to the Beginning, containing 5 Acres
More or less a Walnut 8 S 24° E 80
a Cherry 10 S 13° E 78
Book C.P. 150

S 1/2 mile stone relocated from a good witness
a stone 12 x 20.

centre N. N. E 1/4 a Red oak 40 S 35° E 13
N. W. cor. of Section found from old witness
and a rock planted. a small walnut 2 inch
west on the line 37 Links

Owners names &c. Cor. Witnesses &c. Bearings Links
Commencing in the County Road and Thence
West 95 3/4 poles, a Beech 12 N. 25° W. 19 1/2
only agreement a Beech 18 S. 17 1/2° W. 55 1/4
Thence S. 67 poles a Beech 20 S. 50° E 32
a Beech 22 N. 10° E 38
a Beech 22 N. 9° W. 29
a Beech 24 S. 50° E 5
Thence E. to E. side of the above
Survey was done to suit the
not mine. J. H.
Book C.P. 25

Owners names &c. Cor. Witnesses &c. Bearings Links

1 1/2 mi a stake. B Walnut 15 S 45 1/2° W 30 L
The line run & measured from Rodgers cor East
to the Section corner on the west the
line short 80 links - the 1 & S line
Through the Section

North from the S. 1/2 mile 197 Rods
a stone 12 x 15 a Walnut 24 S 64° E 17
Centre S. S. E 1/4 a stone 12 x 15
a Walnut 36 S 61° W 39

North from the centre South 197 Rods
a stone 10 x 12 a B Walnut 8 S 24° E 80
a Cherry 10 S 13° E 78

5 chains E of 1/2 mile stake a B Walnut 10
S 83° W. 104
a stone 10 x 20. a B Walnut 12. N 24 1/2° W. 112

centre west S. W. 1/4 relocated from old witness
a limestone rock 10 x 16. a Pin Oak 36
N 44 1/2° W. 121

Thence E. 5 chains a limestone rock 8 x 8 x 15
a white Oak 20 1/2 South 27 East 60

E 1/2 mile Relocated from Government witness
a stone 10 x 12 - a stone witness South on the line 25° E

Part of Isaac best partition by
J. W. Proctor.
1 1/2 mile from old witness
Stone 5 x 12 x 10
Stone 1 x 8 15 feet
S. H. cor 30 5
Stone 24 x 14 x 10
Black Walnut S 22 1/2° E 42 1/2 ft
S 1/2 mile
Stone 14 x 12 x 6
Stone north on line 15 feet

Center S. S. E 1/4 - good stone found March 1944
Stanley Shurtle, Rep. S.H.C.

Section 6, T. 16 North, Range 2 West.

Owners names &c. / Cor. Witnesses &c. Bearings links

Widow Zimmerman's Lower. Commencing at the
N.E. corner, Thence South
on Section line 28.33 Rods to
Thence N. with Sec. Bearing
28.18 Rods to
Note: The above corner
Thence N. with bearing 28.33
to Section line, Rock 8+20
28.18 to the Beginning.

Also a tract of 35 acres
of the N.W. 1/4 of Sec. 5 in
North & South 1/2 E. 50
Commencing at the
described Thence West on
Sec. line, 16 Chas. a Post.
Thence S. with Sec. Bear. 48.71
to division line of Sec. corner
Thence East with S. line
5.34 links. Corner.
Thence N. 57 1/2 W. 20.56
to the Cor. of Lower
28.33 to the Beginning

Estimated at 82 acres.
off of the North End of the W. 1/2
S. 16. N. of R. 2 West. Being 20 chains
East & West, being in all 115 acres.
N. West Corner of the Lower above
S. Ash 5 N. 63° E 26
Long Ash 5 S. 28° W. 20
a Beech 8 N. 37° W. 20
an Elm 12 S. 80° W. 19
an Ash 24 N. 46° W. 50
a Beech 18 S. 44° W. 65
Thence N. 8 1/2° E 10.84
Thence North with Lower line

Survey for change
Beginning 20 Rods N.
Thence N. 13 1/2 Rods, then
65 Rods

of Public Highway, Sec 6
23 Rods East of Center of Section
E. 80 Rods, Thence S. 85° E.
Book C. p. 136

Book C. p. 137

Owners names &c. / Cor. Witnesses &c. Bearings links
N. Davis R. Zimmerman
St. being Partition of the
East of the N.W. corner
Corner E. of the N.W. corner
Post 11.56 links, Post

Corner located between T. 16 N. & T. 15 N.
North West fractional 1/4 corner
of Sections 11, 5, 6. Post.
a B. Oak 32 N. 5° W 17
a Beech S. 8° E 33
a Hickory 9 North 6
a Do. 18 S. 17° W. 30
Book C. p. 137

Owners names &c. / Cor. Witnesses &c. Bearings links

Beginning at the S.E.
Cor. of the N. of the S.E. 1/4
Thence North 9.50 chains
of the S.E. 1/4 where
Thence South on said
S.W. cor. of said 1/4 where
Thence East on the
the Beginning contain

Section 6
a Walnut 36 N. 8° E 30 1/2
Thence West to the West line
a Beech 24 S. 2 1/2° E 53 1/2
West line 9.48 chains to the
a Hickory 14 N. 51 1/2° E 32
South line of said half quarter to
ing 38 acres more or less.
Book C. p. 130

1/2 mile Relocated from
Old Witnesses. Stone 16+20
Center E. S.E. 1/4
Stone
Cor. 2 Rods S. Cor. E. N. 1/2
S.E. 1/4. Stone 12+16
Center S. of Center
Stone 16+20.

Cor. 2 Rods S. Cor. W. N. 1/2
of S.E. 1/4. Stone 10+14
Center of Section
a Stone
Cor. 104 Rods N. E. 1/2 mile
Stone 10+13
Thence N. 8 Rods to 23 line
Stone 12+16

a Beech 8 S. 61 1/2° E 92
a Do. 8 N. 79° E 92
a Hackberry 16 S. 71° E 69
a Sugar 18 S. 2 1/2° E 112 1/4
a Beech 8 N. 35 1/2° E 18
a B. Oak 24 S. 72° E 13
a Hickory 16 N. 29 1/2° E 59
a B. Walnut 4 N. 37° W 108
a B. Walnut 6 S. 53° E 53
a R. Oak 8 N. 79° E 112
a R. Oak 14 S. 34 1/2° W 15
a Poplar 6 S. 84° E 17
a Sugar 16 N. 48° W. 62 1/2
a R. Oak 20 S. 60° W. 62
a Sugar 10 N. 34° E 2 2 1/2
a Do. 16 S. 24° E 33
Book C. p. 209

Owners names &c. / Cor. Witnesses &c. Bearings links

Corner 3 Rods + 11 links E. Cor.
of Section 6. Stone 8+14
Corner 17 Rods + 17 links W. Cor.
Section. Stone 8+14
Cor. 86 Rods N. East Cor.
Stone 8+16
Cor. 86 Rods N. E. 1/2 mile Post
Stone 6+12

Commencing at S. E. Cor.
Thence North 82
a Stone
Thence S. 63° W. 23 Rods.
Stone 8+14

Thence South 73 Rods to the
of the Section, Thence
Beginning. Containing

Commencing at N.E. Cor.
West 97 Rods + 15 1/2 links
Stone 10+20
Thence S. 109 Rods + 15 links
Stone 10+14

Thence East 97 Rods + 15 links
to the Beginning. Contain

Thence East 3 Rods + 17 links.
a Hickory 6 S. 16 1/2° E 116 1/2
a Do. 8 South 184
a R. Oak 5 S. 13° E 103
a Beech 14 S. 15° W. 116
line running E. & W. through Center
East 17 Rods + 17 links to the
10 acres + 34 Rods.
of Section, and Running
a Beech 16 N. 81 1/2° E 243
a B. Oak 10 N. 46° W. 112
a Beech 18 N. 84 1/2° E 60
Thence North 107 Rods + 15 links
ing 77 acres + 31 Rods.

Section 6 Continued T16 North R. N. 2 West

Owners names & Co. Witnesses Dr. Bearings Links
 Commencing 100 Rods
 115 links S. & N. E. corner
 Thence South 9 Rods,
 Thence North 15 Rods,
 113 links to Fordy's
 the Beginning, contain

2 a So. 6 North 97
 a B. Walnut 10 S. 28 1/2 W. 87
 Thence West 97 Rods + 15 1/2 links
 Thence East 2 1/2 Rods,
 Thence S. 85° E. 66 Rods
 River, Thence N. 69 1/2° E. to
 ing 7 Acres + 17 Rods.

Book C. p. 233

Section 6

Part of 1/4 of N. E. 1/4.
 West of N. E. Cor of Section
 15 links. Thence West
 109 Rods + 15 links to
 19 Rods + 14 links to
 66 Rods more or less.

Commencing 97 Rods + 15 links
 + Running South 109 Rods +
 19 Rods + 14 links. Thence North
 N. line of Sec. Thence East
 Beginning, containing 13 Acres +

Grave yard, same
 115 links South to
 9 N. E. Cor of Sec.
 a Stone 12 + 16
 Thence N. 15° E. 12 Rods
 116 links. Thence
 Thence S. 78° E. 3 Rods

1/4 Section. Beginning 100 R.
 N. 65 1/2° W. 28 Rods + 17 links
 a W. Oak 24 S. 17 1/2° W. 33 3/4
 a B. Walnut 16 N. 31 1/2° E. 108 1/2
 + 2 links. Thence S. 57° W. 8 Rods
 S. 12 1/2° E. 5 Rods + 22 links,
 + 5 links, to Beginning.

Book C. p. 234


Owners names & Co. Witnesses Dr. Bearings Links
 Sec. 6. Cor. 32 Rods + 17 links
 N. W. 1/4 mile.
 Cor. 121 Rods + 9 links
 N. 1/4 mile.
 Cor. 98 Rods + 18 links
 E. of last corner

a Beech 16 N. 20° E. 112 1/2
 2 a So. 14 S. 22 1/2° E. 131
 a W. Oak 30 N. 38° E. 144
 Stone 24 + 24
 a Hickory 6 S. 80° W. 56 3/4
 2 a Beech 14 N. 1/2° E. 46

Book C. p. 236

Plat

Section 6. T16 N. R. 2 West
 N. 6. not in plat, and
 otherwise in plat
 This Cor. 10 or 12 links to Cor. 1



1 a Beech 18 N. 27° W. 34
 2 a Buckeye 8 S. 78° E. 31
 2 a Beech 10 N. 24 1/2° E. 63
 2 a So. 15 N. 41° W. 81
 3 S. Ash 7 S. 45° W. 101
 4 S. Ash 5 N. 63° E. 26
 1 Grey Ash 5 S. 28° W. 20
 5 a Beech 8 N. 37° W. 20
 2 a Elm 12 S. 80° E. 19
 6 a W. Ash 24 N. 48° W. 30
 2 a Beech 18 S. 44° W. 65
 13.9 to S. W. corner of Downer's

Book C. p. 243


The E. p. of the N. W. 1/4
 115 lin. South and N. 65 1/2° W.
 Thence N. 15° E. 12 Rods +
 16 links. Thence S. 12 1/2° E. 5 R.
 to the Beginning, containing 1/2 acre
 more or less

of Sec. 6: Commencing 100 Rods
 from the N. E. corner of said 1/4
 2 links. Thence S. 57° W. 18 Rods +
 22 links. Thence S. 78° E. 3 Rods + 5 lin.

Book C. p. 255

Owners names & Co. Witnesses Dr. Bearings Links
 80 Rods 9 Links S of N. E. cor of Sec = a B. Walnut 24 S. 65° W. 76
 Stone 8 x 10 x 10 Round, do N. 33 1/2° E. 61 1/4

J. J. Poy's Addition to Zimmerman Grave yard -



Beginning at the North East corner of the
 Grave yard as found recorded on the
 preceding page. Thence: Thence South 80 E.
 31 links; Thence N. 41 E. from a true meridian
 (V 4 1/2 E.) 85 L. Thence N. 10 1/2 E. 36 L; Thence
 N. 88° W. 103 links; Thence South 6° West
 95 L; Thence S. 80° E. 34 links to the Place
 of Beginning = 13 09 acres or less -
 S. E. cor of Sec. 6. a B. Walnut 6 N. 15 W. 111 3/4

Section 7, T. 16 North, Range 2 West.

Stone

Stone

1/2 mile East on W. side

Relocated, Stone 18+10

1/2 mile East on E. side

Stone 18+12

Relocated old bearing

Center of Section N

Line taken by consent

E. 1/2 W. run against mound

Stone 18+6

Stone N. W. 1/4 30 acres off

Stone 22+15

of the E. end, N. W. 1/4 Stone

N. E. 1/4 Center South

Stone 18+10 flat

N. E. 1/4 of Sec. 1 Stone 20+10

Hay, subject to be covered by

N. E. 1/4 of the 30 acres

Stone 22+15

1/2 mile East North a

notch in one side.

Book C. p. 125

of Section 7 =

a B. Oak 40 N. 38 1/2° E 65 1/2 73 1/2

a Walnut 10 N. 82° E 32

a B. Oak 5 N. 2° W 52

a B. Oak 20 N. 64 3/4° W 42

a Do. 30 S. 31° W 38

a Poplar 44 N. 83 1/2° E 74 1/2

a B. Oak 22 N. 19° W 56

a Sugar 18 S. 51° E 21 1/2

a B. Oak 24 S. 82 1/2° W 3 1/2

Trus standing & Cor. in a sandy

sand.

a Beech 22 N. 48 1/2° W 51

a Buckeye 16 S. 58 1/4° E 52

Stone 20+12 Tapering to top & a

Book C. p. 125

Owner's name &c. Cor. Witness Dr. Bearings Links

Mr. Mahony, Mr. Stone & Dugh

a Walnut 10 N. 19° E 90

1/2 mile from old witness

a Elm 24 N. 46° W 33

one standing

1/2 mile from old witness

a B. Oak 36 S. 77° E 102

on corner N. W. 1/4 of Sec. 1

of Section, in the branch about 96 Rods

a B. Walnut 10 N. 37 1/2° W 50

1/2 mile

a B. Lym 20 S. 34° W 90

in Section 7

Book C. p. 203

South Hiatt Survey for.

A. Hole 6x12x18 in Stone North 15 feet

B. Stone 5x4x5 B. Walnut 6 N. 64° W. 43

Do 6 N. 66° E. 90 1/2

J. H. Foster, Surveyor.

Owner's name &c. Cor. Witness Dr. Bearings Links


Section 8 T16 North Range 2 West.

Owner's name Co. Witness Dr. Bearings Links

Center N. NE 1/4 good stone found March 10th 1944.
Stanley Shurtle, Dep. S. H. C.

Owner's name &c.	Co.	Witness	Dr.	Bearings	Links
West 1/2 mile Post		an Elm	14	N. 2° W.	12
		1st Walnut	1	N. 77° E.	19
James Hadley S. 1/4		alt. Oak	40	S. 53° W.	27
Section Center		a Sugar 55 1/2'			55
		1st Oak	23	N. 14° E.	16
		2nd Walnut 18		S. 55° W.	50
				Book B. p. 184	

N 1/2 mile stone See Section 5



owners names etc.	Cor. Melissa Dr. Bearings	Link
Daniel Hartman	The N.E. 1/4 of the N.E. 1/4	
West Corner	At 11th Oak	36 N. 67 W 22
Mistake in owner	at Hickory	24 S. 24 1/2 E 19
		Book B. p. 185
See P. 116 Plat L. Robin's Trs.		

<u>Owners names &c.</u>	<u>Co.</u>	<u>Witnesses</u>	<u>Dr.</u>	<u>Bearings</u>	<u>Links</u>
-----------------------------	------------	------------------	------------	-----------------	--------------

117 Rods North of The SW cor of Sec,

a stone 15 x 10 a white oak 30 9 10 ± 23 1 1/2

117 Rods to centre S. S W 1/4 -

a. B Walnut	10	$180^3 / 2.88$
-------------	----	----------------

9 Mine. b. 48 Links. a stone 12x18 Links. o. vol. 8. 87 1/2 g. 96 L

¹⁰ Hence East 80 R 18 Links: absolute 8 35 58

40° R S center to S 84° , w bore 10 mch to 62° w 5L 15L

East 80° or 18 L = from cent. S. S. W. $\frac{1}{4}$ a stone 12 x 15,
a Sugar tree S 32° W = 179 L.

8.34 c
~~8.88~~ ³/₄ c E of s ¹/₂ mi stone, a stone 15 ¹/₂ x 10 ¹/₂ x 10 ¹/₂
with by a stone N on line 20 l & W Coak 46 S ¹⁷/₄ W ⁷⁰/₄ E

Also 29.96 C N of the foregoing, a stone $13 \times 13 \times 9$, with
by a stone $7 \times 9 \times 10$ $\frac{1}{2}$ on line 12. March 1891.

Cabot run from corners set by Trotter as recorded on opposite p.

A. S. 1/2 Mile relocated by measurements and located by a Stone 3' x 9' x 16" wit. by -

Sugar 20 S. 24 W. $107^{\circ} 2$ fath.
Stone North 12 fath.

-B. Truce N. to a point 40 rods. & 6 in. S. of Sec.
Center to a Stone 8 X 10 X 18.

B. Walnut 10 S. 12° E. 17 fut.
Do 12 East 39 "

Do 12 East 39 1/2"
C. Thence E. to a point 40 rods S. of the C.
N. of the S.E. 1/4 of section 9 where is a
Stone 8 x 16 x 17 witnessed by a
B. Oak. 16 N. 62 W. 58

D. Thuer. S. to cen. S. of S.E. ^{1/4} of sec. 9, where is
a Stone for description of which see page
174

Thence west to the beginning

Section 10 T16 North, Range 2 West.



Owners names etc.	Cor	Witnesses	Dr.	Bearings	Links
Blomfield White N.E. 1/4	of S.E. 1/4 & N. West Corner.				
Section Center (Huff)	a Walnut	24	S. 54 1/2° E	8	
S. W. corner, or Center S.	a Syme	14	N. 38 1/2° E	17	
of Center	a Beech	14	S. 53 1/2° W	29	
S.E. corner of Center of S.E. 1/4	a M. Oak	33	S. 29° E	26	
	a Beech	10	N. 56° W	20	
Hiram West N.E. 1/4 of	N. W. 1/4. Oak	36	N. 18° E	6	
1 S. W. cor. or Center of N. W. 1/4	a Beech	14	S. 18° E	20	
Edon Bales S. W. 1/4 of	R. Oak	30	S. 6° W	18	These all from
N. W. 1/4 & 1/2 corner, or	a Beech	14	N. 15° W	28	Book B. p. 186
Center N. of N. W. 1/4					
These are all copies					
Edon Bales N.E. 1/4	a Beech	10	East	10 1/2	
Flat obscure	a Sugar		N. 28° W	24	
James Davidson B. an Elm		26	S. 1 1/2° E	29	
an ash 16 N. 57° E	a Beech	12	N. 27° W	34	
S. W. corner	a Beech	12	N. 6 1/2° W	16	
(Indefinite)	a Do.	18	S. 36° E	20	
Hiram West N. W. 1/4	a Beech	12	N. 22° W	2	
of N.E. 1/4 & S.E. corner	a Do.	10	S. 3° E	13	
(West & Bales partly the same 1/4)					

cen 840 1/4
20 N. 20. of 1/2 mile stone
N. W. cor. of sec. relocated by measuring & crossing.
Stone 5x12x22: Writ. a B. Walnut 6 1/2 S. 67° E. 3 Links


Owners names etc. Cor Witnesses Dr. Bearings Links

Survey for John Davidson Esq.
Mar 26 1903
Geo. McCloud and
Jas Dushworth Sward Chammers

(a) Stone 8x8x10 Stone N 57° 30 1/2
(b) Stone 6x8x12 Stone N 82° E 18
W F Franklin S. N. E.

Owners names etc. Cor Witnesses Dr. Bearings Links

Section 11 T. 16 North Range 2 West.



Owners names &c. *Witnesses* *Dr* *Bearings* *Links*
 Joshua Waddle Dower 1 Partition in Lot 11 & 2. T. 16. 2 W.
 Lot N. 1 in Plat is The S. W. 1/4 of the S. E. 1/4 of the 2. for
 Dower. Lot N. 2 Begins at post on North side
 of Sec. 11. Thence E. with Section line 118 poles, = 6 S. 76° W. 106
 Thence S. with Section bearing (which is S. E. 80 poles to
 the S. boundary line a Beech 15 S. 38 1/2° E. 15
 of said tract of land Hickory 16 S. 82° W. 30 3/4
 Thence W. with said line 48 poles to the S. W. corner
 of the 40 acres. Thence N. with Sec. Bearing
 8 poles to the Beginning Containing 24 Acres.

Simpson West, Lot N. 2. Thence E. of said tract of land 80 poles to the S. E. corner
 of said tract of land. Thence S. with Section bearing
 32 poles to the S. E. corner of Lot N. 2. Thence N. with
 Lot 80 poles to Beginning Containing 16 Acres.


And Lot N. 11, which is the N. E. 1/4 of the
 N. W. 1/4 of Sec. 11 Assigned and set off to
 Paulina West, Nicholas West, Mary E. West,
 Willis West and Hiram West jointly.
 Book C. p. 100

Owners names &c. *Witnesses* *Dr* *Bearings* *Links*
 Sec. 11 & 2, T. 16. 2 W.
 Lot N. 1 Dower: S. W. 1/4 of S. E. 1/4
 of Sec. 2.
 Lot N. 2, to B. Waddle &
 L. Waddle.
 Lot N. 3, to Simpson West.
 Lot N. 4
 Paulina West, Willis West
 Nicholas West, Hiram West
 Mary West. *Jointly*

Owners names &c. *Witnesses* *Dr* *Bearings* *Links*
 side S. W. 1/4 of S. E. 1/4. N. E. corner at Hickory 18 S. 42 1/2° W. 28
 a Bur oak 36 S. 81° E. 67
 S. East corner at ash 20 N. 63 1/2° E. 75
 Samuel Lusher Lot N. 1 Nancy Lusher Lot N. 6
 John Davenport " " 2 Martha Davenport " " 3
 Wm. Davenport " " 5 George Davenport " " 4
 All of which is correctly set forth & shown on the Plat.
 Book C. p. 123

Centre N. S. E. 1/4 a Stake & Hickory 4 N. 3 1/2° W. 39
 centre N. E. 1/4 a Bur oak S. 18 E. 40
 North from the centre N. S. E. 1/4 30 3/4 Poles -
 a W. H. N. 87 E. 164

Section 11 T. 16 N. R. 2 West.



Lot 1 Samuel Lusher
 " 2 John Davenport
 " 3 Martha Davenport
 " 4 George Davenport
 " 5 Wm. Davenport
 Lot 6 Nancy Lusher Dower.

Owners names &c. *Witnesses* *Dr* *Bearings* *Links*
 Samuel Lusher 91 Acres off of the W. side of
 S. W. 1/4. Beginning at S. W. corner
 Thence E. with Sec. Bearing 91 poles
 Thence N. S. W. 160 poles
 to the S. line of said 1/4
 Thence W. with Section
 on W. side. Thence S.
 the Beginning.

Nancy Lusher Dower Beginning on the Section line
 on S. side & E. of the Cor. thereof 65 poles =
 = where a Bur oak 36 N. 41 1/2° W. 249
 Thence E. with Sec. Bearing 35 poles
 Thence N. S. W. 160 poles
 to the S. line of the 1/4.

Thence West with Section Bearing 35 poles
 Thence S. S. E. 160 poles
 place of Beginning. Also 10 Acres off of
 Beginning at S. W. corner Thence
 E. with Sec. Bearing 20 poles
 Thence N. S. W. 80 poles to
 the North line
 Thence with said line
 to the Beginning.

Also 10 Acres off of the W. side, S. W. 1/4 of the N. E. 1/4.
 a Bur oak 33 N. 60° W. 36
 a Walnut 24 N. 6° E. 32
 a Beech 30 S. 5° E. 36
 a Hickory 36 N. 35° E. 26
 line 20 poles, Thence S. 80 poles
 Also 10 Acres off of the West
 balance at the top.


balance at the top.

Section 11 T. 16. North. Range N. 2 West.
Owners names &c. cor. Witnesses Dri. Bearings Links

a continuation of.

5

Section 12 T16 North Range 2 West



Owners names &c	Co. Witnesses	Dr	Bearings	links
Martin Jinder N 1/2 of	3	a Beech	20 S. 3° E	9
S. E 1/4 Section center	2 a Do.	20	N. 13° E	21
			Book B. p. 188	

<u>Bloomfield White</u>	Beginning about 20 poles West			
of the center S. of the North	Cast 1/4			
Thence 26 poles 16 links	a Sugar	24	S. 65 1/2° W	83
	a W. Oak	18	S. 12° W	77
Thence N. across the 80				
to the N. side of R. Elm Swamp	a Stone	...	N. 84° E	39
			Book C. p. 29	


Section 12 S. 16. 2 West	Stone promised, old trees gone			
thanking John				
			Book C. p. 124	

<u>Narcissa Owens</u>	20 Rods South of the center of the			
for the above person	N 1/4 for 30 acres off of the 120 acres			
	a Beech	24	S. 35° W	21
	a Ditto	6	N. 42° W	22 1/2
Thence West across the	80, to 60 Rods North of N corner			
where	a W. Oak	9	N. 50° E	94
	a Ditto	6	S. 62° E	87
			Book C. p. 320	

Owners names &c	Co	Witnesses	Dr	Bearings	Links
David B. Adams	1	a Sugar	12	N. 5° W	40
S. 1/4 of S. 1/4 of S. 1/4		2 a Poplar	28	S. 22° W	43
Also S. E 1/4 of S. 1/4	2	a W. Oak	22	N. 25° W	5
N. E corner		2 a Beech	6	S. 33° W	8
				Book B. p.	188
W. I. Bowling	1	a Beech	18	N. 62° W	33
N. 1/2 of S. 1/4 of S. 1/4		a Do.	7	S. 67° E	60
This belongs in Section	2	a Sugar	18	N. 20° W	14
13. Page 24. This Book		a Beech	12	S. 70° E	17
Also Jinder?		South West Co.		Book B. p.	189

Owners names &c	Co. Witnesses	Dr	Bearings	links
Center S. S. W 1/4	a white oak	10	N. 63 1/2° W	63
(stone promised)	a ash	10	S 73° E	97
Center E. S. W 1/4	a ash	4	N 86 1/2° E	66
	a Elm	10	N. 86° W	27
Center of Section	a ash	4	S 85° E	74
	a Mulberry		S 50° E	41
Center E. N. W 1/4	a B. Walnut	8	N 72° E	66
	a ash	10	S 2 1/2° E	86
Center S. W 1/4	a Hickory	10	N 14 1/2° E	19
	a white oak	36	S 75° W	7

Beginning at the center E. of the S. W 1/4 of section 12, thence East 133.7 R. cutting. The 80 in proportion of 12, to 68 1/4 according to the books it being 23.3 R. to the center of the S. E 1/4 of Sec 12 on the line west of last corner. a Buckeye 4 R. N 85° E. 63 1/2 a ash 3 S 3° E. 53 1/2 a stone 12, corresponding to the stone North, cutting off said 66.8 acres a Sycamore 10. B S. 78° E. 129 L. a Elm 4 N 3° E. 26 1/2



Owners names & Cor.	Witnesses	Dr.	Bearings	Links
Weakly N. 7/4 D	a Beech	10	N. 38.° E	23
	2a Sugar	20	N. 61.° W.	21
also N. 7/4 Cor A	a Beech	10	N. 38.° E	23
	2a Sugar	20	N. 61.° W.	21
Book B. p. 189				
Martin Kinder	a Beech	18	N. 65.° W	38
E. of S. 7/4 S. 7/4 of S. E. 7/4	2a do	7	S. 65.° E	55 1/2
Corner B	a Sugar	12	S. 65 1/2° W	8
	Land Ironwood	5	S. 21.° E	10
Corner C	a Beech	12	N. 2.° W	6 1/2
	Land Ash	22	S. 5.° W	20

(West & Water party)

owners names &c.	Cor.	Measure	Dr.	Bearings	links
William Christy		Sec. 13			
1/2 of N. E. 1/4 Center		a Beech	15	S. 47° E	34 1/2
N. of N. E. 1/4		La. Do.	15	S. 42° W	62
Also 60 poles off of the		North End of the E. 1/2 of			
N. E. 1/4 & L. E. Corner		a Beech	12	S. 2° W	2 1/2
		La. Do.	11	N. 31° E	17 1/4
N. End of 1/2 1/4 only 15 3/4 poles		a B. Ash	8	N. 44° E	18
S. W. 1/4 of 30 acres		a Buckeye	6	S. 47° E	15
Thence South 17 poles		a R. Oak	6	S. 73° E	50
		La. Elm	18	N. 5° E	77
Thence East 7 1/4 poles		a Beech	12	N. 25° E	12
		La. Do.	16	S. 9° W	28 1/2
Thence South 75 poles.		a. W. Ash	7	S. 31° W	28
22 poles & 24 in. ^{Dist} to 1/4 mile		La Beech	20	N. 29° E	29
Thence W. 79 poles to the line		22 poles & 5 links, South Corner of			
the 80 acres 75 poles South		a R. Oak	36	N. 9° W	39 1/2
		La Beech	20	N. 82° E	110
The East line of the East		1/2 of the S. W. 1/4 full.			
The West line licks 3		poles to Juggs Corner			
West line of 1/2 1/4 licks		5 links, where E. line licks 24 links			
		Book C. p. 29			
W. D. Bowling the	A	a Beech	18	N. 62° W	33
West 1/2 of S. W. 1/4 Sec. 13		La Ditto	7	S. 67° E	60
	E	a Sugar	18	N. 20° W	14
		a Beech	12	S. 70° E	17
Also Linders S. W. cor.		Book B. p. 139			

Cor. 65 R. & 14 links North of	a B. Walnut	24	N. 74° W.	32 1/2
Cons. S. of S. E. of Section 13.	a W. Ash	16	N. 67° E	27
Cor. 67 R. & 16 links N. of S. E. Cor.	a Beech	18	N. 75 1/2° W	30
of Sec. 13. aforesaid.	a Beech	16	N. 132° E.	27
1/2 mile on West of Sec. 18				
R. 1 West 266 lin. N. of 1/2 mile	a Hickory	20	N. 81° E	32
on East of Sec. 13.	a B. Oak	18	N. 89 1/2° W	35
	Book C. p.	168		


Section 18, T. 16, R. 2W

From S.W. corner of the Section
73 links; and from center
lack in $\frac{1}{2}$ mile 52 links;
a Beech 11 N. $15\frac{1}{2}^{\circ}$ W. 15
a Ditto 11 N. 75° E. $2\frac{1}{2}$
South of center of S.W. $\frac{1}{4}$ a
North from center South, lack 86 links
and ash 24 N. 10° W. $50\frac{1}{2}$
a W. Oak 48 S. 75° W. 80
taking 20 Rods over one half;
a Beech 24 N. 14° W. $26\frac{1}{2}$
a Ditto 18 S. 44° W. $20\frac{1}{2}$

lacks in $\frac{1}{2}$ mile
North of S.W. $\frac{1}{4}$
Center South of S.W. $\frac{1}{4}$
a Stone $15 + 12 + 4$
East from 20 Rods
lack of 42 links;
The corner between
corner on the West
a Stone $16 + 13 + 10$
Book 18, p. 334

Gen. A. of A. & E.	Stone	S. 40 W. 36 L.
	Do	S. 44 1/2 E. 41 "
J. W. Trotter S.H.C.		

Section 14 S. 16. North Range 2 West.



Owner's name &c.	Co. Witness	Dr.	Bearings	Links
Bloomfield White	3 A. Oak	28	S. 56° W.	9
N.E. 1/4 of N.E. 1/4 & N.W. 1/4 corner	2 a Beech	16	S. 10° E	25
B. White again N.W. 1/4 corner	4 a Burr oak	48	S. 49° W	11
plain	2 a B. Walnut	18	N. 26° E	24
B. White & N.W. corner	5 a Beech	8	N. 41° E	13
	2 a Do.	8	S. 32° W	22
Book B. p. 190				

Goodlow Walker NW 1/4	8 a Ash	14	N. 52° E	18
1/4 of S. 1/4 & S.E. corner	2 a Beech	22	S. 10° E	18
Book B. p. 190				
Widow Sally Koser	9 a Beech	14	S. 80° E	30
S. 1/4 of S. 1/4 & N.W. corner	2 a Do.	17	N. 77° W	28
Book B. p. 190				

Owner's name &c.	Co. Witness	Dr.	Bearings	Links
John Dodson the West 1/2 of N.E. 1/4	1 a Sugar	20	N. 23° W	9 1/2
Section center	2 a Do.	8	S. 42° W	29
The same	2 a Sugar	22	S. 10° W	9 1/2
E. 1/2 of S.E. 1/4 & N.W. 1/4 corner	2 a Beech	17	N. 62° E	17
The same	2 a Beech	10	N. 33° E	20
E. 1/2 of S.E. 1/4 & S.W. 1/4 corner	2 a Sugar	20	S. 60° E	5
	2 a Beech	10	N. 33° E	20
Book B. p. 190				

Center of Section 14	2 a Beech	10	N. 21° W	12
	2 a Oak	24	S. 13° E	24
Book B. p. 190				

Owner's name &c.	Co. Witness	Dr.	Bearings	Links
John Dodson the West 1/2 of N.E. 1/4	1 a Sugar	20	N. 23° W	9 1/2
Section center	2 a Do.	8	S. 42° W	29
The same	2 a Sugar	22	S. 10° W	9 1/2
E. 1/2 of S.E. 1/4 & N.W. 1/4 corner	2 a Beech	17	N. 62° E	17
The same	2 a Beech	10	N. 33° E	20
E. 1/2 of S.E. 1/4 & S.W. 1/4 corner	2 a Sugar	20	S. 60° E	5
	2 a Beech	10	N. 33° E	20
Book B. p. 190				

Owner's name &c.	Co. Witness	Dr.	Bearings	Links
N. 1/4 center West, Sec. 14	2 a Walnut	20	N. 70° W	65 1/2
	2 a Walnut	22	S. 15° E	60
Ten acres off of the inside of the N.W. 1/4 of the N.W. 1/4	2 a Oak	22	S. 31° W	58
S.E. corner	2 a Red Oak	24	S. 54° E	82 1/2
North East corner	2 a Red Oak	14	N. 44° E	39 1/2
	2 a B. Walnut	40	N. 67° W	73
	2 a Beech	16	N. 84° E	25
South West 1/4 center S.	2 a Do.	26	N. 102° E	37 1/2
Book C. p. 97				

Buchanan & Mark. Sec. 14	Survey for	Beginning at the center of the S. 1/4. Rock	Thence North 39.88 Chains to the center of the N.W. 1/4. Rock	Chains. Rock promised	an Ash	18	N. 89° E	69
This corner is 11 1/2 links East	of the S.E. Rock corner of a ten	Acres lot off the West	side of the N.W. 1/4 of S. 1/4.	Thence South 39.88 Chains	a Beech	18	N. 31° E	44 1/2
Rock promised	to the Beginning containing	60 Acres, more or less			2 a Beech	10	N. 76° W	49
Book C. p. 157								

N.E. 1/4 center of	W. Oak	30	S 47° E	83
	2 a Beech	16	S 7 1/2° W	84
N. 1/4 cent. N.	S. Ash	12	S 30 1/2° W	115 1/2
	2 a Stone		S 28° E	31


Robins Post June 24 - 1902

H. T. Lorch & W. C. Dickey - Su. Ch. men.

A. Stone 17x12x9	S. ash	20	S 22° W	197 2/3 ch.
	S. ash	15	S 50 1/2° W	209 2/3 ch.
B. Stone 12x11x7	Stone 10x9x6	S 40° W	(30 L?)	S. ch. Road
	Do 9x15x18	N 40° E	30 L	120.
C. Stone 13x12x6	B. Walnut	13	N 23 1/2° E	195 1/2 ch.
	Sycamore	17	South	125 ch.
D. Stone 16x10x7	Stone 17x12x9	S 10 1/2° W	33 1/2 L	
	W. Cherry	18	N 66 3/4° W	98 L.
W. A. Ehrman Dep. Sur.				

Section 15, T16 North, Range 2 West.

Variation E 1/2 W 5' and North & South S 5' 32'.
Large East & West 2 Rods



Owner's name &c.	Co.	Witness	Dr.	Bearings	Links
Large East 1/2 Rods		Bearing	East 1/2 Rods	S 5' 32' E	
Jesse Thompson	1	a B. Oak	4	N. 5' W	6
Edge of N. 1/2 of S. 1/2 corner		a B. Oak	16	S. 19' E	14
The same 1/2 of N. 1/2	2	a B. Oak	48	N. 10' W	50
S. E. corner		a B. Oak	40	S. 23' E	36
S. E. corner	3	a Sugar	18	S. 42' W	19
		a Do.	19	N. 61' W	45
The same S. E. corner	4	a B. Oak	24	N. 5' W	25
		a Do.	15	South	25
Book B. p. 191					

Owner's name &c.	Co.	Witness	Dr.	Bearings	Links
Goodlow Walker		a B. Oak	30	N. 5' E	27
S. E. 1/4 of N. E. 1/4 & N. 1/2 corner		a Hickory	20	S. 33' E	38
Book B. p. 191					
Center of Section		a B. Oak	38	N. 56' E	20
		a Do.	38	S. 38' W	15 1/2
Center S. of S. 1/2		a B. Oak	9	N. 23' E	19
		a B. Oak	28	S. 3 1/2' W	29
School House lot Begins		4 Rods East of S. 1/2 corner of Section			
20 Rods East 1/2 Rods & 3 Rods N.		a South. and S. E. corner 24 Rods			
East of S. E. corner		a Beech	10	N. 58' E	7 1/2
		a Do.	14	S. 58' W	23
N. E. corner of S. House lot		a Beech	10	N. 60' W	24 1/2
		a Sugar	15	S. 71' E	36
N. W. corner		a Beech	18	S. 50' E	20
		a Poplar	18	S. 70' W	5 1/4
S. W. corner		a Sugar	20	N. 86' E	14 1/2
Book C. p. 19					
Center N. of S. 1/2		a Beech	14	S. 85' E	97
Stone 14 + 10		a B. Oak	16	S. 76' E	103 1/4
Center of S. 1/2		a B. Oak	5	N. 14' W	178
Stone 14 + 10		a B. Walnut	5	S. 2 1/2' W	52
Book C. p. 232					


Owner's name &c. Co. Witness Dr. Bearings Links

48 R. + 16 L. of Sec. cen		a B. Oak	14	S. 51' E	179
45 R. + 32 N. of Sec. cen		B. ash	16	S. 3' E	22
45 R. + 32 N. + 25 R. W. of Sec. cen		Hickory	24	S. 32 1/2' E	20 1/4
25 R. W. of N. 1/2 mile stone		B. ash	30	S. 40 1/2' E	59
23 R. E. of cen. N. 1/2		a B. ash	24	N. 25' W	64 1/2
31 R. E. of cen. N. 1/2 W 1/4		a B. Walnut	6	N. 73 1/2' E	113
		a B. ash	6	S. 2 1/2' E	65

Kesler and Thomas a survey for.
John Page, Wiley Hooser and Oscar Ammons
Sworn Chainmen.

7.56 1/3 ch. N. of the cen. of Sec. 16 is a Stone 8 X 10 X 18		cen. of Sec. 16 is a Stone 6 X 10 X 16		South 47 Links
7.50 2/3 ch. N. of Cen. of Sec. 15 is a Stone 7 X 10 X 16		B. Walnut 5		N. 22 1/2' W. 77 Links
		B. Hickory 18		S. 3 1/2' W. 119 1/2 "
J. N. D.				

Section 16 T6 North Range 2 West.




Owner's name &c.	Con.	Witnesses	Dir.	Bearings	Links
Center N. of N.E. 1/4	1	a Buck	18	N. 29° E	35
		on oak	24	N. 6 1/2° W	50 1/2
		sa stone	24	S. 25° W	27
Section center		on oak	24	S. 55° E	7
		sand sh	10	N. 33° W	45 1/2
Center N. of S.E. 1/4		on Hickory	26	S. 66° E	22
		on Oak	8	S. 69° W	42 1/2
Center of S.E. 1/4		a Beech	10	N. 16° E	13 1/2
		sa Do.	12	S. 66° E	8 3/4
Center N. of N.E. 1/4	1	a Beech	19	S. 81 1/2° W	19
		sa Do.	14	S. 69° E	53
Thence North 80 Rods		a W. Oak	110	S. 6° E	13
		last v.	18	S. 78° W	112
Thence West 110 Rods		on Oak	30	S. 88° W	22 1/2
		sa Sugar	12	N. 18° E	28
Thence S. 80 Rods		on Oak	10	N. 37° E	45
Harlan & Pennington		on Oak	12	N. 37° W	56
2nd Mer 24 1/2 1845.					Book C. p. 20
A House lot out					
of the N.E. 1/4 of the N.W. 1/4 Beginning					
Post. Elm 20				N. 87° W	47
Thence North 12 poles				on Walnut	6 S. 19° W
Thence East 11 1/2 poles					
Thence South 12 poles Thence					
West to the Beginning.					Containing 138 Square poles.
					Book C. p. 45

Owner's name &c.	Con.	Witnesses	Dir.	Bearings	Links
Christopher Rollins					
S. West corner	1	a B. Walnut	22	N. 32° E	27
		on Buckeye	22	S. 31° W	27
N. W. corner	2	on wood	5	S. 16° E	16
		sa Do.	14	N. 59° E	11
N. E. corner	3	on B. Buck	3	N. 10° E	12
		on Elm	4	S. 77° E	11
					Book B. p. 192
Center of S.E. 1/4 by		old witness			
		on stone	11 + 12		
					Book C. p. 234

Owner's name &c.	Con.	Witnesses	Dir.	Bearings	Links
Commencing 32 Rods East					
Stone cor. Stand 5 3/4 Links					
16: this being the last					
of Pennington & Page -					
30 ft wide & Case given					
with Section bearing 88 Rods					
where					
Thence S. 40° W 16 Rods + 22 links					
Thence S. 27° W 22 Rods 6 links					
Thence S. 37° E 27 Rods to					
which is the East line of the					
Thence S. 15 Rods + 9 links to					
Center S. of N.W. 1/4					
a stone 8 + 16					
Commencing at the Center					
dividing line 21 Rods					
a stone 12 + 16					
Thence South 5 1/2 Rods to a					
29 links to the line divi					
Thence North on said line					
Containing 1 1/2 acres					

Owner's name &c.	Con.	Witnesses	Dir.	Bearings	Links
Center S. of center last & relocated by a survey -					
a stone 10x12, a white oak 40.					
N 90° West					192 1/2
89 Rods west of the center S. of center					
a stone 10x12 - a Buck eye 10 8 1/2 E.					58
West 1/2 mi. By running lines both ways -					
a stone 10x15					
an oak 20 N 38 W.					42 1/2
Thence East 32 Rods to 48 Rods west of					
the center on the S. N. W. 1/4 a stone cor					
in the creek - (gone) & witnessed by a stone					
8x10 - East on the line 4 1/2 miles,					

Section 17, T. 16 N. R. 2 E. S. 1 West.



Owner's name &c.	Con. Witness	Dir.	Bearings	Links
Center N. of Center	a W. Oak	30	N. 75° E.	48
Stone 8 + 16	a Beech	16	S. 79° E.	23 1/4
Center E. of Center Stone 12 + 15	a Hickory	24	N. 53 1/2° W.	104
1/2 mile from old witness	a W. Walnut	12	S. 31 1/2° W.	53
a Stone Cor.	a Hickory	18	N. 9° E.	17
Corner of S. 1/4	a Ash	16	N. 37 1/2° W.	12
a Stone 12 + 16	a B. Ash	16	N. 2° E.	69
Corner of N. 1/4	a Myrtle	8	S. 88° W.	18
a Stone 16 + 25	a Sugar	...	N. 77 1/2° E.	19
Corner N. of Center	a Buckeye	6	S. 52° E.	98
a Stone 10 + 12	a Hackberry	16	N. 41° E.	116

Book C. p. 215

Sec. 17 & 18, T. 16, R. 2 W.	Thence	S. 75 1/2° W.	
22 & 10. Thence S. 65° W.	36 1/4. Stone	promised	
	a Sugar	20	N. 28 1/2° W. 192
	a Do.	16	N. 78° W. 119
Thence S. 69° W. 6 p. 5	a B. Walnut	10	N. 26 1/2° W. 31
	a Do.	6	S. 50 1/2° E. 58
Thence S. 37 1/2° W. 30 Rods	to Center	Rock Branch.	

Book C. p. 256

Commencing at Center of N. 1/4. Thence East 80 Rods to			
Center E. of the same.	Thence North 49 Rods. Thence		
S. 52 1/2° W. 34 Rods to line	Thence	S. 74 1/4° W. 49 Rods	
2.10 links. Thence South	19 Rods + 15 links to Beginning		

Book C. p. 220



Owner's names Con. Witness Dir. Bearings Links

Centre South of centre, a stone 10 x 12 —
 a B. Walnut E on line 11 links
 do N 56 1/2° West 10 links


40 Rods East of the Centre S. W. 1/4 a stone 10 x 14
 a B. Walnut E on line 11 links
 do N 56 1/2° W 10 links

The Commissioners of Hendrick County
 Survey for Sept. 10, 1896.

17 ch. N. of E. 1/2 mile
 A Stone 12 x 20 W. Cherry 5 S. 89° W. 71 1/2 Links
 17 Chains N. of C. E. of S. 1/4
 Stone 8 x 12 x 18 Hickory 8 S. 50 1/2° W. 72 "
 W. Walnut 8 N. 68° W. 94 2/3 "

J. W. Prother, Surveyor Hendrick Co.

Section 18 T6 North Range 2 West.



Owner's name &c.	Co.	Witnesses	Dr.	Bearings	Links
Center N. of S. 1/4	aB.	Walnut	6	N. 38.° W.	7 4
Stone 14+20	aB.	Sycamore	4	N. 13.° E.	7 4
Center N. of S. 1/4, a Stone	aB.	oak	30	S. 62.° W.	6 4
Center S. of S. 1/4	aB.	Walnut	8	N. 53.° E.	3 4 1/2
Stone 16+26	aB.	Walnut	8	N. 89.° E.	4 2
65 Rods + 22 links S. of Center	aB.	Walnut	12	S. 35.° W.	8
N. of S. 1/4, Stone 14+18	aB.	Do.	14	N. 4 1/2.° W.	13 1/2
Center S. of S. 1/4	aB.	Locust	16	S. 8 1/2.° W.	25
Stone 16+24	aB.	oak	24	S. 59.° E.	60 1/2
(Corner not designated)	aB.	Walnut	10	S. 66.° W.	11 4
Stone 16+26	aB.	Sugar	20	N. 34.° W.	2 2
		Book C. p.			233

Owner's name &c.	Co.	Witnesses	Dr.	Bearings	Links
Clay + lose Lanny for, Beginning in the N. E. quarter					
S. of 1/4 Mile post 67.2 Rods a Stone 6x10					
Do Walnut	10			S 86 1/2 W	92
Do	10			S 31 1/2 W	47 1/2
Thence West across front of Land to center of Road					
a Rock 8x10					
a Buck	12			S 75 1/2 W	30
a Iron Rod	4			N 72 W	24

Owner's name &c. Co. Witnesses Dr. Bearings Links


Section 19, T16 North, Range 2 West.

Owner's names &c.	Cor.	Witnesses	Dr.	Bearings	Links
Survey for Road & Turnpike					
1/2 mile Resct.					
Rock 14+21		a Beech	16	N. 70° E.	72
West 1/2 mile Resct.		a Sugar	24	S. 26° W.	11 1/4
Rock 14+100		a Walnut	36	N. 35° E.	25
East 1/2 mile Resct. old witness		a Beech	12	S. 62° W.	22
Center of Section		a Hickory	18	S. 52° W.	35 1/4
Rock 14+14		a Elm	30	S. 67° W.	1129
					Book C. p. 157

50°
24.20

Owner's names &c.	Cor.	Witnesses	Dr.	Bearings	Links
5 Poles North of the					
S. West 1/4		Center on the West of Epa of			
Thence East 5 poles		a Sugar	24	N. 20° W.	13 1/2
Thence South 5 poles		a Ash	26	S. 40° W.	12
Thence East 5 poles		a Sugar	26	N. 70° E.	15
Thence East 5 poles 16.2					
M. Coward Estate					
South.					
					Book C. page 56

Section 20, T6 North, Range 2 West.



Owner's name & loc.	Cor.	Witness	Dr.	Bearings	Links
S. E. Cor. of Sec. Relocated on old witness plain, Stone 12x18		a R. Oak	28	S. 42° E	30
Center E. of S. E. 1/4		a R. Oak	24	N. 25° E	122
Stone 12x18		a Elm	30	S. 54° E	76
Which is 80 Rods 3 links		a Bush	16	S. 15° E	198
1/2 mile Post was lost on E. distance. Center of S. E. 1/4		North of Section corner, as the line runs through & took 1/4 of the distance.			
Stone 10x16		a R. Oak	...	N. 25° W	20
		a B. Oak	16	S. 29° E	100

Center E. of Centre relocated from a Survey & old witness
 a stone 12x12 - a B. Walnut 6, S one degree West 18
 do 3 N 11° " 84

Center N. E. 1/4 a stone 10x16 a B. Walnut 10 - North 77 1/2 West. 146
 a Sycamore 8 S 21° West 89
 40 Rods E. of Centre N. N. W. 1/4 a Stone 10x12 - a large witness stone permanent N 57 1/2 W. to centre stone 144

Owner's name & loc.	Cor.	Witness	Dr.	Bearings	Links
Center E. of Center		a Hickory	24	S. 3° E	47
Rock 11+15		a Do.	18	S. 36° E	46
Center N. of Center		a Bush	10	S. 15° E	12
Rock 11+17		a Do.	10	S. 20° W	23 1/2
Center S. of S. E. 1/4		Rock 12+1	20	North	2
Rock 12+20		Oak	20	S. 78° W	36 1/3
		a Do.	20	S. 36° W	50
Center S. of S. W. 1/4		a Do.	18	S. 11° W	38
Rock 15+22		a Do.	36	S. 36° W	110

Book C. p. 157

centre N. N. E. 1/4 a stone 12x12+30
 a B. Walnut 10. S 47 1/2 West 123 links


N. E. cor of Sec. by a Survey & witness
 a white oak. S 49° E 55
 do. East on line - 30
 a stone corner 10x14

39 Rods S from the centre N. N. E. 1/4 a stone 12x15 a Pin oak 15 N 12° W. 136
 a B. Walnut 6 - N 18 1/2 W. 87
 thence E. 27 Rods. a stone 10x12
 a Pin oak 24. S 4° W 16 1/2
 a Sugar. S 36 W - 42

thence S 36 Rods a Bush at cor. N 11 W 1/2 are mark.
 1 1/2 links. stone in the Rods on the South
 a white walnut 88 1/2 W. 46°
 thence West 27 Rods. a stone 10x12.
 a white oak. 30 - S 23° W 56 links
 do 30 S 20 1/2 W 89

1. Centre E. of cent, stone 10x12 a B. Walnut 6. S 1° W. 18
 do N 11° W 84

Section 21 T6 North Range 2 West.



Owners names &c.	Cor.	Witnesses	Dr. Bearings	Links
Rebecca Pinchard Bower of the S.W. 1/4 Sec. 26 Acres.				
N.E. Corner		a Sugar	15 N. 2° E	33
N.W. Corner		a Hickory	28 N. 63° W	110
		a Buckeye	10 S. 74° W	18
		a Beech	14 S. 64° E	20
Book B. p. 197				

John Lamb N.W. 1/4	1	a Hickory	14 S. 51° W	14
N.E. 1/4 S.W. Corner		a Sugar	14 S. 78° E	26
N. East Corner	2	a Buckeye	6 N. 43° E	12
		a Hickory	8 N. 62° W	13
S. East Corner	3	Thorn	4 N. 32° W	6
		a Elm	8 S. 24° E	12
Book B. p. 197				

Witness names &c.	Cor.	Witnesses	Dr. Bearings	Links
Center on N.W. 1/4 Sec. 21		a Beech	10 South	12
		a Sugar	12 N. 39° W	16
Section Center		a Hickory	10 S. 28° W	10
		a Do.	8 N. 14° E	10
Center on E. of S.W. 1/4		a Sugar	10 S. 74° E	15
		a Do.	12 S. 16° W	24
* Center on N. of S.E. 1/4		a Elm	10 N. 16° E	18
		a Do.	18 S. 64° E	21
* Center of S.E. 1/4		a Beech	14 N. 80° E	14
		a Hickory	24 N. 78° W	17 3/4
Book B. p. 197				

Christopher Robins / N.E. 1/4 of N.W. 1/4 S.W. Corner	4	a Beech	14 S. 51° E	18
		a Do.	21 N. 81° E	55
Book B. p. 197				
Beginning at the center running thence with the				
25 Rods where		a Sugar	12 S. 61 1/2° W	22 1/4
		a Elm	15 S. 29 1/2° W	20 1/2
Thence S. 15 1/2° W to S. line		a B. Oak	24 N. 41° W	64
of N.W. 1/4 of S.W. 1/4		a Walnut	8 S. 16° E	59
Thence East to center of				
Beginning. Estimated				
at 21.2 acres. balance next page				

Owners names &c.	Cor.	Witnesses	Dr. Bearings	Links
Center of S.W. 1/4 a Rock		a Sugar	16 S. 30° E	57
Section 21		a W. Oak	20 N. 70° E	136
Book C. p. 202				
Beginning 40 Rods South				
South 20 Rods, Thence				
Winchester Road, Thence				
+ 5 links to Cen. Creek.				
Beginning in	Sec. 21			
Book C. p. 222				

Commencing at the S.E. corner of the N.E. 1/4 of the N.W. 1/4 + 15 links to center of Road.				
Thence N. 26° E. 20 Rods				
Thence East 12 1/2 Rods to East				
Road + 2 links. Contain				
ing 2 acres. Book C. p. 228				

Center of Section Stone 18+12		a W. Oak	140 N. 49° W	148
		a Do.	30 N. 35° W	170
Center S. of center		a W. Oak	24 N. 78° W	146 1/2
Stone 18+12		a Do.	32 S. 52 3/4° E	60
Center N. of center		a W. Oak	24 N. 28 1/2° E	43
Stone 18+12		a Do.	36 S. 49 1/2° W	99
Center of S.E. 1/4 (from old)		Witnesses, Stone 16+12.		
Center N. of N.E. 1/4		a Pin Oak	14 S. 77° E	36
Stone 26+16		a Sugar	16 N. 84° W	56
Book C. p. 234				

Owners names &c.	Cor.	Witnesses	Dr. Bearings	Links
Part of N.W. 1/4 commencing				
S. 20 Rods, Thence N. 12 1/2 Rods	1	a Hickory	10 S. 28° W	10
		a Do.	8 N. 14° E	10
	2	a Sugar	10 S. 74° E	15
		a Do.	12 S. 16° W	24
	3	a Hickory	14 S. 51° W	14
		a Sugar	14 S. 78° E	26
Book C. p. 243				


Part of the N.W. 1/4 + of said 1/4 + running to the center of the North				
center of said Road to East to the Beginning				
Commencing at the N.E. corner South 40 Rods, Thence S. 74° W. + Winchester Saline Road, Thence north in the West line of the said 1/4 Thence				
Book C. p. 260				

A Road description in Sec. 21. Beginning in the west line of said Section or on the center of the E. half of North line of the Section of the N.E. 1/4 of the Sec. about 15 Rods E. of the center where				
a Sugar	12	N. 63° E	113	
Thence S. 52° E 4 Rods.				
Thence S. 21° E 30 to center of				
Thence South 15 Rods to the line				
Thence S. 40° W 15 Rods				
Thence South with the line 6 Rods + 16 links to center				
Thence South with the line 20 Rods				
Book C. p. 260				

Section 21 T16 North. Range N. 2 West

Owner's Name	Sub. Cor.	Witness	Dr.	Bearings	Links
Division of Edmond Hodley? East to					
56 Rods west from the centre of Section a	Stone	100 ft			
in centre of road - a Elm. N 42 1/2 W.					220 1/2
28 Rods west of the centre of Sec - a stone					
large - Stone witness B. 54 1/2 W.					17 1/2 links
70 Rods & 11 links E. N W cor of Section a	Stone				
12 x 18 x 8 - feet 0 three cornered -					
a permanent stone 94 3/4 W.					163
a Poplar East on line					20 1/2
104 Rods & 15 links E. from N W cor of Sec.					
a flat Rock 12 x 24 -					
an Elm N 44 1/2 W.					258
28 Rods & 5 links west of 1/2 mi stone					
a white walnut 10. N 14 1/2 W 87					


a Continuation of



70.11
34.4
28.5
28.5
161.25 = 162 rods.

4/162 x 2 = 4824
40-50
ch. 2. 81

Section 23, T6 Nth. Range 2 West. Owners names, etc. Witnesses, etc. Bearings, Links



Survey for Leas Rinder & Hamrick in
the 18 $\frac{1}{2}$ S. 8 $\frac{1}{2}$ - 33 and 1 $\frac{1}{2}$ S. 8 $\frac{1}{2}$ 24.
Ed S. Hadley & George Pleyley sworn Ch.
32 Rds N of Cen S. S. E. $\frac{1}{4}$ 230

Stone 18x12x8
with stone East 36 lks.
116 Rds N of center S. S. E. $\frac{1}{4}$ 23 or 44 Rds 20 l.
South of center N. S. E. $\frac{1}{4}$
Stone 15x12x8
by Stone N. 47 $\frac{1}{2}$ E. 19 $\frac{1}{2}$
" " S. 47 W. 42 $\frac{1}{2}$
H. P. Franklin Sur.

Balance under 24 - Feb. 20 1900

Survey for Boon McCoun & Cline.


I. Stone cor. secs. 23, 24, 19 & 14.

J. stake, stone promised, 43 rds
W from I.

K. Stone 5x8x14 43 rd W from E.
witness, locust post N 46 E 28 l.

Feb. 28 1905. J. W. Figg, S. H. Co.

Section 24 T6. North Range 2 West.



Owner's names &c.	Cor.	Witnesses	Dr.	Bearings	Links
J. D. Arvel & Thel. Mins				Partition. Beginning at the	
Center of Section 24				a Walnut 2	S. 73° W. 49
East 70 poles				a Do. 2	S. 26° W. 52
Thence N. 20° W. 62 poles				a Stump 36	S. 61° W. 166
				a Cherry 12	N. 58° E. 58
Thence N. 41° W. 58 poles				a Beech 18	S. 53° W. 27 1/2
+ 21 links where				a Buckeye 4	S. 72° W. 45
Thence North about 60				a Beech 20	S. 3° W. 32
poles to the Sec. line				a Do. 10	N. 32° E. 17 1/2
					Book C. p. 28

Owner's names &c.	Cor.	Witnesses	Dr.	Bearings	Links
Mrs. Pleasant Mading				House lot. Beginning at the	
S.E. corner of Section				24. Thence North with the	
Section line 10 poles 23 links				a Beech 18	N. 42° W. 11
				a Pin Oak 28	S. 39 3/4° E. 57 1/4
Thence S. 85° W. 21 poles				a Beech 20	S. 77 1/2° E. 69 1/2
+ 11 links, to the line of the drain				a Poplar stump 30	S. 21 1/2° W. 140
Thence S. 32 1/4° W. 12 poles + 11				links to the East edge of drain	
and also to Sec. line				a Beech 18	N. 32 1/2° W. 34 1/2
				a Beech 25	North 39
Thence East with Section				line 29 poles + 3 links	
Containing Between 1/4 &				13 poles or 276 square poles.	
					Book C. p. 97

Owner's names &c.	Cor.	Witnesses	Dr.	Bearings	Links
S.E. corner, Sec. 24				by much trouble running & measuring	
Stone 18 + 12				a Oak 30	N. 26° E. 136 1/2
				a Beech 24	S. 75 1/2° W. 103
					Book C. p. 101

Owner's names &c.	Cor.	Witnesses	Dr.	Bearings	Links
Martin Tonder	A	a Beech	8	N. 71° W.	8
W. of N.E. 1/4		a Do.	16	N. 45° E.	35
Sec. 24	B	a Beech	30	N. 40° E.	30
		a Do.	18	S. 2° W.	24
					Book B. p. 200

Owner's names &c.	Cor.	Witnesses	Dr.	Bearings	Links
Section 24, T6. N. 2. W. 2. West					
Center S. of N.E. 1/4		a Ash	5	N. 71° E.	114 1/2
					Book C. p. 326

Owner's names &c.	Cor.	Witnesses	Dr.	Bearings	Links
Marville J. Peffer				Survey for. Beginning at the	
S.W. cor. of the N.E. 1/4 of S.E. 1/4				where a Sugar 24	S. 20° W. 64
				a Ash 3	S. 86° E. 11
Thence East 3.30 Chains				a Beech 10	N. 31° W. 48
Thence N. 19° 36 Chains				a Beech 12	S. 3° W. 25 1/2
				a Do. 16	N. 33 1/2° E. 22
Thence West 3.30 Chains				to the center of the Section.	
Thence South to the Beg.				inning. containing 6.57 acres.	
Corner 2.37 Chains West				of the center E. of the center.	
				a Oak 36	N. 15° E. 90 1/2
North 1/2 mile. It is relocated				a Beech 18	S. 4 1/2° W. 113 1/2
				a Do. 14	S. 43 1/2° E. 59
South E. (W. of Section				a Rock (said to be put in by	
Peffer)				a Poplar 30	N. 1° W. 182
					Book C. p. 147

Owner's names &c.	Cor.	Witnesses	Dr.	Bearings	Links
Commencing at N.W. cor.				W. of N.E. 1/4. Thence South 114	
poles + 13 links. Stone 12 + 18				a Beech 16	S. 10 1/2° W. 5
				a B. Walnut 5	N. 81° E. 101
Thence N. 68° E. 149 Rods + 15				a Cherry 16	N. 66° E. 58
links. Stone 12 + 18				a Poplar 14	N. 15 1/2° W. 109 1/2
Thence N. 41° E. 58 Rods				+ 22 links. Thence North	
60 Rods + 13 links to West				line of said W. 1/2. Thence	
West 10 Rods to the				Beginning. Estimated to	
Contain 13 acres +				97 Rods. more or less.	
					Book C. p. 206

Owner's names &c.	Cor.	Witnesses	Dr.	Bearings	Links
Center N.E. 1/4				a Cherry 6	S. 22° E. 118
flat Stone 16 + 24				a B. Walnut 30	N. 23° E. 141
Center E. N.E. 1/4 Stone...				a Ash 11	S. 112° W. 84
				a Oak 24	N. 15 1/2° W. 27 1/2
Center of N.E. 1/4 Stone...				a B. Oak 10	N. 84° E. 49
				a Oak 11	S. 46 1/2° W. 119
Center N. N.E. 1/4 Stone 12 + 16				Stone witness	S. 86 3/4° W. 26
					Book C. p. 234
and North S.W. 1/4				a Oak 6	N. 89° E. 39

Boone McCune A survey for in Sec. 24
Beginning at S. 1/2 mile stone, Thence N. 1888
feet to a Stone Beech 30 N. 21 1/2° W. 97 feet
Do 30 N. 42° W. 24 1/2 "

Thence S. 86 1/2° E. 545 ft. Thence N. 69° E. 100 feet.
Thence N. 86° E. 791 ft. to a stone not witnessed
Thence S. 21 1/4° E. in cen. of Danville and N. Salem
Gravel Road 600 ft. Thence S. 33 1/2° E. in cen. of road
957 ft. Thence S. 44° E. 416 ft. in cen. of same road
to a stone not witnessed Thence S. 42° W.
346 ft. to a stone not witnessed Thence West
2167 feet to the beginning of Smith & Co.

Cen W cen relocated from ash witness
a large stone will set
Book C P 398

Section 24 T6 North Range N. 2 West

Owner name & cor.	Witnesses	Dr.	Bearings	links
Cor. S. of N. & E. 1/4				
Stone 8x8x16	Asl	N. 71 E.	113 1/4	L.
	Stone	N. 50 W.	30	"
	Do	East	30	"
J. W. Foster S. & E.				

South 1/2 mile Relocated from govern-
ment witness still standing but
rotten.

Stone 22x6x8.
Bugh S 31 E. 20 l.

Cor. S. S. & E. gas pipe 3 1/2 feet long
Sickling 24 N 83 E. 163 "
Slint 123 E. 30 "

5-2 Rds north of Cor. S. S. & E. corner no stone
planted witness Stone South 49 1/2
Stone West 52 1/2

116 Rds North of Cor. S. S. & E. on 48 Rds 21 l.
South of Cor. S. S. & E. corner no stone planted
witness by Stone South 82 1/2
West 38 "

Balance of this survey under sec 23
H. R. Franklin Surveyor
Ed. S. Hadley Feb 20 1900
Geo. B. H. & Sons

a Continuation of.

Survey for Lyman Hamrick and
James H. Williams

Stone 3.50 E. of S 1/2 mile stone
Same 3.50 1/2 links S 86 E and 28.00 north
from S 1/2 mile stone

The above stone is 75 links south of the
line (or center of road)

Survey for McCoun & Cline.

C. Stone promised 82 links west
of Cor. W. Cor.
10 l. Stone, see Sec. 13.

E. 70 1/2 links west of D.
J. W. Rigg, S. H. Co.
Feb. 28, 1905.

Section 25, T16 North, Range 2 West.

Owners names &c. Con. Witnesses Dr. Bearings Links

1/2 mile Post on East side of Sub 25 Relocated from Ash stump.

plain without doubt an Elm 14 N. 30° W. 41

Stone 12+8 sa Walnut 36 N. 34 1/2° E 91

N. E 1/4 Center S. good stone at Hickory 14 S. 39 1/2° W 68 1/2

sa B. Ash 8 S. 40 1/2° E 91

N. E 1/4 Center S. a Beech 12 S. 4 1/2° E 25 1/2

sa Do. 18 S. 65° W 113

Book C. p. 101

Section 25

This is the assignment of this one third part of the West 1/2 of the S. E. 1/4 of T16 N. Range 2 West. The S. E. corner of said tract being 6.83 links East of the South 1/2 mile Post of the Section, and Section Post.

a Beech 15 N. 32° E 59 1/2

sa Beech 12 N. 10° W 62 1/2

The North East corner of said tract being 6.83 links East of the Center of Section.

at W. Oak 26 N. 33° E 41

Book C. p. 132

Owners names &c.	Con. Witnesses	Dr.	Bearings	Links
1/2 mile Post Relocated, Sub 25	a Sugar	18	N. 15° E	54
	sa Do.	19	S. 16° W	52 1/2
West 1/2 mile Post Relocated	at Hickory	12	N. 1 1/2° E	54 1/2
	sa W. Elm	15	S. 67° W	65
Center N. of S. 1/4	at Hickory	8	S. 1 1/2° W	5
	sa W. Oak	32	N. 5° W	6 1/2
Center of the Section	at Hickory	12	N. 2 1/2° W	10
	H. Ash	14	S. 6° E	19
Center S. of S. 1/4	a Sugar	20	S. 58° E	72
	sa Beech	12	N. 13 1/2° W	74 1/2
from Bonfield			Book C. p. 19	

Owners names &c. Con. Witnesses Dr. Bearings Links

Survey for Fout Hendrick W. W. Thomas and Edgar Daugherty. Aug 12 1903. Center of Section relocated from old witness Stone 4 x 8 x 14

Elm 14 S 8 1/2° E 23 1/2

Ash 10 S 26° E 55 3/4

Center E of Center Stone 20 x 16 x 4

Large Rock S 88 1/2° E 56 1/2

46 links South of East 1/2 mile post

Stone 2 x 16 x 12

at E. 1/2 mile stone 307610 North 46 L.

" " E 1/2 " " 25162 W South 46 L.

This corner of agreement Edgar Daugherty & W. W. Thomas the corner of the land affected is located so as to straighten the line between the sections. W. D. Franklin S. E.

Section 26. T6 North, Range 2, West.

B 20, 25		Center N. of N.E 1/4 Sec. 26.		a Beech	24	N. 34° E	31 1/2
Corey Hammett 60		Center S. of N.E 1/4		a Do.	28	N. 80° W.	1 1/2
Stans 20		a Stone		a Beech	14	N. 86° W.	6
Jesse Tindler		Thence North 26 chains +		a Do.	13	N. 40° E	23
		66 links. a Stone		a Sugar	36	S. 17° E	4 1/2
		Thence West 40 chains +		a Beech	10	N. 12° E	3 1/2
		32 links. a Stone		a Oak	4	N. 31° E	28
		Thence North 13 ch. + 28 links		a Buckeye	4	S. 33° E	36 1/2
		to the Cent. N. of N.W 1/4		a Beech	18	S. 85° E	4 1/2
		a Grave yard 9 Rods		a Oak	24	N. 21° W.	7 1/2
		of the West 1/4 of N.E 1/4 of		square in the North West			
		Sec. 26. + N.W. corner		a B. Walnut	6	N. 63 1/2° E	8 1/2
		Thence E 9 Rods. - -		a B. Walnut	5	N. 72 1/2° W	9 1/2
		Thence North 9 Rods +		West 9 Rods.			
				Book C. p. 11			
Donors names & cor. Witnesses &c. Bearings Links		Willow Shannon		Dover. Beginning at S.E			
Jesse Tindler N.W 1/4 of the		1	an Ash	3	N. 48 1/2° E	6 1/2	Land described in the writ.
S.W 1/4 + S.E corner			a Hickory	6	S. 69° W	12	poles, Walnut 12
N.E corner		2	a Beech	10	N. 39° W	38	N. 1/2° E
			a Sugar	14	N. 29° E	13	98
				Book B. p. 202			
Section 26.				a Sugar			
Center N. S.E 1/4				a Lynn			
(Set by Haddy) Relocated				a W. Walnut			
Stone 22 + 24				a Beech			
				a W. Oak			
				To the west boundary line			
				of said tract of land.			
				ballance next page. top			

Owner's name etc., Cor. the hundred 100 Bearings line
Thence South with said line 114 poles to the S.W. Cor. of said tract,
of land; Thence East with section bearing 160 poles to the place
of Beginning, containing about 31 $\frac{3}{4}$ Acres
Book C. p. 99

Hamrick - Partition in Sections 22, 23, 26 + 27

19- Cor. of Sections 22, 23, 26 + 27

Stone 6 X 8 X 16

Hickory	18	S. 22 W.	96	Links
Do	16	N. 33 W.	80	

20 16 A. 33 W. 80

E- Gen. A. of N. H. $\frac{1}{4}$ of Sec. 26

Stone 2x 8x 24

Oak 36 A. 60 $\frac{1}{2}$ E 9

200 42 A. 75 E. 12

D - Cur. E. of S. N. $\frac{1}{4}$ of A. N. $\frac{1}{4}$ of Sec. 26

Stone 6x12x18

Nickory 6 S. 70 W. 12

Do 6 8. 14 $\frac{1}{2}$ % 100

53 $\frac{1}{2}$ Rods S. of Cen. W. of Cen. is a stake

Thence W. 2 45 ⁵² Poles to a

Stone 6x14

W. Oak 36 S. 24 E. 11

L. H. Trotter S.H. Co

Mich. 1892

Jm. W. Wilson }
 Jas. F. Lee } sworn Chanciers, see other sections

Gas. F. Lin

	Sect 25	Sect 26		Lower Partition In Sections 26+27
	N ^o .1	44 acres		(Doesn't tell where located in the sections)
	N ^o .2	28 ac.		Lot N ^o .1 measured 44 by 160 Poles.
	N ^o .3	28 ac.		E. n N ^{os} . 2 + 3 measure 28 by 160 poles each
	N ^o .4	30 ac.		n N ^{nos} . 4 + 5 " 30 by 160 poles each
	N ^o .5	20 ac.		

Owners name &c Cr ¹/₂ p ¹/₂ m ¹/₂ l ¹/₂ b ¹/₂ c ¹/₂ s ¹/₂ t ¹/₂ r ¹/₂ o ¹/₂ n ¹/₂ e ¹/₂ s ¹/₂ i ¹/₂ n ¹/₂ g ¹/₂ s ¹/₂ l ¹/₂ i ¹/₂ n ¹/₂ k ¹/₂ s

Frances Finner, now Smith. And Susan Smith have

Set off and Assigned to them Lot N^o 4 as shown on the
 Plat above.

Malind Sinder has Lot N^o 2

Lucinda Vinder has	Lot No. 3
--------------------	-----------

Charles Tinker had	Lot N ^o 14
Jefferson Tinker had	Lot N ^o 5

Jefferson sends his
note. The Figures 1.2.3.
4.5.6.7.8 stand for the Cn. in the order they were seen

No. 1 attila Cherry 6 N. 21 $\frac{1}{2}$ ° E 67 $\frac{1}{2}$

La Beech	13	S. 14 1/2° E	48
----------	----	--------------	----

No. 2 str. Oak 40 S. 72° E 51
No. 3 Ash 40 N. 57° E 18

N ^o 3	at Lagoon	40	N. 5 1/2° E	7 1/2
N ^o 4	at M. Oak	22	N. 80° E	7 1/2

No. 5 alt. Walnut 13 N. 67.° E. 53

No. 6 at Mt. Oak 36 Corner on N. side

No. 7 an Elm 10 N. 26^o E 68
La Pliekon 18 N. 53^o E 65

No 8 a Poplar stump 36 N. 1. W. 97 1/2 Book f. p. 118

La. 36 N. 49. 71 9 1/2

Section 26 T14 North. Range No. 2 West.

Owners names &c. or Witnesses Dr. Bearings links

a continuation of

91

Section 27. T16 North, Range 2 West.

5(1.49) 6

19.87

Center of the Section 27.

a Stone

The N. 1/2 mile East Relocated

The N. 1/2 mile East Relocated

a Stone

a Beech 12 S. 5° E. 52 1/2

a Elm 14 N. 18° E. 71

a Sugar 20 S. 26° E. 44

a Beech 28 N. 25° E. 87

a H. Oak 10 S. 43° W. 20 1/2

a Hickory 24 N. 5 1/2° W. 43

a Cherry 41 S. 5 1/2° W. 9

a Walnut 26 N. 44° E. 45 1/2

a Beech 12 N. 22° W. 41

a Dr. 18 S. 88° E. 16 1/2

a H. Oak 19 S. 59° E. 20 1/2

a Hickory 22 N. 47° W. 9 1/2

a Hickory 20 S. 60° W. 47

a Elm 24 N. 5 1/2° E. 25 1/2

Dividing the 8 1/2 and the 7 1/2 of the

South of the Corner on the

a Hornbeam 2 East 1 1/2

Book C. p. 12

Owners names &c. Cor. Measures Mr. Bearings links

- Continuation of Hamrick Partition -

A-Cur. St. of $\frac{1}{2}$ of Ch. E. $\frac{1}{4}$ of Sec. 27

Lime Stone 4 x 16 x 3 2

W. Cherry	3	S. 81 W.	4	Links
-----------	---	----------	---	-------

C. - Cor. N. of S. E. $\frac{1}{4}$ of N. E. $\frac{1}{4}$ of Sec. 27

Stone 6x8x10

W. Cherry 18 A. 51 E. 76 Links

B. Walnut 8 A. $12\frac{1}{2}$ 84 ..

N-13.37 $\frac{1}{2}$ Chains S. of Cen. E. of Cen. of Sec. 27

Stone 8x12x16

Maple	16	S. 48 E.	63	Links
-------	----	----------	----	-------

For. B. & D. - See Sec. 26

J. H. T. S. H. Co.

Widenwood, Montgomery & Kutz, survey Apr 1896.

1-N.Y. cr. of Sec.

B. Walnut 12 A. 12 W. 38 1/2 L.

Stone 14x16x16

Stone. North 31 L

2-1 1/2 mile

Stone South 34L

Stone 14 x 22

B. Walnut 12 South 10 3/4

12	A. 78 1/2	70 3/4
----	-----------	--------

3-Cen. W. of Cen

At 11	East	306
-------	------	-----

St. 118 1/2 x 1/2 x 1/2

1. South 30°

4 - Gen. L.S.

200	Count	500
4	1 + 1	310

Dec. 13 1872

Stone	Smith	3/4
A	2 1/2 H	on C

5-Gen. 2 12 12 12

20	note	22h
1+	l + l	21C

Stonington


Skull	512.
E +	1120

(6) 149 Ch. E. of No. 5-

Strong 12x20 - with stone West 25 Links.

J. W. Trotter, J. H. Co.

Section 28 T6 North Range 2 West.



Owner's names &c. Sec. Witnesses Dr. Bearings Links
 Survey O. R. Pierson et al. Nov 22 1887
 8 ch. 6. cen S. S. W. Stone 7x12x17
 8 ch. 8 cen. S. W. Stone 9x9x17
 wit Mild Cherry West 18 feet.

Owner's names &c.	Sec.	Witnesses	Dr.	Bearings	Links
S. Hodge & others				Survey for in Section 28	
E. 1/2 mile.		at W. Walnut	2	S. 29° W	6 1/2
W. 1/2 mile. Rock 10+11		a Cherry	6	S. 32° W	4 3
		an Oak	18	N. 55° E	8
N. 1/2 mile. Rock 8+16		an Elm	8	N. 65° E	6 0
		a Sugar	18	S. 50° E	8 4
Center N. of Center Rock 10		+ 14. B. Walnut	10	S. 74° E	128
Center of N. W. 1/4. Rock 9+11		a W. Oak	24	N. 5° W	31
		a Do.	10	N. 75° W	62
Center W. of Center		a Beech	22	S. 5 1/2° W	11 1/2
Rock 9+11		a Do.	10	N. 64° E	26
Center of S. W. 1/4		a Beech	11	S. 1/2° W	10 5
Rock 8+12		a Do.	10	N. 18° W	9 1
Center S. of Center		a Oak	30	S. 36° W	10 7
Rock 9+19		a Beech	12	N. 34° E	2 2
Center E. of Center		a Sugar	12	S. 75° E	9 8
Rock 12+18		a Do.	10	N. 41° W	10 0
Center of N. E. 1/4. Rock 10+18		a Oak	30	S. 74° W	19 5 1/2
		Beech C. p.			15 6

Section	28				
Corner 37 R. E. 1/2 mile		a Beech	18	S. 8 1/2° E	23 1/2
Stone		a Beech	12	S. 52° W	39
Corner 37 R. E. S. 1/2 a Stone		a B. Walnut	10	N. 28° W	14 1
= Corner of Section		a W. Oak	40	S. 67 3/4° E	123
		Beech C. p.			232

268
 213 4/5
 17

Section 29 T6 North, Range 2 West.

Owners names &c.

Cor. Witnesses Dr. Bearings Links

Vannice Brown

Survey for in Sec. 29

Center of Section

a Beech 24 S. 40° E 19

Rock 6+15

same Ash 19 S. 59° E 23

Center E. of Center

S. Ash 8 S. 57° E 13 1/2

Rock 8+19

same Elm 10 S. 78° W 50 1/2

Center W. of Center

Rock 8+16

a Beech 10 S. 22 1/2° E 2 1/2

Center of N. W. 1/4

Cottonwood 18 S. 8° E 20 1/2

Rock 14+18

a W. Oak 10 S. 77 1/4° W 9 1/2

Center W. of N. W. 1/4

an Oak 10 S. 16° E 150

Rock 14+26

a Beech 14 S. 35 1/2° W 50

Center of N. E. 1/4

a Hickory 12 S. 35° W 17

Rock 6+17

an Oak 10 N. 15° W 93 1/2

Center E. of N. E. 1/4

a W. Oak 18 N. 52° E 24

Rock 10+19

a Sugar 24 S. 23 1/2° W 9 1/2

Book C. 157

Owners names &c. Cor. Witnesses Dr. Bearings Links

Owners names &c. Cor. Witnesses Dr. Bearings Links

Henry Faught, Henry Kays, Jno. Buntan et. al
Survey for

Cen. S. of S. W. 1/4 Locust 20 N. 44 1/2° E 35 feet.

Stone 9x14x18 Stone S. 54° W 24 1/2 "

Cen. S. of S. W. 1/4 S. E. 1/4

Stone 12x12x25 Stone N. 23° E 22 "

Cen. N. of N. W. 1/4 of S. E. 1/4 B. Walnut 12 N. 22 1/2° E 38 1/2 "


Stone 15x17 Beech 20 N. 60 1/2° W 86 1/2 "

Cen. W. of Cen. Sugar 24 S. 2° E 41 "

Stone 6x8x16 Beech 24 S. 38° E 82 1/2 "

J. W. Trotter, Surveyor Hendrick County.

Section 31 T6 North, Range 2 West.




Corner names &c.	Cor. Witnesses	Dist.	Bearings	Links
Center of the section	a Buck	14	S. 35° W	15
Stone 10+16	sa P. oak	16	S. 30° E	131
Center S. of Center	a B. Walnut	10	N. 7° W	34
Stone 16+24	sa B. oak	24	S. 61° W	58
Center W. of S. 1/4	a H. oak	24	S. 30° E	120
Stone 16+26	sa R. Oak	12	N. 23° E	128
South 1/2 mile Stone 14+28	a B. Walnut	10	N. 57° E	62
Corner 16 Road 11 1/2 links S of	a B. Walnut	5	N. 42° W	76
E 1/2 mile. Stone 10+20	a Do.	5	N. 27° E	34
Center N. of E 1/2 of S. 1/4	a B. Walnut	24	N. 23° W	255
Stone 18+24	sa B. Oak	30	S. 15° E	224
Corner 16 Road 11 1/2 links S of	a B. Walnut	6	N. 10° E	62
Center N. of E 1/2 of S. 1/4 Stone 12+10	a Do.	6	S. 17° E	113
Center S. of E 1/2 of S. 1/4	a B. Walnut	8	N. 46° W	46
Stone 16+16	sa Mulberry	8	N. 38° E	82
	Buck C. P.			137

Center W. of S. 1/4 - stone 11x15x21" found - cut cross
on top in exact position - Stanley Shurtle, Sep. 1942.

Corner names &c. Cor. Witnesses Dist. Bearings Links

Section 32 5th Nth, Range 2 West. Owners names &c. Cor. Witnesses. Br. Bearings. Links



Ramsay and Buntew, survey for
Cen. S. of S. W. 1/4

Stone 10x10x16	Stone	S. 44 E.	37	Links
S. 1/2 mile Stone 6x12x21	B. Walnut 44	N. 47 1/4 E.	49 1/2	"
	Do 16	N. 26 W.	40	"
Cen. S. of S. E. 1/4	B. Walnut 15	S. 40 W.	39	"
Stone 10x16	Do 12	S. 58 1/4 W.	63 1/2	"
23 06 3/4 N. of Cen. S. of S. W. 1/4				
Stone 12x16	S. Ash 12	S. 70 1/2 W.	5 3/4	"
23. 06 3/4 ch. N. of S. 1/2 mile				
Stone 18x24	B. Walnut 10	S. 4 E.	41	"
	Stone	West	25	"

J. W. Trotter, H. Co. Sur.

Owners names &c.	Cor. Witnesses	Br. Bearings	Links
5 Cent S. S. E. 1/4	a B Walnut 15,	S 20° W,	31 1/2
8 Cent N S E 1/4	a Stone 12x15, a B Walnut on line		31 1/2
8 Thence West	20 Rds a white Walnut 3 1/2 SW cor.		
" West	20 " a Small Stone		

21 15 1/4 ch. S. N. E. Cor. Sec. 18x8x7 Maple 8 S 31 1/2 W. 63 L.
Ash 10 S 64 W 42 L.

22 5 ch. N of N. E. Cor. Sec. 9x7x14
Hit Elm 36 S 76 1/2 E 112 L.
" Stone 56 W. 46 L.

22 25 ch N of (1) No Stone Hit Stone 25 L. West.
" " 25 L. East.

W. F. Franklin C. Sur.


66) 360 (154
36 330
396
198
2376

66
36
396

Survey for Hays Haynes & Buntew

(a) Stone 18x14x12
Stone S 57 E 2 x 1/2 L.
" S 57 W 29 1/2 L.
b. Cen. W Center Stake set for Cornud post
Wt by Stone East 20 L.
Trickery 12 N 69 1/2 E 101 L.
(c) 130 3/4 Rds S 7 E 1/2 mile post (Stake)
By Stone West 20 L.
" East 20 L.
d. Stake
By Stone 18x14x9 S 27 1/2 E 20 L.
" " 14x10x6 North 20 L.
W. F. Franklin C. Sur.

Section 33. 46. North, Range 2 West



<u>Owner's Name</u>	<u>Co.</u>	<u>Witnesses</u>	<u>Dr.</u>	<u>Beatings</u>	<u>Links</u>
Moses Carvett		a. Lynn	15	South	7 1/2
Edna S. W. & L. W. Corner		S. H. Oak		S. 78° W	19
					Book B. A. 209

H. ² / ₇ Sinder	abbecher	East	8
L. E. 44 s. N. 111 corner	2nd Lo.	North	15

(The above imperfect)

Section 33 Taken from	Points of the Compass.
Center on the N. of the S. $1/4$	a Hickory 28 S. 20° W. 33 $1/2$
Stone 10+12 Wedge shaped	a Poplar 15 N. 39° W. 53
$1/2$ mile Post on North	a Beech 10 S. 41° W. 54 $1/2$
Relocated Rock 8+14	a Hickory 8 N. 28° W. 83 $1/2$
Center of the N. W. $1/4$	a B. Walnut. 6 S. 34° E. 65
a tapering Rock 8+12	a Do. 5 N. 20° W. 19
Center on N. of S. $1/4$	a Hickory 10 S. 42° E. 42

a Boulder 12+14	Red oak	12	S. 37° W.	53
* Center on N. of N. E 4	a Birch	10	S. 11° E	55
Rock 6+8	a Do.	8	N. 50° E	42 1/2
Center of the N. E 4	a R. oak	30	N. 57° W.	111
Ragged Rock 6+9	a P. oak	20	S. 86 1/2° E	111

Book L. p. 130

Charles Ramsay	Survey for in Section 33
S. West S. E. Corner	a Rock
Center S. of S. W. 1/4	a Rock
Center of S. W. 1/4	arr. Oak 18 S. 22° W. 98
a Rock promised	Lat. Walnut 7 S. 32° W. 129
	Book C. P. 156

$$\begin{array}{r} 4 \overline{) 12.31} \\ \underline{3.077} \end{array}$$

31
25

Edward Harnesville, Co. Witnesses Dr. Peary, G. G. G.
 West 1/2 mile Stone by a survey N 75° = mile Stone 37 1/2 L.
 Stone 10 x 12. a Birch 24 N 70° W - 47 1/2 L -

Thence west 100 Rods a white volume 3 L. SW of cor-
" East 20 " a stone 12 x 15" = a B. volume from line 24 L.

NE, West, Truette Marion Township -
Survey of School House Lot.

Beginning at the N. W. corner of Sec. 33-T16N.
R. 24. Thence East 12 rods, Thence South
12 $\frac{21}{100}$ Rods. to a Stone 8 x 11 x 14 witnessed by an
Elm 14 N. 73 $\frac{1}{2}$ E. 50 feet.
Sugar 14 $\frac{1}{2}$ E 59 $\frac{1}{4}$ "

Thence N. 13 rods	To the center of the road to a
Stone 10x12x6	Elm 12 N. 44 $\frac{1}{2}$ E. 27 $\frac{2}{3}$ feet
	Oak 12 N. 55 $\frac{1}{2}$ E. 33 $\frac{2}{3}$ "

Thence North 12. $\frac{3}{4}$ miles to the place of begin-
ning containing one W. area.
J. H. Drotter
S. S. 10.

Ramsey, Buntin, Wilson, Higgins & Hunt-
Sury Jr. —

A - Cen. S. of S.E. $1/4$ Stone 8x10x20 B. Walnut 8x26 E. 98 $1/2$ f.

B- South $\frac{1}{2}$ mile Stone $8 \times 8 \times 18$

Large Rock N. $58\frac{1}{2}$ W. 24 L.

do N. 85 W. 97 L.

6. - Cen. of Sec. Stone 12x12x20 W. Oak 360.82 W. 11/2,

D- Cen. I. of Cen. Stone 3x10x20 Stone West 20 ft,
1 5 12 Pk-Pitt S.W.

Apr 17, 1896 - J. W. Miller, C. N. Es.

1. 21 Lm $2\frac{1}{4}$ Strips 18×18 Strips, S $48\frac{3}{4}$ W. 21 feet.

At the S. E. corner on other corner

Post on Bush Tree St. E 57 1/2 c

27 $\frac{2}{3}$

66,27.66 41.9

264

126
66 66/32.6 4 479.4


$$\begin{array}{r} 267 \\ 626 \end{array}$$

$$\begin{array}{r} 3.25 \\ \hline 5.2 \end{array}$$

$$\begin{array}{r} 3.94 \\ \hline 5.2 \end{array}$$

3

Section 34 T6 North, Range 2 West.




Owner's Name	Cor.	Witnesses	Dr.	Bearings	Links
S.E. Section for Relocated	a B. Oak	50	N. 49° W.	44 1/4	
1/2 mi. Stone 16 + 40	2 a Ds.	16	S. 32° W.	122	
Center S. of S. 1/4	a W. Walnut	24	S. 52° E.	96	
a Stone 17 + 32 Station	2 Oak	36	S. 56° W.	61	
S.E. Sec. for Relocated	a B. Oak	24	S. 18° W.	253	
from old site, Stone 16 + 18	2 Cherry	12	N. 56° E.	99	
Center N. of N. 1/4	a P. Oak	20	S. 15° W.	109 1/2	
Stone 16 + 20	2 Birch	16	N. 53° W.	30	
1/2 mile on E. Relocated by	2 Oak	4	S. 7° E.	194	
Running & measuring, Stone 12 + 22	2 Oak Elm	2	N. 17° W.	49	

(F) - Cen. N. of Cen.	Stone	West	37 1/2	
Stone 12 x 14 x 24	Do	North	25 1/2	
(G) - Cen. N. of Cen.	Stone	East	25 1/2	
Stone 12 x 12 x 14	Stone	West	25 1/2	
(H) - Cen. of N.E.	N. Oak	30	S. 16 1/2° W.	70 1/2
Stone 16 x 24	Stone	N. 28 1/2° W.	38 1/2	
(I) - Cen. E. of Cen.	Stone	East	22 1/2	
Stone 10 x 10 x 15				

Apr. 8, 1896. J. W. Foster, Surveyor Mendocino Co.

Owner's Name	Cor.	Witnesses	Dr.	Bearings	Links
1/2 mile stake - from Cor. Witnesses	with Stone	East	25 1/2		
Stone 16 x 20					
1/2 mile					
Stone 15 x 15	B. Walnut	8	N. 14° E.	33 1/2	
(C) - Cen. of Sec.	Bickory	14	S. 65° W.	37 1/2	
Stone 10 x 10 x 10	B. Walnut		S. 78° W.	108 1/2	
S - N. W. cor. of Sec.	Stone		N. 53° E.	38 1/2	
Stone 11 x 8	Do		S. 55° E.	47 1/2	
E - Cen. N. of N. W. 1/4	B. Walnut	12	N. 77 1/2° W.	104 1/2	
Stone 12 x 8	Stone		S. 56 1/4° W.	46 1/2	


Section 35 T6 North Range 2 West. owners names & cor. witnesses Dr. Bearings Links



Cor. so. of cen. Relocated from old witness
A stone 34x24 old witnesses standing.

Owners names & cor.	Witnesses	Dr.	Bearings	Links
L. Tindal S. E. 1/4	a Buck	11	East	8
no corner names quest. trees	L a Dr.	5	North	15
			Book B. p. 211	
1/2 mile Relocated	a Cherry	8	N. 76° W	33 1/2
Stone 16+110	a B. Oak	20	S. 72 1/2° E	152
Center N. N. 1/4	Long Oak	16	N. 53° E	105 1/2
Stone 16+32	a Cherry	8	S. 14° E	154 1/4
Center S. N. 1/4	Long Oak	11	S. 80° E	111 1/2
Stone 16+18	a P. Oak	14	S. 79° W	53 3/4
Center of S. 1/4	Oak	21	N. 31 1/2° E	115 1/2
Stone 16+18	a Buck	14	N. 11° W	60

Section 36 T6 North, Range 2 West. Owners names & Co. Witnesses Dr. Bearings Links



Owners names & Co.	Witnesses	Dr.	Bearings	Links
Falkner's Estate the	Ep of the N.W. 1/4 & W. 1/4	N.W. 1/4	Sec. 36	
Also the W. 1/2 of the	S.E. 1/4 and E. 1/2 of the S.W. 1/4			
The Dower is the	E. 1/2 of the N.W. 1/4 & 10 Acres			
off the North end of	the S.W. 1/4			
Leard Portion W. 1/2 of the	a Red haw 8	N. 66° W	10	
Tract from S. of S.E. 1/4 Stone 20+24	a Beech 11	S. 48° E	55	
Center N. of N.E. 1/4	a Hackberry 18	N. 20° E	48	
	a B. Walnut 30	N. 63° W	86	
Thence West 39 poles & 16 links	a Hickory 16	N. 45° W	62	
to the center of the 1/2 1/4	a Beech 16	N. 11° E	58	
1/2 mile Dist Relocated	a Beech 18	N. 42° E	15 1/2	
	a Hickory 21	S. 65° W	39	
Thence North 64 poles	a Beech 16	N. 7° W	21	
	a W. Elm 12	S. 36° E	6 1/2	
Thence East 40 poles	a Beech 11	N. 9° E	23	
Stone 18+10	a Dr. 15	S. 37° W	28	
Thence East 40 poles & 64	a Beech 18	S. 17° W	59	
poles N. of E. 1/2 of tract	a Dr. 16	N. 65° W	40	
Thence N. 1/4 1/4 poles	a W. Oak 21	S. 88° E	9 1/4	
	a Beech 21	S. 63° W	115	
Thence W. 1/2 across the 80	a W. Walnut 10	N. 3° W	171	
Thence South 12 poles	a Bead 36	N. 63° W	35	
Thence N. to center line	a Walnut 10	N. 60° W	189	
		Book C. p. 39		

Owners names & Co.	Witnesses	Dr.	Bearings	Links
Exp. mile Sec. 36	a W. Oak 40	N. 14° E	69	
a Stone 8+18	a B. Walnut 5	S. 53° W	127	
Corner 10 Rods W. of 8 1/2	a W. Oak 36	N. 53° W	42	
mile a Stone 10+18	a Mulberry 10	S. 59° W	127	
Corner 10 Rods W. &	7 1/2 Rods & 11 links N. of S.E. cor. of the			
Sec. 36 a Stone 12+24	a S. Ash 16	South	3 3/4	
Corner 140 W. last corner	a Stone 16+24			
	a B. Oak 5	S. 21° E	64 1/2	
Corner 130 Rods W. of	a P. Oak 30	N. 60° W	59	
S.E. cor. of Sec. 36 a Stone 14+15	a S. Ash 14	N. 24° E	28	
		Book C. p. 226		

68 R S 1/2 mile Stone from Williams S.W. cor.
a white oak 36 N 24 W 77 1/2

A corner 1 R. N. and 18 1/2 East of S.W. corner of E. 1/2 of
Sec. A stone 3x10x15
Apple tree 10 N. 17° W 18 1/2 pole marks.

A corner 18 1/2 R. E of N. W. corner of S. 1/2 of
S.E. 1/4 of Sec. 36

Stone 14x15 No wit.
Cm. S. Cm = Stone
26x18x10 B. Walnut 10 S. 34° W 127

Owners names & Co. Witnesses Dr. Bearings Links

16.8
1320
390
1122.0

Survey of Cemetery in N.E. 1/4 of Sec. 4 T. 16 N. R. 2 W.
Beginning at a stone 8x11x14 wit. by a stone 6x8x11 south 20 feet which
Stone 1 is 57⁹⁷/₁₀₀ Rods West and 34³⁹³/₁₀₀₀ Rods North of the East half mile stake of
Sec. 4 T. 16 N. R. 2 W.

Thence North 382 feet to a stone 6x8x12 wit. by stone N. 46³/₄ E. 74¹/₂ feet.

Thence West 624 feet to a stone 4x5x11 wit. by stone S. 53¹/₄ E. 30 ft. + stone N. 52¹/₄ E. 92 feet.

Thence S. 28¹/₄ E. in Cen. of Danville St. Salem Road 436²/₃ feet to a stone 4x5x12
wit. by a stone 15x9x4 N. 34¹/₄ E. 23 feet.

Thence East 414 feet to the place of beginning estimated to contain 4⁵⁵/₁₀₀ Acres
more or less.

Charles Davis, H. H. Hooker, chairman and Jesse Davis, J. W. Trotter, Surveyor.

10 ft 10 in S. of 1/2 mile of 4-16-2 W.

Stone 5x14x16 Maple 8 N. 14 E. 52 L.

B. Walnut 15 N. 59 W. 92¹/₂ L.

198⁵/₈ ch. S. of 1/2 mile of 4-16-2 W.

Stone 8x15.

Thence South 60 feet to a stone 4x10x11.

" " 120 " " " Stone 6x12x15

" " 120 " " " Stone 10x10x15

Maple 3 N. 51¹/₂ W. 30 L.

Do 3 N. 31 W. 46 "

Thence South 120 feet to a Stone 6x8x18.

16⁴/₁₀ Links S. and 2 1/2 ch. N. 1/2 of 1/2 mile 4-16-2 W.

Stone 4x16x22 Beech 18 S. 36¹/₂ W. 89¹/₂ L.

B. Walnut 18 N. 69¹/₂ E. 140 L.

Thence South 120 feet to a Stone 8x12x16

Beech 36 S. 1/2 W. 40 L.

B. Walnut 8 S. 28 W. 77¹/₂ L.

Thence South 60 feet to a stone 8x12

" " 120 " " " Stone 12x16

" " 120 " " " Stone 10x14

" " 120 " " " Stone 7x16

B. Walnut 12 N. 81¹/₂ W. 134 L.

Stone East 30 L.

J. W. Trotter
S. H. C.

Davis & Duckworth Addition to North Salem in Section 4, T. 16 N. R. 2 W.
Pearl Street 60 feet wide Stone 37 Rods from centre of square.

74 feet	60	60	60	106	60	60	60	
1	2	3	4	1	2	3	4	all down

Beginning 107 Rods & 17 links North of
the North 1/2 mile stone of Section
of Section 4. T. 16 N. R. 2 W. and
37 Rods West. The stone in the
centre of the square. S. of 1/2 mi stone
Witnessed by Silverleaf Poplar 539¹/₂ feet
52 Links: Thence West 37 Rods a stone
15x20 an Evergreen N. 63¹/₄ W. 115 Links
All alleys are 10 feet wide, & Streets
& Lots are as marked on the plat
67x9x15 By Maple 9 3.25 N. 51¹/₂ W. 31 ft.
Do 14 976 N. 62¹/₂ W. 63¹/₂ ft.

Pearl Street 40 feet wide				Pearl Street 40 feet wide			
1	8	1	8	1	8	1	8
2	7	2	7	2	7	2	7
3	6	3	6	3	6	3	6
4	5	4	5	4	5	4	5
Minnesota Street 40 feet wide				Minnesota Street 40 feet wide			
1	8	1	8	1	8	1	8
2	7	2	7	2	7	2	7
3	6	3	6	3	6	3	6
4	5	4	5	4	5	4	5

Broadway 60 feet

County and Public Roads in T16N Range 2 West

Road, from Lebanon Road or Witnesses Dr. Bearings, links	Dr. Bearings, links
Lebanon Road.	Beginning at the West 1/2 mile
Post of Sec. 1 S. 16 North	Range 2 West; Thence East 1/2
miles; Thence South 1/4 mile	to corner; Thence East 1/2 mile
to corner on Township	line;
Thence N. 80° E. 88 3/4 poles	aberry 8 N. 43° W. 37
	aberry 24 S. 14 1/2° E. 43
Thence East with line 1/2 mile	aberry 18 S. 36 1/2° E. 68
	aberry 24 N. 24° E. 67
Thence East 80 poles, from	which point the Road is to bound
on the North by the line	East 1/4 mile; The Distance
being 8 3/4 poles over 3 1/2	miles; Book 6, p. 31
County Road; James Nevel	25 feet wide; Beginning on the
Crawfordville Road at	the N.E. corner of S. Darrough
Meadow, 400 miles from Danville	at Sugar 20 N. 76° W. 90
Thence S. 89° W. 48 poles	at Oak 36 N. 47° E. 33
Thence S. 60° W. 5 1/2 poles	at Sugar 18 North 18 1/2
Thence N. 86° W. 70 poles	at Sugar 24 N. 41 1/2° W. 90
Thence N. 74° W. 45 1/4 poles =	at Oak 26 N. 57° E. 18 1/2
Thence North (about 31 poles	to the corner. (Burred),
Thence West on line 78 1/4 poles	to 1/2 mile Post on the West of Sec. 24, 31
Thence West through Sec. 23,	and 38 poles in Sec. 22, where
2 mile Post still stands	Thence West 18 poles more
to where	aberry 20 N. 47° E. 32
Thence S. 77° W. 18 poles	at Sugar 24 S. 70° W. 23
	then to the top =

In Hendricks County & State of Indiana.

Nevel Road continued for Witnesses Dr. Bearings, links	Dr. Bearings, links
Thence N. 77° W. 34 poles	at Sugar 24 S. 31° W. 25
Thence West 115 poles to	the Road being op John
Rabbin, land where	at Sugar 28 S. 15° W. 18
Thence N. 12° W. 12 poles	at Elm 20 S. 21 1/2° W. 23
Thence N. 70° W. 16 poles	at Walnut 28 S. 60° E. 36
Thence N. 53 3/4° W. 68 poles	at Oak 30 N. 53° W. 43
Thence N. 84° W. 10 poles	at Oak 18 N. 84° W. 8
Thence S. 73° W. 12 poles;	Thence S. 6° W. 20 poles to
where	at W. Oak 24 N. 60° W. 39
Thence N. 87° W. 20 poles	at W. Oak 20 N. 67° E. 28
Thence N. 46° W. 26 poles	at Hickory 30 N. 85° E. 13 1/2
Thence N. 31° W. 24 poles	at Beech 12 S. 31° W. 34
Thence N. 44° W. 22 poles	at B. Walnut 28 N. 82° W. 4
Thence N. 3° W. 18 poles	at P. Oak 30 S. 29° E. 25
Thence N. 70° W. 9 poles	at Sugar 20 North 23
Thence N. 32° W. 11 1/2 poles	at P. Oak in East 28 1/2
Thence N. 80° W. 57 poles	at P. Oak 36 N. 44° W. 21 1/2
Thence S. 78° W. 18 poles	at Walnut 22 North 44
Thence N. 45° W. 19 poles	at Walnut 30 the corner,
Thence N. 19° W. 13 poles;	Thence N. 62 1/2° W. 110 poles to
where	at Walnut in S. 44° W. 13 1/2
Thence N. 57° W. 12 poles	to the termination in the
New Winchester & Salem	County Road where
an	Elm 30 N. 75° E. 26
	at B. Oak 24 N. 26° W. 34
	at the top =

County's public Roads in T16N Range 2 West.


Lebanon Road continued for Witnesses Dr. Bearings, links	Dr. Bearings, links
The Distance being 3	miles and 28 1/2 poles;
Note. This Road, and that	from Danville to Brownsburg
were run agreeably to an	order from Court of the County
Board November term	1849 At a variation of 6 Degrees;
2 witnesses taken with the	same; except when they followed
the lines with the bearing	of those lines; Book 6, p. 41
Road from Crawfordville	Beginning in said Crawfordville
to County line.	Road on Section line; Thence
Road in the direction of Mayfield	poles to Section Corner & thence
West with said line 128 1/4	at B. Walnut 30 S. 7° W. 20 1/2
Relocated from stamps of old	with Section line to Town line;
Thence West 251 1/4 poles	Thence West with Section line 2 miles
Thence South 57 links; and	at Sugar 26 S. 26 1/2° E. 65 3
35 Relocated	at Beech 15 S. 18 1/2° W. 77 1/2
Thence South from the N. W.	corner of Section 35. 9 3/4 poles to
where	at Sugar 24 S. 30 1/2° E. 45
Thence S. 61° W. 26 poles	at Beech 18 S. 5° E. 56
Thence N. 89° W. 16 poles	at Beech 15 S. 55° W. 44
Thence N. 76° W. 31 poles	at W. Oak 28 the corner.
Thence S. 82° W. 32 poles	at H. Oak 18 N. 25° W. 24
Thence N. 75° W. 26 poles	at W. Oak 6 N. 6° E. 25
Thence S. 84 1/2° W. 58 poles	with Section line;
Thence N. 38° W. 12 poles	and Appleton 4 N. 38° W. 34
Thence N. 77° W. 26 poles	Thence S. 68° W. 26 1/2 poles;
	then to the top again

a Continuation of:

Road from Crawfordville for Witnesses Dr. Bearings, links	Dr. Bearings, links
at Beech 16 S. 65° E. 20	
at Hickory 28 S. 49° W. 50	
Thence West 63 1/4 poles with	Section line to Section corner
8 miles and 15 1/4 poles to	County line; N. W.
N. West corner of Sec. 33	at Beech 18 N. 34° E. 52
Relocated	at Sugar 20 S. 22 1/2° E. 73
Also North West corner of Sec. 32	at Beech 18 N. 3° W. 50
Relocated	at Hickory 20 N. 36° W. 67
also North West corner of 31	at Hickory 30 N. 34° W. 24
Relocated	at Beech 10 N. 57° W. 44
Distance of Road 7 miles	238 poles; Book 6, p. 33
Change of Road for	
George Sheel	Beginning at the Rock Branch
of Eel River Township	where the Lebanon & Greencastle
Said Road crosses said	Brook;
Thence S. 15° W. 28 poles where	at Walnut 38 S. 15 1/2° E. 24
The Old Road again:	Book 6, p. 34
Road on Petition J. D. Smith	Commencing 26 Rods West of 1/2 mile
in Sec. 16 S. 16 N. R. 2 West	Post on South of Sec. 16 S. 16 N. R. 2 West
and running West 54 Rods	to Center South of S. W. 1/4 of Sec. 16
and Continuing West 5 1/2	Rods; Thence N. 11 1/2° W. 56 Rods to E. line
Thence N. 33° W. 30 Rods:	Thence N. 14 1/2° W. 25 Rods to where
it intersects Old Road:	Book 6, p. 207

150

152



30

0

022

850

796

69
5053
2014
13967

7934
53
23802
63472
658522

7934 .6088
53
18264
48704
605304

170285
4
68
102
69

3478
4
139

6585
2486
9071

7771 - 6293
32
12586
18879
201376

9150
9071
79

26

915
62
295

7771
32
15542
23313
248622

915
241
67

24.86

915
2486
211636
5818
50
290900

915
69
8238
5490
6313.5
248.6
2909.0
160 9471.1 59.2
1800
1471
1440
311
320

760
303
193

1982
11892
11892
130812
300
43051
120
55051

Pearl St 60ft

St 4 mi Sec 4
S 16 4 R 2 W

37 Rods

94ft	60	60	60
Frederic	2	3	4
1			
10 Rods			
94ft			

1	2	3	4
100	60	60	60
		2	
			102

old Town

Shore House Lot

Street 40ft

Vine St

160	120	60
1	8	
160	120	60
2	7	
160	120	10
3	6	
160	120	60
4	5	

137 1/2	120	60
137 1/2	120	60
137 1/2	120	60
137 1/2	120	60

40 Street

Minnesota

1	160	120	8	60
2	160	120	7	60
3				
4				

137 1/2	120	8	60
137 1/2	120	7	60
4			
4			

Hebrata

Shore House Lot

7 1/2
16 1/2
11 2 1/2
3 1/2
2
11 7 1/2

6 1/2
148


13 1/2
16 1/2
7 3
13 6 1/2
12 1 1/2
227

19
66
114
114
125-4

34
13
170
34
510

13 1/2

416
339
15
1695
339
5085



Ball
Bury
Woods
Dunlop
C. 160

H 1