



TWP 14N R 2E

Township N.° XIV North, Range N.° II East 2.° Mer. Surveyed by W.B. Laughlin, 1820.

True Mer.  
Year 1820

A3 L R A3  
11x17 11x17

A-1

Township N. 11 North, Range N. 2 East 2<sup>nd</sup> Mer.

	Range Line - Var. 6 <sup>oo</sup> ' 14.		
North	Between Ranges 2 & 3 E. Township 11 North On the East Side of Sec. 36	56.00	H. Hickory 18 in. diam <sup>t</sup>
19.25	H. Walnut 19 in. diam <sup>t</sup>	80.00	Set post in Brook & 1/2 <sup>th</sup> Corner East Corner of Sections 12 & 13 Sycamore 20 S 48 N 40 do 30 N 28 N 28
40.00	q <sup>r</sup> . Sec. Corner Maple 14 S 41 E 31 Buckeye 13 S 54 N 2		Good farming land. Brook. Sugar. Hickory &
80.00	Set post corner of Sec. 25 S 36 Buckeye 20 S 47 N 32 do 18 N 70 E 22	11.30	H. Brook 7 1/2 <sup>th</sup> East
	Said low Dick. Walnut. Buckeye. Maple &	27.60	H. Sugar 14 in. diam <sup>t</sup>
North	On the East Side of Sec. 25	40.64	q <sup>r</sup> . Sec. Corner - 6 S 26 E 14 Sugar 26 S 40 N 27
10.15	H. Sugar 18 in. diam <sup>t</sup>	62.60	H. Beech 13 in. diam <sup>t</sup>
40.00	q <sup>r</sup> . Sec. Corner Beech 6 N 56 N 5 Sugar 4 S 71 E 14	74.80	H. Beech 25 1/2 <sup>th</sup> S. E
80.00	Set post corner of Sec. 24 S 25 Hickory 10 S 15 N 40 do 8 N 18 E 27	80.80	Set post corner to Sec. 1 N 12 Beech 24 S 20 E 20 do 18 N 20 E 5
	Said Rich. timber as above		Said Timber. Beech
North	On the East Side of Sec. 24	North	On the East Side of Sec. 1
16.50	H. Maple 14 in. diam <sup>t</sup>	29.75	H. Ash 14 in. diam <sup>t</sup>
37.00	H. Brook 6 1/2 <sup>th</sup> S. E	40.00	q <sup>r</sup> . Sec. Corner Hickory 14 S 55 N 10 Oak 15 N 69 E 27
40.00	q <sup>r</sup> . Sec. Corner W. Oak 24 S 29 N 12 Beech 13 N 21 E 27	75.86	Set post corner of Ranges 2 & 3 Township 18 & 15 North Beech 18 S 54 N 13 do 14 N 76 E 40
52.35	H. Hickory 12 in. diam <sup>t</sup>		Good farming land. Sugar. Beech. Ash & Maple & Spruce
80.00	Set post corner to Sec. 13 S 24 Beech 20 S 11 N 40 Ash 10 N 79 E 17		Surveyed by John McDonald D.F.
	Good farming land		
North	On the East Side of Sec. 13		
24.80	H. Spruce. Oak 10 in. diam <sup>t</sup>		
40.00	q <sup>r</sup> . Sec. Corner Beech 10 S 33 E 31 Hickory 15 N 49 N 13		

Township lines var 7.00  
 East On Random line Between Towns 13 & 14 N 26  
 20.00 Temporary pt. Sec. post of Sec 31  
 27.00 A. Branch 8 lbs S. E.  
 30.00 Temporary post of Sec 31 N 32  
 Good farming land, Branch Sugar Oak Elm Spruce  
 East On Random line of Sec 32  
 11.00 Branch 10 lbs South  
 20.00 A. Branch 20 lbs S. W.  
 30.00 Temporary of Sec. post  
 38.00 Temporary post of Sec 32 N 33  
 East On Random line of Sec 33  
 5.00 A. Branch 12 lbs S. W.  
 10.00 Temporary of Sec. post  
 18.00 Temporary post of Sec 33 N 34  
 Sand & water Branch Sugar Oak Hickory Spruce  
 East On Random line of Sec 34  
 7.00 A. Branch 8 lbs S. E.  
 27.00 A. Branch 15 lbs South  
 30.00 Temporary of Sec. post  
 38.00 A. Branch 12 lbs South  
 Good farming land, Sugar Branch  
 East On Random line of Sec 35  
 10.00 Temporary of Sec. post  
 18.00 Temporary post of Sec 35 N 36  
 Good farming land, Sugar Branch, Hickory  
 Locust Spruce  
 East On Random line of Sec 36  
 Branch 25 lbs South  
 26.00 A. Branch 20 lbs South  
 30.00 Temporary of Sec. post  
 45.00 Post corner of Town 13 & 14 Ranges 2 & 3  
 Sec 1, 6, 31, 36 Sand Bottom Sugar Oak Elm  
 Locust, Mulberry, Maple Spruce  
 Surveyed by John M. Donald D.S.

West On Town line Between Townships 13 & 14  
 N. Range 2, East  
 On the South Side of Sec. 36  
 11.25 A. Hackberry 12 in. diam.  
 20.00 of Sec. corner Branch 12 S 66 W 13  
 do 30 N 57 W 22  
 38.25 A. Ash 20 in. diam.  
 50.00 Set post to corner of Sec 35 N 36  
 Branch 12 S 38 W 15  
 Hackberry 9 N 3 E 18  
 Low Bottom Spruce, Walnut, Hackberry, Buckeye, Pine  
 West On the South Side of Sec 35  
 20.00 A. Poplar 16 in. diam.  
 20.00 of Sec. corner W. Oak 21 S 28 W 22  
 Branch 7 N 14 W 15  
 62.10 A. Ash 20 in. diam.  
 80.00 Set post corner of Sec 34 N 35  
 Sugar 10 S 35 W 15  
 do 14 N 53 E 20  
 Good Rolling farming land, Sugar Oak, Branch, Pine, etc.  
 West On the South Side of Sec 34  
 12.00 A. Branch 5 lbs S. E.  
 26.20 A. Branch 8 lbs S. E.  
 37.30 A. Ironwood 8 in. diam.  
 40.00 of Sec. corner Branch 9 N 21 E 4 lbs  
 W. Walnut 12 S 40 E 17  
 51.70 A. Poplar 18 in. diam.  
 56.00 Set post corner of Sec 33 N 34  
 Hickory 10 S 14 E 30  
 do 12 S 26 W 10  
 Sand & timber same  
 West On the South Side of Sec 33  
 23.25 A. Hickory 18 in. diam.  
 30.00 of Sec. corner Branch 15 S 41 E 10  
 Sugar 9 N 17 W 15

51.75 A. Spruce 15 in. diam.  
 80.00 Set post corner of Sec 32 N 33  
 Hickory 6 S 33 E 11  
 Branch 9 N 33 W 19  
 Sand & oak, oak, pine, Branch, Oak, Sugar, Spruce, etc.  
 West On the South Side of Sec 32  
 31.55 A. Branch 6 lbs S. W.  
 40.00 of Sec. corner Hickory 9 S 35 E 6  
 Blue Oak 10 N 78 W 14  
 53.10 A. Branch 6 lbs S. E.  
 53.60 A. Blue Ash 30 in. diam.  
 80.00 Set post corner of Sec 31 N 32  
 Branch 15 S 49 E 15  
 do 10 N 60 W 33  
 West On the South Side of Sec 31  
 8.15 A. Branch 20 in. diam.  
 20.00 of Sec. corner Spruce 9 S 18 W 8  
 do 9 N 17 W 15  
 64.70 To Township line  
 Sand Rolling, Sugar, Ash, Poplar, Maple, Spruce  
 Surveyed by John M. Donald D.S.

Copy all page 12  
 then commence above  
 and copy to p 11

Subdivisions of T. 14 N. Range 2 E  
 North Between Sec 35 & 36  
 12.00 A. W. Oak 30 in. diam.  
 40.00 of Sec. post Branch 12 N 44 E 12  
 do 14 S 32 E 21  
 73.69 A. B. Walnut 14 in. diam.  
 80.00 Set post corner of Sec 25, 26, 35, 36  
 Branch 12 N 36 E 15  
 do 14 S 43 W 20  
 Sand & water Branch, Oak, Sugar, Spruce  
 East Between Sec 25 & 26 On Random  
 40.00 of Sec. post Temporary  
 50.71 Intersected East line 18 lbs South of post  
 West Corrected  
 40.35 of Sec. corner Sugar 14 N 32 W 35  
 Elm 4 S 73 E 25  
 50.71 Section corner  
 Sand & water, Sugar, Ash, Walnut, Branch, etc.  
 North Between Sec 25 & 26  
 28.62 A. W. Oak 10 in. diam.  
 40.00 of Sec. corner Branch 14 N 35 E 15  
 do 8 N 78 W 4  
 73.86 A. Ash 30 in. diam.  
 78.00 A. Spruce 5 lbs S. E.  
 80.00 Set post corner to Sec 23, 24, 25, 26  
 Branch 7 N 23 E 7  
 Branch 10 S 70 W 10  
 Sand & timber same July 17<sup>th</sup> 1820  
 East Between Sec 24 & 25 On Random  
 40.00 Temporary of Sec. post  
 80.45 Intersected East line 9 lbs South of post  
 West Corrected  
 40.22 of Sec. corner Branch 6 N 3 W 17  
 Sugar 14 S 14 W 30  
 80.45 Section corner  
 Sand & timber same July 17<sup>th</sup> 1820

North Between Secs 23 & 24  
 24.00 A. Beech 10 in. diam.  
 40.00 q<sup>r</sup>. Sec. corner Beech 14 1/2 51 E4  
 do 14 1/2 40 11 47  
 53.50 A. Stream 5 lbs S. E.  
 80.00 Set post corner to Secs 13, 14, 23, 24  
 Sugar 12 1/4 114 E38  
 do 8 1/2 117  
 Sand V. water Beech, Oak, Sugar, Sugar 1/2  
 East Between Secs 13 & 24 On Random  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 80.54 Intersected East line 60 lbs South of post  
 West corrected  
 40.27 1/2 q<sup>r</sup>. Sec. corner Hickory 8 1/2 13 13  
 B. Walnut 20 1/2 68 E38  
 Sand V. water, Ash, Sugar, Walnut 1/2  
 North Between Secs 13 & 14  
 25.10 A. Beech 10 in. diam.  
 40.00 q<sup>r</sup>. Sec. corner Beech 10 1/2 25 11 25  
 Sugar 12 1/4 117 E18  
 54.30 A. W. Oak 18 in. diam.  
 80.00 Set post corner of Secs 11, 12, 13, 14  
 W. Oak 12 1/2 40 E70  
 Ash 4 1/2 11 32  
 Sand flat V. water Beech, W. Oak, Oak 1/2  
 East Between Secs 13 & 13 On Random  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 80.42 Intersected East line 60 lbs South of post  
 West corrected July 18<sup>th</sup> 1820  
 40.22 1/2 q<sup>r</sup>. Sec. corner Beech 10 1/2 31 11 14  
 do 8 1/2 11 18  
 Sand V. water, Beech, Oak, W. Oak 1/2  
 North Between Secs 11 & 12  
 27.65 A. Beech 12 in. diam.  
 40.00 q<sup>r</sup>. Sec. corner W. Oak 20 1/2 21 670  
 do 30 1/2 24 11 63

76.25 A. B. Walnut 12 in. diam.  
 80.00 Set post corner to Secs 1, 2, 11, 12  
 B. Oak 12 1/2 113 E3  
 do 12 1/2 117  
 Sand level V. water, Oak, Beech, Sugar 1/2  
 East Between Secs 1 & 12 On Random  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 71.00 A. Stream 5 lbs S. E.  
 80.40 Intersected East line 120 lbs South of post  
 West corrected  
 40.20 q<sup>r</sup>. Sec. corner W. Oak 6 1/2 23 E23  
 Beech 5 1/2 25 11  
 80.40 Sec. cor.  
 Sand V. water Beech, Oak, Sugar, 11 1/2 1/2  
 North Between Secs 1 & 2  
 31.55 A. Beech 14 in. diam.  
 40.00 q<sup>r</sup>. Sec. corner Beech 10 1/2 21 61  
 do 14 1/2 12 11 7  
 63.55 A. W. Oak 14 in. diam.  
 76.67 A. Stream 10 lbs East  
 77.78 Intersected line at post  
 Sand V. water, Beech, Oak, W. Walnut, Oak 1/2  
 North Between Secs 3 & 3  
 4.15 A. Oak 10 in. diam.  
 40.00 q<sup>r</sup>. Sec. corner Beech 14 1/2 28 11 72  
 do 10 1/2 24 E30  
 80.00 Set post corner of Secs 26, 27, 34, 35  
 Sugar 12 1/4 48 11 24  
 Beech 30 1/2 80 E31  
 Sand V. water, Beech, Oak, Sugar  
 East Between Secs 26 & 35 On Random  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 81.00 Intersected East line 140 lbs South of post  
 West corrected  
 40.50 q<sup>r</sup>. Sec. corner W. Oak 12 1/2 25 11 70  
 B. Oak 30 1/2 26 E28  
 81.00 Section corner Sand the same

North Between Secs 26 & 27  
 19.22 A. Beech 16 in. diam.  
 40.00 q<sup>r</sup>. Sec. corner Beech 12 1/2 27 E27  
 do 5 1/2 23 11 3  
 66.30 A. W. Oak 24 in. diam.  
 80.00 Set post corner to Secs 22, 26, 27, 23  
 Beech 8 1/2 25 11 4  
 do 6 1/2 24 E32  
 Sand V. water, Beech, Oak, Sugar 1/2  
 East On Random Between Secs 23 & 26  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 81.20 Intersected East line 50 lbs South of post  
 Sand & timber same  
 West corrected  
 40.46 q<sup>r</sup>. Sec. corner Beech 10 1/2 26 11 15  
 do 18 1/2 24 E15  
 88.20 Section corner  
 North Between Secs 22 & 23  
 20.00 A. Stream 5 lbs East  
 20.50 A. Poplar 30 in. diam.  
 23.50 A. Stream 3 lbs East  
 40.00 q<sup>r</sup>. Sec. corner Beech 14 1/2 27 E13  
 do 8 1/2 22 11 11  
 62.50 A. Sugar 24 in. diam.  
 80.00 Set post corner of Secs 14, 15, 22, 23  
 Sugar 10 1/2 33 E29  
 do 8 1/2 33 11 20  
 Sand V. water, Beech, Oak, Sugar, Elm 1/2  
 East Between Secs 14 & 23 On Random  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 81.09 Intersected East line 60 lbs North of post  
 West corrected  
 40.84 1/2 q<sup>r</sup>. Sec. corner Beech 12 1/2 6 E38  
 do 12 1/2 E46  
 81.09 Section corner  
 1/2 Timber same July 19<sup>th</sup> 1820

North Between Secs 14 & 15  
 2.50 A. Stream 5 lbs S. E.  
 37.05 A. Beech 12 in. diam.  
 40.00 q<sup>r</sup>. Sec. corner B. Walnut 20 1/2 42 11 14  
 Beech 14 1/2 52 E15  
 46.00 A. Stream 3 lbs S. E.  
 64.53 A. Beech 14 in. diam.  
 80.00 Set post corner to Secs 10, 11, 14, 15  
 W. Oak 30 1/2 40 E50  
 Poplar 50 1/2 34 11 23  
 Sand V. water, Beech, Poplar, Oak, Sugar 1/2  
 East On Random Between Secs 11 & 14  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 81.00 Intersected East line 50 lbs North of post  
 West corrected  
 40.50 q<sup>r</sup>. Sec. corner Beech 14 1/2 48 E5  
 do 12 1/2 45 11 30  
 81.00 Section corner  
 Sand & timber as before  
 North Between Secs 10 & 11  
 25.70 A. Beech 24 in. diam.  
 40.00 q<sup>r</sup>. Sec. corner Beech 8 1/2 45 11 20  
 W. Oak 12 1/2 37 E24  
 62.21 A. Beech 14 in. diam.  
 80.00 Set post corner of Secs 2, 3, 10, 11  
 Beech 15 1/2 63 11 10  
 do 14 1/2 59 E44  
 Sand V. water, Beech, Oak, Sugar 1/2  
 East Between Secs 2 & 11 On Random  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 81.00 Intersected East line 24 lbs North of post  
 West corrected  
 40.50 q<sup>r</sup>. Sec. corner Beech 8 1/2 40 11 20  
 B. Oak 18 1/2 43 11 11  
 81.00 Section corner  
 Sand & timber as before

North Between Sec<sup>s</sup> 21 & 23  
 33.40 A. Hickory 12 in. diam<sup>t</sup>  
 40.00 q<sup>r</sup>. Sec. corner Sugar 12 S 58 W 47  
 Beech 12 N 74 E 10  
 47.70 Intersected North line 6 1/2 lbs North of post  
 Beech 14 N 47 E 36  
 do 12 S 18 W 16  
 Sand 2<sup>nd</sup> water Beech, Oak, Sugar 1<sup>st</sup>  
 North Between Sec<sup>s</sup> 33 & 34  
 15.65 A. Poplar 12 in. diam<sup>t</sup>  
 40.00 q<sup>r</sup>. Sec. corner Ash 18 N 4 E 23  
 Hickory 14 S 5 W 20  
 54.05 A. Br. Oak 30 in. diam<sup>t</sup>  
 80.00 Set post corner of Sec<sup>s</sup> 27, 28, 33, 34  
 Beech 8 N 20 E 23  
 Hickory 12 S 11 E 14  
 Sand 2<sup>nd</sup> water Beech, Oak, Poplar, W. Ash 1<sup>st</sup>  
 East Between Sec<sup>s</sup> 27 & 28 On Prandau  
 18.50 A. Spruce 5 lbs S. E  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 81.10 Intersected E line at the post  
 West corrected July 20<sup>th</sup> 1870  
 40.55 q<sup>r</sup>. Sec. corner Ash 14 S 60 E 25  
 W. Oak 12 N 30 W 15  
 81.10 Section corner  
 Sand the same  
 North Between Sec<sup>s</sup> 24 & 25  
 16.50 A. Beech 14 in. diam<sup>t</sup>  
 40.00 q<sup>r</sup>. Sec. corner Br. Oak 20 S 30 W 3  
 Beech 10 S 19 E 3  
 56.50 Am. Ash 20 in. diam<sup>t</sup>  
 80.00 Set post corner of Sec<sup>s</sup> 21, 22, 27, 28  
 Beech 14 N 78 E 24  
 Hickory 10 S 45 W 5  
 Sand & timber same

East Between Sec<sup>s</sup> 21 & 22 On Prandau  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 81.00 Intersected East line 3 1/2 lbs North of post  
 West corrected  
 40.50 q<sup>r</sup>. Sec. corner Beech 12 N 37 W 30  
 do 4 S 25 E 2  
 81.00 Section corner  
 Sand 2<sup>nd</sup> water Beech, W. Ash, Oak, Poplar 1<sup>st</sup>  
 North Between Sec<sup>s</sup> 21 & 22  
 25.00 A. Hickory 12 in. diam<sup>t</sup>  
 40.00 q<sup>r</sup>. Sec. corner Beech 14 S 60 E 24  
 do 18 S 40 W 21  
 61.00 A. Hickory 12 in. diam<sup>t</sup>  
 80.00 Set post corner of Sec<sup>s</sup> 15, 16, 21, 22  
 Ash 12 N 12 W 23  
 Beech 14 S 19 W 25  
 Sand 2<sup>nd</sup> water Beech, Sugar, Oak 1<sup>st</sup>  
 East Between Sec<sup>s</sup> 15 & 22 On Prandau  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 73.00 A. Spruce 5 lbs S. E  
 76.00 A. Spruce 3 lbs S. E  
 81.05 Intersected East line 15 lbs North of post  
 West corrected  
 40.52 1/2 q<sup>r</sup>. Sec. corner Beech 10 N 38 E 10  
 do 10 S 1 W 18  
 81.05 Section corner  
 Sand 2<sup>nd</sup> water  
 North Between Sec<sup>s</sup> 15 & 16  
 31.00 A. Ash 18 in. diam<sup>t</sup>  
 40.00 q<sup>r</sup>. Sec. corner W. Oak 12 N 26 W 7  
 Beech 18 S 15 E 25  
 63.26 A. W. Oak 16 in. diam<sup>t</sup>  
 80.00 Set post corner to Sec<sup>s</sup> 7, 10, 15, 16  
 Beech 20 S 15 W 10  
 Ash 20 S 40 E 25  
 Sand same July 21<sup>st</sup> 1870

East Between Sec<sup>s</sup> 10 & 15 On Prandau  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 81.20 Intersected East line 2 1/2 lbs North of post  
 West corrected  
 40.60 q<sup>r</sup>. Sec. corner Beech 12 N 37 W 30  
 do 4 S 25 E 11  
 Sand 2<sup>nd</sup> water Beech, Oak, Sugar 1<sup>st</sup>  
 North Between Sec<sup>s</sup> 9 & 10  
 11.95 A. Beech 4 in. diam<sup>t</sup>  
 40.00 q<sup>r</sup>. Sec. corner Hickory 12 N 40 E 13  
 do 12 S 45 W 22  
 52.15 Am. Elm 24 in. diam<sup>t</sup>  
 80.00 Set post corner of Sec<sup>s</sup> 3, 4, 9, 10  
 W. Oak 8 N 36 E 6  
 Ironwood 6 S 5 W 8  
 Sand & timber same with Elm  
 East Between Sec<sup>s</sup> 3 & 10 On Prandau  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 81.28 Intersected East line 19 lbs North of post  
 West corrected  
 40.64 q<sup>r</sup>. Sec. corner Ash 12 S 40 E 13  
 Hickory 10 N 25 W 7  
 81.28 Section corner  
 Sand 2<sup>nd</sup> water Beech, Oak, Sugar 1<sup>st</sup>  
 North Between Sec<sup>s</sup> 3 & 4  
 22.00 A. Br. Oak 30 in. diam<sup>t</sup>  
 40.00 q<sup>r</sup>. Sec. corner Beech 14 N 62 W 20  
 do 12 S 43 E 2  
 47.45 A. Hickory 24 in. diam<sup>t</sup>  
 79.00 Intersected North line 2 1/2 lbs North of post  
 Beech 5 S 73 E 3  
 do 12 S 83 W 28  
 Sand & timber as before

North Between Sec<sup>s</sup> 22 & 33  
 23.00 A. Beech 16 in. diam<sup>t</sup>  
 40.00 q<sup>r</sup>. Sec. corner Beech 12 S 33 E 29  
 W. Oak 30 S 67 W 37  
 50.65 A. Hickory 20 in. diam<sup>t</sup>  
 80.00 Set post corner of Sec<sup>s</sup> 28, 29, 32, 33  
 Ash 14 S 55 W 20  
 Beech 14 S 35 E 23  
 Sand flat 3<sup>rd</sup> water  
 East Between Sec<sup>s</sup> 28 & 33 On Prandau  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 80.67 Intersected East line 5 1/2 lbs South of post  
 West corrected  
 40.33 q<sup>r</sup>. Sec. corner Hickory 16 S 35 E 21  
 Beech 10 N 16 W 27  
 80.67 Section corner July 22<sup>nd</sup> 1870  
 Sand 2<sup>nd</sup> water Beech, Oak, Sugar 1<sup>st</sup>  
 North Between Sec<sup>s</sup> 28 & 29  
 24.64 A. Beech 14 in. diam<sup>t</sup>  
 40.00 q<sup>r</sup>. Sec. corner Ash 18 S 59 E 3  
 Beech 14 S 50 W 20  
 54.19 Am. Ash 30 in. diam<sup>t</sup>  
 80.00 Set post corner to Sec<sup>s</sup> 20, 21, 28, 29  
 Beech 10 N 27 W 12  
 Poplar 30 S 33 E 23  
 Sand & timber same  
 East Between Sec<sup>s</sup> 21 & 28 On Prandau  
 40.00 Temporary q<sup>r</sup>. Sec. post  
 80.60 Intersected East line 30 lbs South of post  
 West corrected  
 40.30 q<sup>r</sup>. Sec. corner Beech 5 S 74 E 26  
 Ash 12 N 20 W 30  
 80.60 Section corner  
 Sand 2<sup>nd</sup> water Beech, Oak, Sugar 1<sup>st</sup>

North Between Sec<sup>s</sup> 20 & 21  
 13.00 A. Beech 14 in. diam.  
 20.00 of Sec. corner Beech 12 S 75 E 22  
 do 7 S 70 N 24  
 64.00 Ash 10 in. diam.  
 50.00 Set post corner to Sec<sup>s</sup> 16, 17, 20, 21  
 D. Walnut 24 S 32 W 23  
 Norumbica 45 S 35 E 18  
 Sand V. rate, Beech, Oak, Sugar, Elm 1<sup>st</sup>

East Between Sec<sup>s</sup> 10 & 21 on Wanders  
 40.00 Temporary of Sec. post  
 80.46 Intersected East line 5 lbs North of post  
 West corrected  
 40.23 of Sec. corner Depose 6 4 1 2 N 75  
 W. Oak 24 S 22 E 25  
 80.00 Section corner  
 Sand V. rate, Beech, Oak, Sugar, Elm 1<sup>st</sup>

North Between Sec<sup>s</sup> 10 & 17  
 17.50 Ash 30 in. diam.  
 40.00 of Sec. corner W. Oak 20 S 15 W 24  
 Beech 22 S 18 E 25  
 41.00 A. W. Oak 24 in. diam.  
 80.00 Set post corner of Sec<sup>s</sup> 8, 9, 16, 17  
 Beech 12 S 32 W 24  
 Sugar 18 S 35 E 25  
 Sand V. rate, Beech, Oak, Sugar

East Between Sec<sup>s</sup> 2 Oak on Wanders  
 40.00 Temporary of Sec. post  
 80.25 Intersected East line 2 lbs North of post  
 West corrected  
 40.12 of Sec. corner W. Oak 18 S 22 W 27  
 Beech 12 S 31 E 23  
 80.25 Section corner  
 Sand V. rate, Beech, Oak, Sugar  
 11 lbs the Sugar

North Between Sec<sup>s</sup> 8 & 9  
 33.00 A. Beech 24 in. diam.  
 40.00 of Sec. corner Beech 12 S 75 E 22  
 do 10 S 45 W 16  
 63.00 A. Beech 14 in. diam.  
 50.20 Set post corner of Sec<sup>s</sup> 4, 5, 8, 9  
 Beech 10 S 50 E 23  
 Buckeye 8 S 63 W 23  
 Sand V. rate July 23<sup>d</sup> 1820

East Between Sec<sup>s</sup> 4 & 9 on Wanders  
 40.00 Temporary of Sec. post  
 80.20 Intersected East line 14 lbs North of post  
 West corrected  
 40.10 of Sec. corner Ash 13 S 20 W 20  
 Beech 12 S 26 E 21  
 80.20 Section corner  
 Sand V. rate, Beech, Oak, Sugar, Elm 1<sup>st</sup>

North Between Sec<sup>s</sup> 4 & 5  
 23.45 A. Sugar 16 in. diam.  
 40.00 of Sec. corner Sugar 15 S 5 E 8  
 do 14 S 20 W 6  
 46.35 A. Sugar 14 in. diam.  
 79.50 Intersected North line 200 lbs North of post  
 Beech 14 S 3 W 12  
 do 12 S 10 E 23  
 Sand V. rate, Beech, Oak 1<sup>st</sup>

North Between Sec<sup>s</sup> 31 & 32  
 38.27 A. W. Oak 12 in. diam.  
 40.00 of Sec. corner Sugar 4 S 74 W 22  
 do 8 S 36 E 20  
 56.50 A. Ironwood 20 in. diam.  
 80.00 Set post corner to Sec<sup>s</sup> 29, 30, 31, 32  
 Ash 12 S 89 W 42  
 Beech 18 S 70 E 20  
 Sand V. rate, Beech, Oak, Sugar  
 11 lbs the Sugar

East Between Sec<sup>s</sup> 29 & 32 on Wanders  
 40.00 Temporary of Sec. post  
 80.78 Intersected East line 23 lbs South of post  
 West corrected  
 40.39 of Sec. corner Beech 12 S 30 E 22  
 do 14 S 40 W 33  
 80.78 Section corner  
 Sand V. rate, Beech, Oak, Sugar

West Between Sec<sup>s</sup> 30 & 31  
 40.00 of Sec. corner Hickory 5 S 3 E 9  
 Buckeye 9 S 21 E 16  
 65.45 Intersected West line 10 lbs North of post  
 Locust 16 S 22 W 29  
 White Oak 4 S 15 E 12  
 Sand V. rate, Beech, Oak, Sugar, Elm 1<sup>st</sup>

North Between Sec<sup>s</sup> 29 & 30  
 14.05 A. Beech 24 in. diam.  
 40.00 of Sec. corner Cherry 14 S 71 E 9  
 Beech 12 S 70 W 7  
 54.67 A. Beech 18 in. diam.  
 80.00 Set post corner to Sec<sup>s</sup> 19, 20, 29, 30  
 Sugar 14 S 11 E 23  
 do 14 S 23 W 9  
 Sand V. rate, Beech, Oak, Sugar

East Between Sec<sup>s</sup> 20 & 25 on Wanders  
 40.00 Temporary of Sec. post  
 80.74 Intersected East line 5 lbs North of post  
 West corrected  
 40.37 of Sec. corner Hickory 12 S 18 W 26  
 Beech 12 S 1 E 31  
 80.74 Section corner  
 Sand V. rate, Ash, Beech, Oak 1<sup>st</sup>

West Between Sec<sup>s</sup> 19 & 30  
 40.00 of Sec. corner W. Oak 30 S 16 E 72  
 Hickory 10 S 18 W 28

42.00 A. Spruce 25 lbs South  
 66.50 Intersected West line 12 lbs North of post  
 Beech 24 S 11 E 22  
 do 20 S 34 W 9  
 Sand V. rate

North Between Sec<sup>s</sup> 19 & 20  
 8.00 A. D. Walnut 14 in. diam.  
 35.00 A. Spruce S. W  
 40.00 of Sec. corner Ash 8 S 10 W 6  
 do 6 S 6 W 22  
 80.00 Set post corner to Sec<sup>s</sup> 17, 18, 19, 20  
 Beech 18 S 61 E 19  
 W. Oak 20 S 53 W 19  
 Sand V. rate, Beech, Oak, Sugar, Elm 1<sup>st</sup>

East Between Sec<sup>s</sup> 17 & 20 on Wanders  
 40.00 Temporary of Sec. post  
 80.50 Intersected East line 3 lbs North of post  
 West corrected  
 40.25 of Sec. corner Buckeye 10 S 33 W 23  
 do 6 S 59 E 15  
 80.50 Section corner  
 Sand V. rate

West Between Sec<sup>s</sup> 18 & 19  
 1.10 A. Spruce 25 lbs S. W  
 40.00 of Sec. corner Ash 12 S 55 W 76  
 Beech 14 S 82 E 15  
 68.00 Intersected West line 5 lbs North of post  
 Beech 10 S 22 W 9  
 do 12 S 46 W 30  
 Sand V. rate, Beech, Oak, Elm, Sugar, Elm 1<sup>st</sup>

North Between Sec<sup>s</sup> 17 & 18  
 5.50 A. Spruce 25 lbs West  
 12.25 Same S. E.  
 18.00 Same S. W  
 38.66 A. Beech 10 in. diam.

40.00 gr. Sec. corner Beech 12 N 16 E 1/2  
do 12 S 26 N 32

55.74 A. Sugar 14 in. diam.

80.00 Set post corner of Sec. 4, 8, 17, 18  
Sugar 12 N 82 E 35  
Beech 10 West 7

Sam'l V. Pate, Beech, Oak, Spruce  
East Between Sec. 4, 8, 17, 18  
18.00 A. Spruce 25 lbs South

40.00 Temporary gr. Sec. post

80.25 Intersected East line 39 lbs North of post  
West corner

40.12 1/2 gr. Sec. corner Sugar 10 S 20 E 11  
do 8 N 37 W 26  
July 25<sup>th</sup> 1820.

80.25 Sec. 6, 8, 17, 18  
Sam'l V. Pate, Beech, Oak, Sugar  
West Between Sec. 4, 8, 17, 18 July 25<sup>th</sup> 1820

40.00 gr. Sec. corner Beech 4 S 40 W 12  
Hickory 12 N 61 E 31

58.50 Intersected West line 100 lbs South of post  
Beech 14 S 26 W 5  
Ironwood 3 N 68 E 5

Sam'l V. Pate same  
North Between Sec. 4, 8

14.95 A. Sugar 14 in. diam.

40.00 gr. Sec. corner Ironwood 5 S 71 E 8  
Beech 14 N 82 W 23

53.10 A. Beech 14 in. diam.

80.00 Set post corner to Sec. 5, 6, 7, 8  
Sugar 20 S 67 W 26  
Beech 12 N 47 E 18

Sam'l V. Pate, Beech, Oak, Sugar, Elm 17  
East Between Sec. 4, 5, 8, 8, 18, 18, 18, 18

40.00 Temporary gr. Sec. post

43.00 A. Spruce 25 lbs S. W

80.00 Intersected line 10 lbs South of post

West corner Between Sec. 4, 5, 8

40.12 1/2 gr. Sec. corner W. Walnut 18 S 48 W 12  
Spruce 18 N 40 E 1

80.25 Section corner  
West Between Sec. 6, 7

32.00 A. Spruce S. E

40.00 gr. Sec. corner Sugar 12 S 57 W 33  
Beech 12 N 80 E 31

69.32 Intersected West line 1.65 lbs South of post  
Hickory 12 N 39 W 7  
Sugar 12 S 12 E 7

Sam'l V. Pate, Beech, Oak, W. Walnut, Hickory  
North Between Sec. 4, 5, 6

33.67 A. Sugar 12 in. diam.

40.00 gr. Sec. corner Beech 10 S 18 E 26  
50.95 do 12 N 28 W 44

80.00 Intersected North line 1.2 lbs West of post  
Ash 10 S 16 E 6  
Spruce 18 N 53 W 30

Sam'l V. Pate throughout the whole  
Township nearly uniform  
Surveyed by W. B. Laughlin D. S.