



TWP 14N R1W

Township N.° XIV North, Range N.° II West 2.° Mer. Surveyed by Allen Wright 1819.

True Mer. Var. 6° 15' E.

T 13 N., R. 2 W. 2. Mer. Ind.

40.00 set g. sec. post from which
a Beech 30 in. diameter S 57° W 11 lbs. dist. 23
a No 18 " " " " S 66° E 47 " "

80.00 set post cor. of sec. 12 & 13 from which
a Beech 7 in. diameter N 54° E 16 lbs. dist. 23
a No 12 " " " " N 73° W 45 " "
Land a little rolling, timber scarce, good
farming land

North on the E. Boundary of Sec. 12, T 13 N., R 2 W
5.00 a Brook 10 lbs. wide course E

40.00 set g. sec. post from which
a Beech 10 in. diameter N 62° E 9 lbs. dist. 23
a No 5 " " " " S 17° W 11 " "

80.00 set post cor. of sec. 12 & 13 from which
a Beech 15 in. diameter N 61° E 15 lbs. dist. 23
a Sugar 9 " " " " S 78° W 14 " "
Land same as last noted

North on the E. Boundary of Sec. 1, T 13 N., R 2 W
20.00 a Brook 10 lbs. wide course E

40.00 set g. sec. post from which
a Hickory 18 in. diameter N 39° W 8 lbs. dist. 23
an Ironwood 13 " " " " S 57° E 21 " "

80.00 set temp. post for cor. of T. 13 & 14. N. R. 2 & 3 W
June 14th 1879 Surveyed by
William Harris, N. S.

comp?

Township No 14 South of Range No 2 West 2nd Mer. Ind.

South Boundary

West On a Random line on the South Boundary of Sec. 36, T 14, R 2 W

14.00 To a Creek 50 links wide, Course S.

40.00 Set a temp^o post for the cor. of 1/4 Sec.

80.00 Set a temp^o post for the cor. of Sec. 35 & 36.

Land level & wet, Timber. Beech. Hickory. Elm. & Maple

West On a Random line on the South Boundary of Sec. 35, T 14, R 2 W

40.00 Set a temp^o post for the cor. of 1/4 Sec.

80.00 Set a " " " " " " Sec. 34 & 35.

Land level and good for farming, Timber Beech
Oak. Sugar & Ash.

West On a Random line on the South Bound^o of Sec. 34, T 14, R 2 W

40.00 Set a temp^o post for the cor. of 1/4 Sec.

80.00 Set a " " " " " " Sec. 33 & 34.

Land rolling & good for farming, Timber same as last mile

West On a Random line on the South Bound^o of Sec. 33, T 14, R 2 W

40.00 Set a temp^o post for the cor. of 1/4 Sec.

44.00 To a Creek 20 links wide, Course S. W

80.00 Set a temp^o post for the cor. of Sec. 32 & 33.

East 1/2 of this line same as last mile. Most to Oak & net.
Timber same as on the last mile

West On a Random line on the South Bound^o of Sec. 32, T 14, R 2 W

21.00 To a Creek 70 links wide, Course S. W

40.00 Set a temp^o post for the cor. of 1/4 Sec.

80.00 Set a " " " " " " Sec. 31 & 32.

Land on the West 1/2 good for farming, on the East 1/2 overgrown
open rich.

West On a Random line on the South Bound^o of Sec. 31, T 14, R 2 W

T. N. 14. R. 2. W. 2nd Mer. Ind.

40. 00 Set the temp^o post for the cor. of 1/4 Sec.
 66. 50 To a Buck 15 links wide, course S. E.
 75. 00 Intersect the S. & I. line 69 links South of the post cor. of
 Trees 13 & 14. N. R. 2. & 3. W.
 Land set and good for farming

East On the True line On the South Boundary of Sec. 31. T. 14. R. 2. W.
 35. 00 Set the post for the cor. of 1/4 Sec. on the true line from which a
 Buck 18 in diam. bears S. 19. W. 10 links dist. & a
 Sugar 17. " " " N. 28. W. 39. " "
 75. 00 Set a post for the cor. of Sec. 31. & 32. from which a
 W. Ash 24 in diam. bears N. 64. W. 42 links dist. and a
 W. Oak 10 " " " S. 64. E. 31. " "

East On the True line On the South Bound^o of Sec. 32. T. 14. R. 2. W.
 40. 00 Set a post for the cor. of 1/4 Sec. on the true line from which a
 Hickory 15 in diam. bears S. 36. E. 5 links dist. & a
 Buck 8 " " " N. 49. E. 13. " "
 80. 00 Set a post for the cor. of Sec. 32 & 33. from which a
 W. Oak 12 in diam. bears N. 33. W. 15 links dist. & a
 Maple 10 " " " S. 83. E. 34. " " June 23. 1819

East On the True line On the South Boundary of Sec. 33. T. 14. R. 2. W.
 40. 00 Set a post for the cor. of 1/4 Sec. on the true line from which a
 Sugar 9 in diam. bears S. 12. W. 8 links dist. & a
 Do. 12 " " " N. 25. W. 25. " "
 80. 00 Set a post for the cor. of Sec. 33 & 34. from which a
 Buck 36 in diam. bears N. 86. W. 55 links dist. & a
 Sugar 17. " " " N. 78. E. 24. " "

East On the True line On the South Boundary of Sec. 34. T. 14. R. 2. W.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 W. Ash 27 in diam. bears S. 25. W. 42 links dist. and a

T. N. 14. R. 2. W. 2nd Mer. Ind.

80. 00 Buck 18 in diam. bears N. 80. E. 35 links dist. &
 Set a post for the cor. of Sec. 34 & 35. from which a
 Buck 14 in diam. bears S. 47. E. 3 links dist. and a
 Hickory 12. " " " N. 66. W. 9. " "

East On the True line On the South Boundary of Sec. 35. T. 14. R. 2. W.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a (On the true line)
 Buck 10 in diam. bears N. 52. W. 8 links dist. & a
 Do. 9. " " " S. 14. E. 15. " "
 50. 00 Set a post for the cor. of Sec. 35 & 36. from which a
 Lynn 5 in diam. bears N. 83. W. 14 links dist. & a
 Elm 12. " " " N. 64. E. 12. " "

East On the True line On the South Boundary of Sec. 36. T. 14. R. 2. W.
 40. 00 Set a post for the cor. of 1/4 Sec. on the true line from which a
 Buck 18 in diam. bears S. 67. E. 6 links dist. and a
 W. Oak 24. " " " S. 48. W. 3. " "
 50. 00 Set the post for the cor. of Sec. 1. 6. 31 & 36. Trees 13 & 14.
 North Ranges 1 & 2 West from which a
 Buck 30 in diam. bears S. 27. E. 13 links dist. & a
 Do. 24. " " " N. 29. W. 30. " "

~~East Boundary N. 6. E.~~

North On the East Boundary of Sec. 36. T. 14. R. 2. W.
 21. 50 To a Buck 10 links wide, course N.
 35. 00 To a Do. 20. " " " W.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar 26 in diam. bears N. 16. W. 17 links dist. & a
 Buck 27. " " " S. 7. W. 13. " "
 50. 00 To an Elm 8 in diam. select stands for the cor. of Sec. 25.
 & 36. Land set and good for farming Timber
 Buck Sugar Ash Oak Lynn Elm &c.

T. No 14. N. B. No 2. W. 2nd Mer. Ind.

North On the East Boundary of Sec. 13. T. 14. N. B. 2. W.
 21. 00 To a Brook 12 links wide; Course S.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Hickory 18 in diam. bears S. 52. W. 8. links dist. & a
 Do. 12. " " N. 4. E. 35. " "
 50. 00 Set a post for the cor. of Sec. 12 & 13. from which a
 Lynn 8. in diam. bears S. 75. W. 28. links dist. and a
 Buck 18. " " N. 38. E. 39. " "
 Land & Timber same as on the last mile.

North On the East Boundary of Sec. 12. T. 14. N. B. 2. W.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 18 in diam. bears N. 84. E. 37 links dist. & a
 Do. 20. " " N. 22. W. 24. " "
 65. 00 To a Brook 8 links wide; Course W.
 80. 00 Set a post for the cor. of Sec. 1 & 2. from which a
 Buck 20 in diam. bears S. 58. E. 17 links dist. & a
 Do. 27. " " N. 20. W. 25. " "
 Land level, rich. & good for farming; Timber same.

North On the East Boundary of Sec. 1. T. 14. N. B. 2. W.
 7. 00 To a Brook 8 links wide; Course W.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 10 in diam. bears S. 26. E. 9 links dist. & a
 Hickory 6. " " N. 70. W. 25. " "
 75. 00 To the post cor. of Towns 14 & 15. N. Ranges 1 & 2. West.
 and set a post from which a
 Buck 10 in diam. bears N. 83. W. 37 links dist. & a
 Hickory 14. " " S. 74. E. 40. " "
 Land and Timber same as on the last mile.

North Boundary. v. s. 56 June 26th 1819
 West On the South Boundary of Sec. 36. T. 15. N. B. 2. W.

T. No 14. N. B. No 2. W. 2nd Mer. Ind.

15. 00 To a Creek 30 links wide; Course S. W.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Hickory 24 in diam. bears N. 63. E. 14 links dist. & a
 Lynn 24. " " S. 13. W. 5. " "
 80. 00 Set a post for the cor. of Sec. 35 & 36. from which a
 Buck 15 in diam. bears N. 63. E. 24 links dist. and a
 Do. 9. " " S. 34. W. 31. " "
 Land level and good for farming; Timber Birch,
 Sugar, Ash & some Walnut.

West On the South Boundary of Sec. 35. T. 15. N. B. 2. W.
 17. 00 To a Brook 8 links wide; Course S.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Hickory 30 in diam. bears S. 57. W. 4 links dist. & a
 Buck 5. " " N. 44. E. 18. " "
 54. 50 To a Creek 50 links wide; Course South.
 80. 00 Set a post for the cor. of Sec. 34 & 35. from which a
 Buck 10 in diam. bears S. 63. W. 9 links dist. and a
 Do. 4. " " N. 81. E. 4. " "
 Land & Timber similar to the last mile. & a little rolling.

West On the South Boundary of Sec. 34. T. 15. N. B. 2. W.
 16. 00 To a Brook 12 links wide; Course S.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 8 in diam. bears N. 34. E. 11 links dist. & a
 Hick. 14. " " S. 69. W. 15. " "
 74. 50 To a Brook 8 links wide; Course S.
 80. 00 Set a post for the cor. of Sec. 33 & 34. from which a
 Buck 18 in diam. bears N. 53. E. 28 links dist. and a
 Sugar 12. " " S. 33. W. 28. " "
 Land & Timber same as on the last mile.

West On the South Boundary of Sec. 33. T. 15. N. B. 2. W.

T. N. 14. S. R. N. 2. W. 2nd Mer. Ind.

22. 00 To a Brook 60 links wide; Course S.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 6. in diam. bears N 7. E. 11. links dist. & a
 Do. 9. " " " S. 12. W. 12. " " "
 80. 00 Set a post for the cor. of Sec. 32 & 33 from which a
 Buck 8. in diam. bears N 2. W. 8. links dist. and a
 Hick. " " " S. 8. E. 14. " " "
 Land same as in the last mile.

West On the South Boundary of Sec. 32. T. 15. S. R. 2. W.
 35. 00 To a Brook 8 links wide; Course S.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Hickory 14. in diam. bears S 16. E. 5. links dist. & a
 Sugar. 15 " " " N. 1. W. 20. " " "
 67. 50 To a Brook 8 links wide; Course S.
 80. 00 Set a post for the cor. of Sec. 31 & 32 from which a
 Buck 9. in diam. bears N 22. E. 6. links dist. and a
 Hickory 9. " " " S. 39. W. 20. " " "
 Land same as in the last mile.

West On the South Boundary of Sec. 31. T. 15. S. R. 2. W.
 9. 00 To a Brook 10 links wide; Course S.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 9. in diam. bears N 34. E. 3. links dist. & a
 Hick. 37. " " " S. 60. E. 9. " " "
 73. 75 Intersect the Range line 194 links South of the post
 cor. of Towns.
 Land same as in the last mile.

West Boundary

North On the East Boundary of Sec. 36. T. 14. S. R. 3. W.
 35. 00 To a Brook 5 links wide; Course S. E.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a

T. N. 14. S. R. N. 2. W. 2nd Mer. Ind.

Buck 24. in diam. bears N 36. E. 25. links dist. and an
 Ash 4. " " " N 72. W. 13. " " "
 80. 00 Set a post for the cor. of Sec. 25 & 26 from which an
 Ash 20. in diam. bears East. 2 links dist. & a
 Buck 12. " " " N 62. W. 16. " " "
 Good farming Land. Timber. Buck. Sugar. Ash & Oak.

North On the East Boundary of Sec. 25. T. 14. S. R. 3. W.
 26. 50 To a Brook 10 links wide; Course E.
 40. 00 Set a post for the cor. of 1/4 Sec. from which an
 Elm 18. in diam. bears N 49. W. 16. links dist. & a
 Buck 10. " " " N 56. E. 30 " " "
 47. 50 To a Brook 10 links wide; Course E.
 74. 00 To a Do 14. " " " S. E.
 80. 00 Set a post for the cor. of Sec. 24 & 25 from which a
 Buck 12. in diam. bears S. 59. E. 21 links dist. and a
 Do. 24. " " " N 20. W. 29.
 Land & Timber same as in the last mile.

North On the East Boundary of Sec. 24. T. 14. S. R. 3. W.
 13. 00 To a Brook 15 links wide; Course N.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 12. in diam. bears S. 59. E. 4. links dist. and a
 Sugar. 10. " " " N 39. W. 10. " " "
 61. 00 To a Spring Brook 5 links wide; Course E.
 80. 00 Set a post for the cor. of Sec. 13 & 24 from which a
 Buck 18. in diam. bears South 13 links dist. & a
 Do 12. " " " N 19. E. 21. " " "
 Land same as in the last mile.

North On the East Boundary of Sec. 13. T. 14. S. R. 3. W.
 3. 00 To a Brook 25 links wide; Course S. E.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a

T. N. 14. R. 2. W. 2nd Mer. Ind.

Buck 12 in diam. bears S. 37. W. 14. links dist. and a
 No. 8. " " " N. 46. E. 17. " "
 76. 50 To a Brook 15 links wide; Course S. E.
 80. 00 Set a post for the cor. of Sec. 12. N. 3. from which a
 Buck 10 in diam. bears S. 31. W. 2. links dist. do
 No. 8. " " " S. 31. E. 18. " "
 Land same as in the last mile.

North On the East Boundary of Sec. 12. T. 14. R. 3. W.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar 10 in diam. bears S. 39. W. 10. links dist. do
 Buck 6. " " " S. 9. E. 14. " "
 50. 00 Set a post for the cor. of Sec. 1. N. 3. from which a
 Buck 10 in diam. bears N. 52. E. 12. links dist. do
 No. 18. " " " S. 12. W. 20. " "
 Land level and good for farming; Timber Buck
 Sugar Hickory & Ash.

North On the East Boundary of Sec. 1. T. 14. R. 3. W.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Black Ash 9 in diam. bears S. 68. W. 11. links dist. do
 No. 18. " " " N. 23. E. 21. " "
 78. 06 Set a post for the cor. of Sec. 1. 6. 31 & 31 T. 14 W. 2
 N. 25. 37 W. from which a
 Beech 10 in diam. bears S. 68. W. 4. links dist. do
 Buck 24. " " " North 6 links dist.
 Land same as in the last mile

Surveyed by
William Harris, D.S.

Subdivisions September 27. 1819
 North Return Sec. 35 & 36.
 17. 30 A Buck 10 in diam.

T. N. 14. R. 2. W. 2nd Mer. Ind.

26. 00 A Buck 8 in diam.
 40. 00 Set a 1/4 Sec. post from which a
 Buck 18 in diam. bears N. 46. E. 25. links dist. do
 No. Oak 24. " " " S. 24. W. 18. " "
 49. 00 A Brook 12 links wide; Course S. 50. E.
 57. 50 A Strain
 68. 00 A Buck 8 in diam.
 72. 67 A No. Oak 24. " "

80. 00 Set a post for the cor. of Sec. 25. 26. 35. & 36. from which
 a Buck 12 in diam. bears N. 82. E. 35. links dist. & a
 Hickory 8. " " " S. 79. W. 32. " "
 Land level & 3/4 rate; Timber Buck. White Oak.
 Burr Oak, Ash, Linn, Hickory & Wg. Spruce & Hazel.

East On a Random line between Sec. 25. & 36.
 10. 00 A Brook 20 links wide; Course S. 75. E.
 36. 00 A Strain
 40. 00 Set a temp. 1/4 Sec. post
 79. 93 Intersect the East Boundary at the post cor. of Sec.
 25. & 36. Land level and 2nd rate; Timber Buck
 Hickory. Burr Oak, Red Oak, W. Walnut & Wg. Spruce

West On the True line between Sec. 25. & 36.
 39. 96 Set the 1/4 Sec. post at the ave. dist. on the true line from
 which a Buck 12 in diam. bears S. 40. E. 18 links dist. do
 No. 20. " " " N. 24. W. 33. " "
 79. 93 To the Cor. of Sec. 25. 26. 35. & 36.

North Return Sections 25. & 26.
 6. 50 A No. Oak 24 in diam.
 8. 50 A Long Brook 18 links wide Course S. E.
 17. 00 A Buck 9 in diam.
 40. 00 Set a 1/4 Sec. post from which a

T. N^o 14. S. Co. N^o 2. W. 2nd Mer. Ind.

Sept 13 in diam. bears S. 21. E. 23 links dist. & a
 Black Ash 5 in " " S. 17. E. 13. " "

42. 80 A Buck 12. " "

54. 00 A Do. 12. " "

69. 90 A Red Oak 36. in diam.

80. 00 Set a spot for the cor. of Sec. 23 24 25 & 26 from which
 a Buck 9 in diam. bears S. 52. E. 8 1/2 links dist. & a
 Sugar 14. " " S. 87. W. 19. " "

Land rolling & 2nd rate. Timber Buck W. Oak.
 Hickory, Red Oak, Spruce, Sugar & c. W. Spruce & Hazel.

East On a Random line between Sec. 24 & 25.

15. 00 A Strain

19. 50 A Spring Branch 6 lbs. wide, depth is 3 times in 16 3/4 Co. S. 80. E.

29. 00 A Dry Brook 22. " " Course S. 10 E.

40. 00 Set a temp. 1/4 Sec. spot

74. 62 A Strain

79. 90 Intersect the East Boundary 17 links S of the spot cor. of
 Sec. 24 & 25. Land on the 1st 1/2 mile rolling. On the
 2nd 1/2 level & 2nd rate. Timber, W. Oak, Buck, Hickory
 Red Oak & c.

West On the True line between Sec. 24 & 25.

39. 95 Set the 1/4 Sec. spot as the acc. dist. on the true line, from which
 Elm 9 in diam. bears S. 30. W. 10 links dist. & a
 Hickory 9 in " " S. 9. E. 18. " "

74. 90 To the Cor. of Sec. 23. 24 25 & 26.

North Between Sec. 23 & 24

7. 50 A Buck 14 in diam.

14. 50 A Hick. 20. " "

35. 00 A Strain

Set the 1/4 Sec. spot by a Strain from which a

T. N^o 16. S. Co. N^o 2. W. 2nd Mer. Ind.

Hickory 13 in diam. bears S. 49. W. 3 links dist. & a
 Buck 9. " " " S. 2. E. 8. " "

30. 43 A W. Oak 18 in diam.

74. 50 A W. Oak 24. " "

75. 50 A Strain

80. 00 Set a 1/4 Sec. spot for the Cor. of Sec. 13. 14 23 & 24 from
 which a W. Oak 18 in diam. bears S. 73 1/4. W. 15 links dist.
 and a Sugar 13. " " " S. 73 1/4. E. 27. " "

Land rolling & 2nd rate. Timber, W. Oak, Hickory.
 Buck, Sugar, & Ash.

East On a Random line between Sec. 13 & 24

40. 00 Set the temp. 1/4 Sec. spot

56. 00 A Dry Brook 8 links wide. Course S. E.

79. 84 Intersect the East Boundary 4 links S of spot cor. of Sec.
 13 & 24. Land rolling & good 2nd rate. Timber
 Buck, Hickory, White Oak, & some Sugar.

West On the True line between Sec. 13 & 24

39. 92 Set the 1/4 Sec. spot as the acc. dist. on the true line from which
 a Hickory 14 in diam. bears S. 22 1/2. E. 10 links dist. & a
 Spruce 7. " " " S. 13. W. 5 1/2. " "

79. 84 To the Cor. of Sec. 13. 14 23 & 24.

North Between Sec. 13 & 14

9. 50 A Hickory 16 in diam.

13. 27 A Strain

23. 60 A Hickory 12 in diam.

40. 00 Set the 1/4 Sec. spot from which a
 Hickory 18 in diam. bears S. 40 1/2. E. 12 links dist. & a
 Do. 6. " " " S. 78 1/2. W. 14. " "

58. 32 A Hickory 20 in diam.

64. 29 A Strain.

T. N. 14. S. Co. N. 2. W. 2nd Mer. Ind.

71.72 A Red Oak 30 in diam.
 8070 Set a post for the cor. of Sec. 11. 12. 13. & 14. from which a
 Buck 12 in diam. bears S 63° E. 48 links dist. & a
 Elm 12 " " S 44 1/2° W 37 " "
 Land rolling & good 2nd rate. Timber White Oak. Sugar
 Hickory Red Oak. Ash &c.

East On a Random line between Sections 12. & 13.
 40.00 Set a temp. post for Sec. spot.
 53.32 A Spruce
 79.00 A Spruce
 79.94 Intersect the N. & E. line 50 links N. of the post cor. of Sec.
 12. & 13. Land rolling & good 2nd rate. Timber W. Oak
 Hickory & Beech. W. Spruce. Haze & Black Ash

West On the True line between Sec. 12. & 13.
 39.97 Set the post for Sec. spot at the true dist. on the True line from which
 a Lynn 15 in diam. bears S 10 3/4° W. 9 1/2 links dist. & a
 Buck 18 " " S 52 1/2° E. 17 " "
 79.94 To the Cor. of Sec. 11. 12. 13. & 14.

North Between Sec. 11. & 12.
 19.61 A Black Ash 8 in diam.
 35.58 A Sugar 9 in diam.
 37.97 A Buck 50 links wide Course S. W.
 41.00 Set a post for Sec. spot from which a
 W. Walnut 6 in diam. bears S 88 1/2° E. 35 links dist.
 and a Sycamore 24 " " S 84° W. 60 " "
 50.30 A Lynn 20 in diam.
 75.40 A Pin Oak 25 in "
 86.00 Set a post for the cor. of Sec. 1. 2. 11. & 12. from which a
 Buck 6 in diam. bears S 33 1/2° W. 49 links dist. & a
 Pin Oak 24 " " S 34 1/2° E. 17 " "

T. N. 14. S. Co. N. 2. W. 2nd Mer. Ind.

Land first rate. Timber Burr Oak. Lynn. Beech
 Hickory Black Walnut &c. Undergrowth Spruce

East On a Random line between Sec. 1. & 2.
 28.50 A Brook 50 links wide; course S. W.
 31.66 A Dry Brook 20 " " " S. W.
 41.00 Set a temp. post for Sec. spot
 41.25 A Spruce
 46.28 A Spruce
 79.92 Intersect the East Boundary 4 links N. of the
 post cor. of Sec. 1. & 2. Land level & 2nd rate
 Timber. Beech. Burr Oak. Hickory &c. W. Spruce

West On the True line between Sec. 1. & 2.
 39.96 Set the post for Sec. spot at the true dist. on the True line, from
 which a Buck 20 in diam. bears S 45° W. 12 links dist.
 and a B. Oak 18 " " " S 15 1/2° E. 35 " "
 79.92 To the post cor. of Sec. 1. 2. 11. & 12.

North Between Sec. 1. & 2.
 13.50 A Brook 25 links wide Course S. W. in 10 chains
 crossed the same Brook 3. times.
 24.50 A W. Oak 30 in diam.
 40.00 Made the cor. on a W. Oak 30 in diam.
 43.22 A Brook 18 links wide. Course W.
 49.46 A Buck 6 in diam.
 61.55 A No. 8 " "
 77.75 Intersect the North Boundary at the post cor. of Secs
 35. & 36. T. 15. S. Co. 3. W.
 Land on the 1st 1/2 mile flat & 2nd rate. On the 2nd 1/2
 mile first rate. Timber Beech. Burr Oak. Lynn.
 Hickory & Sugar.

T. No 14. S. No. 2. W. 2nd Mer. Ind.

North
 15.64 A Buck 6 in diam.
 32.00 A Hick 14 " "
 40.00 Set a 1/2 Sec. post from which a
 Buck 10 in diam. bears N 10 1/4 E. 20 links dist. & a
 Sp. 15 " " " N 11 1/4 W. 30 " "
 40.55 A Brook 6 links wide Course S. E.
 46.30 A Spring Branch " S. W.
 54.91 A Hickory 30 in diam.
 87.77 Set a post for the cor. of Secs 26, 27, 34 & 35 from which a
 Buck 6 in diam. bears N 21 1/4 E. 10 links dist. & an
 Elm 20 " " " S 42 1/2 W. 33 " "
 Land rolling & 2nd rate. Timber White Oak, Buck
 Hickory & Ash.

East
 On a Random line between Secs 26 & 35.
 22.50 A Brook 10 links wide Course S. E.
 40.00 Set a temp. 1/2 Sec. post.
 80.10 Intersect the N. & S. line at the post cor. of Secs 25, 26,
 35 & 36. Land on the 1st 1/2 mile rolling & 2nd rate. On the
 2nd 1/2 flat & 3rd rate. Timber Buck, Sugar, Hickory,
 Ash, & Syc. Undergrowth Ash, Spice & Hops.

West
 On the True line between Secs 26 & 35.
 40.05 Set the 1/2 Sec. post at the an. dist. on the True line from which
 a Buck 10 in diam. bears S. 35 E. 6 links dist. & a
 Syc. 6 " " " N 70 1/4 W. 24 " "
 80.10 To the post cor. of Secs 26, 27, 34 & 35.

North
 Between Sections 26 & 27
 14.27 A Buck 9 in diam.
 33.25 A Strain
 40.00 Set a 1/2 Sec. post from which a

T. No 14. S. No. 2. W. 2nd Mer. Ind. 61

Sugar 8 in diam. bears S 68 1/4 E. 16 links dist. & a
 Buck 6 " " " N 35 1/4 W. 25 " "
 41.25 A Strain
 52.25 A Spring Branch. Course S. W.
 57.66 A Long Brook 1 1/2 links wide, Course S. W.
 64.15 A Sugar 18 in diam.
 77.32 A Hickory 24 " "
 80.77 Set a post for the cor. of Secs 22, 23, 26 & 27 from which
 a Buck 18 in diam. bears N 35 1/2 E. 37 links dist. & a
 Buck 16 " " " N 75 1/2 W. 6 " "
 Land good 2nd rate. Timber Buck, Ash, & W. Oak
 Undergrowth Spice

East
 On a Random line between Secs 23 & 26.
 40.00 Set a temp. 1/2 Sec. post
 80.10 Intersect the N. & S. line at the post cor. of Secs 23, 24,
 25 & 26. Land rolling & 2nd rate. Timber, Buck,
 Sugar, Hickory & Ash. U.g. Spice & Hops.

West
 On the True line between Secs 23 & 26.
 40.05 Set the 1/2 Sec. post at the an. dist. on the True line from which
 a Buck 14 in diam. bears S 7 W. 14 links dist. & a
 Sp. 24 " " " N 13 1/4 W. 24 " "
 80.10 To the post cor. of Secs 22, 23, 26 & 27.

North
 Between Sections 22 & 23
 18.00 A Sugar 24 in diam.
 27.75 A Hickory 30 " "
 40.00 Set a 1/2 Sec. post from which a
 Syc. 12 in diam. bears S 17 1/4 E. 17 links dist. & a
 Red Elm 9 " " " N 56 1/4 W. 47 " "
 66.44 A Buck 12 in diam.
 80.77 Set a post for the cor. of Secs 14, 15, 22 & 23 from which

T. N. 14. S. B. N. 2. W. 2nd Mer. Indr

Beech 10. in diam. bears S 63. E. 10. links dist. & a
 No. 14. " " S. 6. 3/4 W. 23. " "
 Sand rolling & 2nd rate. Timber. Beech. Red Oak.
 Hickory some Gum & Sugar, W. g. Spruce & Hazel

- East On a Random line between Sections 14 & 23.
 40 00 Set a temp. 1/4 Sec. post
 56. 50 A Brook. Course S. W.
 80. 16 Intersect the N. & S. line 20 links N. of the post con. of
 13. 14. 23 & 24. Sand rolling & good 2nd rate Timber
 Beech. Sugar. W. Oak. & Hickory. W. g. Spruce & Hazel.
- West On the True line between Sections 14 & 23.
 40. 08 Set a temp. 1/4 Sec. post at the cor. dist. on the True line
 from which a Beech 13 in diam. bears S. 28. E. 2. lbs. dist.
 and a No. 12. " " S. 28. W. 21. " "
 80 16 To the Cor. of Sect. 14. 15. 22. & 23.

- North Between Sections 14 & 15.
 35. 50 A W. Oak 36. in diam.
 44. 00 Set a 1/4 Sec. post from which a
 Beech 11. in diam. bears S. 71. 1/2 E. 7. links dist. & a
 Buckeye 14. " " S. 43. 1/2 W. 22. " "
 54. 00 A Stream 50. links wide Course S. W.
 58. 00 An Elm 16. in diam.
 59. 50 To the same Stream
 61. 00 Do.
 80. 00 Set a post con. of Sect. 10. 11. 14. 15. from which a
 Birch 6. in diam. bears S. 15. 1/2 E. 6. links dist. & a
 White Elm 7. in diam. bears S. 48. 1/2 W. 19. " "
 Sand rich Bottom. Timber on the 1st 1/2 mile Beech
 White Oak & Hickory On the 2nd 1/2 mile Black Walnut. White
 Walnut & Buckeye. Sand rolling & 2nd rate.

T. N. 14. S. B. N. 2. W. 2nd Mer. Indr

- East On a Random line between Sections 11. & 14.
 25. 00 A Creek 1 chain South of the line
 26. 50 A No. 50. links wide Course S. W.
 40. 00 Set a temp. 1/4 Sec. post.
 50 00 Intersect the N. & S. line at the post con. of Sect. 11. 12.
 13. & 14. Sand level & 1st rate. Timber Black Walnut
 Buckeye. Beech. Oak. & Hickory. W. g. Spruce & Hazel.

- West On the True line between Sections 11. & 14.
 40. 00 Set a 1/4 Sec. post on the True line from which a
 Red Oak 13 in diam. bears S. 13. 1/2 W. 12. links dist. & a
 Water Beech 4 in " " S. 47. 1/2 E. 12. " "
 80. 00 To the Cor. of Sect. 10. 11. 13. & 14.

- North Between Sections 10 & 11.
 14. 94 A W. Oak 30. in diam.
 40 00 Set a 1/4 Sec. post from which a
 Gum 10. in diam. bears S. 42. 1/2 E. 12. links dist. & a
 Hick. 24. " " S. 80. 1/2 W. 29. " "
 53. 66 A Beech 16. in diam.
 61. 00 A Sugar 18. " "
 80 00 Set a post for the Cor. of Sect. 2. 3. 10. & 11. from which a
 Sugar 14 in diam. bears S. 89. E. 10. links dist. & a
 No. 12. " " S. 57. W. 12. " "
 Sand rolling & 2nd rate Timber. Beech. W. Oak
 Hickory, Gum, & Sugar. Undergrowth Spruce

- East On a Random line between Sect 2 & 11.
 40. 00 Set the temp. 1/4 Sec. post
 69. 00 A Brook links wide Course S.
 80 00 Intersect the N. & S. line at the post con. of Sect. 1. 2. 11.
 and 12. Sand rolling & good 2nd rate. Timber. Beech. Sugar
 Gum. W. Oak. Elm & W. g. Spruce. & Presby Ash.

T. No 14. St. Co. No 2 W. 2nd Mer. Ind.

West On the True line between Sections 2 & 11.
 40.00 Set a 1/4 Sec post at the aver. dist. on the True line from which a
 Elm 24 in diam. bears S 58 1/4 E. 8. links dist. & a
 W. Beech 4 in " " N 30 1/2 E. 20. " "
 80.00 To the Cor. of Sec. 2, 3, 10 & 11.

North Between Sections 2 & 3.
 7.50 A Brook 25 links wide. Course S W
 14.50 A Sp. 25. " " " " S E
 20.00 A Sp. 25. " " " " S W
 28.22 A Sugar 12 in diam.
 40.00 Set a 1/4 Sec. post from which a
 Double Sugar 30 in diam. bears S 70 W. 10. links dist.
 and a Sp. 12. " " " " S 76. E. 19. " "
 56.09 A Hickory 12. " "
 77.72 Intersect the North Boundary line at the post Cor. of
 Sec. 34 & 35. S. 15. N. Co. 3. W.
 Land rolling & 2nd rate. Timber W. Oak. Hickory Elm
 Linn. W. Ash. Sugar. &c. Undergrowth Spice & Hazle.

North Between Sections 33 & 34.
 33.70 A W. Oak 36 in diam.
 40.00 Set a 1/4 Sec post from which a
 W. Ash 14 in diam. bears S 70 1/2 E. 8 links dist. & a
 " Sp. 5. " " " " N 63 1/2 W. 18. " "
 60.50 A W. Oak 26 in diam.
 80.00 Set a post cor. of Sec. 27, 28, 33 & 34 from which a
 Pin Oak 16 in diam. bears S 75 1/4 W. 14 links dist. & a
 " Sp. 10. " " " " N 44 E. 23. " "
 Land level and 2nd rate. Timber White Oak. Hickory
 Pin Oak. Elm. Linn. White Ash. Sugar. &c
 Undergrowth Spice Hazle & Water Birch.

T. No 14. St. Co. No 2 W. 2nd Mer. Ind.

East On a Random line between Sections 27 & 34.
 36.00 A Brook. course N. 60. W.
 38.00 A Sp. " " S 80 W.
 40.00 Set a temp. 1/4 Sec. post.
 79.70 Intersect the N. & T. line at the post cor. of Sec. 26, 27,
 34 & 35. Land rolling & 2nd rate. Timber, Beech.
 Sugar. W. Oak, Hickory, &c. Undergrowth Spice

West On the True line between Sec. 27 & 34.
 39.85 Set the 1/4 Sec. post at the aver. dist. on the True line from
 which a Beech 24 in diam. bears S 71 E. 20 links dist. & a
 Sp. 24. " " " " N 6 W. 46. " "
 79.70 To the post cor. of Sec. 27, 28, 33 & 34

North Between Sec. 27 & 28.
 21.65 A Hickory 14 in diam.
 33.50 A Brook. — links wide, course W.
 40.00 Set a 1/4 Sec. post from which a
 Black Ash 15 in diam. bears N 57 1/2 E. 36 links dist.
 and a Linn. 12. " " " " S 52 1/4 W. 28. " "
 46.75 A White Oak 48 in diam.
 80.00 Set a post for the cor. of Sec. 21, 22, 27 & 28 from which a
 Hickory 14 in diam. bears N 62 1/2 W. 19 links dist. & a
 Beech 8. " " " " N 71 1/2 E. 30. " "
 Land level & first rate. Timber White Oak. Hickory
 Linn. Beech. Buckeye. Black & W. Ash. W. & Spice

East On a Random line between Sec. 22 & 27.
 40.00 Set a temp. 1/4 Sec. post
 79.70 Intersect the N. & T. line 20 links South of the post.
 Cor. of Sec. 22, 23, 26 & 27. Land rolling & good 2nd
 rate; Timber, Sugar. Beech. W. Oak. & Hickory
 Undergrowth Spice & Junco.

T. N. 14. N. W. Sec. 2. 2nd Mer. Ind.

West On the True line between Sec. 22 & 27
 39.85 Set the 1/4 Sec. post as the w. dist. on the True line
 from which a Sugar 10. in diam. bears S 76 3/4 E. 15. links dist.
 and a Buck 10. " " " S 83 3/4 W. 25. " "
 79.70 To the Cor. of Sec. 22. 23. 26. & 27.

North Between Sections 21 & 22
 11.00 A Brook Course S. W.
 29.86 A Buck 12. in diam.
 40.00 Set a 1/4 Sec. post from which a
 Buck 12. in diam. bears N 36. W. 8. links dist. &
 No. 10. " " " S 36 1/2 W. 14. " "
 61.50 A Buck 30. in diam.
 66.00 A Stream 60. links wide Course S. W.
 69.00 A No. 60. " " " S. E.
 75.00 " No. 60. " " " S. W.
 77.50 " No. 60. " " " S. E.
 80.00 Set a post for the cor. of Sec. 15. 16. 21. & 22. from which
 a Box Elm 6. in diam. bears N 21 1/4 E. 8. links dist. &
 " No. 8. " " " S 34 1/2 E. 21. " "
 Land rolling & 2nd rate. Timber on the 1st 66. Ash
 W. Oak. Hickory & Buck. No. on the bottom
 Sycamore, Buckeye & Hackberry.

East On a Random line between Sec. 15 & 22.
 1.50 A Stream. Course S. W.
 3.50 " No. " " S. W.
 5.00 " No. " " S. W.
 9.00 " No. " " S. W.
 11.50 " No. " " S. W.
 40.00 Set a temp. 1/4 Sec. post
 66.50 A Brook. Course S. W.
 79.70 Intersect the S. & S. line 18. links South of the post cor. of

T. N. 14. N. W. Sec. 2. 2nd Mer. Ind.

Sec. 14-15. 22 & 23. Timber. Buck. W. Oak.
 Hickory & No. Spruce & Water Buck.

West On the True line between Sec. 15 & 22.
 39.85 Set the temporary post as the w. dist. on the True line from
 which a Buck 16. in diam. bears N 32 3/4 W. 6. links dist.
 and a No. 20. " " " S 72 1/2 W. 17. " "
 79.70 To the cor. of Sec. 15. 16. 21. & 22.

North Between Sections 15 & 16.
 7.50 A Stream 40. links wide Course S. W.
 10.00 " No. 40. " " " S. E.
 20.00 " No. 40. " " " S. W.
 26.50 A Buckeye 16. in diam.
 30.00 To the above Stream twice
 31.00 " " " No. No. S. E.
 40.00 Set a 1/4 Sec. post from which a
 Sycamore 3. in diam. bears S 44 1/4 E. 26. links dist.
 and an Elm 4. " " " N 48. W. 20. " "
 41.50 To the above named Stream Course S. W.
 56.00 A Burr Oak 36. in diam.
 80.00 Set a post for the cor. of Sec. 9. 10. 15. & 16. from which a
 Sugar 14. in diam. bears S. 70 1/2 W. 3. links dist. & a
 No. Ash 15. " " " S. 58. E. 22. " "
 Rich bottom Land. Timber. Hackberry. Buckeye.
 Sycamore. Buck. Sugar. & Ash. No. Spruce & Pampum.

East Between Sec. 10 & 15. On a Random line.
 3.00 A Stream 40. links wide Course S.
 26.50 " No. 40. " " " S. W.
 40.00 Set a temp. 1/4 Sec. post.
 79.70 Intersect the N. & S. line at the post. Cor. of Sec. 10. 11.
 14. & 15. Land 2nd rate. Timber. Buck. Sugar. & E.

T. N. 14. R. B. N. 2. W. 2nd Mer. Ind.

Wickery Red Oak, Sugar, & Lynn, Wg Spic & W. Berst.

West On the True line between Sec. 10 & 15.
34. 55 Set the 1/2 Sec. post at the aver. distance on the True line from which a Buck 20 in diam. bears N 5 1/2 W. 25 links dist. and a Ho. 16. " " S. 22 W. 29. "

North Between Sections 9 & 10.
31. 94 A Hickory 24 in diam.
40. 00 Set a 1/2 Sec. post from which a Sugar 16 in diam. bears S 16 1/2 W. 10 links dist. & a Ho. 9. " " N 10 1/2 W. 5. "
43. 00 A Spring Branch Course N. E.
50. 00 A Branch 6 links wide Course E.
55. 00 A Ho. 6. " " S. W.
60. 83 A W. Oak 22 in diam.
50. 00 Set a post for the cor. of Sec. 34. 9 & 10 from which a Sugar 16 in diam. bears N 31. E. 18 links dist. & a Ho. 6. " " S. 86 1/2 W. 33. "
Land selling and 2nd rate, Timber, Buck, Sugar, Hickory, & White Ash, Wg. Spic

East On a Random line between Sec. 3 & 10.
5. 00 A Stream 30 links wide, Course S. W.
40. 00 Set a temp. 1/2 Sec. post.
68. 00 A Stream 35 links wide Course S. E.
79. 70 Intersect the N. & S. line 12 links North of the post Land selling & 2nd rate, Timber Sugar, Buck, Ash, &c.

West On the True line between Sec. 3 & 10.
34. 80 Set the 1/2 Sec. post at the aver. dist. on the True line from which a Buck 16 in diam. bears S 47. E. 22 links dist. & a

T. N. 14. R. B. N. 2. W. 2nd Mer. Ind.

W. Elm 5 in diam. bears S 33 1/2 W. 8 links dist.
79. 70 To the post Cor. of Sec. 3. 4. 9. & 10

North Between Sec. 3 & 4.
18. 65 A Hackberry 18 in diam.
26. 25 A Buck 25 links wide, Course S. E.
30. 00 To the Bank of the above Stream,
40. 00 Set a 1/2 Sec. post from which a Buckeye 12 in diam. bears N 40. E. 24 links dist. and a Sugar 10. " " S. 34 1/2 W. 32. " "
45. 00 under the Bank of the same Stream.
50. 17 A Buck 13 in diam.
77. 80 Intersect the E. & West line or North Boundary 44 links East of the post cor. of Sec. 33. & 34. T. 15. R. B. 3. W. and set a post Cor. of Sec. 3. & 4. from which a Buck 16 in diam. bears S. 7. W. 24 links dist. & a Sugar 20. " " N 15 1/2 E. 24. "
Land all Bottom except 10 chains at the S. & 15. Chains at the N. end of the line; Timber Sugar, Buck, Sugar, Walnut, Buckeye, Hackberry, &c. Undergrowth W. Spic

North Between Sec. 52 & 53.
13. 55 An Elm 4 in diam.
40. 00 Set a 1/2 Sec. post from which a Buck 22 in diam. bears S. 57. E. 9 links dist. & a Hickory 16. " " N 29 1/2 W. 26. "
51. 25 A Stream 75 links wide, Course S. W.
57. 00 A Pin Oak 48 in diam.
80. 00 Set the post for the cor. of Sec. 28. 29. 32. & 33. from which a Black Ash 5 in diam. bears N. 48 W. 11 links dist. & a Buckeye 12. " " S. 31. E. 8. "
Land level & 1st rate Timber on the 1st 1/2 mile West of Hickory & W. Oak, Wg. Spic Land selling & 2nd rate on the 1st 1/2 mile on the

T. N. 14. R. B. N. W. 2nd Mer. Ind.

2nd 1/2 mile Walnut Elm Hickory & Bk. Ash W.g. Spice

East On a Random line between Sections 28 & 33,
 25.75 A Brook 75 links wide Course S. W.
 40.00 Set a temp^o 1/2 Sec. post.
 80.16 Intersect the N. & S. line 25 links S. of the post cen.
 of Sec. 27, 28, 33 & 34.
 Land on the 1st 1/2 mile rich Bottom. On the 2nd 1/2 after
 3rd rate. Timber on the 1st 1/2 mile Buckeye, Hackberry,
 Black Walnut, Hickory & Ash. On the 2nd 1/2 mile
 Linn. Hickory & Elm.

West On the True line between Sections 28 & 33,
 40.00 Set the 1/2 Sec. post at the aver. dist. on the True line from
 which Hackberry 16 in diam. bears S. 7 1/2 E. 11 links dist.
 Va. Do. 14 " " S 53 1/2 W. 23 " "
 80.16 To the post cen. of Sec. 28, 29, 32 & 33.

North Between Sec. 28 & 29,
 28.62 A Buck 15 in diam.
 40.00 Set a 1/2 Sec. post. from which a
 Buck 13 in diam. bears N 78 1/2 E 14 links dist. & a
 Do. 30 " " S 75 1/2 W. 21 " "
 57.85 A Buck 12 in diam.
 80.00 Set a post for the cen. of Sec. 20, 21, 28 & 29 from which a
 Buck 18 in diam. bears S 29 1/2 E. 11 links dist. & a
 Sugar 4 " " N 51 1/2 W. 8 " "
 Land rolling & 2nd rate. Timber, Buck, Sugar, W. Oak
 & Hickory. Undergrowth Spice.

East On a Random line between Sections 21 & 28,
 37.00 A Brook 30 links wide; Course S. W.
 40.00 Set a temp^o 1/2 Sec. post

T. N. 14. R. B. N. W. 2nd Mer. Ind.

80.15 Intersect the N. & S. line at the post cen. of Sec. 21, 22,
 27 & 28. Land at the E. & West End, rolling in the
 middle Bottom and 2nd rate.

West On the True line between Sec. 21 & 28,
 40.07 1/2 Set the 1/2 Sec. post at the aver. dist. on the true line from which
 a Black Walnut 5 in diam. bears S. 3 1/2 E. 7 links dist. & a
 White Walnut 8 " " N 73 W. 19 " "
 80.15 To the cen. of Sec. 20, 21, 28 & 29.

North Between Sections 20 & 21,
 20.30 A Buck 15 in diam.
 40.00 Set a 1/2 Sec. post from which a
 Buck 15 in diam. bears N 84 E. 4 1/2 links dist. & a
 Do. 15 " " S 70 W. 4 1/2 " "
 61.64 A Buck 12 in diam.
 80.00 Set a post for the cen. of Sec. 16, 17, 20 & 21 from which a
 Buck 14 in diam. bears N 57 W. 8 links dist. & a
 Do. 10 " " S 68 E. 25 " "
 Land rolling & 2nd rate. Timber, W. Oak, Buck, Sugar,
 & Ash W.g. Spice

East On a Random line between Sec. 16 & 21,
 36.50 A Brook 10 links wide; Course S. W.
 40.00 Set a temp^o 1/2 Sec. post.
 80.16 Intersect the N. & S. line 10 links South of the post cen.
 of Sec. 15, 16, 21 & 22. Land on the 1st 1/2 mile rolling
 and 2nd rate. Timber on the 1st 1/2 mile Buck, Sugar,
 White Oak, & Hickory W.g. Spice. On the 2nd 1/2 mile, Elm,
 Buckeye, Burr Oak, & Hickory W.g. Spice. Water Buck
 and Paw-paw. Good Bottom Land.

West On the True line between Sec. 16 & 21.

T. N. 14. S. R. N. 2. W. 2nd Mer. Ind.

40.00 Set the 1/2 Sec. post from which a
Sycamore 36 in diam. bears N 84^o E. 28. links dist. & a
Buckeye 12. " " S 45^o W. 25. " "

50.16 To the cor. of Sec. 16, 17, 20 & 21

North Between Sec. 16 & 17.
31.55 A Wild Cherry 7 in diam.
38.75 A Birch 20 links wide Course S. E.
44.00 Set a 1/2 post from which a Sycamore 36 in diam. bears
N 12. E. 45. links dist. & a B. Walnut 30. " "
S 20. E. 65. " "

62.00 A Sugar 5 in diam.
50.11 Set a post for the cor. of Sec. 8, 9, 16 & 17 from which a
Buck 8 in diam. bears N 70^o E. 5. links dist. & an
Elm 14. " " S 80^o E. 25. " "
Land rolling & 2nd rate. Bottom 20 chains wide in the
middle of this line. Buck. Sugar. Hickory. B. Walnut
& Undergrowth Spice

East On a Random line between Sections 9 & 16.
31.57 Entered Bottom.
33.25 A Buck 12 links wide Course S. E.
40.00 Set the temp. 1/2 Sec. post
50.13 Intersect the N. & S. line at 10 links S. of the post. cor.
of Sec. 9, 10, 15 & 16. Land 2nd rate. Timber. Buck.
Sugar. W. Oak. & W. g. Spice

West On the True line between Sections 9 & 16.
40.06 1/2 Set the 1/2 Sec. post at the aver. dist. on the True line from
which a Buck 8 in diam. bears S 82^o W. 12. links dist.
and a Sugar 7. " " S 7^o E. 18. " "
50.13 To the Cor. of Sec. 8, 9, 16 & 17.

T. N. 14. S. R. N. 2. W. 2nd Mer. Ind.

North Between Sec. 8 & 9.
28.61 A Buckeye 6 in diam.
35.50 A Buck 20 links wide. Course S. E.
36.25 To Sec. 20. " " S. W.
39.00 " Sec. 21. " " S. E.
40.00 Set a 1/2 Sec. post from which a
Hickory 10 in diam. bears N 4^o W. 34. links dist. & a
Sec. 20. " " N 74^o E. 29. " "

43.75 To the above Branch. Course S. W.
44.00 " " " " S. E.
53.39 A W. Oak 30 in diam.
50.00 Set a post for the Cor. of Sec. 4, 5, 8 & 9 from which a
Buckeye 4 in diam. bears S. 5. E. 10. links dist. and a
Buck 11 in. " " N 40^o W. 27. " "
Land rolling & 2nd rate. Timber. Buck. Sugar. W. Oak
& Hickory Undergrowth Spice

East On a Random line between Sections 4 & 9.
40.00 Set a temp. 1/2 Sec. post
50.14 Intersect the N. & S. line 9 links S. of the post cor. of sec.
3, 4, 9 & 10. Land rolling & 2nd rate. Timber. Buck.
Sugar. W. Oak & Hickory. Undergrowth Spice.

West On the True line between Sections 4 & 9.
40.07 Set the 1/2 Sec. post at the aver. dist. on the True line from which
a W. Oak 30 in diam. bears N. 25. E. 9. links dist. & a
Buck 10. " " S. 42^o W. 3. " "
50.14 To the Cor. of Sec. 4, 5, 8 & 9.

North Between Sections 4 & 5.
37.07 An Chestnut 3 in diam.
40.00 Set a 1/2 Sec. post from which a
Sugar 14 in diam. bears N 75^o W. 21. links dist. & a

T. N. 14. R. 2. Mer Indiana

62.15 Buck 7 in diam. bears S 33 E. 19 links dist.
 A W Oak 36 in diam.
 78.25 Intersect the North boundary 80 links E. of the post
 Cor. of Sec. 29 & 30. T. 15. R. 2. W. 1st a post for the
 " " " 4 & 5. from which a
 Buck 16 in diam. bears E. 23 links dist. and a
 No. 15 " " S 39 1/2 W 34 links dist.
 Land rolling & 2nd rate. Timber Buck. Sugar.
 Hickory, W. Oak & Poplar W. & Spruce.

North Between Sections 31 & 32.
 20.50 An Elm 36 in diam.
 40.00 Set a 1/2 Sec. post from which a
 Buck 13 in diam. bears N 30 1/2 W. 23 links dist. & a
 No. 13 " " " S. 14 1/2 E. 34 " "
 53.55 A Sugar 24 in diam.
 80.00 Set a post for the Cor. of Sec. 29, 30, 31, & 32. from which a
 W. Ash 13 in diam. bears N 54 W. 20 links dist. & a
 Hickory 3 " " " S. 23 E. 16. " "
 Land level & 2nd rate. Timber. Buck Sugar. Lym
 Hickory Ash & Elm. W. Water Buck & Spruce

East Between Sec. 29 & 32.
 35.25 A Stream 44 links wide Course S. E.
 40.00 Set a temp. 1/2 Sec post
 80.00 Intersect the N. & S. line 12 links N. of the post cor. of
 Sec. 28, 29, 32 & 33. Timber. Buck Sugar. Hickory.
 Ash & W. Spruce

West On the True line Between Sec. 29 & 32.
 40.00 Set the 1/2 Sec post on the True line from which an
 Elm 20 in diam. bears N 13 1/2 W. 29 links dist. & a
 W. Buck 4 in " " S. 75 1/2 W. 4 " "

T. 14. N. R. 2. W. Mer Indiana

ck. 1/2 hr.
 80.00 to Cor. of Sec. 29, 30, 31 & 32

West Between Sec. 30 & 31
 40.00 Set of Sec. post, from which
 a Buck 10 in diam. bears N 70 1/2 W 16 links dist. &
 an Iron 9 " " " S 62 1/2 E 28 " "
 50.81 a Buck 15 " " " "
 75.00 Intersected the W. boundary at post
 Land good 2nd rate, timber Beech, Hickory
 Ash & Sugar

North Between Sec. 29 & 30
 24.00 a W. Oak 18 in diam.
 34.60 a Stream 40 links wide Course S. E.
 40.00 Set of Sec. post, from which
 a Buck 12 in diam. bears N 70 1/2 E 22 links dist. &
 a Shackery 7 " " " S 53 1/4 W 19 " "
 71.25 a Stream 40 links wide Course S. W.
 72.00 a Do. 40 " " " S. E.
 75.00 a Do. 40 " " " S. W.
 80.00 dit post Cor. to Sec. 19, 20, 29, 30, from which
 a Lym 10 in diam. bears S 80 W 19 links dist. &
 a Buck 6 " " " S 57 1/2 E 40. " "
 Land good 2nd rate, timber Spruce undg. -
 Beech, Hickory, Ash, Lym etc.

East On Land 9m. between Sec. 20 & 29
 40.00 Set temp. 1/2 Sec. post
 80.00 Intersected the N. & S. line 17 links N. of post
 Land rolling, good 2nd rate, timber Hickory
 Ash, Beech, W. Oak etc. undg. Spruce

West Corrected between Sec. 20 & 29
 40.00 Set of Sec. post at average dist. from which

14th R.D.W. 2^d Mer. Indiana

80.00	at Beech 18 in. diam. beam N 51 E 4 1/2 lbs. dist. of a Do. 24 " " " N 46 E 1 1/2 " "
80.00 to Sec. Corner.	
West	Between Secs. 19 & 20
3.25	a Stream 40 lbs. wide Course S.E.
24.80	a Beech 6 in. diam.
40.00	Set of Sec. post, from which an Ash 24 in. diam. beam N 62 W 16 lbs. dist. of a Do. 15 " " " S 59 E 19 " "
64.58	a Beech 8 " " "
75.00	Intersected the N. boundary at the post Land rolling good 2 ^d rate, timber Hickory, Ash, Beech & some Oak, undg. th Spruce & Ironwood
North	Between Secs. 19 & 20
38.25	a Beech 10 in. diam.
40.00	Set of Sec. post, from which a Beech 8 in. diam. beam N 9 E 25 lbs. dist. of a Do. 6 " " " S 76 W 16 " "
80.00	Set post cor. to Secs. 17, 18, 19 & 20, from which a Beech 8 in. diam. beam N 43 E 11 lbs. dist. of a Do. 15 " " " N 76 W 19 " "
Land rolling 2 ^d rate, timber Beech, Hickory, Ash, Elm &c. undg. th Spruce, Hazel &c	
East	On Rand ^m between Secs. 17 & 20
40.00	Set temp. of Sec. post
80.00	Intersected the N & S. line 15 lbs. S. of post rolling good 2 ^d rate, timber Beech, Hickory Ash &c. undg. th destroyed by fire
West	Connected between Secs. 17 & 20
40.00	Set of Sec. post at average dist. from which

14th R.D.W. 2^d Mer. Indiana

80.00	at Beech 18 in. diam. beam N 35 E 14 lbs. dist. of an Elm 24 " " " S 45 W 11 " "
80.00 to Sec. Corner	
West	Between Secs. 18 & 19
12.75	a Stream 12 lbs. wide Course S.E.
28.60	a Do 12 " " " S.W
31.10	a Sugar 18 in. diam.
40.00	Set of Sec. post, from which a Beech 10 in. diam. beam N 77 W 5 lbs. dist. of a Do. 6 " " " N 62 E 18 " "
60.50	a Stream 25 lbs. wide Course S.E.
70.00	a Poplar 30 in. diam.
75.00	Intersected the N. boundary at post Land rolling good 2 ^d rate, timber Beech Sugar, Ash, W. Oak, Hickory &c. undg. th Spruce
North	Between Secs. 17 & 18
20.30	a Beech 12 in. diam.
40.00	Set of Sec. post, from which a Beech 8 in. diam. beam N 12 E 25 lbs. dist. of a Do. 6 " " " N 71 W 12 " "
75.64	a Hickory 20 " " "
80.00	Set post cor. to Secs. 7, 8, 17 & 18, from which a Beech 12 in. diam. beam N 44 E 20 lbs. dist. of a Do. 10 " " " S 44 W 6 " "
Land rolling good 2 ^d rate, timber Beech, Sugar, Ash, Poplar, Hickory &c. undg. th Spruce	
East	On Rand ^m between Secs. 8 & 17
28.64	a small branch Course S.E.
40.00	Set temp. of Sec. post
65.35	a Branch 6 lbs. wide Course S.E.
80.00	Intersected the N & S. line 15 lbs. N. of post

T. H. N. R. D. W. I. Mer. Indiana

chk. lbs. Land rolling good 2^d. rate, timber Beech, Ash, Sugar, Hickory & undg^m. Dogw. & Spruce

West Corrected between Secs. 8 & 17
40.00 Set of Sec. post at average dist. from which
a Sugar 12 in. diam. beam S 77 E 17 lbs. dist. of
a do. 12 " " " N 15 W 14 " "
80.00 to Sec. Corner.

West Between Secs. 7 & 18
18.00 a Beech 5 in. diam.
40.00 Set of Sec. post, from which
a W. Ash 8 in. diam. beam S 6 E 8 lbs. dist. of
a Beech 10 " " " N 73 W 33 " "
48.00 a Branch 12 lbs. wide Course S. E.
75.00 Intersected the N. boundary 60 lbs. S. of post
Set post Cor. to Secs. 7 & 18, from which
a Beech 4 in. diam. beam N 6 W 8 lbs. dist. of
a do. 24 " " " N 75 E 15 " "
Land rolling good 2^d. rate, timber Beech,
Beech, Poplar, Ash & Elm, undg^m. Poplar

North Between Secs. 7 & 8
28.80 a Beech 24 in. diam.
40.00 Set of Sec. post, from which
a Beech 20 in. diam. beam N 14 E 31 lbs. dist. of
a Sugar 10 " " " S 6 W 12 " "
50.50 a Branch 10 lbs. wide Course S. E.
65.60 a Beech 30 in. diam.
80.00 Set post Cor. to Secs. 5, 6, 7 & 8, from which
a Beech 10 in. diam. beam S 8 W 4 lbs. dist. of
a do. 10 " " " N 57 W 20 " "
Land rolling good 2^d. rate, timber Ash, Beech, Poplar,
Hickory, & Oak &c

T. H. N. R. D. W. I. Mer. Indiana

chk. lbs. East On Land^m between Secs. 5 & 8
40.00 Set temp. of Sec. post
59.75 a Branch 12 lbs. wide Course S. E.
65.00 a do. 15 " " " S. E.
80.00 Intersected the N. & S. line at the post
Land rolling good 2^d. rate, timber Beech, Sugar
Red Oak, Ash, Hickory & Sycam.

West Corrected between Secs. 5 & 8
40.00 Set of Sec. post at average dist. from which
a Beech 10 in. diam. beam N 78 E 24 lbs. dist. of
a do. 15 " " " S 5 E 22 " "
80.00 to Sec. Corner

West Between Secs. 6 & 7
19.00 a Branch 10 lbs. wide Course S. E.
34.80 a Sugar 15 in. diam.
40.00 Set of Sec. post, from which
a Beech 10 in. diam. beam N 43 E 15 lbs. dist. of
a do. 8 " " " S 11 W 30 " "
56.78 a do 8 " " "
75.00 Intersected the N. boundary at post
Land rolling good 2^d. rate, timber Beech
Poplar, Ash, Sugar &c.

North Between Secs. 5 & 6
26.93 a Beech 12 in. diam.
40.00 Set of Sec. post, from which
a Beech 12 in. diam. beam N 28 E 26 lbs. dist. of
a do. 8 " " " S 18 W 6 " "
41.00 a Branch 8 lbs. wide Course S. E.
63.75 a do. 10 " " " S. E.
71.80 a Beech 6 in. diam.
78.37 Intersected the N. boundary 100 lbs. E. of post

A3 L R A3
11-17 11-17

St. N. R. D. W. D. Mer. Indiana

Set post cor. to Sect. 5 & 6, from which
a Sugar 12 in. diam. tray N 75 E 3/4 in. dist. 4
a Beech 4 " " " N 82 W 8 " "
Sand rolling good 2nd rate, timber Beech, Ash,
Poplar, Sugar, Hickory, &c. undergrowth destroyed
by fire Oct. 1819
Allen Wright, L.S.

Comp