

Township N. 15 North, Range N. 2 East 2nd Mer.

Range Line - Var. 6th E.

North Between Ranges 2 & 3 East Township 15 North
On the East Side of Sec. 36

15.03 A. Beech 14 in. diam^t

29.50 A. Brook 3 lbs East

38.85 Same do East

40.00 gr. Sec. corner Sugar 13 S 35 N 43
Hickory 13 N 32 E 30

63.75 A. Sugar 14 in. diam^t

80.00 Set post corner to Sec^s 25 & 36
Sugar 14 N 12 E 16
do 10 S 49 N 17
Land Rich. Beech. Sugar Ash V. Mugth Spice

North On the East Side of Sec. 25

3.60 A. Brook 3 lbs East

32.90 A. Beech 18 in. diam^t

37.00 A. Creek 24 East

40.00 gr. Sec. corner Beech 22 N 41 N 22
do 18 S 10 E 24
Land I timber same

North On the East Side of Sec. 24

17.45 A. Beech 18 in. diam^t

40.00 gr. Sec. corner Beech 20 S 49 E 34

47.00 A. Spanish Oak 20 in. diam^t 18 N 30 N 24

80.00 Set post corner to Sec^s 13 & 24
Beech 12 N 30 E 24
Oak 10 S 13 E 25
Land I timber same

North On the East Side of Sec. 13

6.00 A. Brook 4 lbs East

16.50 Same do East

24.35 An. Ash 14 in. diam^t

40.00 gr. Sec. corner Ash 10 S 7 N 3rd
Sugar 15 S 41 E 9

74.40 An. Oak 36 in. diam^t

80.00 Set post corner of Sec^s 12 & 13
Hickory 8 S 27 E 14
Walnut 20 N 37 N 17
Rich. land. Oak Ash V.

North On the East Side of Sec. 12

16.25 A. Brook 8 lbs East

35.85 A. Beech 14 in. diam^t

40.00 gr. Sec. corner Beech 10 N 27 E 6
Sugar 12 N 81 N 17

50.80 A. Beech 20 in. diam^t

80.00 Set post corner of Sec^s 1 & 12
Beech 18 S 31 N 20
Sugar 12 N 12 E 18
Land I timber as before

North On the East Side of Sec. 1

3.80 An. Ash 22 in. diam^t

40.00 gr. Sec. corner Hickory 13 S 7 E 32
Sugar 14 N 39 N 13

46.50 A. Beech 1.50 lbs S. E.

80.70 Set post corner of Range 2 & 3 E. Town
15 S 16 N. Sec^s 1. 6. 31. 36
Hemlock 10 S. 2. 2. 2. 2.
Beech 18 S 35 N 25
Augth 11th 1819
John McDonald L. S.

Township lines

West Between Townships 14 & 15 N. Range 2 East
On the South Side of Sec. 36

23.53 An. Ash 14 in. diam.

40.00 q. Sec. corner Beech 8 S 2 N 24
do 10 S 2 E 23

56.86 A. Beech 14 in. diam.

63.50 A. Beech 10 lbs N. E

80.00 Set post corner of Sec. 35 & 36
Beech 10 S 2 N 72
Poplar 60 S 2 E 119

Good farming land, Beech, Sugar, Ash, Poplar, Spruce

West On the South Side of Sec. 35

14.90 An. Elm 30 in. diam.

40.00 q. Sec. corner Beech 12 S 2 E 14
do 10 S 2 N 72

41.50 A. Beech 6 lbs S. E

55.45 An. Elm 18 in. diam.

80.00 Set post corner of Sec. 34 & 35
Beech 12 S 2 E 37
Sugar 16 S 2 E 117

Good farming land, Beech, Oak, Sugar

West On the South Side of Sec. 34

15.45 An. Ash 12 in. diam.

40.00 q. Sec. corner N. Oak 36 S 2 E 30
Beech 10 S 2 N 72

80.00 Set post corner of Sec. 33 & 34
Beech 12 S 2 E 14
do 8 S 2 N 70

Land level, Hickory, Oak, Ash

West On the South Side of Sec. 33

25.70 A. Spanish Oak 30 in. diam.

40.00 q. Sec. corner Sugar 10 S 2 E 15
Hickory 18 S 2 E 128

2.17 A. Sugar 12 in. diam.

80.00 Set post corner of Sec. 32 & 33
Walnut 30 S 2 E 45
Sugar 19 S 2 E 22

Good farming land, Oak, Sugar, Ash, Poplar, Spruce

West On the South Side of Sec. 32

22.50 A. Beech 50 lbs South

40.00 q. Sec. corner Beech 18 S 10 E 44
do 18 S 2 E 116

53.00 A. Brook 7 lbs S. E

59.26 A. Beech 24 in. diam.

80.00 Set post corner to Sec. 31 & 32
Beech 8 S 2 E 35
Sugar 16 S 2 N 40

Good farming land, Oak, Sugar, N. Oak, Poplar, Spruce

West On the South Side of Sec. 31

14.60 A. Beech 15 in. diam.

40.00 q. Sec. corner Hickory 11 S 31 N 10
Sugar 12 S 2 E 119

68.00 Intersected the N. S. line, between Ranges
1 & 2 E. Town. 14 & 15 Sec. 1, 6, 31, 36
at the corner - Aug. 12th 1819
Surveyed by John McDonald Esq.

Subdivisions of Township 15 N. R. 2 East

North Between Sec. 35 & 36

37.50 A. Beech 12 in. diam.

40.00 q. Sec. corner on a Beech 12 S 2 E 32
do 14 S 2 N 27

65.07 A. Hickory 14 in. diam.

80.00 Set post corner to Sec. 25, 26, 35, 36
Sugar 5 S 11 E 23
Beech 14 S 2 N 20

Land 2nd rate, Beech, Oak, Poplar, Sugar

East Between Sec. 25 & 36 on Randon

40.00 Temporary q. Sec. post

80.37 Intersected East line 25 lbs South of post

West Corrected

40.18 q. Sec. corner Beech 14 S 31 E 12
do 13 S 61 N 54

50.37 Section corner

Land 8th timber as before July 26th 1820

North Between Sec. 25 & 26

28.85 A. Beech 14 in. diam.

40.00 q. Sec. corner Beech 14 S 2 N 24
do 18 S 2 E 51

53.12 A. Sugar 20 in. diam.

80.00 Set post corner of Sec. 23, 24, 25, 26
Beech 18 S 2 E 22
do 12 S 2 E 38

Land 2nd rate, Beech, Oak, Poplar

East Between Sec. 24 & 25 on Randon

40.00 Temporary q. Sec. corner

81.50 Intersected East line 7 lbs North of post

West Corrected

40.75 q. Sec. corner Beech 20 S 2 E 10
Hickory 18 S 2 E 12

81.50 Section corner

Land 8th timber same

North Between Sec. 23 & 24

23.11 A. Beech 24 in. diam.

40.00 q. Sec. corner N. Oak 20 S 12 E 24
Beech 12 S 18 N 18

50.11 An. Ash 12 in. diam.

80.00 Set post corner to Sec. 13, 14, 23, 24
Sugar 18 S 2 E 11
Beech 12 S 2 N 25

Land 2nd rate, Beech, Sugar, Oak, Hickory, Spruce

East Between Sec. 13 & 14 on Randon

40.00 Temporary q. Sec. post

82.00 Intersected East line 3 lbs South of post

West Corrected

41.00 q. Sec. corner Ash 4 S 15 N 12
Elm 7 S 16 N 14
do 4 S 25 E 3
Beech 20 S 2 E 47

57.00 Section corner

Land 2nd rate, Beech, Oak, Sugar

North Between Sec. 11 & 12

22.55 A. N. Oak 30 in. diam.

40.00 q. Sec. corner Beech 14 S 13 E 8
do Walnut 10 S 2 N 33

58.36 A. Beech 12 in. diam.

80.00 Set post corner to Sec. 1, 2, 11, 12, on which
a Sugar 14 in. diam. of 11 & 12
is set - Beech 7 S 2 E 37

Land 2nd rate, Beech, Oak, Sugar, Walnut

North Between Sec. 13 & 14

12.17 A. Beech 14 in. diam.

40.00 q. Sec. corner Beech 10 S 10 N 30
do 14 S 2 E 3

51.19 An. Ash 14 in. diam.

80.00 Set post corner to Sec. 11, 12, 13, 14
Sugar 12 S 2 E 22
Elm 4 S 2 N 12

Land 8th timber same

Between Sec^s 12 & 13 On Brandon
 40.00 Temporary of Sec. post
 82.50 Intersected East line 2 1/2 m North of post
 West corrected
 41.25 of Sec. corner Ash 4 N 9 N 12
 do 6 S 28 E 2
 82.50 Section corner July 26th 1820
 Sand Vth water, Beech, Oak, Sugar &
 East Between Sec^s 1 & 2 On Brandon
 40.00 Temporary of Sec. post
 82.65 Intersected East line 1/2 m South of post
 West corrected
 41.32 of Sec. corner Beech 10 N 82 N 16
 Beech 8 S 75 E 19
 82.65 Section corner
 Sand & timber same as above
 North Between Sec^s 1 & 2
 34.27 A. Beech 20 in. diam.
 40.00 of Sec. corner Sugar 10 S 4 N 23
 do 4 S 69 E 21
 58.80 A. Hickory 20 in. diam.
 81.68 Intersected North line 200 m West of post
 Beech 12 S 6 N 13
 Ironwood 4 N 14 N 7
 Sand Vth water, Beech, Oak, Sugar, & Beech
 North Between Sec^s 3 & 4
 17.19 A. Beech 14 in. diam.
 40.00 of Sec. corner Beech 20 N 15 E 27
 do 12 S 57 N 78
 68.00 A. W. Oak 36 in. diam.
 80.00 Set post corner of Sec^s 2, 3, 10, 11
 W. Oak 5 N 81 N 20
 Beech 14 S 55 E 26
 Sand Vth water, Beech, Oak, Sugar &

East Between Sec^s 26 & 35 On Brandon
 40.00 Temporary of Sec. post
 79.50 Intersected East line 3 1/2 m South of post
 West corrected
 39.75 of Sec. corner Beech 14 N 7 E 16
 do 18 S 20 N 12
 79.50 Set Section corner
 Sand Vth water, Beech, Oak &
 North Between Sec^s 26 & 27
 35.25 A. Beech 10 in. diam.
 40.00 of Sec. corner Beech 14 N 28 N 43
 Sugar 14 S 23 E 30
 68.50 A. Beech 14 in. diam.
 80.00 Set post corner to Sec^s 22, 23, 26, 27
 Beech 18 N 3 N 37
 do 20 S 7 N 30
 Sand & timber same with Sugar
 East Between Sec^s 23 & 26 On Brandon
 40.00 Temporary of Sec. post
 50.00 Intersected East line 55 m North of post
 West corrected
 40.00 of Sec. corner Beech 20 N 75 N 12
 Hickory 18 S 48 E 43
 80.00 Section corner
 Sand & timber as before
 North Between Sec^s 22 & 23
 17.70 A. Beech 18 in. diam.
 40.00 of Sec. corner Ash 10 N 40 N 24
 Hickory 10 S 19 E 11
 56.65 A. Elm 36 in. diam.
 80.00 Set post corner to Sec^s 14, 15, 22, 23
 O Dogwood 5 S 61 E 10
 B. Birch 5 S 60 N 5
 Sand Vth water, Beech, Sugar
 June 27th 1820

East Between Sec^s 14 & 23 On Brandon
 40.00 Temporary of Sec. post
 80.28 Intersected East line 28 m South of post
 West corrected
 40.14 of Sec. corner Beech 12 S 50 N 13
 do 12 N 65 E 22
 80.28 Section corner
 Sand Vth water, Beech, Oak, Sugar, W. Oak &
 North Between Sec^s 14 & 15
 7.95 A. B. Oak 24 in. diam.
 40.00 of Sec. corner W. Oak 18 N 5 E 35
 Sugar 10 S 31 N 34
 47.40 A. W. Oak 24 in. diam.
 80.00 Set post corner of Sec^s 10, 11, 14, 15
 W. Oak 14 N 24 E 38
 do 14 S 22 N 27
 Sand Vth water, Oak, Beech, Hickory &
 East Between Sec^s 11 & 14 On Brandon
 40.00 Temporary of Sec. post
 80.70 Intersected East line 10 m North of post
 West corrected
 40.35 of Sec. corner Sugar 12 S 5 N 18
 Ironwood 4 S 10 E 15
 Sand & timber same
 80.70 Section corner
 North Between Sec^s 10 & 11
 10.45 A. W. Oak 36 in. diam.
 40.00 of Sec. corner Hickory 4 N 14 E 14
 Ash 14 S 37 N 25
 56.65 A. Elm 36 in. diam.
 80.00 Set post corner of Sec^s 2, 3, 10, 11
 W. Oak 10 N 70 E 10
 do 18 N 77 N 25
 Sand Vth water, Oak, Beech, Sugar, Hickory &

East Between Sec^s 22 & 23 On Brandon
 40.00 Temporary of Sec. post
 81.00 Intersected East line 58 m South of post
 West corrected
 40.50 of Sec. corner Hickory 12 S 28 N 10
 B. Oak 36 S 10
 81.00 Section corner
 Sand & timber as before
 North Between Sec^s 2 & 3
 33.80 A. Hickory 14 in. diam.
 40.00 of Sec. corner Sugar 10 S 7 N 6
 W. Oak 12 S 65
 82.05 A. Sugar 14 in. diam.
 81.79 Intersected North line 3 1/2 m North of post
 Sugar 10 S 70
 Beech 6 S 67
 North Between Sec^s 33 & 34
 17.05 A. Hickory 14 in. diam.
 40.00 of Sec. corner Beech 14 N 11
 do 12 S 4
 55.50 A. Beech 12 in. diam.
 80.00 Set post corner to Sec^s 2, 3
 Beech 14 N 4
 do 16 S 67
 Sand Vth water, Beech, Oak, Sugar &
 East Between Sec^s 27 & 34 On Brandon
 40.00 Temporary of Sec. corner
 80.25 Intersected East line 28 m North of post
 West corrected July 28th
 40.14 of Sec. corner Beech 12 S 50 N 13
 do 12 N 65 E 22
 80.25 Section corner
 Sand Vth water, Oak, Beech, Sugar &

North Between Sec^s 27 & 28
 18.32 A. B. Walnut 14 in. diam^t
 40.00 q^r. Sec. corner M. Oak 10 St 57 E 10
 Michary 12 St 64 N 26
 51.00 A. Beech 14 in. diam^t
 50.00 Set post corner of Sec^s 21, 22, 27, 28
 Beech 14 St 12 E 10
 do 14 St 58 E 65
 Sunk 2^d rate Beech Oak Ash
 East Between Sec^s 22 & 28 On Brandon
 40.00 Temporary of Sec. post
 52.00 Intersected East line 64 lbs North of post
 West Corrected
 37.87 q^r. Sec. corner Elm 12 St 8 E 20
 do 10 St 8 N 27
 49.45 Section corner
 Sunk 2^d rate Beech Oak Elm Sugar 1^o
 North Between Sec^s 21 & 22
 30.32 A. B. Walnut 14 in. diam^t
 40.00 q^r. Sec. corner Ash 12 St 22 N 25
 do 14 St 30 E 35
 54.45 A. W. Oak 18 in. diam^t
 50.00 Set post corner to Sec^s 15, 16, 21, 22
 B. Walnut 18 St 5 E 27
 do 24 St 33 E 12
 Sunk 1^o rate Oak Walnut Beech Sugar Spruce
 East Between Sec^s 15 & 22 On Brandon
 40.00 Temporary of Sec. post
 40.00 Intersected East line 84 lbs North of post
 West Corrected
 39.45 q^r. Sec. corner Beech 20 St 17 N 22
 do 14 St 4 E 22
 Sunk 1^o rate Ash Sugar Walnut

* North Between Sec^s 15 & 16
 17.85 A. Beech 12 in. diam^t
 34.45 A. Beech 12 in. diam^t
 40.00 q^r. Sec. corner Buckeye 8 St 29 E 34
 Beech 18 St 45 N 4
 48.45 A. Beech 20 in. diam^t W.C. & C. 18 St 124
 80.00 Set post corner to Sec^s 9, 10, 15, 16 W.C. 12 St 38 E 6
 Sunk 2^d rate Oak Beech Sugar 1^o
 East Between Sec^s 10 & 15 On Brandon
 40.00 Temporary of Sec. post
 49.50 Intersected East line 3 lbs North of post
 West Corrected
 39.75 q^r. Sec. corner Ash 14 St 11 E 11
 Elm 8 St 11 N 27
 49.50 Section corner
 Sunk 2^d rate Ash Spruce Oak Elm 1^o
 North Between Sec^s 9 & 10
 11.10 A. Sugar 24 in. diam^t
 40.00 q^r. Sec. corner Michary 12 St 22 E 20
 Beech 14 St 37 N 40
 48.60 A. Michary 12 in. diam^t
 80.00 Set post corner to Sec^s 3, 4, 9, 10
 Buckeye 8 St 51 E 22
 Sugar 8 St 48 E 47
 Sunk 2^d rate Beech Oak Ash 1^o
 East Between Sec^s 3 & 10 On Brandon
 40.00 Temporary of Sec. post
 47.65 Intersected East line 12 lbs South of post
 West Corrected
 39.82 q^r. Sec. corner B. Walnut 4 St 31 N 5
 Elm 14 St 24 E 25
 Sunk 2^d rate Beech Oak 1^o
 July 29th 1820

North Between Sec^s 2 & 4
 14.50 A. Spruce 20 lbs S. W
 20.37 A. B. Oak 18 in. diam^t
 40.00 q^r. Sec. corner Sugar 10 St 58 E 25
 do 12 St 4 N 36
 49.44 A. Poplar 30 in. diam^t
 41.00 A. Spruce 20 lbs S. E
 81.70 Intersected North line 25 lbs West of post
 Beech 10 St 41 E 10
 Ash 10 St 36 N 42
 Sunk 2^d rate Beech Oak Sugar Elm
 North Between Sec^s 32 & 33
 30.30 A. Sugar 14 in. diam^t
 40.00 q^r. Sec. corner Beech 18 St 37 E 13
 do 10 St 4 N 15
 44.50 A. W. Oak 14 in. diam^t
 51.00 A. Spruce 25 lbs S. W
 80.00 Set post corner of Sec^s 28, 29, 32, 33
 Buckeye 10 St 56 E 19
 do 5 St 60 N 24
 Sunk 2^d rate Beech Oak Ash Sugar 1^o & 1^o Spruce
 East Between Sec^s 28 & 33 On Brandon
 2.00 A. Spruce 25 lbs South
 40.00 q^r. Sec. corner Temporary
 80.00 Intersected East line 80 lbs South of post
 West Corrected
 40.03 q^r. Sec. corner Michary 12 St 22 E 20
 do 10 St 40 E 22
 80.00 Section corner
 Sunk 2^d rate Beech Oak Michary
 North Between Sec^s 28 & 29
 3.00 A. Spruce 20 lbs S. E
 20.00 Same S. W
 23.00 Same S. E

40.00 q^r. Sec. corner in Stream Millar 10 St 43 N 17
 Monbans 3 St 50 E 27
 41.50 A. Spruce 36 in. diam^t
 80.00 Set post cor. to Sec^s 20, 21, 28, 29 in Stream
 Spruce 16 St 29 N 74
 do 10 St 56 N 23
 Sunk 2^d rate Beech Oak Sugar 1^o
 East Between Sec^s 11 & 28 On Brandon
 40.00 Temporary of Sec. post
 80.10 Intersected East line at post
 West Corrected
 40.05 q^r. Sec. corner M. Oak 12 St 4 E 30
 Monbans 8 St 35 N 21
 80.10 Section corner
 Sunk 2^d rate Oak Beech Elm Michary
 North Between Sec^s 20 & 21
 20.00 A. Ash 14 in. diam^t
 40.00 q^r. Sec. corner Beech 10 St 4 N 23
 do 18 St 24 E 7
 54.50 A. B. Walnut 18 in. diam^t
 80.00 Set post corner to Sec^s 16, 17, 20, 21
 W. Thorn 8 St 13 E 15
 Elm 4 St 37 N 6
 Sunk 2^d rate Oak Beech Elm Ash
 East Between Sec^s 16 & 21 On Brandon
 July 30th 1820
 30.00 A. Spruce 25 lbs South
 40.00 Temporary of Sec. post
 80.00 Intersected East line 52 lbs South of post
 West Corrected
 40.00 q^r. Sec. corner Beech 14 St 31 N 17
 Spruce 8 St 14 E 18
 80.00 Section corner
 Sunk 2^d rate Beech Oak Sugar
 Length thick Beech

Between Sec^s 16 & 17
 A. Cherry 12 in. diam.
 20.00 q^r. Sec. corner Ash 8 N 59 E 26
 do 4 S 24 W 43
 20.00 A. Sycamore 14 in. diam.
 20.45 A. Beech 20 in. diam.
 5.00 Set post corner to Sec^s 8, 9, 16, 17
 Beech 20 N 28 W 6
 do 12 S 10 W 15
 Land V^d. rate
 East Between Sec^s 7 & 16 On Random
 0.00 Temporary q^r. Sec. post
 5.50 A. Pecan 25 lbs South
 7.75 Intersected East line 18 lbs South of post
 West corrected
 2.87 1/2 q^r. Sec. corner Elm 8 S 20 W 19
 Markburg 8 N 29 E 25
 9.75 Section corner
 Land V^d. rate, Beech, Oak, Ash
 North Between Sec^s 8 & 9
 6.73 A. Ash 12 in. diam.
 20.00 q^r. Sec. corner Sugar 10 N 55 W 17
 do 16 S 42 E 11
 1.17 A. Beech 20 in. diam.
 00 Set post corner to Sec^s 4, 5, 8, 9
 Sugar 14 N 87 W 12
 do 12 S 71 E 9
 Land V^d. rate, Beech, Oak, Hickory
 East Between Sec^s 4 & 9 On Random
 5.00 Temporary q^r. Sec. post
 50 A. Pecan 20 lbs South
 45 Intersected East line 30 lbs South of post
 corrected
 87 q^r. Section corner Ironwood 6 S 55 E 6
 Beech 8 N 71 W 12
 25 Section corner Land Same

North Between Sec^s 10 & 11
 34.38 A. Ash 12 in. diam.
 40.00 q^r. Sec. corner Ash 8 N 12 E 12
 Beech 14 S 16 E 34
 54.27 A. Beech 12 in. diam.
 81.75 Intersected North line 2-31 lbs West of post
 Beech 11 S 67 E 11
 do 5 N 30 W 8
 Land V^d. rate, Beech, Oak, Sugar, & Branch
 North Between Sec^s 31 & 32
 13.15 A. Beech 14 in. diam.
 40.00 q^r. Sec. corner Beech 14 N 48 E 25
 do 10 S 26 W 47
 67.25 A. Hickory 18 in. diam.
 80.00 Set post corner of Sec^s 29, 30, 31, 32
 Sugar 12 N 55 W 26
 Hickory 20 S 35 E 27
 Land V^d. rate, Beech, Oak, Ash
 East Between Sec^s 29 & 32 On Random
 40.00 Temporary q^r. Sec. post
 79.70 Intersected East line 1 1/2 lbs North of post
 West corrected
 39.85 q^r. Sec. corner Hickory 14 S 45 W 20
 do 4 N 32 E 24
 Land & timber same
 West Between Sec^s 30 & 31
 40.00 q^r. Sec. post W. Oak 36 N 36 W 16
 Sugar 10 S 43 E 5
 67.75 Intersected West line at post
 Land V^d. rate, Oak, Beech, Sugar, Aug. 1st 1825
 North Between Sec^s 29 & 30
 21.00 A. W. Oak 48 in. diam.
 40.00 q^r. Sec. corner Elm 14 N 84 E 21
 do 12 S 69 E 24
 58.72 A. Beech 12 in. diam.

80.00 Set post corner to Sec^s 19, 20, 29, 30
 Buckeye 11 North 14
 Beech 12 S 21 W 7
 Land V^d. rate, Beech, Oak, Hickory
 East Between Sec^s 20 & 29 On Random
 40.00 Temporary q^r. Sec. post
 77.85 Intersected East line 15 lbs North of post
 West corrected
 39.97 1/2 q^r. Sec. corner Buckeye 11 N 58 E 4
 Sugar 12 S 42 W 2
 74.55 Section corner
 West Between Sec^s 19 & 30
 40.00 q^r. Sec. corner Beech 10 S 58 W 28
 do 18 N 78 E 9
 0.40 Intersected West line 48 lbs North of post
 Beech 14 N 10 W 13
 Hickory 20 S 39 E 45
 Land V^d. rate, Beech, Oak, Hickory & brush
 North Between Sec^s 19 & 20
 6.66 A. W. Oak 30 in. diam.
 40.00 q^r. Sec. corner Beech 12 N 37 W 9
 do 12 N 55 E 17
 80.00 Set post corner of Sec^s 17, 18, 19, 20
 B. Oak 10 N 24 E 20
 Hickory 4 S 34 W 19
 Land & timber same
 East Between Sec^s 17 & 20 On Random
 40.00 Temporary q^r. Sec. post
 77.78 Intersected East line at post
 West corrected
 39.89 q^r. Sec. corner Beech 14 N 52 W 78
 Hickory 4 N 58 E 4
 77.78 Section corner
 Land & timber same

West Between Sec^s 18 & 19
 40.00 q^r. Sec. corner
 07.00 Intersected West line
 Land V^d. rate, Beech, Oak
 North Between Sec^s 17 & 18
 21.74 A. Beech 14 in. diam.
 40.00 q^r. Sec. corner
 80.00 Set post corner of Sec^s
 Hickory
 East Between Sec^s 8 & 17
 40.00 Temporary q^r. Sec. post
 49.50 Intersected East line
 West corrected
 39.75 q^r. Sec. corner
 77.50 Section corner
 Land & timber same
 West Between Sec^s 7 & 18
 40.00 q^r. Sec. corner
 07.22 Intersected West line
 Beech
 North Between Sec^s 7 & 8
 13.50 A. W. Oak 24 in. diam.
 40.00 q^r. Sec. corner
 Hickory

near Sec^s 16 & 17
 Cherry 12 in. diam.
 q^r. Sec. corner Ash 8 N 57 E 26
 do 4 S 24 W 43
 52.09 Ash 12 in. diam.
 59.65 A. Beech 26 in. diam.
 80.00 Set post corner to Sec^s 8, 9, 16, 17
 Beech 20 N 28 W 6
 do 12 S 10 W 15
 Sand V^d. water
 East Between Sec^s 7 & 16 On Random
 40.00 Temporary q^r. Sec. post
 55.50 A. Spruce 25 lbs South
 59.75 Intersected East line 18 lbs South of post
 West corrected
 59.87 1/2 q^r. Sec. corner Elm 8 S 20 W 19
 Mackhony 8 N 29 E 25
 59.75 Section corner
 Sand V^d. water, Beech, Oak, Ash
 North Between Sec^s 8 & 9
 6.73 An Ash 12 in. diam.
 40.00 q^r. Sec. corner Sugar 10 N 55 W 17
 do 16 S 42 E 11
 50.17 A. Beech 20 in. diam.
 6.00 Set post corner to Sec^s 4, 5, 8, 9
 Sugar 14 N 87 W 12
 do 12 S 71 E 9
 Sand V^d. water, Beech, Oak, Hickory
 East Between Sec^s 4 & 9 On Random
 40.00 Temporary q^r. Sec. post
 4.50 A. Spruce 20 lbs South
 6.75 Intersected East line 30 lbs South of post
 West corrected
 4th Section corner Spruce 6 S 55 E 6
 Beech 8 N 7 W 12
 Corner Sand Same

North Between Sec^s 4 & 5
 34.38 An. Ash 12 in. diam.
 40.00 q^r. Sec. corner Ash 8 N 13 E 12
 Beech 14 S 16 E 34
 54.27 A. Beech 12 in. diam.
 51.75 Intersected North line 2 3/4 lbs West of post
 Beech 10 S 67 E 11
 do 5 N 30 W 8
 Sand V^d. water, Beech, Oak, Sugar, & Spruce
 North Between Sec^s 31 & 32
 13.15 A. Beech 14 in. diam.
 40.00 q^r. Sec. corner Beech 14 N 48 E 25
 do 10 S 26 W 47
 52.25 A. Hickory 18 in. diam.
 80.00 Set post corner of Sec^s 29, 30, 31, 32
 Sugar 12 N 55 W 26
 Hickory 20 S 55 E 37
 Sand V^d. water, Beech, Oak, Ash
 East Between Sec^s 29 & 32 On Random
 40.00 Temporary q^r. Sec. post
 59.70 Intersected East line 1 1/2 lbs South of post
 West corrected
 39.85 q^r. Sec. corner Hickory 14 S 45 W 20
 do 4 N 32 E 14
 Sand & timber same
 West Between Sec^s 30 & 31
 40.00 q^r. Sec. post N. Oak 36 N 36 W 16
 Sugar 10 S 43 E 5
 67.75 Intersected West line at post
 Sand V^d. water, Oak, Beech, Sugar, Spruce, 1st 1825
 North Between Sec^s 29 & 30
 21.00 A. W. Oak 48 in. diam.
 40.00 q^r. Sec. corner Elm 16 N 84 E 21
 do 12 S 69 E 24
 58.72 A. Beech 12 in. diam.

80.00 Set post corner to Sec^s 19, 20, 29, 30
 Buckeye 10 North 14
 Beech 12 S 21 W 7
 Sand V^d. water, Beech, Oak, Hickory
 East Between Sec^s 20 & 29 On Random
 40.00 Temporary q^r. Sec. post
 79.85 Intersected East line 15 lbs South of post
 West corrected
 39.97 1/2 q^r. Sec. corner Buckeye 11 N 58 E 4
 Sugar 12 S 62 W 2
 79.85 Section corner
 West Between Sec^s 19 & 30
 40.00 q^r. Sec. corner Beech 10 S 58 W 28
 do 18 N 78 E 9
 6.40 Intersected West line 68 lbs South of post
 Beech 14 N 10 W 13
 Hickory 20 S 39 E 45
 Sand V^d. water, Beech, Oak, Hickory & Spruce
 North Between Sec^s 19 & 20
 6.66 A. W. Oak 30 in. diam.
 40.00 q^r. Sec. corner Beech 12 N 37 W 7
 do 12 N 55 E 17
 80.00 Set post corner of Sec^s 17, 18, 19, 20
 B. Oak 10 N 24 E 10
 Hickory 4 S 34 W 19
 Sand & timber same
 East Between Sec^s 17 & 20 On Random
 40.00 Temporary q^r. Sec. post
 79.78 Intersected East line at post
 West corrected
 39.89 q^r. Sec. corner Beech 14 S 52 W 8
 Hickory 4 S 58 E 4
 79.78 Section corner
 Sand & timber same

West Between Sec^s 18 & 19
 40.00 q^r. Sec. corner Beech 12
 Beech 12
 67.00 Intersected West line 8 lbs
 Beech 12
 do 20
 Sand V^d. water, Beech, Oak, Hickory
 North Between Sec^s 17 & 18
 24.74 A. Beech 14 in. diam.
 40.00 q^r. Sec. corner Ash 3 N 11
 do 3 S 10
 80.00 Set post corner of Sec^s 7, 8, 17
 Hickory 14 N
 do 18 S
 Sand V^d. water, Oak, Beech, W.
 East Between Sec^s 8 & 17 On Random
 40.00 Temporary q^r. Sec. post
 79.50 Intersected East line of West
 West corrected
 39.75 q^r. Sec. corner W. Oak 30
 Sugar 8
 79.50 Section corner Unq^r
 Sand & timber same
 West Between Sec^s 7 & 18
 40.00 q^r. Sec. corner Hickory 10
 Hornbeam
 67.22 Intersected West line 32 lbs
 Beech 12 N 7
 do 14 S
 Sand V^d. water, Beech, Oak
 North Between Sec^s 7 & 18
 13.50 A. W. Oak 24 in. diam.
 40.00 q^r. Sec. corner Beech 10
 Hickory 12

