



TWP 16N R 2W

Township N.° XVI North, Range N.° II West 2.° Mer.

Surveyed by Allen Wright 1819.

True Mer.
Dist. 6° 15' E.

40 Chains

township N. 16 North, Range N. 2 West 2. Mer. Indiana

South Boundary var. 5.55' E.

West On S. boundary Sec. 36
 30.00 a dry branch - 1/2 hr. wide Course S.
 40.00 Set of Sec. post, from which
 a Beech 10 m. diam. bear N 86° W 23 1/2 hr. dist. of
 a Do. 14 " " " S 53° E 11 " "
 80.00 Set post Cor. to Sec. 35 of 36, from which
 a Beech 10 m. diam. bear N 44° E 30 1/2 hr. dist. of
 a Sugar 9 " " " S 34° W 15 " "
 Land a little rolling, Beech, Sugar, Hickory
 Oak, Ash, good farming land

West On S. boundary of Sec. 35
 40.00 Set of Sec. post, from which
 a Beech 8 m. diam. bear S 63° W 10 1/2 hr. dist. of
 a Hickory 9 " " " S 72° E 12 " "
 80.00 Set post Cor. to Sec. 34 of 35, from which
 a Beech 11 m. diam. bear N 26° W 6 1/2 hr. dist. of
 a Hickory 30 " " " South 10 " "
 Land similar part wet, rich & good for farming

West On S. boundary of Sec. 34
 30.00 a Brook 10 1/2 hr. wide Course N
 40.00 Set of Sec. post, Cor. to of S. from which
 a Beech 12 m. diam. bear S 77° W 21 1/2 hr. dist. of
 a Do. 27 " " " N 87° E 32 " "
 80.00 Set post Cor. to Sec. 33 of 34, from which
 a Beech 20 m. diam. bear S 63° E 8 1/2 hr. dist. of
 a Do. 20 " " " N 68° W 33 " "
 Land timbered. Same as on the last mile

West On S. boundary of Sec. 33
 40.00 Set of Sec. post, from which
 a Sugar 11 m. diam. bear N 30° E 12 1/2 hr. dist. of

T. 16 N. R. 27 W. D. Mer. Indiana

41.50	a Beech 8 in. diam. tray S 21 W 10 lb. dist.
80.00	a Brook 12 lb. wide Course N. Set post Cor. to Sec. 32 of 33, from which a Beech 14 in. diam. tray N 73 E 30 lb. dist. of a W. Oak 30 " " " S 86 W 17 " " Land timber &c. Same as on the last mile
27.00	West On S. boundary of Sec. 32 a Brook 10 lb. wide Course N.
40.00	Set of Sec. post, from which a Hickory 15 in. diam. tray N 56 E 22 lb. dist. of a Sugar 8 " " " S 82 W 16 " "
80.00	Set post Cor. to Sec. 31 of 32, from which a Beech 12 in. diam. tray N 65 E 24 lb. dist. of a Hickory 30 " " " N 83 W 9 " " Land part rolling & part level, timber same Some Walnut good for farming
30.00	West On S. boundary of Sec. 31 a Brook 15 lb. wide Course S.
40.00	Set of Sec. post, from which a Beech 20 in. diam. tray S 68 E 9 lb. dist. of a Do. 18 " " " N 52 W 25 " "
68.86	Intersected the Range line 5.68 lb. N. of post Set post Cor. to Township N. 15 of 16 North, of Range N. 2 of 3 West, from which a Poplar 18 in. diam. tray S 6 W 6 lb. dist. of a Sugar 10 " " " N 13 E 24 " " Land timber &c. Same as on the last mile
East Boundary var. 6. 15. 16	
38.00	North On E. boundary of Sec. 36 a Brook 3 lb. wide Course N.
40.00	Set of Sec. post, from which

T. 16 N. R. 27 W. D. Mer. Indiana

52.50	a Sugar 18 in. diam. tray S 28 E 44 lb. dist. of a Peach 8 " " " N 38 W 8 " "
80.00	a Brook 10 lb. wide Course N. Set post Cor. to Sec. 25 of 36, from which a Sugar 18 in. diam. tray N 4 W 41 lb. dist. of a Beech 8 " " " N 13 W 27 " "
22.00	North On E. boundary of Sec. 25 a Brook 10 lb. wide Course N.
40.00	Set of Sec. post, from which a W. Ash 9 in. diam. tray S 19 W 11 lb. dist. of a Beech 36 " " " N 22 E 20 " "
59.00	a Brook 6 lb. wide Course N.
80.00	Set post Cor. to Sec. 24 of 25, from which a Beech 18 in. diam. tray S 76 E 38 lb. dist. of a Do. 14 " " " N 71 W 31 " " Land timber &c. Same as on the last mile
40.00	North On E. boundary of Sec. 24 Set of Sec. post, from which a Gum 10 in. diam. tray N 75 E 22 lb. dist. of a W. Oak 8 " " " S 82 W 32 " "
80.00	Set post Cor. to Sec. 13 of 24, from which a Beech 12 in. diam. tray S 85 W 16 lb. dist. of a Do. 7 " " " N 63 E 31 " " Land timber &c. Same as on the last mile
40.00	North On E. boundary of Sec. 13 Set of Sec. post, from which a Beech 9 in. diam. tray S 10 E 15 lb. dist. of a Hickory 9 " " " North 7 " "
80.00	Set post Cor. to Sec. 12 of 13, from which a Beech 9 in. diam. tray S 10 E 22 lb. dist. of a Do. 12 " " " N 18 E 35 " "

T6N R2W. Mer. Indiana

ch. lvs. Sand a little rolling Beech, Sugar, Ash, Oak Middling, good farming land

North On E. boundary of Sec. 12
40.00 July 12th 1819 variation 6.15'E.
40.00 Set of Sec. post, from which
a Beech 10 in. diam. beam N12W 24 lbs. dist. of
a Do. 11 " " " N61E 47 " "
59.50 enter a Swamp
68.00 leave the Swamp
80.00 Set post Cor. to Sec. 1, 12, from which
an Elm 14 in. diam. beam East 18 lbs. dist. of
a B. Ash 9 " " " S39W 12 " "
Land level part rather wet 2^d. rate, timber
Beech, Elm, Ash, Maple, Oak, Middling,
farming land.

North On E. boundary of Sec. 1
38.00 a Brook 8 lbs. wide course W.
40.00 Set of Sec. post from which
a W. Oak 18 in. diam. beam N46E 18 lbs. dist. of
a Lym 8 " " " S46W 12 " "
77.00 a Brook 40 lbs. wide course W.
89.40 Entered the Correction line 19.26 ch. E. of
Cor. to Township N. 17 N. Range N. 1 of 2 West
Set post Cor. to Town 16 N. Range 1 of 2 W. from which
a Beech 14 in. diam. beam S32E 23 lbs. dist. of
a Hickory 9 " " " N10W 30 " "
Land level rich & good for farming.

West Boundary var. 6.15'E.
North On E. boundary of Sec. 36, T6N, R3W
35.00 a Brook 6 lbs. wide course E.
40.00 Set of Sec. post, from which

T6N R2W. 2^d. Mer. Indiana

ch. lvs. a W. Ash 12 in. diam. beam S23E 17 lbs. dist. of
a W. Oak 27 " " " West 10 " "
80.00 Set post Cor. to Sec. 25, 36, T6N, R3W, from which
a Beech 9 in. diam. beam S56E 17 lbs. dist. of
a Do. 12 " " " N73W 2 " "
Land level & good for farming, timber Beech
Sugar, Hickory, Ash, Elm, Poplar

North On E. boundary of Sec. 25, T6N, R3W
40.00 Set of Sec. post, from which
a Poplar 18 in. diam. beam S53W 14 lbs. dist. of
a Hackberry 10 " " " N59E 17 " "
74.00 a Brook 12 lbs. wide course E
80.00 Set post cor. of sec. 24 & 25 from which
an Elm 12 in. diam. beam S35W 20 lbs. dist. of
a Beech 20 " " " North 33 " "
Land same as last described.

North On E. Boundary of Sec. 24, T6N, R3W
40.00 Set of sec. post from which
a Beech 12 in. diam. beam N22E 18 lbs. dist. of
a Sugar 15 " " " S18W 19 " "
42.00 a Brook 5 lbs. wide course E
80.00 Set post cor. of sec. 13 & 24 from which
a Beech 10 in. diam. beam S56E 12 lbs. dist. of
a Sugar 12 " " " N48W 25 " "
(Description of land & omitted)

North On E. Boundary of Sec. 13, T6N, R3W
35.00 a Brook 3 lbs. wide course NW
40.00 Set of sec. post from which
a Sugar 10 in. diam. beam S19W 23 lbs. dist. of
a Hickory 7 " " " N26E 29 " "
60.00 a Creek 150 lbs. wide course SW

116

T. 16 N. R. 2 W. S. Mer. Ind. a

80.00 set part cor. of sec. 12 & 13 from which
a Beech 18 in. dia. bears N 84 W 18 lbs. dist. 13
a Do 30 " " " S 32 E 30 " "
South 1/2 mile the same as last described, last 1/2
mile broken.

North on E. Boundary of Sec. 12, T. 16 N., R. 2 W.

40.00 set q. sec. part from which
a Sugar 8 in. dia. bears S 24 E 16 lbs. dist. 13
a Hickory 9 " " " N 3 E 24 " "

80.00 set part cor. of sec. 12 & 13 from which
a Maple 27 in. dia. bears S 25 E 16 lbs. dist. 13
an Elm 27 " " " N 38 W 148 " "
Land level, Beech, Oak, Elm, Ash, Sugar, Poplar,
North part wet, South part good for farming.

North on E. Boundary of Sec. 1, T. 16 N., R. 2 W.

40.00 set q. sec. part from which
a Hawth 9 in. dia. bears S 38 E 32 lbs. dist. 13
a Beech 12 " " " N 31 W 21 " "

80.00 set temp. Township corner.

88.68 Intersect Corner to line 34.41 Ch. E. of cor. of S.
17 N., R. 2 W. from which
a B. Walnut 30 in. dia. bears N 40 W 6 lbs. dist. 28
a Beech 10 " " " S 55 E 17 " "
Land level, part wet, timber same
Surveyed in 1819 by William Harris
Dep. Surveyor.

Subdivision.

North between Sec. 35 & 36

24.25 a Beech 14 in. dia.
40.00 set q. sec. part from which
a Sugar 8 in. dia. bears N 23 E 29 lbs. dist. 13

117

T. 16 N. R. 2 W. S. Mer. Ind. a

a Beech 12 in. dia. bears S 23 W 23 lbs. dist. 13
68.20 a Do 16 " " "
74.50 a Branch 15 ft. wide course S W

80.00 set part cor. of sec. 25, 26, 35 & 36 from which
a Beech 12 in. dia. bears N 54 E 42 lbs. dist. 13
a Do 12 " " " S 73 W 8 " "
Rolling State land, timber Beech, Sugar, Ash,
Hickory & W. Oak; W. Spice

East on Random between Sec. 25 & 36

40.00 set temp. q. sec. part
79.80 Intersect E. Boundary at part
Land rolling State, timber Beech, Sugar, Ash,
Hickory, B. Walnut & W. Spice

West Connected between Sec. 25 & 36

39.90 set q. sec. part at aver. dist. from which
a Sugar 24 in. dia. bears S 64 E 6 lbs. dist. 13
a Do 14 " " " N 64 W 35 " "
79.80 to sec. cor.

North between Sec. 25 & 26

14.25 a Sugar 18 in. dia.
40.00 set q. sec. part from which
a Beech 30 in. dia. bears S 33 W 18 lbs. dist. 13
a W. Ash 12 " " " N 23 E 20 " "
59.50 a Sugar 16 " " "
80.00 set part cor. of sec. 23, 24, 25 & 26 from which
an Elm 24 in. dia. bears N 12 E 20 lbs. dist. 13
a Beech 16 " " " S 42 W 35 " "
Rolling State land, timber Beech, Blue & W.
Ash, Sugar, Hickory & W. Oak, W. Spice

East on Random between Sec. 24 & 25

40.00 set temp. g. sec. part
79.75 Intersect N. S. line 25 W. N. of part -
Land rolling State, timber Beech, Sugar, Ash,
Hickory & W. Oak - Upr. Spice

West Connected between Sec. 24 & 25
39.87 1/2 set g. sec. part at aver. dist. from which
a Beech 12 in. dia. bears S 31 E 20 W. dist. 18
no other bearing tree
79.75 to sec. cor.

North between Sec. 23 & 24
26.00 a Beech 9 in. dia.
40.00 set g. sec. part from which
a Hickory 10 in. dia. bears N 31 E 8 W. dist. 18
an Elm 24 " " " S 6 E 7 " "
57.50 a Branch 15 W. wide course S 4 W
58.50 a Beech 9 in. dia.
80.00 set part cor. of sec. 13, 14, 23 & 24 from which
a Beech 10 in. dia. bears N 1 W 13 W. dist. 18
a Do 9 " " " S 46 W 28 " "
Rolling State land, timber Beech, Sugar, Ash
& Hickory, Upr. Spice

East on Random between Sec. 13 & 24
40.00 set temp. g. sec. part
79.75 Intersect E. Boundary 30 W. N. of part -
Land rolling State, timber Beech, Sugar, Ash, W.
Oak & Upr. Spice & Maple

West Connected between Sec. 13 & 24
39.87 1/2 set g. sec. part at aver. dist. from which
a Beech 12 in. dia. bears N 81 E 24 W. dist. 18
a Sugar 24 " " " N 25 E 20 " "

79.75 to sec. cor.
North between Sec. 13 & 14
17.35 a Sugar 12 in. dia.
40.00 set g. sec. part from which
a Beech 10 in. dia. bears N 35 1/2 E 33 W. dist. 18
a Do 9 " " " S 17 W 12 " "
73.25 a Do 10 " "
80.00 set part cor. of sec. 11, 12, 13 & 14 from which
a Beech 14 in. dia. bears N 14 E 18 W. dist. 18
a Do 20 " " " S 29 W 24 " "
Land rolling State, timber Beech, Ash, Sugar,
Poplar, Hickory & W. Oak Upr. Spice

East on Random between Sec. 12 & 13
40.00 set temp. g. sec. part
79.80 Intersect E. Boundary 12 W. N. of part -
Rolling State land, timber Beech, Ash, Sugar,
W. Oak, Hickory & Elm; Upr. Spice & Maple

West Connected between Sec. 12 & 13
39.90 set g. sec. part at aver. dist. from which
a Beech 14 in. dia. bears N 85 E 27 W. dist. 18
a Do 8 " " " S 63 W 22 " "
79.80 to sec. cor.

North between Sec. 11 & 12
24.14 a Beech 9 in. dia.
40.00 set g. sec. part from which
a Spruce 14 in. dia. bears N 78 E 13 W. dist. 18
a Beech 12 " " " S 79 W 49 " "
73.30 a Spruce 16 " "
80.00 set part cor. of sec. 11, 12, 13 from which
a R. Oak 20 in. dia. bears N 34 E 27 W. dist. 18

T. 16 N. R. 2 W. 2. Mer. Ind.

a Buckeye 9 in. diameter S 30° W 11 1/2 hrs. dist.
Rolling 2. rate land, timber Beech, Sugar, W. Ash, R. &
W. Oak, Hickory, ~~Maple~~ Lyons; Wgs. Spice

East on Random between Sect. 1 & 12

40.00 set temp. g. sec. post

79.84 Intersect E. Boundary 12 hrs. N. of post

Level 2. rate land, timber Beech, Sugar, R., W. & Brn Oak

West Connected between Sect. 1 & 12

39.92 set g. sec. post at aver. dist. from which

a W. Ash 10 in. diameter S 37 1/2° E 20 hrs. dist. 8

a Do 10 " " " N 87 1/2° W 29 " "

79.84 to sec. cor.

North between Sect. 1 & 2

21.00 a W. Oak 30 in. dia.

40.00 set g. sec. post from which

a Hickory 9 in. diameter N 58 1/2° E 25 hrs. dist. 8

a Buckeye 9 " " " S 62 1/2° W 25 " "

47.50 a Branch 12 hrs. in course W

61.50 a Hickory 20 in. dia.

78.75 a Stream 50 hrs. in course W

89.40 Intersect N. Boundary set post cor. of Sect. 1 & 2 from

which a Sugar 16 in. diameter N 36° W 5 hrs. dist. 8

a Beech 9 " " " S 34 1/2° E 28 " "

Rolling 2. rate land, timber Beech, W. Oak, Sugar,
Ash, Wgs. Spice

North between Sect. 34 & 35

8.70 a W. Ash 15 in. dia.

46.00 set g. sec. post from which

a Br. Oak 10 in. diameter N 35° E 10 hrs. dist. 8

a Br. Ash 14 " " " N 29 1/2° W 33 " "

T. 16 N. R. 2 W. 2. Mer. Ind.

53.55 a Buckeye 15 in. dia.

80.00 set post cor. of sect. 20, 27, 34 & 35 from which

a Beech 10 in. diameter N 40° W 32 hrs. dist. 8

an Junwood 3 " " " S 45 1/2° E 12 " "

Level 2. rate land, timber Brn W. Oak, Br. Ash &

Wgs. Spice, Junwood & Logwood

East on Random between Sect. 26 & 35

40.00 set temp. g. sec. post

54.30 a Stream 20 hrs. in course W

80.40 Intersect N. Line 10 hrs. S. of post

Rolling 2. rate land, timber Sugar, Beech, Hickory

& Wgs. Spice

West Connected between Sect. 26 & 35

40.20 set g. sec. post at aver. dist. from which

a Beech 10 in. diameter S 35 1/2° W 16 hrs. dist. 8

a Do 8 " " " S 50 1/2° E 19 " "

80.40 to sec. cor.

North between Sect. 26 & 27

20.53 a W. Oak 15 in. dia.

40.00 set g. sec. post from which

a Beech 20 in. diameter N 89 1/2° E 27 hrs. dist. 8

a Do 24 " " " S 89 1/2° W 14 " "

53.60 a Stream 20 hrs. in course W

53.70 a W. Walnut 24

80.00 set post cor. of Sect. 22, 23, 26 & 27 from which

a Sugar 14 in. diameter N 67 1/2° E 22 hrs. dist. 8

a Do 12 " " " S 67 1/2° W 36 " "

Rolling 2. rate land, timber Beech, Sugar, W.
Oak, Ash & Walnut; Wgs. Spice

East on Random between Sect. 23 & 26

T. 16 N. R. 2 W. 2. Mer. Ind.

40.00 set temp. q. sec. post
80.35 Intersect N. S. line 10 W. S. of post -
Rolling Prats land, timber Beech, Sugar, Hickory,
W. Ash & W. Spice & Ironwood

West Connected between Secs. 22 & 23
40.17 1/2 set q. sec. post at av. dist. from which
a Sugar 15 in. diam. bears N 17 1/2 W 14 1/2. dist. 25,
a Do 12 " " " S 63 1/2 E 13 " "

North between Secs. 22 & 23
22.18 a Sugar 18 in. diam.
40.00 set q. sec. post from which
a Sugar 12 in. diam. bears N 64 1/2 W 19 1/2. dist. 25,
a Beech 5 " " " N 27 E 8 " "

55.50 a Stream 25 W. wide course W
80.00 set post cor. of sec. 14, 15, 22 & 23 from which
a Beech 18 in. diam. bears S 65 E 6 W. dist. 18,
a Sugar 13 " " " N 65 W 5 " "
Rolling Prats land, timber Sugar, Beech, Hickory,
Ash & W. Spice

East on Random between Secs. 14 & 23
40.00 set temp. q. sec. post
87.30 Intersect N. S. line 10 W. S. of post -
Land rolling Prats, timber Sugar, Beech, Hickory,
W. Ash & W. Spice

West Connected between Secs. 14 & 23
40.15 set q. sec. post at av. dist. from which
a Beech 14 in. diam. bears S 15 W 14 W. dist. 25,
a Do 12 " " " N 35 E 34 " "

T. 16 N. R. 2 W. 2. Mer. Indiana

ch. W.
North Between Secs. 14 & 15
18.75 a Sugar 15 in. diam.
40.00 set q. sec. post from which
a Beech 18 in. diam. bears S 23 1/2 W 13 1/2. dist. 25,
a Poplar 18 " " " S 44 E 13 " "

52.00 a Beech 13 " "
80.00 set post cor. to Secs. 10, 11, 14 & 15, from which
a Hickory 30 in. diam. bears N 62 E 43 1/2. dist. 25,
a Red Oak 15 " " " N 33 1/2 W 30 " "
Land rolling 2^d rate, timber Beech, Sugar, Ash,
Hickory, Poplar, W. Oak, R. Oak & Elm, undg. Spruce

East on Random between Secs. 11 & 14
40.00 set temp. q. sec. post
80.25 Intersected the N. of S. line at the post
Land rolling 2^d rate, timber Beech, Sugar,
Ash, Poplar, Spruce, W. Oak & Red Oak, undg. Spruce

West Connected between Secs. 11 & 14
40.12 1/2 set q. sec. post at av. dist. from which
a Beech 15 in. diam. bears S 22 1/2 W 21 1/2. dist. 25,
a Hickory 9 " " " N 16 E 19 " "

80.25 to Sec. Corner.
North Between Secs. 11 & 11
22.50 a Hickory 30 in. diam.
40.00 set q. sec. post from which
a Beech 14 in. diam. bears N 15 E 6 1/2. dist. 25,
a Do 9 " " " S 32 E 25 " "

65.65 a Red Oak 24 " "
80.00 set post cor. to Secs. 2, 3, 10 & 11, from which
a W. Ash 14 in. diam. bears N 22 E 16 1/2. dist. 25,
a Do 14 " " " N 80 W 24 " "
Land timber 4^e same as on the last mile

Ch. lns.
 East On Rand^m between Sec. 2 & 11
 40.00 Set temp^y. of Sec. post
 80.25 Intersected the N & S. line at the post
 Land rolling 2^d. rate, timber Beech, Sugar
 W. Ash, W. C. Oak, Hickory & Poplar, undeg^d. Spice

West Corrected between Sec. 2 & 11
 40.12 1/2 Set of Sec. post at average dist. from which
 a Hickory 14 in. diam. bey N 35 W 24 lns. dist. of
 a Ho. 9 " " " " S 44 E 38 " "
 80.25 to Sec. Corner.

North Between Sec. 2 & 3
 32.32 a W. Oak 16 in. diam.
 36.00 a Stream 50 lns. wide Course S. W.
 40.00 Set of Sec. post, from which
 a Beech 9 in. diam. bey N 35 E 26 lns. dist. of
 a Ho. 10 " " " " S 38 W 30 " "
 69.54 a Beech 20 " " "
 89.30 Intersected the N. boundary, and set post
 Corner to Sec. 2 & 3, from which
 a Hickory 12 in. diam. bey N 28 W 16 lns. dist. of
 a Ho. 14 " " " " S 87 1/2 E 31 " "
 Land rolling 2^d. rate, timber Sugar, Ash, Poplar
 W. Oak, undeg^d. Spice.

North Between Sec. 33 & 34
 23.75 a W. Ash 6 in. diam.
 40.00 Set of Sec. post, from which
 a Hickory 12 in. diam. bey N 38 1/2 W 10 lns. dist. of
 a W. Ash 15 " " " " S 43 W 29 " "
 62.90 a W. Oak 16 " " "
 80.00 Set post Cor. to Sec. 27 & 28, 33 & 34, from which
 a W. Elm 24 in. diam. bey N 43 W 35 lns. dist. of

Ch. lns.
 a W. Oak 20 in. diam. bey S 73 E 44 lns. dist.
 Land rolling 2^d. rate, timber Sugar, Beech, Ash,
 Hickory, Poplar, & Elm, undeg^d. Spice

East On Random between Sec. 27 & 34
 40.00 Set temp^y. of Sec. post
 80.00 Intersected the N & S. line 6 lns. S. of post
 Land flat soil good 2^d. rate, timber Beech, Sugar
 Elm, W. Oak & Ash, undeg^d. Spice

West Corrected between Sec. 27 & 34
 40.00 Set of Sec. post at average dist. from which
 a Beech 15 in. diam. bey S 25 1/2 E 17 lns. dist. of
 a Ho. 16 " " " " N 4 1/2 W 19 " "
 80.00 to Sec. Corner.

North Between Sec. 27 & 28
 20.06 a Beech 16 in. diam.
 37.50 a Stream 25 lns. wide Course N.
 40.00 Set of Sec. post, from which
 a W. Walnut 16 in. diam. bey S 23 W 11 lns. dist. of
 a Buckeye 5 " " " " N 51 E 20 " "
 53.89 a Sugar 9 " " "
 80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
 an Ironwood 14 in. diam. bey S 78 1/2 E 7 lns. dist. of
 a Sugar 12 " " " " N 78 1/2 W 13 " "
 Land level 2^d. rate, timber Beech, Hickory, Sugar,
 Ash, Elm, W. C. Oak &c. undeg^d. Spice, Ironwood, Beech.

East On Rand^m between Sec. 22 & 27
 28.00 a Branch 20 lns. wide Course N. W.
 40.00 Set temp^y. of Sec. post
 80.00 Intersected the N & S. line at the post
 Land level 2^d. rate, timber, Hickory, Beech,

T6N R2W.2 Mer. Indiana

Ch. lks. Sugar, Ash, Elm, N. & C. Oak, undeg.th Spice
Ironwood & water beech.

West Corrected between Secs. 22 & 27
40.00 Set of Sec. post at average dist. from which
a Beech 8 in. diam. bey N 17 1/2 W 14 lks. dist. of
a Do. 6 " " " N 56 E 14 " "
80.00 to Sec. Corner.

North Between Secs. 21 & 22
19.41 a Bur Oak 14 in. diam.
40.00 Set of Sec. post, from which
an Ironwood 4 in. diam. bey S 86 E 13 lks. dist. of
a W. Oak 12 " " " N 15 W 12 " "
49.20 a Branch 20 lks. wide Course W.
52.43 a Do 20 " " " E.
65.36 a Bur Oak 20 in. diam.
80.00 Set post Cor. to Secs. 15, 16, 21 & 22, from which
a Beech 9 in. diam. bey S 76 E 12 lks. dist. of
a Cherry 20 " " " N 85 W 20 " "
Land rolling 2nd rate, timber Beech, Sugar, W &
Red Oak, Hickory & Ash, undeg.th Spice, Ironwood
and water Beech.

East Rand^m between Secs. 15 & 22
40.00 Set temp^y of Sec. post
80.00 Intersected the N & S. line 6 lks. N. of post
Land flat soil good, timber Beech, Sugar,
N. & C. Oak, Hickory & Ash, undegrowth
Spice, Ironwood & water Beech

West Corrected between Secs. 15 & 22
40.00 Set of Sec. post at average dist. from which
a Sugar 12 in. diam. bey S 44 E 20 lks. dist. of

T6N R2W. Mer. Indiana

Ch. lks. a Beech 9 in. diam. bey N 2 W 36 lks. dist. of
80.00 to Sec. Corner.

North Between Secs. 15 & 16
20.50 a Hickory 15 in. diam.
40.00 Set of Sec. post, from which
a Beech 4 in. diam. bey S 38 E 11 lks. dist. of
a Hickory 18 " " " N 12 E 20 " "
60.00 a Beech 15 " " "
80.00 Set post Cor. to Secs. 9, 10, 15 & 16, from which
a Poplar 10 in. diam. bey S 8 1/2 E 13 lks. dist. of
a Beech 4 " " " N 8 1/2 W 11 " "
Land rolling 2nd rate, timber Hickory, Bur Oak,
Ash, Beech & undeg.th Spice, Ironwood & water Beech

East On Rand^m between Secs. 10 & 15
40.00 Set temp^y of Sec. post
80.05 Intersected the N & S. line at the post
Land rolling 2nd rate, timber Hickory, Bur
Oak, Ash, Beech & undeg.th Spice, Iron-
wood & water Beech

West Corrected between Secs. 10 & 15
40.02 Set of Sec. post at average dist. from which
a Hickory 15 in. diam. bey N 31 1/2 W 25 lks. dist. of
a Buckeye 9 " " " S 31 1/2 E 10 " "
80.05 to Sec. Corner

North Between Secs. 9 & 10
17.10 a Beech 9 in. diam.
40.00 Set of Sec. post, from which
a Beech 14 in. diam. bey S 33 E 10 lks. dist. of
a Sugar 20 " " " North 9 " "
53.75 a W. Elm 20 " " "

West N.D.W. Mer. Indiana

ch. lbs.
 76.50 a Stream 40 lbs. wide Course W.
 80.00 Set post Cor. to Sect. 3, 4, 9 & 10, from which
 a P. Elm 16 in. diam. - bear South 12 lbs. dist. of
 a Do. 13 " " " S 79 E 27 " "
 Land rolling 2^d rate, timber Beech, Sugar
 Hickory, Ash, Red Oak &c. undugth Spice

East
 20.90 a Stream 40 lbs. wide Course S.W.
 40.00 Set temp. of. Sec. post
 80.04 Intersected the N of S. line at the post
 Land rolling 2^d rate, timber Beech, Sugar,
 Hickory, W. Oak, Red Oak &c. undugth Spice

West
 40.02 Corrected between Sect. 3 & 10
 Set of. Sec. post, at average dist. from which
 a Beech 16 in. diam. - bear S 51 1/2 W 24 lbs. dist. of
 a Do. 14 " " " N 26 1/2 E 43 " "
 80.04 to Section Corner.

North
 18.50 a Hickory 20 in. diam.
 40.00 Set of. Sec. post, from which
 a Beech 14 in. diam. - bear N 87 E 14 lbs. dist. of
 a Do. 10 " " " West 38 " "
 56.12 a Beech 12 " "
 78.00 a Stream 50 lbs. wide Course S.W.
 89.00 Intersected the N. boundary and set a post
 at intersection Cor. to Sect. 3 & 4, from which
 an Elm 15 in. diam. - bear N 12 W 11 lbs. dist. of
 a Beech 12 " " " S 34 E 17 " "
 Land rolling 1st rate, timber Sugar, Beech, Ash
 N & W. Walnut & Hickory, undugth Spice.

West N.D.W. Mer. Indiana

ch. lbs.
 North
 27.25 a Hickory 9 in. diam.
 40.00 Set of. Sec. post, from which
 a Beech 14 in. diam. - bear N 10 E 31 lbs. dist. of
 a Do. 6 " " " S 4 W 17 " "
 71.42 a Sugar 12 " "
 80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which
 a Beech 14 in. diam. - bear N 87 E 37 lbs. dist. of
 a Sugar 14 " " " S 4 E 12 " "
 Land rolling 2^d rate, timber Beech, Sugar, Ash,
 W. Oak, Elm & Hickory, undugth Spice.

East
 40.00 On Rand. between Sect. 28 & 33
 40.00 Set temp. of. Sec. post
 79.75 Intersected the N of S. line at the post
 Land rolling 2^d rate, timber Beech, Sugar
 Ash, Elm, Red Oak & Poplar, undugth Spice

West
 39.87 Corrected between Sect. 28 & 33
 Set of. Sec. post, at average dist. from which
 a Beech 5 in. diam. - bear S 86 E 12 lbs. dist. of
 a Do. 14 " " " N 11 W 23 " "
 79.75 to Sec. Corner.

North
 20.50 a Branch 12 lbs. diam. - wide Course N.E.
 25.92 a Sugar 14 in. diam.
 40.00 Set of. Sec. post, from which
 a Beech 24 in. diam. - bear N 68 1/2 E 3 lbs. dist. of
 a Do. 14 " " " N 25 1/2 W 20 " "
 55.10 a Branch 18 lbs. wide Course N.W.
 62.08 a Sycamore 48 in. diam.
 80.00 Set post Cor. to Sect. 20, 21, 28 & 29, from which
 a Sugar 12 in. diam. - bear N 63 W 28 lbs. dist. of

N 6 N 1 2 W 2^d. Mer. Indiana

Ch. 1/2
a Puckeye 12 in. diam. bay S 65 E 27 1/2 hrs. dist
Land rolling 2^d. rate, timber Beech, Sugar, Ash
W. Oak & Poplar, under^g. Spruce.

East On Rand^m between Sec. 21 & 28
29.50 a Stream 50 hrs. wide Course N.W.
40.00 dit temp^y. of Sec. post
79.75 Intersected the N of S. line at the post
Land rolling 2^d. rate, timber Beech, Sugar,
Ash, Red W. Oak, Hickory & Elm, und^g. Spruce

West Connected between Sec. 21 & 28
39.87 1/2 dit of Sec. post at average dist. from which
a Puckeye 12 in. diam. bay S 5 E 33 hrs. dist. of
an Elm 10 " " " N 1/2 W 7 " "
79.75 to Sec. Corner.

North Between Sec. 20 & 21
26.66 a Hickory 12 in. diam.
40.00 dit of Sec. post, from which
an Ironwood 5 in. diam. bay N 60 E 7 hrs. dist. of
a Beech 7 " " " S 58 W 7 " "
52.00 a Branch 12 hrs. wide Course East
62.75 a Sugar 12 in. diam.
80.00 dit post Cor. to Sec. 16, 17, 20 & 21, from which
a W. Oak 24 in. diam. bay N 4 E 25 hrs. dist. of
a do. 12 " " " N 77 E 12 " "
Land rolling 2^d. rate, timber Beech, Sugar, Ash,
N. Red Oak &c. under^g. Spruce

East On Rand^m between Sec. 16 & 21
23.00 a Branch 20 hrs. wide Course N.E.
34.00 a Stream 50 hrs. " " N.W.
40.00 dit temp^y. of Sec. post

N 6 N 1 2 W 2^d. Mer. Indiana

Ch. 1/2
65.75 a Branch 10 hrs. wide Course S.W.
79.75 Intersected the N of S. line at the post
Land rolling 2^d. rate, timber Beech, Sugar, Ash,
Hickory, W. Oak, N. Walnut & Sycamore, und^g. Spruce

West Connected between Sec. 16 & 21
39.87 1/2 dit of Sec. post at average dist. from which
a Hickory 9 in. diam. bay S 61 E 13 hrs. dist. of
a Beech 7 " " " S 86 W 6 " "
79.75 to Sec. Corner

North Between Sec. 16 & 17
24.10 a Poplar 36 in. diam.
40.00 dit of Sec. post, from which
a Sugar 5 in. diam. bay N 14 W 5 hrs. dist. of
a Hickory 14 " " " N 47 E 17 " "
41.10 a Stream 60 hrs. wide Course N.W.
78.44 a Red Walnut 30 in. diam.
80.00 dit post Cor. to Sec. 8, 9, 16 & 17, from which
a Beech 16 in. diam. bay N 83 E 17 hrs. dist. of
a Hickory 18 " " " N 79 W 25 " "
Land rolling 2^d. rate, timber Beech, Sugar, Ash,
Poplar, Red Walnut, Elm & Hickory, und^g. Spruce

East On Rand^m between Sec. 9 & 16
40.00 dit temp^y. of Sec. post
79.75 Intersected the N of S. line 12 hrs. of post
Land rolling 2^d. rate, timber Beech, Sugar, Ash, Elm,
Hickory, Poplar, Red W. Walnut, und^g. Spruce

West Connected between Sec. 9 & 16
39.87 1/2 dit of Sec. post at average dist. from which
a Puckeye 14 in. diam. bay S 78 E 31 hrs. dist. of
a Beech 16 " " " N 3 E 29 " "

M. N. R. W. D. Mer. Indiana

ch. lks.	79.75 to Section Corner.
North	Between Sec. 8 & 9
17.65	a Branch 12 lks. wide Course S.W.
19.20	a W. Oak 30 in. diam.
40.00	Set of Sec. post, from which a Sugar 12 in. diam. bearing N 3 1/2 E 43 lks. dist. of a Do. 14 " " " N 46 1/4 W 14 " "
50.22	a Stream 75 lks. wide Course S.W.
71.33	a Pure Oak 30 in. diam.
80.00	Set post Cor. to Sec. 4, 5, 8 & 9, from which a Beech 14 in. diam. bearing N 21 1/2 E 31 lks. dist. of an Iron 12 " " " N 70 W 35 " " Land rolling 2 ^d rate, timber Beech, Sugar, Ash, Elm, Poplar, Sycamore W. Oak, undery ^g . Spruce
East	On Land ^m between Sec. 4 & 9
16.50	a Stream 75 lks. wide Course S.W.
40.00	Set temp ^y . of Sec. post
79.75	Intersected the N of S. line 12 lks. N. of post Land rolling 2 ^d rate, timber Beech, Sugar, Ash, Hickory, W. Oak & W. Walnut, undery ^g . Spruce
West	Connected between Sec. 4 & 9
39.87 1/2	Set of Sec. post at average dist. from which a Beech 16 in. diam. bearing S 36 1/2 E 37 lks. dist. of a W. Oak 15 " " " N 5 W 36 " "
79.75	to Sec. Corner.
North	Between Sec. 4 & 5
23.50	a W. Oak 30 in. diam.
40.00	Set of Sec. post, from which a W. Oak 40 in. diam. bearing S 60 E 4 lks. dist. of a Br. Oak 14 " " " N 3 W 35 " "

M. N. R. W. D. Mer. Indiana

ch. lks.	89.25 Intersected the N. boundary set post at the intersection Cor. to Sec. 4 & 5, from which a Beech 18 in. diam. bearing N 51 W 20 lks. dist. of a Do. 18 " " " N 84 E 14 " " Land rolling 2 ^d rate, timber Beech, Sugar, Ash, Poplar, Hickory, W. Oak & Elm
North	Between Sec. 31 & 32
28.90	a Hickory 16 in. diam.
40.00	Set of Sec. post, from which a W. Elm 13 in. diam. bearing N 12 E 18 lks. dist. of a Br. Oak 8 " " " East 6 " "
63.60	a Beech 8 " " " "
80.00	Set post Cor. to Sec. 29, 30, 31 & 32, from which a Beech 15 in. diam. bearing N 3 E 20 lks. dist. of a Do. 9 " " " S 24 E 10 " " Land rolling 2 ^d rate, timber Beech, Sugar, Ash, Hickory, Br. Oak & Elm, undery ^g . Spruce
East	On Land ^m between Sec. 29 & 32
40.00	Set temp ^y . of Sec. post
80.18	Intersected the N of S. line at the post Land rolling 2 ^d rate, timber Beech, Sugar, Ash, Hickory, Br. Oak, Elm &c. undery ^g . Spruce
West	Connected between Sec. 29 & 32
40.09	Set of Sec. post at average dist. from which a Beech 6 in. diam. bearing N 17 1/2 E 9 lks. dist. of a Sugar 20 " " " S 22 W 25 " "
80.18	to Sec. Corner.
West	Between Sec. 30 & 31
29.25	a Sugar 14 in. diam.
40.00	Set of Sec. post, from which

McN R.D. Mer. Indiana

ch. lbs.
 a Beech 10 in. diam. bear N 85 E 5 lbs. dist. of
 a Hickory 9 " " " S 38 W 30 " "
 66.00 a Sugar 18 " " " "
 68.50 intersected the N of S. line 37 lbs. N. of post
 set post cor. to Sec. 30 of 31, from which
 a Beech 10 in. diam. bear N 61 W 20 lbs. dist. of
 a Hickory 14 " " " " N 46 E 16 " "
 Land rolling 2^d. rate, timber Beech, Sugar, Ash,
 Poplar & Hickory, underg^o. Spice

North Between Sec. 29 of 30
 31.16 a Beech 10 in. diam.
 40.00 set of. Sec. post, from which
 a Hickory 27 in. diam. bear N 41 E 29 lbs. dist. of
 a Beech 12 " " " " N 4 E 16 " "
 56.83 a W. Ash 18 " " " "
 80.00 set post cor. to Sec. 19, 20, 29 & 30, from which
 a W. Elm 18 in. diam. bear N 85 W 22 lbs. dist. of
 a Beech 9 " " " " N 85 E 15 " "
 Land rolling 2^d. rate, timber Beech, W. Ash,
 W. C. Oak, Elm &c. underg^o. Spice

East On Rand^m. between Sec. 20 & 29
 40.00 set temp. of. Sec. post
 80.20 intersected the N of S. line at the post
 Land rolling 2^d. rate, timber Beech, Sugar, W.
 ash, W. C. Oak & Elm, underg^o. Spice

West Corrected between Sec. 20 & 29
 40.10 set of. Sec. post at average dist. from which
 a Hickory 22 in. diam. bear S 31 W 8 lbs. dist. of
 a Beech 6 " " " " N 31 E 8 " "
 80.20 to Section Corner.

McN R.D. Mer. Indiana

ch. lbs.
 West Between Sec. 19 of 30
 11.50 a Beech 10 in. diam.
 40.00 set of. Sec. post, from which
 a Beech 17 in. diam. bear S 76 E 9 lbs. dist. of
 a do. 12 " " " " S 34 W 28 " "
 57.30 a Poplar 30 " " " "
 68.40 intersected N. boundary at the post
 Land rolling 2^d. rate, timber Beech, Sugar, Ash,
 Poplar & Hickory, underg^o. Spice

North Between Sec. 19 of 20
 30.20 a Beech 10 in. diam.
 40.00 set of. Sec. post, from which
 a Beech 15 in. diam. bear N 75 E 34 lbs. dist. of
 a do. 14 " " " " N 89 W 22 " "
 61.36 a Beech 12 " " " "
 80.00 set post cor. to Sec. 17, 18, 19 & 20, from which
 a Beech 13 in. diam. bear S 40 E 31 lbs. dist. of
 a do. 10 " " " " N 40 W 8 " "
 Land flat soil 2^d. rate, timber Beech, Sugar, Ash
 Hickory, Poplar, W. Red Oak, underg^o. Spice

East On Rand^m. between Sec. 17 & 20
 40.00 set temp. of. Sec. post
 80.18 intersected the N of S. line at the post
 Land level 2^d. rate, timber Beech, Sugar, Ash
 Poplar, Hickory, Elm, W. Oak &c. underg^o. Spice

West Corrected between Sec. 17 of 20
 40.09 set of. Sec. post at average dist. from which
 a W. Walnut 14 in. diam. bear S 47 E 14 lbs. dist. of
 a Sugar 9 " " " " N 66 E 13 " "
 80.18 to Sec. Corner.

West R2W. 2^d Mer. Indiana

West Between Secs. 18 & 19
 19.40 a Beech 16 in. diam.
 23.06 a Branch 25 lbs. wide Course N.
 40.00 Set of Sec. post, from which
 a Beech 14 in. diam. bears N 78 E 18 lbs. dist. of
 a Do. 16 " " " S 5 E 17 " "
 57.55 a Beech 10 " " " "
 68.40 Intersected the W. boundary at the Post
 Land rolling 2^d rate, timber Beech, Sugar,
 Ash, Poplar, Hickory & underg. ^{to} Spruce

North Between Secs. 17 & 18
 17.35 a Beech 15 in. diam.
 40.00 Set of Sec. post, from which
 a Beech 9 in. diam. bears S 64 E 8 lbs. dist. of
 a Do. 9 " " " " N 64 W 20 " "
 56.63 a Do. 10 " " " "
 80.00 ~~Set post~~ Cor. to Secs. 7, 8, 17 & 18 in the middle
 of a stream 75 lbs. wide witness a
 Sycamore 30 in. diam. bears S W 40 lbs. dist. (about)
 a Do. " " " " N E 60 " " (do)
 on the opposite side of the stream
 Land rolling 2^d rate, timber Beech, Sugar, Ash,
 W. C. Oak, Hickory, underg. ^{to} Spruce

East On Land ^{7^m} between Secs. 8 & 17
 37.60 a Stream 5 lbs. wide Course S. W.
 40.00 Set temp. of Sec. post
 80.16 Intersected the N of S. line at the post.
 Land rolling 2^d rate, timber Beech, Sugar, Ash,
 W. C. Oak, Hickory, Elm & underg. ^{to} Spruce & hickory.

West Connected between Secs. 8 & 17
 40.08 Set of Sec. post, at average dist. of from which

West R2W. 2^d Mer. Indiana

West Between Secs. 7 & 18
 31.75 an Elm 30 in. diam.
 37.25 a Stream 75 lbs. wide Course S. W.
 40.00 Set of Sec. post, from which
 a Beech 10 in. diam. bears N 79 W 32 lbs. dist. of
 a Pop. Elder 4 " " " " S 46 E 19 " "
 44.00 a Stream 75 lbs. wide Course S. W.
 56.40 a P. Walnut 30 in. diam.
 57.00 a Stream 100 lbs. wide Course S. W.
 68.40 Intersected the W. boundary at the post
 Land rolling 2^d rate, timber Beech, Sugar,
 Ash, Poplar, Hickory & W. Oak, underg. ^{to} Spruce

North Between Secs. 7 & 8
 29.20 a Hickory 15 in. diam.
 40.00 Set of Sec. post, from which
 a Hickory 16 in. diam. bears N 88 E 30 lbs. dist. of
 a Do. 20 " " " " S 88 W 4 " "
 75.00 a Stream 50 lbs. wide Course S. W.
 80.00 Set post Cor. to Secs. 5, 6, 7 & 8, from which
 a W. Elm 10 in. diam. bears N 57 W 17 lbs. dist. of
 a Hackberry 10 " " " " S 56 E 9 " "
 Land rolling 2^d rate, timber Sugar, Beech, W. C.
 Oak, Hickory, Ash, Elm & underg. ^{to} Spruce & hickory.

East On Land ^{7^m} between Secs. 5 & 8
 40.00 Set temp. of Sec. post
 80.12 Intersected the N of S. line at the post
 Land timber &c. same as on the last mile

No. 10 N. 2^d Mer. Indiana

Ch. Ch.

West Corrected between Sec. 5 & 8

40.06 Set of Sec. post, at average dist. from which
 a Hickory 22 in. diam. bears N 86 E 38 lbs. dist. 5
 an Ironwood 5 " " " N 26 W 27 " "

80.12 to Sec. Corner.

West Between Sec. 6 & 7

0.25 a branch 25 lbs. wide Course S. W.

19.75 at Beech 6 in. diam.

40.00 Set of Sec. post, from which

a Beech 30 in. diam. bears N 76 W 5 lbs. dist. 5
 a Hickory 9 " " " N 70 E 30 " "

68.40 Intersected N. boundary at the post
 Land rolling 2^d rate, timber Beech, Sugar, Elm
 Poplar, Hickory & Sycamore, undug^d Spruce.

North Between Sec. 5 & 6

23.10 a Hackberry 15 in. diam.

40.00 Set of Sec. post, from which

a Hickory 10 in. diam. bears N 32 W 14 lbs. dist. 5
 a Sugar 30 " " " N 88 E 20 " "

Land rolling 2^d rate

56.37 a Stream 50 lbs. wide Course S. W.

74.40 at Beech 9 in. diam.

89.28 Intersected the N. boundary, set post at
 said intersection Cor. to Sec. 5 & 6, from which
 a Buckeye 9 in. diam. bears N 33 E 13 lbs. dist. 5
 a Beech 18 " " " N 47 W 31 " "

Land rolling 2^d rate, timber Beech, W. Oak
 Elm, B. Walnut, Sycamore & Sugar, undug^d Spruce

Surveyed in 1819 by

Allen Knight,

Deputy Surveyor