

A3 11x17 L R A3 11x17


← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

← A4 →

← LETTER →



COX ET AL DRAIN  
ROBINSON ET AL

Book 4



Survey of Alfred

Beginning at a point  
S 2 1/2 N 37 1/2 feet from  
the West <sup>Survey</sup> half mile stake

7 Set 30.16	2 E and	
thence South	to	12 25
" S 43 1/2 E	to	16.75
" S 71 E	to	17.75
" S 50 E	to	18.65
" S 61 E	to	21.43
" S 51 1/2 E	to	25.69
" S 47 1/2 E	to	30.125
" S 85 1/2 E	to	33.0
" N 55 1/2 E	to	36.25
" S 57 1/2 E	to	42.85
" S 68 E	"	45.30
" S 63 E	"	46.50
" S 76 E	"	48.60

Cox et al drain

Aug 9-1904.

12.25	
4.5	Follow old ditch from 16 3/4 to
1.00	(36.26)
.90	Follow old ditch from
2.78	43 to 50
4.26	
4.56	
2.75	
3.25	
6.60	
2.45	
1.20	
2.10	48.60



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 L R A4 LETTER

← LETTER →

6		7	
	48 60	48.60	
th S 60 1/2° E to	50 00	1.40	Followed ditch
" S 51° E to	57 75	7.75	from 52 to 62
" S 36° E to	60 00	2.25	
" S 26° E to	62 00	2.00	63, 5-5 is line between
" S 33° E to	66 30	4.30	was traced + Mr. Frazer
" S 1 1/2° E to	68 82	2.52	
" S <del>0 1/2</del> W to	72 67	3.85	
" S 25 1/2° E to	74 77	2.10	
" S 46° E to	79	4.23	is S. for the
		79 00	at point N 69 1/2° E 34
			from NW cor Sec 5
			45-2 E
	74.77		
	4.23		
	79 00		



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

← LETTER →

8

Road N from starting point - readings in low places

- 1 (about 1/2 mile) 6 30 (E side of road)
- 2 6 80 (in corn field)
- 3 5 55 (W side road)
- 4 6 80 (0 sta of ditch)
- 5 5 10 (rock in road's N)

- 5' 7 45 { in road }
- 6 4 85 { going N. }
- 7 4 12

- 8 3 80 in front of Ford's house
- 9 4 05
- 10 4 55

- 11 6 75 SE of instrument set 15' rdo S of Ford's
- 6 60 E " " " " " " "
- 7 20 NE " " " " " " "

7 45  
 5 10  
 2 35  
 3 80  
 6 15

6 80  
 6 15  
 .65

9



A3 11x17 LR A3 11x17

← A3 →

← 11x17 →

A4 LETTER LR A4 LETTER

← LETTER →

10

Road W from starting point

- 0 665 (0 sta of ditch)
- 1 440 (20rd W)
- 2 315
- 3 320
- 4 190 (40rd W)
- 5 185
- 6 195

11



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

← LETTER →

12

13

Road E from starting-point.

0	583	(0 sta. in road)
1	535	(in woods N of road)
2	510	
3	670	
4	515	
5	465	

583
535
510
670
515
465



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 L R A4

← LETTER →

14

0	5.35			3.50	Pyds. 5-95	
1	5.50	-15	-20	+05	3.55	19.4 6 15
	<u>4.25</u>					Bench mark on elm tree at S.E. cor of road
2	5.55	-05	-20	+15	3.70	20.6 20
3	4.98	+57	-20	+77	4.47	22.6 5 88
4	5.25	-27	-20	-07	4.40	24.6 6 25
5	5.90	-65	-20	-45	3.95	23.6 5 5
6	6.12	-22	-20	-02	<u>3.93</u>	22.6 7 5
				<u>0.2</u>		
6	4.70					
7	4.72	-02	-20	+18	4.11	22.3 5 12
8	4.54	+18	-20	+38	4.49	24.5 4 5
9	5.15	-61	-20	-41	4.08	24.5 7 5
10	4.85	+30	-20	+50	4.58	24.6 20
11	5.70	-85	-40	-45	4.13	24.6 4 3
12	6.55	-85	-40	-45	3.68	21.7 6 7 5
	5.55					Bench-mark on W side oak tree of 12. 1.85

5280  
 11.5600  
 23.12  
 125 1.45

550  
 427  
 123  
 331  
 480  
 333  
 126  
 743  
 350  
 373

-77  
 126  
 743  
 350  
 373

1.85  
 1.80  
 1.85



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

← A4 →

← LETTER →

16						17					
12	5.05				3.68	<del>28</del>	21-27				
13	5.35	-30	-40	+10	3.78	28					
14	6.00	-65	-40	-25	3.53	28					
15	6.10	-10	-40	+30	3.83	28					
16	6.53	-43	-40	-03	3.80	28					
17	6.78	-25	-40	+15	3.95	25.9	0.2				
18	6.50	+28	-40	+68	4.63	25.5					
					<i>OK</i>						
18	3.19					6.15					
19	4.45	-126	-40	-86	3.77	25.6	6.8				
20	3.64	+81	-50	+1.31	5.05	25.7	3.0				
					<i>OK</i>						
20	2.63										
21	3.43	-80	-50	-30	4.78	25.7	0.7				
	3.34										
22	5.10	-1.67	-50	-1.17	3.61	25.7	2.4				
23	5.05	+05	-50	+55	4.16	25.7	6.0				
					<i>OK</i>						
23	3.20										

-1.45  
2.40  
+9.5

-1.45

2.82  
1.50  
-9.2

4.22



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

← A4 →

← LETTER →

23	3.20				4.16				19
24	4.23	-1.03	- .50	- .53	3.63	25.6	27		
25	4.83	- .60	- .65	+ .05	3.68	25.6	72		
26	5.57	- .68	- .65	- .03	3.65	25.			
					<u>OK</u>				
26	3.92	72				600			
27	3.94	- .02	- .65	+ .63	4.28	25.6	61		
28	5.31	-1.37	- .65	- .72	3.56	25.7	30		
29	5.45	- .14	- .65	+ .51	4.07	25.8	20		
30	5.60	- .15	- .65	+ .50	4.57	25.8	41		
31	6.30	- .70	- .65	- .05	4.52	25.9	25		
32	6.70	- .40	- .65	+ .25	4.77	25.9	55		
					<u>OK</u>				
32	4.65	65							
33	4.94	- .29	- .65	+ .36	5.13	25.7	94		
34	5.65	- .71	- .65	- .06	5.07	25.8	40		
35	6.82	-1.17	- .65	- .52	4.55	25.8	82		
36	7.70	- .88	- .65	- .23	4.32	32.39	60		
37	8.85	-1.15	- .65	- .50	3.82	35.			
					<u>OK</u>				

- 2.31  
1.50  
- 5.1

2.78  
3.90  
1.12

528 0.7  
294 600

B.L. L.H.  
24, 30

3.10  
4.20  
1.10



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 L R A4

← A4 →

← LETTER →

20				2.92 90		21			
37	4.30	30		3.82					
	3.40		b-m on E side				of mulberry tree at fence		
38	4.84	-54	-65 +11	3.93	33.5	5.87			
39	5.35	-51	-65 +14	4.07	37.	6.40			
40	5.44	-09	-65 +56	4.63	40.	6.12			
41	6.77	-1.33	-65 -68	3.95	40.7	5.2			
42	7.05	-28	-65 +37	4.32	39.8	6.5'			
			Cal.						-2.75
42	4.80	80							3.25 5.0
43	5.76	-36	-65 +29	4.61	32.7	3.0			
44	5.62	-46	-65 +19	4.80	32.7	9.5'			
45	6.53	-91	-65 -26	4.54	32.8	1.5'			
46	7.44	-91	-65 -26	4.28	32.8	9.4			
47	7.75	-31	-65 +34	4.62	32.9	6.0			
48	8.45	-70	-65 -05	4.57	32				3.65 3.90 2.0
			65						
48	3.80	30	b-m on N side				of 5.35' walnut		
	2.30	3.20	b-m on N side				of black walnut		
49	4.06	-26	-65 +39	5.96	32.5	8.7			



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

← LETTER →

49	4.06			5.96	
50	5.37	-1.31	-55	-76	5.20
51	6.00	-63	-55	-08	5.42
52	6.34	-34	-55	+21	5.33
53	6.62	-28	-55	+27	5.60
					OK
53	4.30	30			
54	4.95	-65	-55	-10	5.50
55	5.18	-23	-55	+32	5.82
56	5.64	-46	-55	+09	5.91
57	6.43	-79	-55	-24	5.67
58	6.76	-33	-55	+22	5.89
59	7.80	-1.04	-55	-49	5.40
					OK
59	3.61	61			3.80
	2.00	00			
			b.m. on E		
			side of elm tree.		
60	4.45	-84	-55	-29	5.11
61	4.98	-53	-55	+02	5.13
62	5.25	-27	-55	+28	5.41
63					OK

23

2.56  
2.20  
-36

5260  
26400  
216500  
3163200  
341

330  
330  
-20

-1.64  
1.65  
+1



A3 11x17 L R A3 11x17

← 11x17 →

A4 L R A4 LETTER

← LETTER →

541  
 -1.43 4.00  
 -5.93 4.11  
 +47 4.58  
 -1.69 2.99  
 +49 3.58  
 -21 3.47  
 +1.40 4.97  
 -233 2.74  
 -33 2.51  
 +1.10 3.71  
 -5.5 3.26  
 0 3.36  
 -52 2.94  
 -39 2.65

addof  
 45 6 25  
 60 6 42  
 60 7 40  
 60 8 10  
 70  
 70 5 63  
 70 7 10  
 50 7 44  
 50 8 10  
 40 5 50  
 40 6 27  
 40 6 87  
 40 7 55  
 40 8 00

180  
 210  
 100  
 200  
 110  
 900  
 110  
 7200  
 900  
 16200 11.16  
 1800  
 4.54  
 1.60  
 3.3%

5250  
 400  
 2640  
 21040  
 21040  
 9.16  
 8.94  
 11.94  
 7.48  
 7.02  
 2.23  
 1.25  
 98

28050  
 400  
 27650  
 1564  
 184  
 9.42  
 8.52  
 8.72  
 7.88  
 530  
 36  
 1.61



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

← LETTER →

76 415 235  
 77 432-17-35 + 08 283  
 78 488-56-35 - 31 2.62  
 79 475+13-30 + 38 3.10  
 431 beam on N  
 44 310  
 47  
 2.66

680 in road near  
 505 " ditch at W  
 434  
 550  
 632  
 735

384 445  
 435 445 in field h  
 of se. h.  
 452 road

40662 7.66  
 40710 7.24  
 30815 N. end bridge 68.20  
 side black-walnut

luis in ditch 620  
 side of road 552 same point  
 473  
 572  
 750

437 in E part of school-house  
 451 in S part of " "



Names of those help-  
ing Aug 11<sup>th</sup>

Harvey Lewis  
Ed Foudray  
Patsy Lamahan

Smith & Mills 5 days each  
15 days

Ed Foudray & had 1 day each  
Elias Lewis - 1 day -  
Foudry - Stokes -

NA Smith	15 00
Mills	15 00
Franklin	32 00
Ed Foudry 3 days & Stokes 1 day	5 50
Elias Lewis	15 00
Harvey	15 00
Patsy Lamahan	15 00
	<u>72 00</u>



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

Nov. 2 - 04 -

Alfred Cox Drain

63	4.50				4.00
63 <sup>25</sup>	4.70	- 20	- 20	- 05	4.00
64	5.45	- 75	- 20	- 50	4.00
65	5.08	+ 37	- 30	+ 72	4.72
66	7.15	- 2.07	30	- 1.72	3.00
67	6.80	+ 35	35	+ 70	3.70
68	7.35	- 50	50	- 20	3.50
69	6.20	+ 1.15	- 50	+ 1.50	5.00
					<u>0.50</u>
69	2.90				
70	5.45	- 2.55	- 35	- 2.20	2.80
71	5.92	- 40	- 30	- 12	2.68
72	5.25	+ 50	- 30	+ 1.02	3.70
73	6.15	40	- 35	- 55	3.15
74	6.35	- 20	- 35	+ 15	3.30
75	7.10	- 75	- 35	- 40	2.90
					<u>0.50</u>

Alfred Cox Drain  
 level  
 to  
 drainage  
 level  
 R. D.

140  
73  
213

20

31

4.25	8.50	4.25
3.90	8.65	4.75
6.00	9.00	3.00
Out	9.45	
6.10	9.75	3.65
4.95	10.10	
7.50	10.50	2.80
7.90	10.90	2.80

2.20  
- 1.70  
7.50  
5.0

2.10  
4.20  
2.10



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 L R A4

32

Sta	Jan				2.90
75	3.75				
76	4.45	-70	-35	-35	2.55
77	4.50	-05	-35	+30	2.85
78	4.95	-45	-35	-10	2.75
79	4.35	+60	-35	+95	3.70
B.M.	4.55				OK.

6. An L 12

5	0
4	5
5	0

33

on SW corner cement abutment

- 60
140
+ 80



A3 11 x 17 L R A3 11 x 17

← A3 →

← 11 x 17 →

A4 LETTER L R A4 LETTER

34 bottom bottom ditch

St	Jan 24	71.24
63+15	5.25	
63	5.89	
62	4.86	
61	4.84	6.17
60	3.05	
<del>59</del>	<del>4.45</del>	<del>8.24</del>
59	5.86	6.25
58	5.81	
57	4.52	
56	3.55	6.19
55	3.10	
54	2.88	4.75
53	2.33	
J.P.	5.91	
52	5.35	
51	5.17	
50	4.52	6.01
49	3.38	
48	2.98	



LR

A3

11 x 17



LR

A4

33



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 L R A4

← LETTER →

33	4.59	<i>bottom</i> 7.86
32	4.41	
31	3.84	9.15
30	3.27	
29	3.17	6.05
28	3.02	
27	1.60	
26	1.45	3.78
25	5.23	
24	4.67	
23	3.97	
22	2.96	
21	1.25	
20	4.29	
19	2.95	7.30
18	4.19	
17	2.83	5.84
16	3.15	



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

← LETTER →

st 40ag

16. 2.96

15. 2.66

14. 2.60

OP 6.73

13 6.25

12 5.91

11 5.17

10 4.27

9 4.63

8 4.17

7 4.19

OP 6.25

6 6.22

5 5.96

4 5.34

3 5.15

2 5.70

1 5.60

0 5.57

41



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

← LETTER →

42

0	557				3.50
1	560	-03	-20	+17	3.67
2	570	-10	-20	+10	3.77
3	515	+55	-20	+75	4.52
4	534	-19	-20	+01	4.53
5	598	-64	-20	-44	4.09
6	6.22	-24	-20	-04	4.05
7	6.25	-03	-20	+17	4.22
6	<del>6.25</del>				<del>4.05</del>
7	4.19	+2.06		-20	
8	4.17	+02	-20	+22	4.44
9	4.63	-46	-20	-26	4.18
10	4.27	+36	-20	+56	4.74
11	5.17	-90	-40	-50	4.24
12	591	-74	-40	-34	3.90
13	6.25	-34	-40	+06	3.96
14	6.73	-48	-40	-08	3.88
	4.19				4.22
	2.54				3.17
	2.20				3.89
	-34				

0	557	520	870	320
1	560			
2	5			
3				
4				
5				
6				
				254
				320

02  
45  
08

4120  
-63  
+55  
1168  
+72



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

← LETTER →

14	2.60				3.88
15	2.60	-06	-20	+114	4.02
16	2.96	-30	-20	-10	3.92
17	3.15	-19	-20	+01	3.93
18	2.83	+32	-20	+52	4.45
19	4.17	-1.34	-50	-84	3.61
20	2.95	+1.22	-20	+1.42	5.03
21	4.29	+3.4	-20	-1.14	3.89

21	1.25				
22	2.90	-1.65	-1.25	-40	3.49
23	2.96	-.06	-50	+44	3.93
24	3.97	-1.01	-65	-36	3.57
25	4.67	-.70	-75	+05	3.62
26	5.23	-56	-70	+14	3.76
	1.25		3.85		OK

3.98  
3.85  
-1.8

101  
63  
36

57398  
79

429  
500  
169  
45  
+01

1670

5



L R

A3  
11 x 17

← 11 x 17 →

L R

A4  
LETTER

← LETTER →

47

76  
31  
59  
74  
64  
67  
70  
67  
81  
29  
19  
78  
96



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

← LETTER →

48

38	3.03				3.56
39	3.58	-55	-65	+10	4.06
40	3.60	-02	-65	+63	4.69
41	4.95	-1.33	-65	-70	3.99
42	5.21	-.26	-65	+319	4.38
43	5.65 3.83 2.62 2.25 4.69	-.44	-65	-21	4.59 OK
43	2.61				
44	3.07	-46	-65	+19	4.78
45	4.27	-1.26	-65	-55	4.23
46	4.86	-.59	-65	+06	4.24
47	5.24	-.38	-65	+27	4.56
48	5.81 2.61 3.20 2.25 2.05	-.57	-65	+08	4.64 OK

49

$16\frac{1}{2}$        $25^-$   
 $4\frac{1}{4}$        $16$   


---

 $150$   
 $25^-$   
 $12\frac{1}{2}$   


---

 $412\frac{1}{2}$



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

← LETTER →

48	2.98				4.64
49	3.38	-40	-65	+25	4.59
50	4.52	-1.14	-65	-49	4.40
51	5.17	-65	-65		4.40
52	5.35	-1.8	-65	+47	4.87
53	5.91	-5.6	-65	+0.9	4.96
	$\frac{2.98}{2.98}$		$\frac{3.25}{3.25}$		$\frac{0.1}{0.1}$
53	2.33				
54	2.88	-55	-65	+10	5.06
			-55	-0.6	4.96
			-65	+4.3	5.49
55	3.10	-22	-55	+33	5.29
			-65	+2.0	5.69
56	3.55	-45	-55	+10	5.39
			-65	-3.2	5.37
57	4.52	-97	-55	-4.2	4.97
			-65	-6.4	4.73
58	5.81	-1.29	-55	-7.4	4.23
			-65	+6.0	5.33
59	5.86	-1.05	-55	+5.0	4.73
			-65		5.29
60	6.45	-59	-55	-0.4	4.64
	$\frac{2.98}{4.12}$		$\frac{3.55}{3.55}$		$\frac{0.1}{0.1}$
	$\frac{3.55}{4.27}$				

4.73	$\frac{1.2}{1.2}$
$\frac{1.5}{5.23}$	$\frac{1.66}{8.76}$
	$\frac{4}{12}$

51



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 L R A4

← LETTER →

32

60	3.05				529
61	4.04	-1.99	+55	-44	4.64
62	4.06	0.02	-60	-39	4.85
63	5.84	-1.83	-90	+48	4.36
			-60	+53	5.33
			-90	-1.33	4.88
			-60	+23	4.00
					5.68
					6.11

Profile sent April 17  
to Harvey Lomis  
Dunnville  
R.D. #1.

63.25	5	+64	-20	+84	4.84
					5.34

4  
1.58  
5.58  
25  
—

1270 538  
600  
100  
3 7  
1 7  
1812 18  
481  
103

for tile  
for open ditch



A3

L R

A3

11x17

11x17



A4

L R

A4

LETTER

LETTER



e from  
2.55

iron pin  
5.13

1.54

3.59 ft.

.20

3.79 ft.

1.2

78

9

68



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 L R A4

← LETTER →

Robinson et al

0	4.50				2.50
1	4.40	+10	-50	+60	3.10
2	5.10	-70	-50	-20	2.90
3	6.25	-15	-50	+35	3.25
4	5.10	+15	-50	+65	3.90
5	5.40	-30	-50	+20	4.10
6	6.25	-85	-50	-35	3.75
7	6.75	-50	-50	00	3.75
8	7.60	-85	-50	-35	3.40
9	8.50	-90	-50	-40	3.00
00	3.60				OK
10	3.90	-30	-50	+20	3.20
11	4.20	-30	-50	+20	3.40
12	4.20	00	-50	+50	3.90
13	4.43	-33	-50	+27	4.17
14	4.90	-47	-50	+63	4.20
15	5.75	-85	-50	-35	3.85
16	6.80	-1.05	-50	-55	3.30

35

360

35

4.00

42.00  
50  
12.00  
59

7.50

3.20

3.60

40

3.90



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

← LETTER →

60

	680				330
17	7.50	-70	-50	-20	3.10
17	4.20				OK
18	4.80	-60	-20	-40	2.70
19	4.60	+20	-20	+40	3.10
20	3.95	+65	-20	+85	3.95
21	4.66	-71	-20	-51	3.44
22	5.60	-94	-20	-74	2.90
23	5.75	-15	-20	+05	2.75
24	4.95	+85	-20	+105	3.80
BQ	8.00				OK

400  
3.90  
70  
9.60  
5.71  
9.2

800  
420  
3.80

61

40	300				
220	500				
	3.10				250
	490				40
800	440				
310	310				
	180				
	120				
	120				
70	800				
	400				
	450				
	310				500
210	140				
70	140				
140	70				
70	310				
70	250				
	310				
	47				8.4
	310				
	310				
	.70				
17	5.00				
8.5	2.0				
1.4					10
9.9					



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 L R A4

← LETTER →

Sta	Cut	Arnold Drain	10	10	Geo Norrell	65		
		Slate Bill			Route 1, Pittsboro Ind			
70	6.40							
71	6.70	-10						
72	6.83	"						
73	6.56	"						
74	6.70	"						
75	5.50	"	6.05		5.50	5.50		
76	7.30	"	4.50	9.10	+11.55	-10	+1.65	7.15
77	6.35	"	5.20	4.90	-.70	10	-60	6.55
78	5.90	"	5.35		-.15	10	-05	6.50
79	6.45	"	4.50		+85	10	+95	7.45
80	6.60	"	4.05	9.10	+45	10	+55	8.00
81	5.80	TP	5.33	4.00	-1.28	10	-1.18	6.82
82	5.54	20	4.50		-.50	10	-40	6.42
83	7.00	"	3.35		+1.15	10	+1.25	7.67
84	5.74	"	4.94	8.45	-1.60	10	-1.50	6.17
85	5.43	"	4.88		+0.7	10	+1.7	6.34
86	6.50	"	4.00	8.85	+88	10	+1.95	7.32
87	5.40	TP	5.45	4.50	-1.45		-1.35	5.97
88	5.74	"	4.64	8.70	+1.5		+2.5	6.22



A3 11x17 L R A3 11x17

← A3 →

← 11x17 →

A4 LETTER L R A4 LETTER

← LETTER →

66

89	6.00	fall	4.65	Slate	BLE	+05	10	+15	6.22
		-20	4.60						6.37
90	6.05	'1	4.40	892		+20	10	+30	6.67
91	6.80	'1	4.60			-20	10	-10	6.57
92	6.80	'1	4.55	9.58		+05	10	+15	6.72
93	6.50	'1	4.12			-55	20	-35	6.37
94	6.45	'1	4.65	9.87		-53	20	-33	6.04
95	6.23	'1	5.01			-36	20	-10	5.88
96	6.10	'1	5.25	10.60		-24	20	-04	5.84
	5.55			5.25					
	.75			5.35					

67



68

Franklin Sp Luce

Total No cu yd	10882
total cost at 20c	\$ 2176.40
Expenses	375.00
Total ex	\$ 2551.40

69



Danville SE 4-15-1W

112

Lots 100 ft deep and  
front 60 ft. 108

1		By
2		28 1/2 W 8
3	10	8 1/10 ch to 7
4	10	S E cor of W 1/2
5		S E 1/4 Sec 4
6		N 1/2 5 1/2 ch
7	10	1000 ch thru E 28 1/2 feet
8		8 1/100 ch S 86 W
9	921 1/1000	ch S 13 96/100 ch
10	13 42/100	ch to beg

16.5	360
24	24
<u>660</u>	<u>380</u>
330	
<u>390.0</u>	

113



116

Estimate No 1

300 yds @ 18  $\$55.00$   
 75 percent =  $\$40$   
 Nov 25. 04


3 rods, 14 ft  $5\frac{1}{2}$  in  $16$   
 7 rods 12 ft  $4\frac{1}{2}$  in  $48$   
 $44$  6"  
 $14$  5"  
 $\times 6$  3  $11\frac{1}{2}$

63'  $11\frac{1}{2}$ " front  $16\frac{1}{2}$   
 127'  $10\frac{1}{2}$ " tall  $7$   
 $112$   
 $3\frac{1}{2}$   
 $2$   
 $113\frac{1}{2}$

127' 11  
 22' 6  
 105' 5  
 127'  $10\frac{1}{2}$

127 9.6

117





118

4.90  
4.00  

---

8.90  
1.0  

---

8.80

Lawler Drain,  
J. Mc Lawler  
Miller Henderson  
Patrick Hogan  
Wm P. Smith hrs.  
Borgans

6.90  
4.85  
7.50

supd  
lyon  
fish

11  
15  
104  
12  
124  
00  
20  
4  
15  
24  
6  
10