


116

FIELD NOTES

Adaline Johnson
 PA SW 1/4 Sec 26 T41N
 R21E Commencing at
 center of TH + J RR
 on W line said section
 thence S on said section
 line 13 2/3 rods, thence
 E 29 rods, thence S
 14 feet, thence E 1
 rod, thence N 25 rods
 2 ft to center of TH + J
 RR, thence S of W with
 line of said RR to
 place of beginning except
 50 ft off S side of said
 RR containing 3.748

1.73 3
 1.73
 519
 1211
 173
 29929
 900
 902.9929 (31.05)
 9
 600) 02992
 160
 30.06) 320 (10.64
 3005 (30
 19500/367
 18030
 14700



4

WM 03

SE $\frac{1}{4}$ SW $\frac{1}{4}$ + SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 17 T₁ 16 N R 2 E

78.50 ac


W $\frac{1}{2}$ NW $\frac{1}{4}$ Sec 20

Survey of Section

Town


5

Range



Line ⁶ between Wm Cooper +
Chas Edwards

Line	Bearing	Length	Lat	Dep	Sine	Cosine	Deflection
at	S	15.86	-15.86				
bc	S	3.18	-3.18				
cd	S 28° E	4.18	-3.69	+1.96	4696	8829	+16.2
de	S 48 1/2° E	1.66	-1.09	+1.24	7518	6593	-1590.15
ef	S 42° E	1.83	-1.34	+1.22	6691	7431	+1789.15
fg	S 68° E	1.25	-.47	+1.16	9272	3746	-1540
gh	N 89 1/2° E	1.57	+1.01	+1.56	10087	9989	-1570.96
hi	S 60° E	.88	-.44	+1.76	8660	5200	+1490.84
ij	S 49 1/2° E	1.08	-.70	+1.82	7604	6494	+1690.96
			-26.76	+8.72			
			7.72	8.72			



8

03h 111 f 35-1

Beginning Center of bridge
 S 82° E 3.45 ch, S 77° E 3 ch,
 S 60° E 4.88, S 15.86,
 1/4

S 3.18, S 28° E 4.18
 S 482 E 1.65, S 420
 S 1.23 S 68° E 1.25
 S 60° E .88 N 89½ E 1.57
 S 42 E 1.08 to Stone
 1/4 mile of Plainfield
 Road S 65¾ W
 46½ Center said Road

Survey of Section

10


Town

15-N⁹

Range

1 W

Edwards



6.27
 1.03
 cd 13.04
 de 4.
 ef 9.17
 1.95
 5.37
 46.31

Sum by Stephens

S $59\frac{1}{2}^\circ$ E 6.50

S $70\frac{1}{2}^\circ$ E 4.

S 84° E 4.11

- to see line

Sum

N $49\frac{1}{2}^\circ$ W 1.08

N 60° W .88

S $89\frac{1}{2}^\circ$ W 1.57

N 68° W 1.25

N 42° W 1.25

N 42° W 1.83

N $48\frac{3}{4}^\circ$ W 1.65

N 28° W 4.18


N 18.96

Stone

Survey of Section 10 Town 15 N

Range 1 W

Wm M. Cooper




18
46.04

184.16



110 151 101 150
104 4.43
52.30



19

7830
2) 77.43
38.71


7830
40
38.30
37.43
87

2) 78.30
39.15
38.71
44
77.43
40
37.43

Need Record 3 for
 plat of Harville

In 20 Martin

Commencing at pt 106 ft
 N of NW cor. lot 6
 All 2 Original Town
 of Harville, thence N 66 ft
 thence E 143 to W line
 of Harville & Crawfordville
 Road on N Cross St, thence
 S on W line Cross St
 66 ft, thence W 143
 to place of beginning




100 ft 15 500 10

Survey of Section 4 Town 13²¹N

Range 1 W

Widow Mager -
 Heirs



J. Frank

24

12
8044
16

1395.3
248

2564
24.8

38.84
39.00

2576

38.92
20.38

2690
1345.35 20.38
132

3113.6
1167.6
7784
793189.6

253
198
555

66) 2690.7 (40.76
264
507


66) 49.6 (.75
462
340

25

Survey of Section 4 Town 15 N

Range 1 E

W C Hadley



32 Notes Sec 21

f { Beech 15" S 21 E 7 $\frac{1}{2}$
 } Oak 36" N 54 $\frac{1}{2}$ E 29
 } Stone 10 x 10 x 16

g Stone 22 x 18 x 18
 Beech 12 S 82 E 9 $\frac{1}{2}$
 Beech 15 N 4 E 16
 Stone 17 W 18

c Small oak 8" N 88 E 90

Notes Sec 28

h Stone Oak
 l Stone 14 x 14 x 12 Beech 18 N 50 E 261
 T { Stone 15 x 12 Beech 10 N 2 $\frac{1}{2}$ E 8 $\frac{1}{2}$
 } " 15 S 12 W 24


Notes Sec 22

k Stone 15 x 20 Hickory 6 S 71 W 17 $\frac{1}{2}$
 Oak 8 N 82 $\frac{1}{2}$ E 126 $\frac{1}{2}$
 l Stone 10 x 16 Oak 16 S 80 E 15
 Ash 5 S 7 E 21
 Elm 36 N 19 W 31
 m Sycamore 40 N 10 E 9

Survey of Section 21 Town 17

Range 1 E

Frank P Marvel



i Cen of a

J Cen Sec 28

a Beech 5 S $20\frac{1}{2}$ E 29
 Elm 18 S 69 W $30\frac{1}{2}$

$$\begin{array}{r} .305 \\ 66 \\ \hline 1830 \\ 1830 \\ \hline 20.130 \end{array}$$

b 2 y 16 S $32\frac{1}{2}$ W 25
 Walnut 14 N 27 E 86
 8x16 W Walnut 16 N $30\frac{1}{2}$ E 80
 apple tree 10 S 89 E $104\frac{1}{2}$


c Stone 12x16 Beech 10 S $29\frac{1}{2}$ E 109
 Beech 12 S $29\frac{1}{2}$ W 128

d Stone 10x16 Beech 14 N $99\frac{1}{2}$ W $57\frac{1}{2}$

Survey of Section 3 Town 15 N

Range 1 W

John Whyte + Ernest Hunsley



$$\begin{array}{r} 66 \\ .02 \\ \hline 5.28 \end{array}$$

$$\begin{array}{r} 2) 263606 \\ \hline \end{array}$$

$$\begin{array}{r} 2) 1315.53 \\ \hline \end{array}$$

$$\begin{array}{r} 657.77 \\ \hline \end{array}$$

$$\begin{array}{r} 347.24 \\ \hline \end{array}$$

$$\begin{array}{r} 11053 \\ \hline \end{array}$$

$$\begin{array}{r} 1.69 \\ 110.53 \\ \hline 58.47 \end{array}$$

36

Angle By repetition

ABC 1

1 $85^{\circ} 18' 05^{\circ} 17' 40''$

2 170.35

3 $255^{\circ} 53' 40''$ $86^{\circ} 44' 20''$

ADE 186.45

2 173.29

3 260.13

EAC $158^{\circ} 5'$ $A 158^{\circ} 5'$

316° 8

119 12

380


494 12

163.

85 17


86 44

133 37



Stone at e is $\frac{1}{2}$ mi on T4 16
 $1\frac{1}{2}$ mi of sec 3 should be 16
 1hs E

Breach 18 $1183\frac{1}{2}$ E .65 sec
 Sec 33 T4 16 R 1 W



1315.53
 616.24
 699.29

12
 28
 96
 2438
 338
 66
 8

528
 553

66
 14
 396
 66
 105.6

350
 97.24
 100.
 547.24
 .69
 616.24

38

Angle	Value	Line	Length
ABC	90°	AB	4 rds
BCD	127° 20'	BC	29 rds
		CD	253.4 ft
		DE	892.5 ft

76 ft 7"

22	8.88
188	25.50
	20.63
	<u>55.01 rod</u>

Swen out on 3 55.01 rod
 W of Cen E S E $\frac{1}{4}$ 31.6 rod
 S. 10 ft N nw on Mich
 St Carlin Addition 54 rod
 7 $\frac{1}{2}$ th 34.28 rod South
 to Center of Ry
 J


LETTER

 180
 127 20
 52 40

39

Survey of Section..... Town.....

Range.....



$$\begin{array}{r} 54 \quad 7\frac{1}{2} \\ 24 \quad 16\frac{1}{2} \\ \hline 78 \quad 24\frac{1}{2} \\ 66 \quad 76 \\ \hline 456 \\ 456 \\ \hline 5016 \end{array}$$

$$\begin{array}{r} 31 \quad 15 \\ 1 \quad 12\frac{1}{2} \\ 9 \quad 7\frac{1}{2} \\ \hline 41 \quad 35 \\ 42 \quad 10 \end{array}$$

SE Corn 60 W 210
 S 60 E 210

1½ rod S SW corner outlet 3
 S 9 and 7½ ch W 25 and 4 ch
 N 9 and 7½ E 25 and 4 ch

Commencing Corn SE ¼ E 24 and
 S 42 and 10 ch
 Stone 10 x 20 and within
 W 25 and 4 ch


Upper outlet 3 31 and 15 ch
 from 12 R 34 and 7 ch

Survey of Section 33 Town 15

43

$$\begin{array}{r} 8.57 \\ 2.70 \\ \hline 5.87 \end{array}$$

Range W
In Clayton.



ab 24 and 16½ ch
 bc 42 and 10 ch
 cd 34 and 7 ch
 de 31 and 15 ch
 ef 1½ rod
 fg 9 and 7½ ch
 gh 24 and 4 ch

Being 26 A.

By of S.W. cor of said 44

thence $75\frac{1}{3}$ rods N, thence
 55 rods 3 ft + 7 in E, thence
 $75\frac{1}{3}$ rods S., thence 55 rods 3 ft
 7 in W. to place of beginning
 said to contain 26 A more
 or less.

75.33	3.59	66	17
18.8425	3.58		
	30.20		
55.0	7.23	43.00	15.11
13.75	39.65		16.5
0.542	3.350		66
13.81	21.2		13.0
	17.80		10.25
18.84	18.84		
13.20	13.31		
376.80	188.4		
565.2	56.52		
188.4	56.52		
248.9	188.4		
18.84	250.7604		
18.84			
55.24			
116.48			
1104.8			
138.1804			
260.1804			

Survey of Section


Town

Range

13.81
 18.83
 32.64
 16.37
 13.81
 2.51

89° 42'

90° 18'



Sec 5

48

108-312

Dunningham

N.E⁴ of Sec. 28 15-2WEstimated to contain 160 A
more or less

110-503

Ben Anderson + Dan Jones

A 1/8 of E² of SW⁴ Sec 8 2576 N/E

beg. at SE cor. of said 1/4 and
running thence W. 13.31 chs
thence N. 16.5267 chs thence
E. 13.42 to line of said
1/4, thence S. on said line
16.5285 chs. to place of beginning
estimated to contain 22,124
A. more or less.

Wells

Sec 21-14 N.-2W.

49

13.42

.66

805-2

8052

885.72

4)53

1325

17

1342

4)55

13.75

10.6

13.856

83186

83186

914496

4)3

1825

20

1345

26

8070

8070

887.70

16.53

66

9918

9918

109098

For Walls - Stilewells
 Out-lots 80 + 81 - Orig. Town.

E² of E² of SE⁴ and so much
 of E² of E² of NE⁴ of Sec 21
 as lies S of Cumberland road
 except what is included in
 town plat of Stilewells and
 what belongs to Pop. Society
 containing 70 A. More or
 Less

6.25 ch E from W side
 of ~~E¹ of E¹ of W²~~
 NW⁴ Sec 22 and alley
 at S end of lots 79 80 81
 extends to S end of
 said ~~E¹ of E¹ of W²~~ ^{thence}
 60' S. str. ~~E¹ of E¹ of W²~~ 50' alleys 16'.
 The alley at S end of 79 80 81
 runs E & W. The Cumberland
 Rd. and str. & alley 11 to
 it 71° 30'. Lot 1 114' in
 front Lot ~~79~~ is 108' in
 front on S str. 247' on
 Morgan str. S. end 79' and
 E. side 288'. Lot 80 is 150'
 and E side front on S. str.
 and 226' on Morgan str.
 Lot 81 is 150' in front on S str.
 and 126' on back. All other
 lots are 60' in front by 192' in
 depth.

60

Bridge on Figg Road.

4' waterway

8' span

abutments 16" wide at top

+ 16' long

batter on stream side

regular wing.

$$\begin{array}{r}
 16.5 \\
 48.2 \\
 33.0 \\
 132.0 \\
 66.0 \\
 79.530
 \end{array}$$

61

$$\begin{array}{r}
 66, 131.3 \quad 19.88 \\
 66 \\
 65.3 \\
 59.4 \\
 58.0 \\
 52.0
 \end{array}$$

$$\begin{array}{r}
 2686.5 \\
 2678.0 \\
 5364.5 \\
 66, 2682.3 \quad 40.64 \\
 264 \\
 423 \\
 392 \\
 270
 \end{array}$$

$$\begin{array}{r}
 40.64 \\
 19.88 \\
 3251.2 \\
 3251.2 \\
 3651.6 \\
 4064 \\
 80.93232
 \end{array}$$

$$\begin{array}{r}
 66, 2686.5 \quad 40.70 \\
 264 \\
 465 \\
 462 \\
 30
 \end{array}$$

66


Description on
next page. 68

Survey for Anderson & Dan Jones

$$\begin{array}{r} 13.79 \\ 66 \\ \hline 8274 \\ 8274 \\ \hline 91014 \end{array}$$

$$\begin{array}{r} 133.1 \\ 66 \\ \hline 7986 \\ 7986 \\ \hline 878.4 \end{array}$$

$$\begin{array}{r} 35429 \\ 1.205 \\ \hline 177145 \\ 170858 \\ \hline 35429 \\ 426919.45 \end{array}$$




67

Survey of Section

Town

Range

47.



corner at Kinnin's SW cor
with. elm 36" N 85° W 16'

Sycamore 36" N 80° W 26'

pt 182 ft N of above stone 6' 85° W of
notch in thorn tree next page

68

$$\begin{array}{r}
 1.82 \\
 \underline{.66} \\
 1092 \\
 \underline{1092} \\
 120.12
 \end{array}$$

Kinnah's N.W. cor. Willow
 4" wit. hackberry S 35° W. 17 ft.

Lamb's NW cor. no stone
 wit. elm 6" S 80° E 8' 6"
 " " 15" S 8° E 15' 6"

69

$$\begin{array}{r}
 4476 \quad 14\frac{1}{2} \\
 \underline{428} \\
 .145 \\
 \underline{4.395} \\
 66 \\
 26370 \\
 \underline{26370} \\
 290.070
 \end{array}$$