

N² 10-14-1W MAX GIBBS

1387

FRANK CRISMORE
EDW. RAYMOND WALKER

Pt. SE⁴ NE⁴ 9-14-1W
Pt. SW⁴ NW⁴ 10-14-1W

Stanley Shartle
James Gossett
Warren Luce


Dec. 11, 1948

Cloudy - Windy - Cold


Found stone for NE corner
Section 9, T. 14N, R. 1W. Top
is flush with surface of
ground.

Chained west 132 ft. as
called for in the deeds and
erected a pole. The records
call for a stone here
but I didn't dig because our
location should be of sufficient
accuracy.

The $\frac{1}{2}$ mile stone of
9-14-1W is believed to be
gone as the location is
standing in corn and has
been cultivated otherwise
for several years. However,
the records call for a
stone 132 ft west which would
be sufficient for control.




NW cor. 10-14-1W (Stone found)



In Sec 10 - 1.784 Ac.

In Sec 9 - 0.935 Ac.

Total - 2.719 Ac.



1/2 Mi. Cor. betw. Sec's 9 & 10
No search for stone

Found stone 10x16 8 rods west of
E 1/2 mile 9-14-1W as set in 1855±
by F. M. Johnson. Also found the 12"
wit. stone S76 1/4°E 23 lbs as record
states.

NE cor. block foundation house S80°W 50.97 (on slope)
SE " " " S45°W 64.91 (on slope)

Metal cor. post N30°W 3.74 ft.

Old witness stone 12" S76 1/4°E 15.13 ft.

Power pole Northward 49.17 ft.

104 171/2 180/25
14

Sec. 9

Con. Sec. Ash 18 N32E 20 Sug 6 S 6 1/2 B-9


8 R W 8 2 mi. 10x16 Red Oak 16 S82W 195 Rock 12 S76 1/4 E 23 C-132 F.M. Johnson 1855±
" " " NE cor. 12x18 Rock 8x15 South 25 1/2

Com 27 1/2 R S of Con. Sec. C-186 Cyrus Rogers 1860±


Con. Sec. by tying each way (the last I could do with a poor compass) 10x18x24 } Job Hadley
Red 9 N61 1/2 W 76 Elm 26 S40W 60 1/2 C-306 } Oct. 1869

Con. Sec. 8x9 Hick 16 N60W 69 1/2 W. Elm 24 S37W 66 C-130 F.M. Johnson 1855±


Con. Sec. to Natl Rd. = 429' 26 R Joe Clark




U.S. 40



TOPO FROM "A"





Survey by O.L. Dewese 9-34

