

0241WA

ROBT WOODALL

1400

200-500

539-2507



Oxford Pendaflex
CORPORATION

STOCK No. 752 1/3


• • • • •

MADE IN U.S.A.




228 Robt. S. & Sue C. Woodhall Reg. at Swear. O.L. 36 in
359 Biville, NW direction along R.W. Line Co. Rd. 237' to P.O.B.
Cont. in NW dir. on E 149'; E 7°47'44" N 347.6'; S 133';
SW dir 327.8' to leg. 1.09 ac.

Robt. S. Woodall, Belleville

			N 10000.000	E 10000.000
1-4	180°00'00"	745.057	9254.943	10000.000
4-2	321 49 13	55.427	9298.513	9965.739
4-3	297 32 11	21.388	9264.831	9981.035
3-2	335 34 33	36.992		
4-5	254 21 16	347.820	9161.141	9665.067
5-6	318 05 43	52.500	9200.214	9630.003
5-13	173 20 07	346.530	8816.953	9705.285
13-2	28 24 25	547.482		
2-1	2 47 46	702.323		



From Souchok Survey June 27, 1946 &
From Bowman Survey May 25 & 28, 1949



$\frac{9297.130}{9962.758} = \text{mean of above} = \text{SE cor. O.T. 36 (USE) call point 16}$

1-16 = 183°01'59" 703.856'

			N 10000.000	E 10000.000
1-16	180°00'00"	703.856'	9296.144	10000.000
1-4	176 58 01	745.057	9255.987	10039.423
4-2	318 47 14	55.427	9297.683	10002.904
4-3	294 30 12	21.388	9264.857	10019.961
3-2	332 32 34	36.993		
4-5	251 19 17	347.820	9144.594	9709.922

PRELIMINARY


LR

LR LR

LR


11 x 17

1-13	1700 18 28	204.530	1800.000	1800.000
2-14	2000 20 30	21.500	1800.000	1800.000
3-15	2000 20 30	100.000	1800.000	1800.000
4-16	2000 20 30	100.000	1800.000	1800.000
5-17	2000 20 30	100.000	1800.000	1800.000
6-18	2000 20 30	100.000	1800.000	1800.000
7-19	2000 20 30	100.000	1800.000	1800.000
8-20	2000 20 30	100.000	1800.000	1800.000
9-21	2000 20 30	100.000	1800.000	1800.000
10-22	2000 20 30	100.000	1800.000	1800.000
11-23	2000 20 30	100.000	1800.000	1800.000
12-24	2000 20 30	100.000	1800.000	1800.000
13-25	2000 20 30	100.000	1800.000	1800.000
14-26	2000 20 30	100.000	1800.000	1800.000
15-27	2000 20 30	100.000	1800.000	1800.000
16-28	2000 20 30	100.000	1800.000	1800.000
17-29	2000 20 30	100.000	1800.000	1800.000
18-30	2000 20 30	100.000	1800.000	1800.000
19-31	2000 20 30	100.000	1800.000	1800.000
20-32	2000 20 30	100.000	1800.000	1800.000
21-33	2000 20 30	100.000	1800.000	1800.000
22-34	2000 20 30	100.000	1800.000	1800.000
23-35	2000 20 30	100.000	1800.000	1800.000
24-36	2000 20 30	100.000	1800.000	1800.000
25-37	2000 20 30	100.000	1800.000	1800.000
26-38	2000 20 30	100.000	1800.000	1800.000
27-39	2000 20 30	100.000	1800.000	1800.000
28-40	2000 20 30	100.000	1800.000	1800.000
29-41	2000 20 30	100.000	1800.000	1800.000
30-42	2000 20 30	100.000	1800.000	1800.000



16-17	100.000	1800.000
16-18	100.000	1800.000
16-19	100.000	1800.000

13-14	2000 20 30	100.000	1800.000	1800.000
14-15	2000 20 30	100.000	1800.000	1800.000
15-16	2000 20 30	100.000	1800.000	1800.000
16-17	2000 20 30	100.000	1800.000	1800.000
17-18	2000 20 30	100.000	1800.000	1800.000



STANLEY M. SHARTLE



LOCATION OF MONUMENT: SECTION 2, T. 14 N., R. 1 W.

Found: ☒ Set: ☒ Depth: 2 inches

Description: 1/2" x 13" rebar

Bearings to reference objects are magnetic unless a contrary mode is shown.


This is the southeast corner of Out Lot 31 in the Western Addition to Belleville. On June 27, 1946, the undersigned found John W. Trotter's old 6x10x13 stone at this corner and referenced it well. The stone is now gone so the corner has been restored and remarked from the 1946 references.



Stanley M. Shartle
Stanley M. Shartle, P.E. & L.S.

Date: November 4, 1980


STAKING SHEET



Robt. S. Woodell

- 1 Cn. N. SE⁴ 2-14-1W - + on stone. Steel pipe cor. post N80°W 0.97'
- 2 Approx. SE cor. O.L. 36
- 3 NW cor. large conc. cor. post (my old wit. of June 27, 1946)
- 4 Temp. point (nail & cap. in blacktop)
- 5 " " (" " " " ")
- 6 NE edge of wood cor. post
- 7 Temp. point in road fence in line with fence toward point 6
- 8 NE edge large wood cor. post
- 9 N face ancient " " " 3' N of present road fence
- 10 NW cor. O.L. 34 - stone found flush 0.5' E. of fence
- 11 Cn. Sec. 2-14-1W - small dia. pipe with flagging in N-S fence - ^{found} no stone
- 12 large dia. pipe found for NE SE⁴ and E road
- 13 1/2" x 13" rebar set flush for SE cor. O.L. 31 from my old ties to Trotter's stone now gone.
- 14 Omer Hackleman's I.P. for SW " " " 30
- 15 Temp. point
- 16 calc. position of Trotter's stone *
- 17 " " " " " (no search)
- 18 " " " point 40' SW of 17 on prolongation of 16-17.
- 19 Final con. of sec. (unmarked) - used Trotter's distance (433.95') N. of 10.

* my underground stone not found but search may have been conducted too far east. Trotter's stone lying against fence several feet N. of the corner.



CHAS. SONCHUK

Lots No Blank, 2, 3, & 4 in Cooper Add.
 Lot No 4 in Blk. No 5 Orig. Town and
 Lots No 26 to 29 in Western Add.

BELLEVILLE, IND.

27 June 1946

Stanley Shurtle

Floyd Jennings

28 June 1946, +90°F

R.M. Franklin

Stanley Shurtle

SEC. 2, T14N, R1W.

Found good stone at E. 71' of S E 1/4 but old section
 road in gone. To edge of corner post west 1 foot and
 ash 36 S 20° W 82.7 ft.

Chained south 703.8 ft (700 ft. by plat) and found
 John Trotter's stone for SE cor. lot 36, which he said was
 11X15. I carefully referenced the point and then dug out
 the stone and found it to be 9X11X15, which is correct
 identification. I then dug a deep hole and put a
 stone 6X9X16 about 12 in. below the surface and
 placed Trotter's stone 9X11X15 on top of it and
 above ground about 3 inches. Reference - corner
 large concrete corner post S 30° E 37.0 ft.

Chained thence about S 71° W on N. North St.
 313.5 ft (308' by plat) and found Trotter's stone
 10X13X23 which is leaning over eastward.

Chained thence about S 12° E 387.7 ft (387' by
 plat) and found Trotter's stone 8X10X14 for SE cor.
 lot 30 Western Add. Then 17.71 S 5° W 23.4 ft.
 This stone appears to have been displaced eastward
 about 3 or 4 inches.

Chained thence about S 71° W across
 Short Street 71.00 (70' by plat) and found Trotter's
 stone 6X10X13 for SE cor. lot 31 which appears
 in good condition. SE cor. block foundation of
 house northward 27.83 ft. NW corner of

From Southward 78.95. Power pole
about $N 80^{\circ} E$ 60.66 ft.

From stake I recently set for NE
cor lot 2 blk 12 sig town, Bellville, I
measured about $57^{\circ} W$ along to Cumberland
Rd (U.S. Highway No. 40) $60+60+20+60+$
 $60+60+70 = 390$ ft and set a pole.

From stake at SE cor lot 31 I ran line
toward the pole. The angle, a distance of
70 ft across Grubbs St and set a stake
for NW cor lot 3 corners add. thence
continued on and ran 148 ft and set
stake for SE cor lot 3 corners add.

At a pole on stake I had recently
(1944) set for NE cor lot 3 blk 7 sig
town, Bellville. lit up over stake at NE
cor lot 3 corners add and measured angle
between the two poles this set and found same
to be $89^{\circ} 45'$ which is the bearing for the
stake set on the later survey for Sandbar.

Found stone at NW cor lot 31 Western add.


Stanley Shortle
Jim Gossett
Warren Luce
May 25428, 1949.

Important deeds: $\frac{39}{85}$ $\frac{152}{94}$

Set up at SE cor lot 35 (being 40' 57" W of
SW cor lot 36, and turned $\angle$ from SE cor lot
36 to SE cor lot 31 = $93^{\circ}55\frac{1}{2}'$.

Distance from SE cor 35th SE cor
lot 31 = 391.0'

E 1st St. extended west to approx.
 E Wash. St. or SE along E Wash. St.
 from above point and at 392.3' come
 to where I believe must be approx SW cor lot 31.



The SW cor lot 31 located approx
by Trotters old wit. tree.
Market street at E Wash St. seems
to be only about 66 1/2 ft instead of
70'

No record found for vacation
of North St. from Short to Wash. Street.
A good search made of all the records

John Barnes 8-19-61

Richd Bowman 7-27-78 $\frac{274}{679}$

Chris Mitchell 10-26-79 $\frac{262}{91}$

Perry F. & Marion Blank 11-10-77
 $\frac{251}{39}$

Robt S Woodall 8-1-73

Robt. J. Low 11-8-65 $\frac{198}{290}$

Joe
Lomberry
8-13-74
 $\frac{233}{435}$

Kathleen
Hudson
2-27-61

Loren
Pearay
6-24-67

25/39 Perry F. Blank Reg at SW cor O.L. 36 1/2 mile; NW dir. along E County Lane Rd. 386' to P.O.B.; NW dir along E 102'; E $60^{\circ}14'10''$ N 361.9'; S 93'; SW 347.6' to beg. 0.79 ac.

198/290 Rott. Low Reg at SW cor O.T. 36; NW dir on E Co Rd 101' to P.O.B.; NW dir along E 136'; E $100^{\circ}48'24''$ N 327.8'; S 81.5'; SW 322.1 to beg. 0.80 ac.

233/435 Lonsberry Reg on E North St. 700' from int of E rd street & E O.T. 36; SW on E 100.5' to E Co. Lane Rd.; Nly dir on E 146.1'; NELY — E North St. 74'; SELY 143.5' to beg. 0.29 ac.

185/106 John Barnes 8-19-61 Reg on E Co. Rd. ^{692'} (591) NWLY from SW cor O.L. 36; cont. on E 120'; E 408.5'; S 95'; SW dir. (390) to P.B. 0.98 ac. 391.2
Corrective Deed 198/126

254/69 Richard Bowman Reg. at SW cor O.L. 36; NW dir on E Co Rd. 590' to P.B. NW dir. on E 102'; E $3036'36''$ N 391.2'; S 93'; SW dir 376.4' to P.B. 0.85 ac.

262/91 Chris Mitchell Reg. at SW cor O.L. 36; NW dir on E Co. rd. 488' to P.O.B.; NW dir on E 102'; E $4047'46''$ N 376.4'; S 93'; SW dir. 361.9' to P.B. 0.82 ac.

203/445 Loren Pearay 6-24-67 Pt S² O.L. 36 & pt N² sec North St.; Reg at E N. St & E O.L. 36 extended; N on E 36 152'; SW — E N. St. 148.1'; SELY 143.5 to E N. St.; NELY int on 90° defl L 100' to beg.

Kathleen Hudson 2-27-61

SHEET 1 OF 1

Temp.

At

[illegible]