B

-7-

Page		Page
22-12	(John Brown Arm to.	51-38
12	Stout & Richardson Ditch)	38-75-22-12
16	Adam Beaman Ditch. (Brown Tp)	-28-54-16
17	George Blackwell Ditch (Liberty)	17-16

C

John Collins (BrownTp) 3 — 18 - - 52 - 34
AW Carver (Union) 39

F

John W. French Ditch
Thomas Feeney

31 + 46, 55, - 47 - 56 - 32 -
61 - 70 - 71 = 72 - 73

G

page

1. John Garvey Ditch — 1+26+43+59-60
Lincoln Twp.

H

Joseph Holloway Ditch 8-41-62

Joseph Holloway Ditch Drain 13-30-

Martin Hogan Ditch (Brown) 15

Joseph Holloway Ditch 30 &41 &62 +13

F

K

King, Lucy. (Wash. twp.) 58
Keeney & Loyman 2
Lemmon & Keeney 35.

	P.
Laymen	
~~Lemmon Layman & Keeney~~	2-35
J.F. Lingeman Ditch	9-)
J.F. Lingeman Ditch	27 2
Lambert Arm of French Ditch	32
Thomas R. Leak Union Ec[illegible] River No I	45
Lamar, Joseph	69

Richard Mynatt Ditch A-4
Miller + Dillon Ditch 7"425 + 42-40
Miles, Geo. W. 27.

Page		Page	
10	Pollard & Todd Ditch (Lincoln)	10	24-57
14	Phillips, J.W. Ditch (Brown)	14	22-27-17N-1E
33	Phillips, J.W. Ditch (Brown)	33	" " "
	Pritchett, James (Union)	44	Cleanout Soil Conserv. 1958

F

Q

5 Timothy Quinn (Lincoln) 6-

Page

Stout-Richardson Ditch	11-20-21 continued-37-50-74-75
Orren A. Stout (Liberty)	19-23-36-53
Peter A Storms Ditch (Union)	~~28~~ 29-63
Oscar Stephenson Eel River	48-65-66-67-68-49

JOHN D. THARP (UNION) 6
Thomas + Feeney. 61-71-72-73-70

Apportionment for Keeping in Repair the John Garrey Ditch, by Geo. R Harvey County Surveyor, April 1928

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Amount of Benefits Hund.	Amount of Benefits Dols.	Amount of Benefits Cts.
	From Station 0+0 is to be tiled*				to Station 12+49 Ditch (not tiled)							
1	12+49	15+79	330	Gw. C. Davis	Pt W ½ NE ¼	14	16	1E			30	00
2	15+79	23+79	800	Henry + Cathrine Zurr.	NE ¼ SE ¼ SE ¼ NE ¼ & Pt NW ¼ SW ¼	14	16	1E			70	00
3	23+79	28+19	440	Albert Smith (Mesne)	SW ¼ NW ¼	18	16	1E			40	00
4	28+19	36+29	810	Thos. Bullock	Pt S ½ SE ¼	14	16	1E			70	00
5	36+29	46+09	980	John Carter (Mc Plasters)	S ½ SW ¼	13	16	1E			80	00
6	46+09	47+19	110	O.W. & A.M. Carrie	Pt SE ¼ SW ¼	18	16	1E			10	00
7	47+19	52+19	500	Peter Lenteritz	NE ¼ NE ¼	23	16	1E			40	00
8	52+19	55+79	360	John Lenteritz (Peter)	Pt E ½ W ½ NE ¼	23	16	1E			30	00
9	55+79	60+49	470	Wm. Bauta	NE ¼ NW ¼	24	16	1E			40	00
10	60+49	65+19	470	Julia Lynch, Nellie Dupree (Heirs)	NW ¼ NW ¼	24	16	1E			40	00
11	65+19	77+49	1230	Chester Brunes	SE ¼ NE ¼ SE ¼ & SW ¼ NW ¼	23 / 24	16	1E			100	00
12	77+49	89+79	1230	Elijah Worrell (Wainbaugh)	W ½ W ½ NW ¼ & E ½ E ½ W ½ SE ¼	23	16	1E			100	00
13	89+79	96+29	650	B. & O. R. R.	Right of Way	23	16	1E				
14	96+29	99+74	345	Hoyt Allison (Bennett)	W ½ E ½ SE ¼	23	16	1E	38	75		
15	99+74	100+59	385	Thomas Corliss	Pt NW ¼ SW ¼	24	16	1E	35	00		
16	100+59	106+59	600	Ora Bunsett	S ½ W ½ SE ¼	20	16	1E	60	00		
17	106+59	107+69	110	Charles Tansel	Pt NW ¼ NE ¼	24	16	1E	10	00		
18	107+69	113+44	575	Martin Henion	Pt W ½ NE ¼	26	16	1E	50	00		
19	113+44	115+94	250	Hendricks County	Road	23 / 26	16	1E				
20	115+94	122+15	621	Lincoln Twp.	Roads	19 / 23 / 24	16	1E				

Original Specifications: Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing: Width at Top	Depth of Cut	Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Daniellg Ind.
April 1928

Pursuant to an act of the General assembly of the State of Indiana, Acts of 1917, Chapter 85, Sec. 2, 3 and 5, pages 223 to 230 inclusive the duties of the County Surveyor in regards to the reallotment of open Ditches, I issued the following notice as required by law to the resident land owners on the John Garvey ditch, in Lincoln Township which notice is in words and figures as attached copy; and on the 21st day of April 1928 served the same on all resident landowners upon the Trustee of the Township and upon the County Road Supt. effected and upon the office of each Corporate road & railroad effected by said improvement and posted five (5) printed notices in five (5) public places in each Township of Hendricks all said parties were duly notified to appear before me at my office on the 28th day of ~~Sept~~ April 1928, to show cause if any why the allotments heretofore made should not be ratified, approved or confirmed and now on this 28th day of April the following parties appeared

I continued said hearing from day to day and after having heard said objections I made such changes as justified and on this 30th day of April 1928 I now confirm said allotments as herein set out and adjusted

Geo. R. Harvey

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 28th day of April, 1928, at the hour of 10 o'clock A.M. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the John Garvey ditch in Lincoln township Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 21st day of April, 1928.

Geo. R. Harvey
County Surveyor.

Apportionment for Keeping in Repair the Lemmon Layman & Keeney Ditch, by Geo. R. Harvey County Surveyor, August 7 1928

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+00	4+0	400	D.A. & H.M. Grove	Pt SE¼ SE¼	12	17	1W	25	-		
2	4+0	9+50	550	H.W. & V.W. Pearcy	Pt NE¼ NE¼	13	17	1W	35			
3	9+50	15+30	580	Wm Cook	NW¼ NE¼	13	17	1W	38			
4	15+30	21+30	600	Charles & Sarah Baker	Pt SW¼ SE¼ 13 17 1W; Pt SE¼ SW¼ NE¼ NW¼ 12 17 1W				20			
5	21+30	32+10	1080	George Snyder	Pt NE¼ NW¼ SW¼ NE¼	13	17	1W	70			
6	32+10	39+90	780	C.F. Owens	Pt W½ NW¼	13	17	1W	45			
7	39+90	46+0	610	R.O. Hiland	SE¼ NW¼	13	17	1W	40			
8	46+0	49+80	380	Hendricks Co.	Roads	13	17	1W				
9	49+80	54+60	480	Middle Twp.	Roads	13	17	1W				
10	54+60	59+22	462	Harrison Twp	Roads	12	17	1W				
11	59+22	61+72	250	Christine Hicks	Pt SW¼ SW¼	12	17	1W	15			
12	61+72	63+26	154	William Hicks	Pt NE¼ NE¼	14	17	1W	10			

Original Specifications: Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing: Width at Top	Depth of Cut	Width at Bottom

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 18 day of Aug, 192 8, at the hour of 10 A.M. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the Layman & Keeney ditch in Harrison Middle township Boone Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 4 day of Aug, 192 8

Geo. R. Harvey
A.X.E. County Surveyor.

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Monrovia, Ind.
Aug. 21, 1928

Pursuant to an Act of the General Assembly of the State of Indiana; Act of 1917, Chapter 82, Sections, 2, 3, 4 and 5 pages 229 to 233 prescribing the duties of the County Surveyor in regard to the readjustment of open ditches I issued the following notice as required by law to the resident land owners on the Layman & Keeney ditch in Middle Twp, Hendricks Co. & Harrison Twp in Boone County, which notice is in words and figures as follows to wit; (X.E) and on the 4th day of August 1928, I served the same on all resident land owners, upon the Trustee of each township effected and upon the County Road Superintendent of ~~said~~ the County and upon the Officers of each corporate road or railroad effected by said improvement and posted five (5) printed notices in five (5) public places in each township, whereby all of said parties were duly notified to appear before me at my Office on the 18th. day of August 1928, to show cause if any why the allotments heretofore made should not be ratified, approved and confirmed and now on this 18th day of August, 1928 the following parties appeared and filed objection to their allotments; B. F. Stoner, Chas. F. Owens, John O'Adair, and Charles & Sarah Baker. I continued said hearing from day to day and after having heard said objections I made such changes as justice required and on this 21st day of Aug, 1928, I now confirm said allotments as herein set out & adjusted

Geo. R. Harvey.

Apportionment for Keeping in Repair the John Collins Ditch

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITTED	Section	Town.	Range	Acres Benefitted	Hund.	Amount of Benefits Dols.	Cts.
1	0+00	3+22	322	Brown Township	Roads	27 28	17	I-E				
2	3+22	11+73	851	Hanna Hession	E½ NE⁴	33	17	I-E	70			
3	11+73	18+61	688	W. Lawder	SW⁴ SE⁴ pt E² E² NW⁴	28	17	I-E	56			
4	18+61	21+11	250	O. T. Kelley	N² SE⁴	28	17	I-E	20			
5	21+11	22+11	160	James Darpey	pt E½ NE⁴	33	17	I-E	20			
6	22+71	23+71	100	Harvey Fidito	W² W² NW⁴	28	17	I-E	20			
7	23+71	24+71	100	Bert Sloan	E½ W½ NW¼	28	17	I-E	20			
8	24+71	28+71	400	Mary McDaniel	pt E² NW⁴	33	17	I-E	55			
9	28+71	30+71	200	E. L. Gallenger	Mid pt NW⁴	33	17	I-E	36			
10	30+71	34+71	400	C. C. Noles	Mid pt SW⁴	28	17	I-E	80			
11	34+71	35+46	75	Wm. S. Everett	N½ NW¼	34	17	I-E	15			
12	35+46	35+94	48	L. B. Lawder	Pt NW⁴ NW⁴	33	17	I-E	6			
13	35+94	39+94	400	Hendricks County Roads		33 28 34	17	I-E				
14	39+94	40+94	100	Thomas Darpey	W² SE⁴	33	17	I-E	20			
15	40+94	42+94	200	Dan Cummins	SE¼ SE¼	28	17	I-E	25			
16	42+94	45+54	260	Wyatt McCaslin	E² SW⁴	33	17	I-E	20			

794

Ditch, by Geo. R. Harvey - County Surveyor, 19

Made May 12-1928
Confirmed May 15-1928

3
(18)

Original Specifications			Specifications for Repairing		
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 12 day of May, 192 8, at the hour of 10 A.M. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the John Collins ditch in Brown township Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 7 day of May, 192 8

Geo. R. Harvey
County Surveyor
H. C.

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Danville, Indiana
Sept 10. 1928

Pursuant to an act of the General assembly of the state of Indiana, acts of 1917, chapter 82, Section, 2, 3, 4 and 5 Pages 229 to 233 prescribing the duties of the county surveyor in regards to the reallotment of open ditches, I issued the following notice, as required by law, to the resident land owners on the John Collins Ditch in Brown Township, which notice is in words and figures as follows to-wit: and on the 1st day of May, 1928, served the same on all resident land owners, upon the trustee of each Township, and upon the county Std Supt. effected, and upon the offices of each corporate road or rail road effected by said improvement and posted five (5) printed notices in five (5) public places in each Township, whereby all of said parties were duly notified to appear before me at my office on the 12th day of May 1928. to show cause if any, why the allotments heretofore made should not be ratified, approved, or confirmed, and now on this 12th day of May, 1928. no objections were filed to the allotment, I continued hearing from day to day and now on the 15th day of May, 1928. I confirm said allotments as herein setout.

Geo. R. Harvey

Baylis

Apportionment for Keeping in Repair the Richard Mynatt Ditch, by Geo. R. Harvey County Surveyor, Made Sept 10-1928, Confirmed Sept 20 1928

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Completion Date Amount of Benefits: ~~Dols.~~	Cts.
1	0+00	0+50	50	Milton Patterson	S Pt SW+SE	32	14	1W	7	50	March	18
2	0+50	0+60	10	Fred Kenworthy	Pt SW SW	33	14	1W		80	"	19
3	0+60	0+85	25	Esther Neat	Pt SW SW	33	14	1W	4	08	"	19
4	0+85	1+60	~~160~~ 75	Mary Stout	Pt W NW	33	14	1W	50		"	20
5	1+60	2+60	100	J.B. Edmonson	Pt SW	33	14	1W	55		"	21
6	2+60	2+85	25	Ralph Greeson	S Pt SE NW	33	14	1W	5		"	21
7	2+85	6+85	400	Hendricks Co.	County Roads.						"	25
8	6+85	10+35	350	Mary Jane Pratcher	Pt SW SE	32	14	1W	32	50	"	28
9	10+35	19+35	900	Oscar Anderson	E SE	32	14	1W	80	50	April	5
10	19+35	23+85	450	Lewis N. Cooper	NE ~~SE~~	32	14	1W	40	25	"	9
11	23+85	27+00	315	Liberty Twp.							"	12
12	27+0	30+0	300	Robert Baylis	S Pt SE NE	32	14	1W	29		"	15
12a	30+0	31+50	150	" "	S Pt SW NE	32	14	1W	15		"	17
13	31+50	31+75	25	Oscar Warmoth	Pt NW NW	33	14	1W	4		"	17
14	31+75	35+50	375	Julia A. Reitzel	Pt W NE	32	14	1W	40		"	20
15	35+50	39+73	423	Elvira Simmons	Pt E NE	32	14	1W	50		"	24

From Sta	To. Sta.	Bottom width
0+00	1+79	6'
1+79	39+73	3'

Uniform grade of +0.20% from 0+00 to 39+73.

Elev. Bottom:
0+00 - 114.14'
39+73 - 122.09'
B.M. - Elev. 129.53' Top. W. end S. rail bridge Sta. 1+79.
B.M. - Elev. 129.48' R.R. spk. in 28" Elm 75± W. of 33+30

Original Specifications: Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing: Width at Top	Depth of Cut	Width at Bottom

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 19 day of Sept, 1928, at the hour of 10 A.M. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the Richard Mynatt ditch in Liberty township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 10 day of Sept, 1928

Geo. R. Harvey
County Surveyor.

0+00 = Hend-Morgan County Line.
1+79 = ℄ Rd.

Danville, Ind.
Sept. 21, 1928

Pursuant to an Act of the General Assembly of the State of Indiana, Acts of 1917, Chapter 82 Sections, 2, 3, 4 and 5, pages 229 to 233 prescribing the duties of the County Surveyor in regards to the readjustment of open ditches I issued the following notice, as required by law to the resident land owners on the Richard Mynatt ditch in Liberty Twp., which notice is in words and figures as follows, to-wit:, and on the 10th day of Sept. 1928, served the same on all resident land owners, upon the trustee of the township, and upon the County Road Supt. effected, and upon the officers of each corporate road or railroad effected by said improvement and posted five (5) printed notices in five (5) public places in the township whereby all of said parties were duly notified to appear before me at my office on the 19th day of Sept, 1928, to show cause if any why the allotments heretofore made should not be ratified, approved or confirmed and now on this 19th. day of Sept, 1928, the following party appeared and filed objections to their allotment, Calvin Stout (for Mary Stout). I continued said hearing from day to day and after having heard said objection I made such changes as justice required and on this 20th day of Sept, 1928, I now confirm said allotments as herein set out and adjusted.

Geo. R. Harvey

Apportionment for Keeping in Repair the Timothy Quinn Ditch, by Geo. R. Harvey County Surveyor, Sept. 17 1927

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1.	0+00	6+50	650	Lincoln Twp.	Road on S & E. side	13	16	IE				
					C" SE4 pt NE4 pt W½ SE4	13	16	IE	105			
2.	6+50	11+50	500	Chas Davidson								
					pt W½ NE4	13	16	IE	110			
3.	11+50	19+00	750	Harry Sumpter	pt E" SE4	12	16	IE	15			
4.	19+00	22+00	300	John Shumate	NE4 NE4	13	16	IE	5			
5.	22+00	23+25	125	Alfred Smith	NE4-SW4 NE" NW4 SE4-NW4 NW"-SW4	13	16	IE	120			
6.	23+25	32+75	950	W. D. Corrie.	pt W½-NE4	13 12	16	IE	38.			
7.	32+75	39+75	700	R. E. McKeown.	pt W½-SE4	12	16	IE				
8.	39+75	41+75	200	Pennsylvania R.R.Co.	Right of Way Through	35 36	17	IE				
9.	41+75	42+00	25	M.P.E. Fahy	E" NE" SE4	35	17	IE	12			
10.	42+0	43+0	100	John C. Chitwood	pt S" SE4	35	17	IE	39	84		
11.	43+0	43+25	25	Martin Duffey	E" SE4-SE4	35	17	IE	10.	00		
12.	43+25	43+75	50	Amy Holt	SW4 NW4 NE4 SW4 SE4 SW4 NW" NW4	36	17	IE	30.			
13.	43+75	44+75	100	Rosa Feeney		36	17	IE	62			
14.	44+75	45+0	25	Wm. R. Kinney	NE4 SW4	36	17	IE	7			
15.	45+0	45+25	25	Lottie Phillips.	pt SW4 SE4	35	17	IE	2			
16.	45+25	45+~~50~~ 75	~~50~~	Ed. O'Toole	pt NE4 NE4	1	16	IE	2.			
17.	93+50	46+25	75	Suzan L. Garner	SW4 SW4	36	17	IE	38	15		
18.	46+25	47+0	75	Harry Garner	NW4 NE4	1	16	IE	37	.05		
19.	47+0	47+50	50	Esther Garner	pt NW4 NE4 NW4	1	16	IE	18			
20.	47+50	48+00	50	J.A. & Ethel Patterson	pt NW4	1	16	IE	34			
21.	48+00	49+0	100	John, Anna, & Julia Lanahan	N½ NW4 SE4, SW4 NE4	1	16	IE	10			
22.	49+00	50+25	125	Herman & Erah Canary	SW4 SE4	1	16	IE	34			
23.	50+25	50+50	25	Martin & Mary Hart	pt NE4 SE4	1	16	IE	8			
24.	50+50	52+0	150	Thomas & Anna Walsh	NW4 NE4-E" NE4 NW4	12	16	IE	65			
25.	52+0	52+25	25	M.& E. Corliss & B. Moran	pt SW4	1	16	IE	20			
26.	52+25	53+0	75	Margaret Corliss	pt SW4	1	16	IE	49	73		
27.	53+0	53+50	50	Ellen Corliss	W" SE4 SW4 W4 SE4	1	16	IE	44	50		
28.	53+50	54+25	75	Bridget Moran	pt SW4	1	16	IE	39	73		
29.	54+25	55+75	150	P. F. Moran	pt NW4	12	16	IE	80			
30.	55+75	60+25	450	Brown Twp.	Roads							
31.	60+25	61+26	100	Cathrine Gibbs	pt NW4 NE4	13	16	IE	4			
32.	61+25	67+50	625	Hendricks County	Roads							
33.	67+50	72+50	500	Peoria & Eastern Railroad Co.	Right of Way	12 13	16	IE				
34.	72+50	77+50	500	T.H. I. & E. Traction, Co.	Right of Way	12 13	16	IE				
35.	77+50	80+50	300	Clyde Deputy & Mary Yoke.	SE4 SW4-W½ SW4 NE4 NW4 SE4-NE4 SW4-E" SE4 NW4	12	16	E	145.			

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 7 day of Sept, 1927, at the hour of 10 AM and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the Timothy Quinn ditch in Lincoln township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 29th day of August, 1927

Geo. R. Harvey
County Surveyor.

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Danville Ind.
Sept. 17, 1927.

Pursuant to an act of the General assembly of the State of Indiana Acts of 1917, Chapter 82, Sec. 2, 3, & 5, Pages 229 to 233 prescribing the duties of the Co. Surveyor in regards to reallotment of open ditches, I issued the following notice, as required by law, to the resident land owners on the Timothy Quinn Ditch in Lincoln Twp. which notice is in the words and figures as follows to wit; and on the 7th day of Sept, 1927 I served the same on all resident landowners, upon the trustees of each interested Twp and upon the Co. Road Sup. and upon the office of each corporate road or railroad effected by said improvement, and posted five (5) printed notices in five (5) public places in each Twp. effected. whereby all the said parties were duly notified to appear before me at my office on the 7th day Sept. 1927, to show cause if any why the allotment heretofore made should not be ratified, approved & confirmed and I now on this 7th day of Sept. 1927, the following Parties appeared; Wm. D Carrie, C.B. Davidson, H.F. Sumpter, Kathrine Gibbs, Harry Garner, Esther F. Garner, Susan L. Garner, Lottie Phillips, W.L. Fisher of the P. & E. Div. of the Big four railroad, Ed O'Toole, Thomas Walsh, J.K. Lanahan, Martin Hart, and H.A. Canary. I continued said hearing from day to day and after having heard said objections I made such changes as justice required and on this 17th of Sept 1927 I now confirm said allotments as herein set out and apportioned.

Geo. R Harvey
Hend Co Surveyor.

Apportionment for Keeping in Repair the John D. Tharp Drain (Union Twp.)

Ditch, by Geo. R. Harvey County Surveyor, 9/22 1928

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Hund.	Amount of Benefits Dols.	Cts.
1	53+36	51+0	236	Union Twp.								
2	51+0	49+0	200	Lorain M. & Marian D. Armstrong	Spt. NE¼ SE¼	33	17	1W	20			
3	49+0	45+50	350	James W. & Ivy F. Poland	SE¼ SE¼	33	17	1W	35			
4	45+50	45+0	50	C. W. Ratliff	Pt NW¼ NW¼	4	16	1W	5			
4a	45+0	44+50	50	" "	Pt NE¼ NE¼	5	16	1W	5			
5	44+50	42+0	250	Josephine Ratliff	Pt NW¼ NW¼	4	16	1W	30			
6	42+0	41+60	40	Ida M. Storms	Pt SE¼ NE¼	32	17	1W	4			
7	41+60	37+60	400	R. R. Leak	SW¼ SW¼	33	17	1W	40			
8	37+60	36+40	120	Esther Montgomery	S½ SE¼ NE¼	32	17	1W	12			
8a	36+40	34+40	200	" "	N½ NE¼ SE¼	33	17	1W	20			
8b	34+40	32+80	160	" "	Spt S Pt. SW¼ NW¼ N of W Pt of NE¼ SW¼	33	17	1W	17			
8c	32+80	30+80	200	" "	N½ NW¼ SW¼	33	17	1W	21	63		
8d	30+80	30+60	20	" " (outlot	N½ NW¼ SW¼	33	17	1W	4			
9	30+60	28+25	235	Lawson Montgomery	Pt SW¼	33	17	1W	25	71		
10	28+25	26+75	150	Wm. Frochsman	Pt W½ NW¼	33	17	1W	15			
10a	26+75	21+75	500	" "	Pt W½ NE¼	33	17	1W	50			
11	21+75	21+40	35	J. W. M. Scott (Outlot)	NE¼ NW¼	4	16	1W	7			
12	21+40	19+15	225	Forest Reever (Outlot	SE¼ SW¼	33	17	1W	46	98		
13	19+15	18+40	75	John C. Hill (Outlot)	Pt SE¼	33	17	1W	15			
14	18+40	17+90	50	Jacob O. Burgan (Outlot)	NE¼ SW¼	33	17	1W	10			
15	17+90	13+40	450	Anna Adams	Pt E½ NW¼	33	17	1W	50			
16	13+40	12+40	100	John F. Armstrong	Pt SE¼ NE¼	33	17	1W	10			
17	12+40	10+40	200	John C. Hill	Pt NW¼ SE¼	33	17	1W	20			
18	10+40	8+90	150	Rankin C. Walker	Pt W½ NE¼	33	17	1W	17			
18a	8+90	4+90	400	" " "	Pt E½ NE¼	33	17	1W	50			
19	4+90	3+90	100	Jacob O. Burgan	Pt NE¼ SW¼	33	17	1W	11	45		
20	3+90	0+0	390	Hendricks County	Roads							

(0+00 is at upper end of Ditch)

Arm to the John D. Tharp Ditch.

1	0+0	0+25	25	Esther Montgomery	Pt NW¼ SW¼	33	17	1W	4			
2	0+25	3+0	275	Forest Reever	SE¼ SW¼	33	17	1W	46	98		
3	3+00	3+60	60	Jacob O. Burgan	Pt NE¼ SW¼	33	17	1W	10			
4	3+60	4+60	100	John C. Hill	Pt NW¼ SE¼	33	17	1W	15			
5	4+60	5+22	62	J. W. M. Scott	Pt NE¼ ~~NE¼~~ NW¼	~~33~~ 4	17 16	1W	7			

558

Original Specifications			Specifications for Repairing		
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 21 day of Sept 1928 at the hour of 10 A.M. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the John D. Tharp ditch in Union township Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 10 day of Sept 1928.

Geo. R. Harvey
County Surveyor.

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Danville, Ind,
Sept 22, 1928

Pursuant to an Act of the General Assembly of the State of Indiana, Acts of 1917, Chapter 82, Sections 2, 3, 4, and 5 pages 229 to 233 prescribing the duties of the County Surveyor in regards to the reallotment of open ditches I issued the following notice, as required by law, to the resident land owners on the John D. Tharp Ditch and the Arm to the John D. Tharp Ditch in Union Township which notice is in words and figures as follows: to wit: and on the 10th day of Sept. 1928 served the same on the resident land owners, upon the trustee of the township, and upon the County Road Supt. effected, and upon the officers of each corporate road or railroad effected by said improvement and posted five (5) printed notices in five (5) public places in the township whereby all of said parties were duly notified to appear before me at my office on the 21st day of Sept. 1928, to show cause if any why the allotments heretofore made should not be ratified, approved or confirmed and now on this 21st. day of Sept. 1928 the following party appeared and filed objection to their allotment, J. W. M. Scott. I continued said hearing from day to day and after having heard said objection I made such change as justice required and on this 22nd. day of Sept. 1928, I now confirm said allotments as herein set out and adjusted.

Geo. R. Harvey
Hendricks Co. Surveyor.

Apportionment for Keeping in Repair the Miller + Dillon Ditch, by Geo. R. Harvey County Surveyor, 5/15 1928

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited Acres	Acres Benefited Hund.	Amount of Benefits Dols.	Amount of Benefits Cts.
					Roads.							
1	0+0	3+0	300	Middle Twp	Mid Pt E½ SE¼	13	17	1W	40			
½	3+0	7+0	400	W. & A. Dillon	Pt SW¼ SW¼	18	17	1E	5			
2	7+0	7+60	60	W.C. Dillon	S½ SE¼ SE¼	13	17	1W	20			
4	7+60	17+10	950	W.M. Dillon	E½ NE¼	24	17	1W	80			
5	17+10	18+60	150	Roy Ragsdale	N½ NE¼ SE¼	13	17	1W	15			
6	18+60	19+35	75	T.W. Lovell	NW¼ NW¼ SE¼	13	17	1W	8			
7	19+35	21+85	250	Harvey Wallace	Pt NW¼ SE¼ Pt N½ SW¼ SE¼	13	17	1W	28			
8	21+85	22+60	75	R. Carter Tool & Harvey	Pt W½ SE¼	13	17	1W	7			
9	22+60	24+10	150	C.M. Pearce Hardware	W½ NW¼ NW¼	24	17	1W	15			
10	24+10	27+10	300	Hendricks County	Roads							
11	27+10	32+50	540	John Dugan	W½ NW¼ Pt N½ NW¼	19	17	1E	60			
12	32+50	39+50	700	Harvey Reser	Pt W½ NE¼ Pt S½ SE¼	24	17	1W	72			
13	39+50	49+50	1000	J.D. Gentry	Pt S½ SW¼	13	17	1W	107	30		
14	49+50	57+0	750	Miles Hession Dr. J.D. Hendricks	W½ SE¼	24	17	1W	80			
15	57+0	61+0	400	Geo. Stanley	NE¼ SW¼	24	17	1W	40			
16	61+0	65+0	400	Oscar Reynolds	SE¼ SW¼	24	17	1W	40			
17	65+0	69+0	400	T.C. Hale	SE¼ NW¼	24	17	1W	40			
18	69+0	70+75	175	E.B. Keeney	E½ NE¼	23	17	1W	30			
19	70+75	72+50	175	Wm Merritt	Pt NW¼ SW¼	24	17	1W	20			
20	72+50	72+80	30	M. E. Scott	Pt NW¼ SW¼	24	17	1W	28	40		
21	72+80	73+40	60	Lon Slagle	W½ NE¼ E½ SE¼	25	17	1W	5			
22	73+40	78+90	550	John Hendricks	Pt W½ SW¼	24	17	1W	60			
23	78+90	80+90	200	Tilman Stanley	E½ NW¼	25	17	1W	20			
24	80+90	84+90	400	Thomas Bolar Fred Dunn	Pt SW¼ NE¼	24	17	1W	40			
25	84+90	86+40	150	Robert Bennett	Pt SW¼ NE¼	13	17	1W	16			

Staked from upper end.

Original Specifications Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing Width at Top	Depth of Cut	Width at Bottom

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 12 day of May, 1928, at the hour of 2 P.M. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the Miller + Dillon ditch in Middle township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 2nd day of May, 1928

Geo R. Harvey
County Surveyor.

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Danville, Ind.
May 15, 1928

Pursuant to an act of the General Assembly of the State of Indiana, Acts of 1917, Chapter 82, Sections 2, 3, 4 and 5 pages 227 to 233 prescribing the duties of the County Surveyor in regards to the readjustment of open ditches I issued the following notices, as required by law, to the resident land owners on the Miller + Dillon Ditch ~~ditch~~ in Middle Twp. which notice is in words and figures as follows: to wit, and on the 2nd day of May, 1928, served the same on the resident land owners, upon the trustee of the township and upon the County Road Supt. affected, and upon the officers of such corporate road or railroad affected by said improvement and posted (5) five printed notices in five (5) public places in the township whereby all of said parties were duly notified to appear before me at my office on the 12th. day of May, 1928, to show cause if any why the allotments heretofore made should not be ratified, approved or confirmed and now on this 12th. day of May, 1928, none of the parties appearing to file objections to their allotments, I continued said hearing from day to day and now on this 15 day of May 1928 I now confirm said allotments as herein set out.

Geo. R. Harvey
Co. Surveyor

Apportionment for Keeping in Repair the Joseph Holloway (Lincoln & Brown Twp) Ditch, by Geo. R. Harvey County Surveyor, 19

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited		Amount of Benefits	
									Acres	Hund.	Dols.	Cts.
1	0+0	2+0	200	N. Arbuckle	SE NW NW¼ NE¼	3	16	1E	40			
✓	2+0	4+50	250	S. Jackson	NW¼ SW¼ Pt NW¼ SE¼	3 4	16	1E	50			
3	4+50	5+75	125	N. Barlow	Pt N½ NW¼	3	16	1E	25			
4	5+75	6+75	100	E. Nash	Pt W½ NE¼	3	16	1E	20			
5	6+75	9+25	250	W. T. Holloway	SE¼ NE¼	4	16	1E	50			
6	9+25	11+25	200	E. Holloway	NE¼ SW¼ N½ SW¼	3 4	16	1E	40			
7	11+25	20+25	900	Curt Brookshire	Pt E½ SE¼	3 4	16	1E	100			
8	20+25	22+25	200	L. A. Battey	SW¼ SE¼	3	16	1E	20			
9	22+25	23+25	100	T. H. & E. Ire. Co.	Right-of-Way	3 4	16	1E				
10	23+25	24+25	100	Peoria & Eastern R.R. Co.	" "	3 4	16	1E				
11	24+25	27+75	350	Chet Phillips	Pt NW¼ NE¼	10	16	1E	35			
✓	27+75	29+25	150	Brown Township	Roads							
13	29+25	34+50	425	Bill Crouch	SE¼ SW¼	3	16	1E	47			
14	34+50	38+25	375	L. Henderson	NW¼ NW¼	10	16	1E	43			
15	38+25	40+0	175	W. Henderson	NE¼ NE¼	9	16	1E	20			
16	40+0	43+50	350	Thomas Tarpy	W½ SE¼	33	17	1E	40			
17	43+50	44+50	100	Earl Reed	Pt NW¼ NE¼	3	16	1E	10			
18	44+50	45+0	50	Everett A. Hamstra	S½ NW¼	10	16	1E	10			
19	45+0	47+0	200	Lincoln Township	Roads	3 4 10	16	1E				

Original Specifications			Specifications for Repairing			DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	

Apportionment for Keeping in Repair the J. F. Ingraman Ditch, Washington Ditch, by Geo. R. Harvey County Surveyor, Oct. 4 1929

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Hund.	Amount of Benefits Dols.	Cts.
1	0+0	8+50	850	John H. Kerr	Pt E½ NW¼ Pt W½ NE¼ ~~W½ SE¼~~	25	16	1E	140			
2	8+50	18+50	1000	Edward N. Graham	W½ SE¼ E½ SW¼	25	16	1E	160			
3	18+50	20+40	190	Miles Ottinger	Pt SE¼ NE¼	24	16	1E	30			
4	20+40	21+70	130	Peter M. Leuteritz	Pt NW¼	19	16	2E	20			
5	21+70	24+25	255	Bella Siders	NE¼ SE¼	24	16	1E	40			
6	24+25	26+80	255	Mary Bella Siders + Mabel Siders Parish	SE¼ SE¼	24	16	1E	40			
7	26+80	28+10	130	Calvin T. Heck	Pt SW¼	19	16	2E	20			
8	28+10	30+10	200	E. D. Denton	SW¼ SE¼ E½ NE¼	24	16	1E	32			
9	30+10	39+30	920	Alfred Cox	Pt E½ SE¼	25	16	1E	140			
10	39+30	40+0	70	Samuel Cooper	Pt S½ SW¼	19	16	2E	10			
11	40+0	45+10	510	Martin Dugan	W½ NW¼	36	16	1E	80			
12	45+10	49+55	445	Timothy Dugan	Pt W½ SW¼	25	16	1E	70			
13	49+55	52+10	255	L. C. Graham	Pt E½ NW¼	36	16	1E	40			
14	52+10	53+40	130	Johnson, Carter + Dittrich	Pt E½ NE¼	36	16	1E	20			
15	53+40	58+15	475	Chas. M. Lash	Pt E½ NE¼	35	16	1E	74			
16	58+15	63+90	575	Thomas Feeney	Pt E½ NW¼ Pt W½ NE¼	36	16	1E	90			
17	63+90	66+20	230	H. A. Merritt	Pt E½ SE¼	26	16	1E	35			
18	66+20	70+65	445	Harry P. + Dora L. Frost	Pt E½ SE¼ Pt W½ NE¼	26 35	16	1E 1E	70			
19	70+65	72+95	230	Mary E. Davis	Pt W½ SE¼	24	16	1E	35			
20	72+95	76+80	385	J. F. & D. V. Moran	Pt E½ NW¼ Pt W½ NE¼	35	16	1E	60			
21	76+80	80+80	400	Hendricks Co.	Roads.							
22	80+80	81+80	100	Baltimore & Ohio R.R.	Right of Way thru	24 25	16	1E				
23	81+80	84+50	270	Lincoln Twp.	Roads.							
24	84+50	88+0	350	Washington Twp.	Roads.							

Original Specifications			Specifications for Repairing			DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 28th day of Sept, 1929, at the hour of 10 A.M. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the J.F. Ingraman ditch in Washington township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 16 day of Sept, 1929

Geo. R. Harvey
County Surveyor.
G.H.C.

Danville, Ind.
Oct. 5, 1929.

Pursuant to an Act of the General Assembly of the State of Indiana, Acts of 1917, Chapter 82, Sections 1, 3, 4 and 5 pages 229 to 233 prescribing the duties of the County Surveyor in regards to the reallotment of open ditches I issued the following notices, as required by law, to the resident land owners on the J.F. Ingraman Ditch in Washington Township which notice is in words and figures as follows; to wit; and on 16th day of Sept. 1929, served the same on the resident land owners, upon the trustee of each township and upon the County Road Supt. effected, and upon the officers of each corporate road or railroad effected by said improvement and posted (5) five printed notices in five (5) public places in each township whereby all of said parties were duly notified to appear before me at my office on the 28th day of Sept. 1929, to show cause if any why the allotments heretofore made should not be notified, approved or confirmed and now on this 28th day of Sept. 1929. the following parties appeared and filed objections to their allotments, Chas. M. Lash, Annie Cox, Harry M. Freeman and L.C. Graham, I continued said hearing from day to day and after having heard said objections I made such changes as justice required and on this 2nd. day of Oct. 1929, I now confirmed said allotments as herein set out and adjusted.

Geo. R. Harvey
Hendricks Co. Surveyor.

Apportionment for Keeping in Repair the Pollard + Todd Ditch - Lincoln Ditch, by Carl E Logan County Surveyor, 6/7 1932

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Amount of Benefits Dols.	Amount of Benefits Cts.
1	0+00	9+00	900	Wm A. Banta	E² NW⁴	24	16	1E	60		
2	9+00	21+00	1200	E. D. Denton	E² SW⁴	24	16	1E	80		
3	21+00	30+00	900	Chas. Tansel	W² NE⁴	24	16	1E	60		
4	30+00	32+00	200	B + O Railroad							
5	32+00	44+00	1200	Thos. Corliss	W² SW⁴	24	16	1E	80		
6	44+00	46+25	225	Chester W. Brumes	SW⁴ NW⁴	24	16	1E	15		
7	46+25	52+75	600	Mary Bell Siders	NW⁴ SE⁴	24	16	1E	40		
8	52+25	58+75	600	John H Kerr	NE⁴ NW⁴	25	16	1E	40		
9	58+25	70+25	1200	Thos. Organ	W² NW⁴	25	16	1E	80		
10	70+25	71+00	75	Hoyt Allison	E² W²	23	16	1E	5		
11	71+00	77+00	600	Hoyt Allison	NE⁴ NE⁴	26	16	1E	40		
12	77+00	83+00	600	M. J. Organ	SE⁴ NE⁴	26	16	1E	40		
13	83+00	85+00	200	Martin Hession	W² NE⁴	26	16	1E	13		
14	85+00	88+75	375	A. C. Russ	W² E² SE⁴	26	16	1E	25		
15	88+75	91+75	300	Hannah Merrit	E² E² SE⁴	26	16	1E	20		
16	91+75	97+75	600	Mary E. Davis	N² W² SE⁴	26	16	1E	40		
17	97+75	99+25	150	Mary Shockley	Pt E² E² SE⁴	26	16	1E	10		
18	99+25	101+50	225	Frank Perkins	Pt W² E² SE⁴	26	16	1E	15		
19	101+50	104+50	300	Lillie Gatson	Pt SW⁴	26	16	1E	20		
20	104+50	105+75	75	Hattie + Lama Gowa + Ella J. Warren	Pt SW⁴	26	16	1E	5		
21	105+25	108+25	300	Loren E. Masten	NE⁴ SW⁴	26	16	1E	20		
22	108+25	117+25	900	Hendricks Co. Roads.							
23	117+25	125+75	850	Lincoln Twp. Roads							
24	125+75	134+00	825	Washington Twp. Roads							

Original Specifications Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing Width at Top	Depth of Cut	Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 28th day of March, 1932, at the hour of 10 AM and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the Pollard-Todd ditch in Lincoln + Washington townships, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 12th day of March 1932

Carl E Logan
County Surveyor.

Danville Ind.,
June 7, 1932

Pursuant to an act of the General assembly of the State of Indiana, acts of 1917 Chapter 82, Sections 2, 3, 4 and 5 pages 229 to 233 describing the duties of the County Surveyor in regards to the reallotment of open ditches. I issued the following notices, as required by law, to the resident land owners on the Pollard + Todd Ditch in Lincoln + Washington Twp's. which notice is in words and figures as follows: to wit, and on the 12th day of March, 1932, served the same on the resident land owners, upon the trustees of the Township's and upon the County Road Supt. effected, and upon the gfits of each corporate road or railroad effected by said improvement and posted five (5) printed notices in five (5) public places in the Townships whereby all of said parties were duly notified to appear before me at my office on the 28th day of March, 1932, to show cause if any why the allotments heretofore made should not be ratified, approved or confirmed and now on this 28th day of March, 1932 none of the parties appearing to file objections to this allotments, I continued said hearing from day to day and now on this 7th day of June 1932 I now confirm said allotments as herein set out.

Carl E Logan
Co. Surveyor

Apportionment for Keeping in Repair the Stout-Richardson Ditch, by Carl E Logan County Surveyor, Aug. 16 1932

Wm. B. Burford Blank Book Mfg. Indianapolis

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED		Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
					Pt NE4 SW4								
					Pt NW4 SE4	ok	31	14	1W	4.1			
1	0+00	4+50	450	Wm. M. Foster	SE4 NW4	ok	31	14	1W	20			
2	4+50	6+70	220	H. M. Lockhart	SE4 SE4	ok	30	14	1W	20			
3	6+70	8+90	220	Lilia Pierce (Pierce)	N2 SW4 SW4	ok	29	14	1W	40			
4	8+90	13+30	440	Robert Bayliss	NW4 SW4 S2 SW4 SW4 W2 SE4 SW4	ok	29	14	1W	40			
5	13+30	17+70	440	" " Elmer & Merlie Patton	SE4 NW4	ok	31	14	1W	4			
6	17+70	18+20	50	H. C. Mitchell	SW4 NE4	ok	31	14	1W	40			
7	18+20	22+60	440	A. G. Blair (Leon & Hazel G. Bayliss)									
8	22+60	32+95	1035	Hendricks County Roads									
9	32+95	36+65	370	Carl Cooper	SW4 NE4	ok	29	14	1W	40			
10	36+65	39+40	275	Jno & Catherine Ritzel	NW4 NE4	ok	31	14	1W	25			
11	39+40	44+40	500	James Ritzel	NE4 NE4	ok	31	14	1W	45			
					SE4 NE4		31	14	1W	37			
12	44+40	51+00	660	C. F. Sellers (Jesse Hoyt Dec'd)	SW4 NW4		32	14	1W	60		23	60
13	51+00	53+00	200	C. C. Evens (Mary J Evens)	W2 NW4 NW4	ok	32	14	1W	17			
14	53+00	60+00	700	Hendricks County Roads									
15	60+00	62+20	220	Elvira Simmons (Charles & Hattie Simmons)	E2 SE4 SW4	ok	29	14	1W	20			
16	62+20	68+80	660	David Simmons	Pt NW4		32	14	1W	20			
161	68+80	77+00	820	Hendricks County Roads		see note							
17	77+00	80+30	330	Julia Ritzel	NW4 NE4	ok	32	14	1W	30			
18	80+30	83+80	350	Sarah Scott	Pt NE4	ok	29	14	1W	32			
19	83+80	84+35	55	Oscar Warmoth and wife	Pt W2 NW4	ok	33	14	1W	5			
20	84+35	87+85	350	A. E. Wilson Ethel A. J. E. Craven	Pt SE4	ok	29	14	1W	50			
21	87+85	93+15	330	Laura Smith	Pt NE4 NE4	ok	29	14	1W	30			
22	93+15	94+15	100	Ada Stout	NPt NW4 NW4	ok	33	14	1W	9			
23	94+15	98+35	420	Luther Stout	SE4 SE4	ok	29	14	1W	38			
24	98+35	100+35	200	W. H. Callahan	S2 SE4 NE4		29	14	1W	78		10	
25	100+35	111+85	1150	Fred Meredith	Pt SE4 Pt SW4	ok	29	14	1W	105			
26	111+85	120+65	880	Mary Stout	W2 SW4	ok	28	14	1W	80			
27	120+65	122+85	220	" "	Pt N2 NW4	ok	33	14	1W	20			
28	122+85	129+45	660	Laura Moon	Pt NW4	ok	28	14	1W	60			
29	129+45	132+20	275	Warner Moon (Inez & Oliver Underwood)	Pt W2		28	14	1W	25			
30	132+20	134+40	220	Bertha Cooper	S2 NE4 NW4	ok	28	14	1W	20			
31	134+40	138+80	440	Elizabeth Haylwood	Pt SE4	ok	28	14	1W	40			
32	138+80	144+80	600	D. S. Hazelwood	Pt SW4 Pt NW4	ok	28	14	1W	55			
33	144+80	152+50	770	A. E. Kivett	Pt SW4 Pt NW4	ok	28	14	1W	70			

Note:-

See next Page for Jno. Brown Arm.

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 2nd day of June, 1932, at the hour of 10 AM and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the Wm. H. Stout & Wm. B. Richardson ditch in Franklin & Liberty township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 18th day of May, 1932

Carl E Logan
County Surveyor.

Danville Ind.,
Aug 16 1932

Pursuant to an act of the General Assembly of the State of Indiana, Acts of 1917 Chapter 82, Sections 2, 3, 4 and 5, pages 229 to 233 describing the duties of the County Surveyor in regards to the reallotment of open ditches. I issued the following notices, as required by law, to the resident land owners on the Stout-Richardson Ditch in Franklin & Liberty Twp's which notice is in words & figures as follows: to wit, and on the 18 the day of May, 1932, served the same on the resident land owners, upon the trustee's of the Twp's and upon the County Road Supt. effected, and upon the offices of each corporate road or railroad effected by said improvement and posted five (5)

Apportionment for Keeping in Repair the John Brown Arm to Stout-Richardson Ditch

Ditch, by Carl E Logan County Surveyor, Aug. 16 1932

Wm. B. Burford Blank Book Mfg. Indianapolis

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
									20			
				Ruth & Hattie	S^2 SE^4 NW^4	32	14	1W	40		-	
1	0+00	5+00	500	David Simmons	NE^4 SW^4 OK	32	14	1W	40			
2	5+00	14+00	900	Orville Broadstreet	Pt SE^4 NE^4	31	14	1W	35			
3	14+00	17+80	380	Chas. Sellers et al	NE^4 SE^4 Okc	31	14	1W	40			
				Alice " "	Pt SE^4 NW^4	31	14	1W	5			
3a	17+80	22+80	500	" "	S^2 SW^4 NW^4 okc	32	14	1W	20			
3b	22+80	24+80	200	Mary S. Evans "	Pt W^2 SW^4							
					NW^4 SW^4 okc	32	14	1W	60			
4	24+80	33+80	900	David Blunk	Pt S^2 SW^4 NE^4							
5	33+80	35+30	150	R. H. Bayliss	Pt W^2 NW^4 SE^4 OK	32	14	1W	5			
6	35+30	36+80	150	Julia Ritzel	N^2 SW^4 NE^4 OK	32	14	1W	10			

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom
-					

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 2nd day of June, 1932, at the hour of 10 AM and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the John Brown arm to Wm H Stout ditch in Franklin & Liberty township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 18th day of May, 1932

Carl E Logan
County Surveyor.

printed notices in five (5) public places in the Townships whereby all of said parties were duly notified to appear before me at my office on the 2nd day of June, 1932, to show cause if any why the allotments heretofore made should not be ratified, approved or confirmed and now on this 2nd day of June, 1932, the following parties appeared and filed objections to this allotments; Carl Cooper, Fred Wardlith, O.S. Hazelwood and Wm. M. Foster. I continued said hearing from day to day and after having heard said objections I made such changes as justice required and on this 16th day of Aug. 1932 I now confirm said allotments as herein set out and adjusted.

Carl E Logan
Hendricks Co. Surveyor

Apportionment for Keeping in Repair the Joseph Holloway Drain

Wm. B. Burford Print & Book Mfr. Indianapolis

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Amount of Benefits Dols.	Amount of Benefits Cts.
					N² SW⁴	3	16	1E			
1	0+00	8+00	800	Curt Brookshire	Pt E² SE⁴	4	16	1E	100		
					NW⁴ SW⁴	3	16	1E			
2	8+00	10+50	250	L. T. Ackles Jean Henry	Pt NW⁴ SE⁴	4	16	1E	50		
3	10+50	12+50	200	M. E. Blue	NW⁴ NE⁴	3	16	1E	40		
4	12+50	13+75	125	H. Barlow	Pt N² NW⁴	3	16	1E	25		
5	13+75	15+25	150	B+B Waddle	Pt W² NE⁴	3	16	1E	20		
6	15+25	17+75	250	W. F. Holloway	NE⁴ NE⁴	4	16	1E	50		
7	17+75	19+75	200	C. Holloway	NE⁴ SW⁴	4	16	1E	40		
8	19+75	21+75	200	M. A. Carney	SW⁴ SE⁴	3	16	1E	20		
						3					
9	21+75	22+75	100	T.H.I. + E. Trac. Co.		4	16	1E			
						3					
10	22+75	23+75	100	P. + E. Railroad		4	16	1E			
11	23+75	27+25	350	Chet Phillips	Pt NW⁴ NE⁴	10	16	1E	35		
12	27+25	31+50	425	Bill Crouch	SE⁴ SW⁴	3	16	1E	42		
13	31+50	33+00	150	Wm. Ruse	Pt NW⁴	10	16	1E	20		
14	33+00	36+75	375	L. Henderson	NW⁴ NW⁴	10	16	1E	43		
15	36+75	38+50	175	W. Henderson	NE⁴ NE⁴	9	16	1E	20		
16	38+50	42+00	350	Thomas Tapp	W² SE⁴	33	17	1E	40		
17	42+00	42+50	50	H. E. Smith + F. E. Reid	Pt NW⁴ NE⁴	3	16	1E	10		
18	42+50	44+00	150	Brown Twp. Roads							
19	44+00	44+50	50	Everett Hamstra	S² NW⁴	10	16	1E	10		
20	44+50	47+00	250	Lincoln Twp. Roads							

Ditch, by Carl E. Logan County Surveyor, Aug. 24 1932

Original Specifications: Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing: Width at Top	Depth of Cut	Width at Bottom

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 23rd day of August, 1932, at the hour of 10 AM and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the Joseph Holloway ditch in Lincoln + Brown township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 11th day of August, 1932.

Carl E. Logan
County Surveyor.

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Danville Ind.,
Aug. 24 1932

Pursuant to an act of the General Assembly of the State of Indiana, Acts of 1917 chapter 82, Section 2, 3, 4 and 5, pages 229 to 233 describing the duties of the County Surveyor in regards to the reallotment of open ditches. I issued the following notices, as required by law, to the resident land owners on the Joseph Holloway Ditch in Lincoln + Brown Twps which notice is in words and figures as follows, to-wit: and on the 11th day of August 1932, served the same on the resident land owners, upon the trustees of the Townships and upon the offices of each corporate road or railroad effected by said improvement and posted five (5) printed notices in five (5) public places in the Townships whereby all of said parties were duly notified to appear before me at my office on the 23rd day of August, 1932, to show cause if any why the allotments heretofore made should not be ratified, approved or confirmed and now on this 23rd day of August, 1932 none of the parties appeared to file objections to their allotments, and now on this 24th day of August 1932 I now confirm said allotments as herein set out.

Carl E Logan
County Surveyor

22-27-17N-1E

Apportionment for Keeping in Repair the J. W. Phillips Drain

Wm. B. Burford Blank Book Mfg. Indianapolis

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Amount of Benefits Dols.	Amount of Benefits Cts.
					Road N & S between 27-28 and 21-22 and E & W. between 15-22		17	1E			
1	0+00	4+00	400	Hendricks County	Pt NE¼ NE¼ Pt SE¼ NE¼	28	17	1E	10	—	
2	4+00	5+30	130	James Dugan Sr. Est.	Road E & W	22 27	17	1E			
3	5+30	6+30	100	Hendricks County	Pt E½ SE¼ SE¼	21	17	1E	15	—	
4	6+30	8+25	195	Bertha Richwine	NE¼ SE¼	21	17	1E	40		
5	8+25	13+50	525	Phillip B. Herring	Pt SW¼ NW¼	27	17	1E	35		
6	13+50	18+0	450	Richard T. Richwine & wife	S½ NW¼ NW¼	27	17	1E	20		
6a	18+00	20+30	230	" " " " & wife	SW¼ SW¼	22	17	1E	40		
7	20+30	25+55	525	Oliver N. & Dora E. Amick	Pt SW¼ SE¼ SW¼	15	17	1E	4		
8	25+55	26+05	50	Rolla Roseboom	N½ NW¼ NW¼	27	17	1E	20		
9	26+05	28+55	250	Forest Richwine	NE¼ NW¼	27	17	1E	40		
9a	28+55	33+80	525	" "	N Pt SE¼ NW¼	27	17	1E	10		
9b	33+80	35+05	125	" "	Pt W½ SE¼ NW¼ Pt W½ NE¼ NW¼	22	17	1E	15		
10	35+05	37+05	200	S. P. & Nannie Scott	SE¼ NE¼	21	17	1E	40		
11	37+05	42+30	525	John C. Johnson	NE¼ NE¼	21	17	1E	30		
11a	42+30	46+20	390	" " "		22 27	17	1E			
12	46+20	51+00	480	Hendricks County	Road E & W. between	22	17	1E	32		
13	51+00	55+25	425	James E. Bingham	Pt NE¼ SW¼	22	17	1E	40		
13a	55+25	60+50	525	" " " "	SE¼ SW¼	22	17	1E	60	credit of 29 rod tile	
14	60+50	63+91	341	Patrick K. Dugan	Pt W½ NW¼	22	17	1E	12	credit of 6 rod tile	
15	63+91	64+91	100	Carl Wing	Pt SE¼ SE¼	16	17	1E	60	credit of 58 rod tile	
16	64+91	66+91	200	Reserve Loan Life Ins. Co.	S½ SW¼ NW¼ NW¼ SW¼	22	17	1E			

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 12 day of June, 1935, at the hour of 10 A.M. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the J.W. Phillips ditch in Brown township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.


Dated this 29 day of May, 1935

Harold Cook
County Surveyor.

Ditch, by Harold Cook — County Surveyor, June 18 1935

Original Specifications: Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing: Width at Top	Depth of Cut	Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.



Rolla, Indiana
June 18th, 1935

Pursuant to an Act of the General Assembly of the State of Indiana, Acts of 1933, Chapter 264, Sections 39, 40, 41, 42, 43, 44, 46, 47, 49, 50, 51 and 53 and also pursuant to an Act of the General Assembly of the State of Ind. Acts of 1935, Chapter 225; An Act to amend sections 41, 49, 50 and 53 of chapter 264, Act of 1933; said Acts prescribing the duties of the County Surveyor in regards to the allotment and cleanout of open ditches, I issued the following notices, as required by law, to the resident land owners on the J. W. Phillips ditch in Brown Township, which notice is in words and figures as follow (N.S.). and on the 29th day of May 1935, served the same on the resident land owners, and upon the County Highway Supt. affected by said improvement, and posted five (5) notices in five (5) public places in the Township whereby all said parties were duly notified to appear before me at my office on the 12th day of June, 1935, and then and there to file all objection that may be made to their allotment for the cutting of weeds and willows annually, and the cleaning out biennially and keeping in repair the above named ditch and now on the 12th day of June the following parties appeared and filed objection to their allotment, James E. Bingham Oliver N. Amick and Richard T. Richwine. I continued said hearing from day to day and after having heard said objections, I made such changes as justice required and on this 18th day of June, 1935, I now confirm said allotments as herein set out and adjusted.

Harold Cook
County Surveyor.

Apportionment for Keeping in Repair the Martin Hogan Drain

Wm. B. Burford Ruled Book Mfg. Indianapolis

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited Acres	Acres Benefited Hund.	Amount of Benefits Dols.	Amount of Benefits Cts.
1	0+00	1+45	145	Anna P. & Edward J. Baumer	SW¼ SW¼	31	17	2E	12			
1a	1+45	3+60	215	" " "	SE¼ SW¼	31	17	2E	18			
2	3+60	4+80	120	P. T. Quinn	Pt NE¼ SE¼	36	17	1E	10			
3	4+80	6+60	180	S. J. Maloney	Pt NW¼ SW¼	31	17	2E	15			
4	6+60	8+40	180	Stephen L. & Lula C. Donahue	Pt W½ SW¼ NW¼	31	17	2E	25			Pt. thru Hogan Tile
5	9+40	8+75	35	Maude M. Henry	Pt W½ SW¼ NW¼	31	17	2E	5			
6	8+75	10+05	130	Daniel Hession	SE¼ SW¼	30	17	2E	20			Thru Hogan Tile
7	10+05	12+55	250	Glen Neaville	SW¼ SW¼	30	17	2E	40			Hogan Tile
7a	12+55	13+15	60	" "	Pt NW¼ NW¼	31	17	2E	10			" "
7b	13+15	14+15	100	" "	Pt NE¼ SW¼ Pt NW¼ SW¼ Pt E½ SE¼ NW¼	30	17	2E	20			" "
8	14+15	14+75	60	Cora Ennis	Pt E½ NE¼ NW¼	31	17	2E	10			" "
9	14+75	19+75	500	Nelson & Ella M. Kern	Pt SE¼ NW¼ Pt NE¼ NW¼ Pt NW¼ NW¼	31	17	2E	83	70		" "
9a	19+75	28+0	825	Nelson Kern	Pt NW¼ SW¼ NE¼ SW¼ NW¼ SE¼	31	17	2E	22 40 25		25	
10	28+0	32+15	415	Hendricks County	Road E & W thru	31	17	2E				

Ditch, by Harold Cook County Surveyor, June 19 1935

Original Specifications Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing Width at Top	Depth of Cut	Width at Bottom

Notice of Ditch Allotment


TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 17 day of June, 1935, at the hour of 10 a.m. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the Martin Hogan ditch in Brown township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 4 day of June, 1935

Harold Cook
County Surveyor.

AR



Danville, Indiana
June 19, 1935


Pursuant to an Act of the General Assembly of the State of Indiana, Acts of 1933, Chapter 264, Sections 39, 40, 41, 42, 43, 44, 46, 47, 49, 50, 51 and 53 and also pursuant to an Act of the General Assembly of the State of Indiana, Acts of 1935, Chapter 225: An Act to amend sections 41, 49, 50 and 53 of Chapter 264, Acts of 1933; said Acts prescribing the duties of the County Surveyor in regards to the allotment and clean out of open ditches, I issued the following notices, as required by law, to the resident land owners on the Martin Hogan Ditch in Brown Township, which notice is in words and figures as follows (V.F.) and on the 4th day of June 1935, served same on the resident land owners and upon the County Highway Supt. affected by said improvement and posted five (5) notices in five (5) public places in the township whereby all of said parties were duly notified to appear before me at my office on the 17th day of June, 1935 and then and there to file all objections that may be made to their allotment for the cutting of weeds and willows annually and the cleaning out biennially and keeping in repair the above named ditch and now on the 17th day of June the following parties appeared; Maude M. Henry, Lula C. Donahue, S. J. Maloney and Edward J. Baumer, I continued the hearing from day to day and after hearing all objections, I made such changes as justice required and on this 19th day of June 1935, I now confirm said allotments as herein set out and adjusted

Harold Cook
County Surveyor.

Apportionment for Keeping in Repair the Adam Beaman Drain (A14)

Ditch, by Harold Cook County Surveyor, July 8. 1935

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Hund.	Amount of Benefits Dols.	Cts.
					Road along West side	21	17	1E				
					Road along South side	21	17	1E				
					Road along East side	28	17	1E				
1	0+0	6+75	675	Hendricks County	Pt NE¼ NE¼	28	17	1E	30			
2	6+75	12+05	530	James Dugan Sr. Est.	Pt NW¼ NE¼	28	17	1E	23			
2a	12+05	16+10	405	" " " "	Pt SW¼ NE¼	28	17	1E	3			
2b	16+10	16+60	50	" " " "	Pt SE¼ NE¼	28	17	1E	20			
2c	16+60	20+15	355	" " " "	Pt SE¼ SE¼	21	17	1E	5			
3	20+15	21+05	90	Bertha Richwine	SW¼ NE¼	21	17	1E	40			
4	21+05	28+15	710	Stella Wiley John C. Johnson	Pt S½ NW¼ SW¼	21	17	1E	7			
5	28+15	29+40	125	U. Grant Arbuckle	Pt NE¼ SE¼	20	17	1E	8			
6	29+40	30+80	140	Martin Hession Brearley	W½ SE¼ SE¼	21	17	1E	20			
7	30+80	41+35	1055	Patrick Long Jr.	E½ SW¼ SE¼				20			
8	41+35	48+45	710	Henry Long	W½ NW¼ SE¼	21	17	1E	40			
9	48+45	53+85	540	Frank Marvel	W½ SW¼ SE¼							
9a	53+85	57+85	400	" "	Pt NW¼ NW¼	21	17	1E	30			
10	57+85	60+95	310	Metropolitan Life Ins. Co.	Pt NE¼ NW¼	21	17	1E	25			
11	60+95	68+05	710	Ellison Arbuckle	Pt NE¼ NE¼	20	17	1E	17			
11a	68+05	72+10	405	" "	NE¼ SW¼	21	17	1E	40			
12	72+10	76+65	355	Harley B & Bonnie Oyler	Pt SE¼ SW¼	21	17	1E	23			
12a	76+65	85+70	1005	" " & " "	N½ NW¼ SW¼	21	17	1E	20			
13	85+70	89+75	405	Albert W. Beaman	S Pt. SW¼ NW¼	21	17	1E	57			
13a	89+75	95+80	605	" " "	S Pt. SE¼ NW¼	21	17	1E	23			
					N Pt SW¼ NW¼							
					N Pt. SE¼ NW¼							
					Pt SE¼ NE¼	20	17	1E	34			



Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 22 day of June, 1935, at the hour of 10 A.M. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the Adam Beaman ditch in Brown township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 8 day of June, 1935

Harold Cook
County Surveyor.

Original Specifications Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing Width at Top	Depth of Cut	Width at Bottom

Albert W. Beaman has filed 310 feet of his allotment and is thereby due that much credit toward the open cleanout at the next time this ditch is re-allotted

Harold Cook
Sept, 1935 Co. Surveyor

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Danville, Indiana,
July 8, 1935.

Pursuant to an Act of the General Assembly of the State of Indiana, Acts of 1933, Chapter 264, Sections 39, 40, 41 42, 43, 44, 46, 47, 49, 50, 51, and 53 and also pursuant to an Act of the General Assembly of the State of Indiana, Acts of 1935, Chapter 225, ; an act to amend Sections 41, 49, 50 and 53 of Chapter 264, Acts of 1933; said Act prescribing the duties of the County Surveyor in regards to the allotment and clean outs of open ditches, I issued the following notices, as required by law, to the resident land owners on the Adam Beaman Drain in Brown Township, which notice is in words and figures as follows (N.D.) and on the 8th day of June, 1935 served the same on the resident land owners and upon the County Highway Superintendent effected by said improvement, and posted five (5) notices in five (5) public places in Brown and Middle Townships, whereby all of said parties were duly notified to appear before me at my Office on the 22nd. day of June 1935 and then and there to file all objections that may be made to their allotment for the cutting of weeds and willows annually, and the cleaning out biennially and keeping in repair the above named ditch and now on the 22nd. day of June 1935 the following parties appeared; Patrick Dugan, U. Grant Arbuckle, Ellison Arbuckle, Mr. Long, Mr. McKee, and Albert W. Beaman. I continued said hearing from day to day and after having heard said objections, I made such changes as justice required and on this 8th day of July, 1935, I now confirm said allotment as herein set out and adjusted

Harold Cook
County Surveyor

Apportionment for Keeping in Repair the George Blackwell Ditch

Ditch, by Harold Cook County Surveyor, July 20 1935

Wm. B. Burford Book Mfg. Co., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Hund.	Amount of Benefits Dols.	Cts.
				St Louis Division								
1	43+40	42+0	140	Pennsylvania R.R. Co.	Right-of-way thru	35	15	1W				
2	42+0	41+25	75	Roy J. Nichles & Wife The Plainfield Bldg. & Loan Ass'n.	Pt. SE¼ NW¼	35	15	1W	6	25		
3	41+25	39+75	150	Grover Neimeyer 41+25 to 40+15 Indiana Railroad Co.	Right-of-way thru	35	15	1W				
3A				Ethel H Ader Edmonson 40+15 to 39+75								
4	39+75	39+0	75	Ethel H. Ader Edmonson	SE¼ NE¼	34	15	1W	40	—		
5	39+0	38+0	100	" " "	Pt NW¼ SE¼ - No. of R.R.	35	15	1W	17	—		
				John C & Mattie Williams								
6	38+0	34+0	400	James Thompson	W½ SW¼ SW¼	26	15	1W	20	—		
				Grover C. &	Pt NE¼ SW¼							
7	34+0	30+50	350	Eloise H. Niemeyer	Pt NW¼ SW¼	35	15	1W	16	80		
				Harry & Thelma Walker								
8	30+50	28+75	175	Henry L. & Laura Huddleston	Pt. SE¼ NW¼	35	15	1W	11	75		
9	28+75	27+25	150	Hendricks County	Road in SW¼ NW¼	35	15	1W	40	—		
				Grant Martin	S½ NW¼ NW¼				20	—		
10	27+25	16+25	1100	W. Frank Martin et. al.	Pt. N½ SE¼ NW¼				18	—		
				" " "	NE¼ NW¼	35	15	1W	40	—		
					NW¼ SW¼				30	—		
				James Thompson								
11	16+25	12+25	400	Effie Thompson	E½ SW¼ SW¼	26	15	1W	20	—		
				" "	Pt. W½ E½ SW¼	26	15	1W	10	—		
					SE Cor. SE¼ SE¼	27	15	1W	1	—		
					NE¼ NE¼	34	15	1W	36	34		
12	12+25	2+0	1025	John R. Miles	N½ NW¼ NW¼	35	15	1W	20	—		
				" " "	Pt. SE¼ SE¼	27	15	1W	39	—		
						26						
13	2+0	0+0	200	Hendricks County	Road E. & W. between	35	15	1W				

0+00 is 627' east & 16' N. of NW cor. 35-15-1W. } C.O.B. 25/61.
43+40 is the N end of culvert under Penn. R.R.

Original Specifications: Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing: Width at Top	Depth of Cut	Width at Bottom

5
3 R.P.

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 17 day of June, 1935, at the hour of 2 P.M., and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the Geo. Blackwell ditch in Liberty township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 4 day of June, 1935

Harold Cook
County Surveyor.

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Danville, Indiana.
July 20, 1935

Pursuant to an Act of the General Assembly of the State of Indiana, Act of 1933, Chapter 264, Sections 39, 40, 41, 42, 43, 44, 46, 47, 49, 50, 51 and 53 and also pursuant to an Act of the General Assembly of the State of Indiana, Act of 1935, Chapter 225, an Act to amend sections 41, 49, 50 and 53 of Chapter 264, Act of 1933; said Acts prescribing the duties of the County Surveyor in regards to the allotment and clean out of open ditches, I issued the following notices as required by law, to the resident land owners on the George Blackwell Ditch in Liberty Township, which notice is in words and figures as follows (N.D.) and on the 4th day of June 1935 served the same on the resident land owners, and upon the County Highway Supervisor affected by said improvement and posted five (5) notices in five (5) public places in the Township whereby all of said parties were duly notified to appear before me at my office on the 17th day of June, 1935 and then and there to file all objections that may be made to their allotments for the cutting of weeds and willows annually, and the cleaning out biennially and keeping in repair the above named ditch and now on the 17th day of June, 1935 the following parties appeared; Mr. Miller, for the Pennsylvania R.R. Co., John R. Miles, W. Frank Martin and John Richardson, but no objections to their allotment were filed. I continued said hearing from day to day and now there being no changes necessary to be made in said allotments, and now on this 20th day of July 1935, I now confirm said allotment herein set out.

Harold Cook
County Surveyor.

Apportionment for Keeping in Repair the John Collins Ditch

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Hund.	Amount of Benefits Dols.	Cts.
						27 28	17	1E				
1	0+00	1+22	122	Hendricks County	Roads							
2	1+22	3+22	200	Mary G. Cummings	Pt. SE¼ SE¼	28	17	1E	25			
3	3+22	10+57	735	Hannah Hession	Pt. W½ NE¼ E Pt. E½ SW¼ SW¼ SE¼	33	17	1E	70			
4	10+57	16+47	590	Wilbur Lowder	Pt. N½ SE¼	28	17	1E	56			
5	16+47	18+97	250	Patrick J. Kelley	Pt. NE¼ NE¼	33	17	1E	20			
6	18+97	20+57	160	James M. Tarpey	W½ W½ SW¼	28	17	1E	20			
7	20+57	21+57	100	Henry T. Vidito	Pt. E½ W½ SW¼	28	17	1E	20			
8	21+57	22+57	100	Albert Sloan	Pt. E½ NW¼	33	17	1E	55			
9	22+57	26+57	400	Allen O. McDaniel	Pt. NW¼	33	17	1E	36			
10	26+57	28+57	200	Otis R. & Agnes M. Medsker	Pt. SW¼	28	17	1E	80			
11	28+57	34+70	613	The Prudential Ins. Co.	Pt. S½ NW¼	28	17	1E	15			
12	34+70	35+45	75	Lester E. Everett	Pt. W½ NW¼	33	17	1E	6			
13	35+45	35+93	48	Jonathan P. Lowder Williams		33 28 34						
14	35+93	41+95	602	Hendricks County	Roads		17	1E				
15	41+95	42+95	100	Thomas T. Tarpey	Pt. NW¼ SE¼	33	17	1E	20			
16	42+95	45+55	260	Wyatt McCaslin John Emerith	Pt. NE¼ SW¼	33	17	1E	20			

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 24 day of August, 1935, at the hour of 10 A.M. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the John Collins ditch in Brown township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.


Dated this 13 day of Aug., 1935

Harold Cook
County Surveyor.

Earl E. & Bertha May
Mon Rail.

Ditch, by Harold Cook County Surveyor, Aug. 28 1935

Original Specifications: Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing: Width at Top	Depth of Cut	Width at Bottom
		2'-0"			2'-0"



DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Danville, Ind.
Aug. 28, 1935


Pursuant to an Act of the General Assembly of the State of Indiana, Acts of 1933, Chapter 264, Sections 39, 40, 41, 42, 43, 44, 46, 47, 49, 50, 51 and 53 and also pursuant to an Act of the General Assembly of the State of Indiana, Acts of 1935, chap. 225, An Act to amend Sections 41, 49, 50 and 53 of Chap. 264 Acts of 1933; said Acts prescribing the duties of the County Surveyor in regards to the allotment and clean-out of open ditches, I issued the following notices, as required by law, to the resident land owners on the John Collins Ditch in Brown Twp. which notice is in words and figures as follows: (N.D.) and on the 13th day of Aug. 1935 served same on the resident land owners and upon the County Highway Supt. affected by said improvement and posted five (5) notices in five (5) public places in the township, whereby all of said parties were duly notified to appear before me at my office on the 24th day of Aug. 1935 and then and there to file all objections that may be made to their allotments for the cutting of weeds, brush and willows annually and the cleaning out biennially and keeping in repair the above named ditch and now on the 24th day of Aug. 1935 the following parties appeared and filed objections to their allotments, Hannah Hession and Mary G. Cummings by D. F. Cummings. I continued said hearing from day to day and after having heard said objections, I made such changes as justice required and on this 28th day of Aug. 1935, I now confirm said allotments as herein set out and adjusted.

Harold Cook,
County Surveyor.

Apportionment for Keeping in Repair the Orren A. Stout Ditch

Wm. B. Burford Blank Book Mfr., Indianapolis

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED		Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	72+08	70+0	208	~~Thomas Edmonson~~ Lena McCollum	SW¼ SW¼		20	14	1W				
2	70+0	66+25	375	Alfred Glover	NE¼ NW¼	ok	29	14	1W				
3	66+25	57+0	925	Carl C. Cooper	NW¼ NE¼	ok	29	14	1W				
4	57+0	54+0	300	Laura B. Smith	Pt. NE¼ NE¼	ok	29	14	1W				
5	54+0	50+0	400	Cornie L. Bais (Henry J. Amt)	SW¼ SE¼	ok	20	14	1W				
6	50+0	47+0	300	" "	SE¼ SE¼	ok	20	14	1W				
7	47+0	40+0	700	" "	SW¼ SW¼	ok	21	14	1W				
8	40+0	30+77	923	Hendricks County	Roads		20 21 29	14	1W				
9	30+77	25+52	525	Laura Moon	NW¼ NW¼	ok	28	14	1W				
10	25+52	14+77	1075	Sophia Stout	SE¼ SW¼	check	21	14	1W				
11	14+77	9+77	500	Obe H. Johnson	Pt. SW¼ SE¼	ok	21	14	1W				
12	9+77	5+52	425	Bertha E. Cooper	NE¼ NW¼	ok	28	14	1W				
13	5+52	4+0	152	Hendricks County	Roads		28	14	1W				
14	4+0	0+0	400	Daniel S. Hazelwood	Pt. SW¼ SE¼	ok	28	14	1W				



Ditch, by Harold Cook County Surveyor, Aug. 30 1935

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom
		1'-0"			1'-0"

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Danville, Indiana
Aug. 20, 1935

Pursuant to an Act of the General Assembly of the State of Indiana, Acts of 1933, Chapter 264, Sections 39, 40, 41, 42, 43, 44, 46, 47, 49, 50, 51 and 53 and also pursuant to an Act of the General Assembly of the State of Indiana, Acts of 1935, Chapter 225; An Act to amend sections 41, 49, 50 and 53 of Chapter 264 Acts of 1933; said Acts prescribing the duties of the County Surveyor in regards to the allotment and clean out of open ditches, I issued the following notices, as required by law, to the resident land owners on the Orren A. Stout Ditch in Liberty Township, which notice is in words and figures as follows: (N.D.) and on the 15th day of August 1935, served same on the resident land owners and upon the County Highway Supervisor affected by said improvement and posted five (5) notices in five (5) public places in the Township whereby all of said parties were duly notified to appear before me at my office on the 28th day of Aug. 1935 and then and there to file all objections that may be made to their allotments for the cutting of weeds, brush, and willows annually and the cleaning out biennially and keeping in repair the above named ditch and now on the 28th day of Aug. 1935, the following parties appeared; Benj. Scott and Carl C. Cooper. I continued said hearing from day to day and having heard said objections, I made such changes as justice required and on this 30th day of August 1935, I now confirm said allotments as herein set out and adjusted

Harold Cook
County Surveyor.

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 28 day of Aug., 1935, at the hour of 10 o. M. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the Orren A. Stout ditch in Liberty township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 15 day of Aug., 1935

Harold Cook
County Surveyor.

Apportionment for Keeping in Repair the Stout - Richardson Ditch, by Harold

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITTED	Section	Town.	Range	Acres Benefitted: Acres	Acres Benefitted: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+00	4+50	450	Ruth E. Foster	Pt NE¼ SW¼ Pt NW¼ SE¼	31	14	1W	41			
2	4+50	6+70	220	W. M. Lockhart	SE¼ N. W¼	31	14	1W	20			
3	6+70	8+90	220	Celia J. Pearce	Pt SE¼ SE¼	30	14	1W	20			
4	8+90	13+30	440	Robert Bayliss	N½ SW¼ SW¼ NW¼ SW¼	29	14	1W	40			
				" "								
5	13+30	17+70	440	Robert Bayliss	S½ SW¼ SW¼ W½ SE¼ SW¼	29	14	1W	40			
6	17+70	18+20	50	Elmer L & Merle Patton	SE¼ NW¼	31	14	1W	4			
7	18+20	22+60	440	Lem & Hazel G. Bayliss	SW¼ NE¼	31	14	1W	40			
8	22+60	32+95	1035	Hendricks Co. Roads.								
9	32+95	36+65	370	Carl Cooper	SW¼ NE¼	29	14	1W	40			
10	36+65	39+40	275	John C & Catherine J Reitzel	NE¼ NE¼	31	14	1W	25			
11	39+40	44+40	500	James E. Reitzel	NE¼ NE¼	31	14	1W	45			
12	44+40	48+45	405	Celia Sellers et al	SE¼ NE¼	31	14	1W	37			
13	48+45	57+80	935	Mary S. Evans	SW¼ NW¼	32	14	1W	23			
14	57+80	59+00	200	E. E. Evans.	W½ NW¼ NW¼	32	14	1W	17			
15	59+00	66+00	700	Hendricks Co. Roads.								
16	66+00	68+20	220	Charles & Martha Simmons	E½ SE¼ SW¼	29	14	1W	20			
17	68+20	70+40	220	" " "	E½ W½ NW¼	32	14	1W	20			
18	70+40	74+80	440	Ruth & Hattie Simmons	NE¼ NW¼	32	14	1W	40			
19	74+80	77+30	250	Hendricks Co. Roads.								
20	77+30	80+60	330	Julia Reitzel	NW¼ NE¼	32	14	1W	35			
21	80+60	84+10	350	Sarah A Colt	Pt NE¼	29	14	1W	32			
22	83+80	84+35	55	Oscar Warmoth & wife	Pt W½ NW¼	33	14	1W	5			
23	84+35	89+85	550	Edith H. Wilson								
				J. E. Cranney	Pt SE¼	29	14	1W	50			
24	89+85	93+15	330	Laura Smith	Pt NE¼ NE¼	29	14	1W	20			
25	93+15	94+15	100	Ada Stout	N pt NW¼ NW¼	33	14	1W	9			
26	94+15	98+35	420	Luther Stout	SE¼ SE¼	29	14	1W	38			
27	98+35	99+45	110	Wm. H. Callahan	S½ SE¼ NE¼	29	14	1W	10			
28	99+45	100+35	90	Allen L & Mabel B	Pt E½ NE¼	29	14	1W	8			
29	100+35	111+85	1150	Ina Thompson Meredith	Pt SE¼	29	14	1W	1.05			
30	111+85	120+65	880	Mary Stout	Pt SW¼ W½ SW¼	28	14	1W	58			
31	120+65	122+85	220	" "	Pt N½ NW¼	33	14	1W	20			
32	122+85	129+45	660	Laura Moore	Pt NW¼	28	14	1W	60			
33	129+45	131+65	220	Ivey & Olive Underwood	W½ SE¼ NW¼	25	14	1W	20			
34	131+65	132+60	95	Warren Moon	NW pt NE¼ SW¼	25	14	1W	5			
35	132+60	134+40	220	Bertha Cooper	S½ NE¼ NW¼	25	14	1W	20			

Original Specifications: Width at Top	Depth of Cut	Width at Bottom	Specifications: Width at Top	Depth of Cut

No. 1

Notice for the Repair of G. W. Carver Ditch

Office of County Surveyor, Dated ... 19..39

NOTICE IS HEREBY GIVEN, That all that portion of the above named ditch, described as follows, to-wit: Beginning at Station 0, ... feet and running to Station 0, ... plus 50 feet, being 50 ... feet in all, is allotted to Hendricks County, ... for cleaning ... All the above allotment to be cleaned out to a depth and width not less than its original specifications by ... Sept 30th, 19 39

NOTICE IS FURTHER GIVEN, That on failure to do so, the ... shall proceed at once to have the same completed, and shall certify the cost thereof to the auditor of the county, who shall place the same on the tax duplicate, as other taxes against such person or corporation, and to be collected as other taxes are collected. (Sec. ...)

Harold Cook, Sup. H. ... Surveyor.

...ay 12 1937

...tract
...lan
...it
...and
...dwood.
...stract

...THE WORK SHALL BE DONE, ...RKS, &c.

Apportionment for Keeping in Repair the Stout - Richardson Ditch, by Harold Cook County Surveyor, May 12 1937

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited		Amount of Benefits	
									Acres	Hund.	Dols.	Cts.
36	134+40	138+80	440	Elizabeth Hazelwood	Pt SE¼	28	14	1W	40.			
37	138+80	144+80	600	D.S. Hazelwood	Pt SW¼							
					Pt NW¼	28	14	1W	55.			
38	144+80	152+50	770	A.E. Hewett	Pt SW¼							
					Pt NW¼	28	14	1W	70.			

Width of Bottom

0+0 to 5+0 = 4'
5+0 to 92+0 = 2'
92+0 to 98+0 = 1½'
98+0 to 152+50 = 1'

Banks sloped on 45 degree slope
Pit thrown out 2' beyond berms so that it won't be washed back into the ditch
All weeds & brush to be cut.

Original Specifications			Specifications for Repairing			DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	

Apportionment for Keeping in Repair the John Brow Arm to Stout-Richardson Ditch, by Harold Cook County Surveyor, May 12 1937.

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+00	5+00	500	Ruth + Hattie Simmons	S½ SE¼ NW¼	32	14	1W	~~20~~	~~00~~		
2	5+00	14+00	900	Orville Broadstreet	NE¼ SW¼	32	14	1W	40.			
3	14+00	17+80	380	Alice Sellers et al	Pt SE¼ NE¼	31	14	1W	35			
3a	17+80	22+80	500	" " " "	NE¼ SE¼	31	14	1W	40			
4	22+80	23+20	40	" " " "	Pt SE¼ NE¼							
4A	~~23+20~~	24+80	~~900~~ 160	Mary S. Evens	S½ SW¼ NW¼	32	14	1W	20			
5	24+80	33+80	900	David Blunk	~~Pt W½ NW¼~~ Pt S½ SW¼ NE¼ SW¼	32	14	1W	60.			
6	33+80	35+30	150	R H. Bayliss	~~Pt W½ NW¼ SE¼~~	32	14	1W	5.			
7	35+30	36+80	150	Julia Reitzel	N½ SW¼ NE¼	32	14	1W	10.			

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Apportionment for Keeping in Repair the Orrin A. Stout Ditch, by Harold Cook, County Surveyor, May 12 1937.

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefitted		Amount of Benefits	
									Acres	Hund.	Dols.	Cts.
1	72+08	70+0	208	Lena McCollum	SW¼ SW¼	20	14	1W				
2	70+0	66+25	375	Alfred Glover	NE¼ NW¼	29	14	1W				
3	66+25	57+0	925	Carl C. Cooper	NW¼ NE¼	29	14	1W				
4	57+0	54+0	300	Laura B. Smith	Pt NE¼ NE¼	29	14	1W				
5	54+0	50+0	400	Henry J. Arnt	SW¼ SE¼	20	14	1W				
6	50+0	47+0	300	" " "	SE¼ SE¼	20	14	1W.				
7	47+0	40+0	700	" " "	SW¼ SW¼	21	14	1W.				
8	40+0	30+77	923	Hendricks Co. Roads		20 21 29	14	1W.				
9	30+77	25+52	525	Laura Moon	NW¼ NW¼	28	14	1W.				
10	25+52	20+15	537	Melvin + Opal May Stout	W½ E½ SW¼	21	14	1W.				
11	20+15	17+46	269	Alma Lafayette Richards	Pt E½ E½ SW¼	21	14	1W.				
12	17+46	14+77	269	Olive Mae Orrin A. Stout	Pt E½ E½ SW¼	21	14	1W.				
13	14+77	9+77	500	Olive H. Johnson	Pt SW¼ SE¼	21	14	1W.				
14	9+77	5+52	425	Bertha E. Cooper	NE¼ NW¼	28	14	1W				
15	5+52	4+0	152	Hendricks Co. Rds.		28	14	1W.				
16	4+0	0+0	400	Daniel S. Hazelwood	Pt SW¼ SE¼	28	14	1W.				

Original Specifications			Specifications for Repairing			DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	

Apportionment for Keeping in Repair the Owen A. Stout Ditch, by Harold Cook, County Surveyor, May 12 1937.

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefitted: Acres	Acres Benefitted: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	72+08	70+0	208	Lena McCollum	SW¼ SW¼	20	14	1W				
2	70+0	66+25	375	Alfred Glover	NE¼ NW¼	29	14	1W				
3	66+25	57+0	925	Carl C. Cooper	NW¼ NE¼	29	14	1W				
4	57+0	54+0	300	Laura B. Smith	Pt NE¼ NE¼	29	14	1W				
5	54+0	50+0	400	Henry J. Amt	SW¼ SE¼	20	14	1W				
6	50+0	47+0	300	" " "	SE¼ SE¼	20	14	1W.				
7	47+0	43+0	400	" " "	SW¼ SW¼	21	14	1W.				
						20 21						
						29	14	1W.				
						28	14	1W.				
						21	14	1W.				
						21	14	1W.				
						21	14	1W.				
						21	14	1W.				
						28	14	1W				
						28	14	1W.				
						28	14	1W.				

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

March 27, 1939.

O. A. Stout Ditch

I request that my allotment be changed and put at the first allotment West of Bertha E. Cooper at Station 9+77 then continue West, that is, to be the 4th allotment from the upper end.

Sofe Richards

O. A. Stout Ditch 3/25/39.

The allotment on the O. A. Stout ditch has been changed and I request that the allotment of Sophia E. Stout be changed ~~and~~ moved about 450 ft East.

Ora M. Stout just East of Sophia Stout then M. L. & Opha Mae Stout next East and the Forgette Richards & wife

M. L. Stout

3rd Cleanout.

Apportionment for Keeping in Repair the Geo. W. Miles

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited Acres	Acres Benefited Hund.	Amount of Benefits Dols.	Amount of Benefits Cts.
1	0+00	2+80	280	Glen Hoover male	SW¼ SW¼	16	16	1W	40.			
2	2+80	4+20	140	Virgil A. Doty + wife	E½ NE¼ SE¼	17	16	1W	20.			
3	4+20	5+04	84	Louis E. Anderson	Pt W½ SW¼ SW¼	9	16	1W	6.			
4	5+04	7+00	196	Cyrus + Mary E. Leathers	Pt W½ SW¼ SW¼	9	16	1W	14.			
5	7+00	8+40	~~560~~ 140	Andrew S. Pickett	SE¼ NE¼	17	16	1W	40.			
6	8+40	12+60	420	Sara S. Stevenson	W½ NW¼ NW¼ + SW¼ NW¼	16	16	1W	60.			
7	12+60	13+30	70	Cyrus + Mary E. Leathers	SPt W½ SW¼	9	16	1W	10.			
8	13+30	19+13	583	Hendricks Co.	NW¼ SW¼	16	16	1W.				

1904
A10
3

The width of said Ditch to be one (1) foot.

The banks of said ditch to be cut smooth + on an angle of 45 degrees

The dirt excavated must be cast back two (2) feet from the berme banks

Ditch, by Harold Cook. County Surveyor, Aug 3 1937.

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

300
300

Apportionment for Keeping in Repair the Miller-Dillon

Wm. H. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited		Amount of Benefits	
									Acres	Hund.	Dols.	Cts.
1	0+0	3+0	300	Hendricks County	Roads	13	17	1W	40	0		
2	3+0	7+0	400	Alonzo Dillon	Mid Pt E² SE⁴	13	17	1W	40	00		
					S² SE⁴ SE⁴	13	17	1W	20	00		
3	7+0	7+60	60	W C Dillon	Pt. SW⁴ SW⁴	18	17	1W	5	00		
4	7+60	17+10	950	Alonzo Dillon	E² NE⁴	24	17	1W	80	00		
5	17+10	18+60	150	Roy Ragsdale	N² NE⁴ SE⁴	13	17	1W	15	00		
6	18+60	19+35	75	J.W. Lovell	NW⁴ NW⁴ SE⁴	13	17	1W	8	00		
7	19+35	21+85	250	J. Harvey	Pt NW⁴ SE⁴							
					Pt N² SW⁴ SE⁴	13	17	1W	28	00		
8	21+85	22+60	75	J. Toole	Pt W² SE⁴	13	17	1W	7	00		
9	22+60	24+10	150	C. Karberg	W² NW⁴ NW⁴	24	17	1W	15	00		
10	24+10	27+10	300	Hendricks County	Roads							
11	27+10	32+50	540	Mary Dugan	W² NW⁴	19	17	1E	60	00		
12	32+50	39+50	700	Harvey Reser	~~Pt N² NW⁴~~							
					Pt W² NE⁴	24	17	1W	72	00		
13	39+50	99+50	1000	D+H. Gentry	Pt S² SE⁴ Pt N² NW⁴							
					Pt S² SW⁴ Pt N² NE⁴	13	17	1W	107	30		
14	95+50	57+00	750	J.D. Hendricks	W² SE⁴	24	17	1W	80	00		
15	57+00	61+00	400	Geo. Stanley	NE⁴ SE⁴	24	17	1W	40	00		
16	61+00	65+00	400	Oscar Reynolds	SE⁴ SW⁴	24	17	1W	40	00		
17	65+00	69+00	400	R. Hunt	SE⁴ NW⁴	24	17	1W	40	00		
18	69+00	70+75	175	H.V. Keeney	E² NE⁴	23	17	1W	30	00		
19	70+75	72+50	175	Wm Merritt	Pt NW⁴ SW⁴	24	17	1W	20	00		
				Jewell A+ Maxine L. Merritt								
20	72+50	72+80	30	~~Citizens Building + Loan~~	Pt NW⁴ SW⁴	24	17	1W	2	84		
21	72+80	73+40	60	Lon Slagle	W² NE⁴	25	17	1W	5	00		
22	73+40	78+90	550	John Hendricks and Velma Hutt	E² SE⁴							
					~~Pt W² SE⁴~~	24	17	1W	60	00		
				Ella Larew + Walter D Green								
23	78+90	80+90	200	~~Tilman Stanley~~	E² NW⁴	25	17	1W	20	00		
24	80+90	84+90	400	Ora O. + Chas. T. Bolat	Pt SW⁴ NE⁴	29	17	1W	40	00		
25	84+90	86+40	150	Fred + Nola Dunn	Pt SW⁴ NW⁴	13	17	1W	16	00		

Stated from upper end

850
All

3600

1.7

60) 4200 (7
420


Ditch, by Harold Cook County Surveyor, July 20, 1938

Original Specifications			Specifications for Repairing			Description of the manner in which the work shall be done, including bench marks, &c.
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	

Specifications

Ditch bottom shall be one (1) foot in width the entire length of ditch. All weeds, brush and small trees within the channel limits shall be cut and weeds shall be cut clear up the bank.

All dirt excavated shall be thrown well back on the banks in such a place as not to wash back into the ditch. The depth shall be cut to the originl ditch bottom.



This is not a new allotments but a copy of reallotments of Miller-Dillon Ditch as given on page 7 with the land owners continued up to date.

Apportionment for Keeping in Repair the John Garvey Ditch, by Harold Cook County Surveyor, Aug 2 1938

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Hund.	Amount of Benefits Dols.	Cts.
1	0+0	12+49	1249	Hendricks County	Roads							
2	12+49	15+79	330	Geo. E. Davis	Pt W½NE¼ ✓	14	16	1E	30	00		
3	15+79	23+79	800	Henry & Catherine Zarr Virgil H. & Olgate Jay Muse	NE¼SE¼ + Spt SE¼NE¼ Ept NW¼SW¼ ✓	14	16	1E	70	00		
4	23+79	28+19	440	~~Dora M. York~~ Homesley Seymour	SW¼NW¼ ✓	13	16	1E	40	00		
5	28+19	36+29	810	Thos. Bullock	Pt S½SE ✓	14	16	1E	70	00		
6	36+29	46+09	980	John W. & Jennette McPheeters	W½SW¼ ✓	13	16	1E	80	00		
7	46+09	47+19	110	Ethel C. & Mildred C. Corrie	Pt SE¼SW¼ ✓	13	16	1E	10	00		
8	47+19	52+19	500	Peter Lentzitz	NE¼NE¼ ✓	23	16	1E	40	00		
9	52+19	55+79	360	Peter Lentzitz	Pt E½W½NE¼ SE¼NE¼ + Pt NE¼SE¼ ✓	23	16	1E	30	00		
10	55+79	68+09	1230	Chester Brunes	SW¼NW¼ ✓	24	16	1E	100	00		
11	68+09	72+79	470	Wm Banta J. Carlin	NE¼NW¼ ✓	24	16	1E	40	00		
12	72+79	77+49	470	Gertrude Head change allotment to be on own deed 4/21/39	NW¼NW¼ ✓	24	16	1E	40	00		
13	77+49	89+79	1230	L. Park Thornburg	W½W½NW¼ Pt NW¼SE¼ ✓	23	16	1E	100	00		
14	89+79	92+29	250	B & O Railroad	Right-of-way ✓	23	16	1E				
15	92+29	96+74	445	Mary Bursot	W½E½SE¼ ✓	23	16	1E	38	75		
16	96+74	100+59	385	Thomas Carliss	Pt NW¼SW¼ ✓	24	16	1E	35	00		
17	100+59	106+59	600	Mary Bursot	SPt W½SE ✓	23	16	1E	50	00		
18	106+59	107+69	110	Emma Jane + Hellen W Tansel	Pt NW¼NE¼ ✓	24	16	1E	10	00		
19	107+69	113+44	575	Sarah Hession	Pt W½NE¼	26	16	1E	50	00		
20	113+44	118+94	250	Hendricks County	Roads ✓							
21	118+94	122+15	621	Hendricks County	Roads. ✓							


Original Specifications: Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing: Width at Top	Depth of Cut	Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Specifications

Ditch bottom shall be two (2) feet in width the entire length of ditch.
All weeds, brush and small trees within the channel limits shall be cut and weeds shall be cut clear up the bank
All dirt excavated shall be thrown well back on the banks in such a place as not to wash back into the ditch.
The depth shall be cut to the original ditch bottom.

This is not a new allotment but a copy of reallotment of John Garvey ditch given on page 1 with the land owners continued up to date.



Apportionment for Keeping in Repair the J. F. Ziegemay Ditch, by Harold Cook County Surveyor, Aug. 17, 1938.

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Amount of Benefits Hund.	Dols.	Cts.
1	0+0	8+50	850	Joseph Wm + Helen Marie Schell	Pt E½ NW¼ + Pt W½ NE¼	25	16	1E	140			
2	8+50	18+50	1000	Joseph W. Schell	W½ SE¼ + E½ SW¼	25	16	1E	160			
3	18+50	20+40	190	Miles Ottinger	Pt SE¼ NE¼	24	16	1E	30			
4	20+40	21+70	130	Peter M. Lenterity	Pt NW¼	19	16	2E	20			
5	21+70	24+25	255	Belle Siders	NE¼ SE¼	24	16	1E	40			
6	24+25	26+80	255	Fred & Allen Parrish W.O.S. Control Ave. Paris, Ill. Mary Belle Siders + Mabel Siders	SE¼ SE¼	24	16	1E	40			
7	26+80	28+10	130	Calvin T. Haulk	Pt SW¼	19	16	2E	20			
8	28+10	30+10	200	E. D. Denton	SW¼ SE¼	24	16	1E	32			
9	30+10	39+30	920	George McAlpin	E½ NE¼ + Pt E½ SE¼	25	16	1E	140			
10	39+30	40+00	70	Amelia Cooper	Pt S½ SW¼	19	16	2E	10			
11	40+00	45+10	510	Malachy K. Wynne	W½ NW¼	36	16	1E	80			
12	45+10	49+55	445	Malachy K. Wynne	Pt W½ SW¼	25	16	1E	70			
13	49+55	52+10	255	Earl Ferree	Pt E½ NW¼	36	16	1E	40			
14	52+10	53+40	130	Margaret Dittrich	Pt E½ NE¼	36	16	1E	20			
15	53+40	58+15	475	Eva Mae Larsh	Pt E½ NE¼	35	16	1E	74			
16	58+15	63+90	575	Timothy K & Margaret Feeney	Pt E½ NW¼ + Pt W½ NE¼	36	16	1E	90			
17	63+90	66+20	230	Richard Christy	Pt E½ SE¼	26	16	1E	35			
18A	66+20	66+78	58	ELBERT E. & EDNA L. PATTERSON	~~Pt E½ SE¼~~	26	16	1E		9.	09	
18	~~66+20~~ 66+78	~~70+65~~ 70+23	~~445~~ 387	Frank + Ruth Griner	~~Pt E½ SE¼~~ + Pt W½ ~~NW¼~~ NE¼	35	16	1E	~~70~~	60.	91	
19	70+65	72+95	230	Mary E. Davis	Pt W½ SE¼	~~26~~ 24	16	1E	35			
20	72+95	76+80	385	J.F. + D.V. Moran	Pt E½ NW¼ + Pt W½ NE¼	35	16	1E	60			
21	76+80	80+80	400	Hendricks County	Roads							
22	80+80	81+80	100	Baltimore + Ohio Railroad	Right-of-way	24 25	16	1E				
23	81+80	84+50	270	Hendricks County	Roads							
24	84+50	88+00	350	Hendricks County	Roads.							

1206
49
1.1

1/50 = 0


Original Specifications: Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing: Width at Top	Depth of Cut	Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Specifications

The banks of said ditch must be cut smooth and on an angle of 45°. The dirt excavated must be cast back two feet from the banks. All bushes and briers and weeds etc. growing on and along said banks and in the channel shall be removed. From Station 0+00 to Station 48+75 the bottom width shall be 1ft wide. From 48+75 to 88+00 the bottom width shall be 2ft.

This is not a new allotment but a copy of reallotment of J.F. Ziegeman Drain. given on page 9 with landowners continued up to date.



Apportionment for Keeping in Repair the Adam Beaman Ditch, by Harold Cook County Surveyor, Aug. 17, 1938

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
						21 28	17	1E				
1	0+0	6+75	675	Hendricks County	Roads							
2	6+75	12+05	530	James Dugan Sr. Est	Pt NE¼ NE¼	28	17	1E	30			
2A	12+05	16+10	405	James Dugan Sr. Est.	Pt NW¼ NE¼	28	17	1E	23			
2B	16+10	16+60	50	James Dugan Sr. Est	Pt SW¼ NE¼	28	17	1E	3			
2C	16+60	20+15	355	James Dugan Sr. Est	Pt SE¼ NE¼	28	17	1E	20			
3	20+15	21+05	90	Burla Richwine	Pt SE¼ SE¼	21	17	1E	5			
4	21+05	28+15	710	~~John C Johnson~~ Stella Wiley	SW¼ SE¼	21	17	1E	40			
5	28+15	29+40	125	U. Grant Arbuckle	Pt S½ NW¼ SW¼	21	17	1E	7			
6	29+40	30+80	140	Martin Hession & Sons	Pt NE¼ SE¼	21	17	1E	8			
7	30+80	41+35	1055	Patrick Long Jr.	W½ SE¼ SE¼ - E½ SW¼ SE¼ E½ NW¼ SE¼	21	17	1E	60			
8	41+35	48+45	710	Lester C Everett	W½ NW¼ SE¼ W½ SW¼ SE¼	21	17	1E	40			
9	48+45	53+85	540	Chas. Hardesty	Pt NW¼ NW¼	21	17	1E	30			
9A	53+85	57+85	400	Chas. Hardesty	Pt NE¼ NW¼	21	17	1E	25			
10	57+85	60+95	310	Metropolitan Life Ins Co	Pt NE¼ NE¼	20	17	1E	17			
11	60+95	68+05	710	Ellison Arbuckle	NE¼ SW¼	21	17	1E	40			
11A	68+05	72+10	405	Ellison Arbuckle	SE¼ SW¼	21	17	1E	23			
12	72+10	75+65	355	Everett M. Lee	N½ NW¼ SW¼	21	17	1E	20			
12A	75+65	85+70	1005	Everett M. Lee	3 Pt SW¼ NW¼ 3 Pt SE¼ NW¼ Pt SW¼ NW¼ N Pt SE¼ NW¼	21	17	1E	57			
13	85+70	89+75	405	Albert W. Beaman		21	17	1E	23			
13A	89+75	95+80	605	Albert W. Beaman.	Pt SE¼ NE¼ 40 A.	20	17	1E	~~39~~			

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Specifications

allotment notices sent out Aug 10, 1940

Comp. Date Sept 15/1940

This is not a new allotment but a copy of reallotment of Adam Beaman Drain on page 16 with the landowners continued up to date.

Apportionment for Keeping in Repair the Peter H. Storms Ditch, by Harold Cook County Surveyor, Sept. 3rd 1938


Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Hund.	Amount of Benefits Dols.	Cts.
1	0+0	0+50	50	Lillie Odom	Pt NE¼ SE¼ ✓	15	17	1W	5			
2	0+50	1+0	50	Chas. Ramster (Harold Pittsboro)	Pt SE¼ SW¼ ✓	14	17	1W	5			
3	1+0	1+50	50	Peter Dellello (Pitt)	N Pt NE¼ NW¼ SW¼ SW¼ ✓	23	17	1W	5			
4	1+50	4+70	320	Elias Highland (Pitt)	SPt NW¼ SW¼ ✓	14	17	1W	40			
5	4+70	8+90	420	Hendricks County	Roads							
6	8+90	12+10	320	Jesse Vaughn	SE¼ SE¼ ✓	15	17	1W	40			
7	12+10	15+60	350	Glen Leak	SW¼ NW¼ Pt NW¼ NE¼ ✓ SPt NE¼ NW¼	23	17	1W	53			
8	15+60	17+60	200	Glen Leak	Pt NW¼ SW¼ NE¼ ✓	22	17	1W	20			
9	17+60	20+10	250	Sarah Jackson (Walter V. Jackson Dec'd)	W½ SW¼	23	17	1W	35			
10	20+10	21+20	110	Johnathon Lowe	SE¼ SE¼ ✓	22	17	1W	38			
11	21+20	21+70	50	Albert H. Shane (Danville) ✓	NW¼ SE¼ ✓	22	17	1W	5			
12	21+70	22+80	110	Russell Griffith	NE¼ SE¼ NPt SE¼ SE¼ ✓	22	17	1W	42			
13	22+80	23+90	110	Leslie Neff	SE¼ NE¼ ✓	22	17	1W	40			
14	23+90	24+65	75	Francis Wilson ✓	Pt SW¼ NE¼ ✓	22	17	1W	9			
15	24+65	25+65	100	Susan Newman	Pt SW¼ NE¼ ✓	22	17	1W	10			
16	25+65	31+25	560	Nevada Leak (middle)	NE¼ NE¼ ✓ NW¼ NW¼ ✓	22 23	17 17	1W 1W	80			

Fletcher Bowman Lyton RR.

32 5th A 1st 16 mile

1940 Allotment same Sept. 21, 1940 Comp. Date



Original Specifications			Specifications for Repairing			Description of the manner in which the work shall be done, including bench marks, &c.
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 3rd day of ~~September~~, 1938, at the hour of 10 A.M. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the Peter H. Storms ditch in Union township, ~~Hendricks~~ County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 23rd day of August, 1938

Harold Cook
County Surveyor.
M.N.

Specifications

The banks shall be cut clean of all brush and small trees and the dirt shall be thrown back 2 feet from the banks. The width of the bottom shall be 1 foot the entire length of the ditch.

Danville, Ind.
Sept. 3rd 1938.

Pursuant to an act of the General Assembly of the State of Indiana, Acts of 1933, chapter 264, Sec 41, 42, 43, & 44, pages 1198, 1199 & 1200 and ammended by Acts of 1935, chapter 225, Sec. 5 page 1052 prescribing the duties of County Surveyor in regards to the reallotment of open Ditches, I issued the following notice as required by law to the resident land owners in Union Township which notice is in words and figures as attached copy and on the 23rd day of August 1938 served the same on all resident landowners and upon the County Road Supt. effected and upon the firm of each corporate road or railroad effected by said improvement and posted five (5) printed notices in five (5) public places in each Township wherein said said parties were duly notified to appear before me at my office on the 3rd day of Sept. 1938 & show cause if any why the allotments heretofore made should not be ratified, approved or confirmed and now on this 3rd day of Sept. 1938 the following parties appeared: Elias Highland, Jesse Vaughn, Mr. Jackson, Johnathon Lowe, Russell Trijack, Leslie Neff and Glen Leak and Glen Leak filed and objection. I continued said hearing from day to day and after hearing said objection I made such changes as was justified and on this 5th day of Sept. I now confirm said allotments as herein set out and adjusted.

Harold Cook
Co. Surveyor

Apportionment for Keeping in Repair the Joseph Holloway Ditch, by Harold Cook County Surveyor, Oct 1st 1938

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Amount of Benefits Dols.	Amount of Benefits Cts.
				Nora Taylor	Pt E½ SE¼ ✓	4	16	1E			
1	0+00	8+00	800	~~Curtis~~ Brookshire	N½ SW¼	3	16	1E	100		
					NW¼ SW¼	3	16	1E			
2	8+00	10+50	250	Jean M. Lowry	Pt NW¼ SE¼	4	16	1E	50		
3	10+50	12+50	200	M.E. Blue	~~NW¼ NE¼~~ SE¼ NW¼ ✓	3	16	1E	40		
4	12+50	13+75	125	Gertie Lowder	Pt N½ NW¼ ✓	3	16	1E	25		
5	13+75	15+25	150	B+B. Weddle	Pt W½ NE¼ ✓	3	16	1E	20		
6	15+25	17+75	250	~~Harvey Simones Rec.~~ Russell Holloway	~~NE¼ NE¼~~ ✓	4	16	1E	~~50~~ 42	91	
7	17+75	19+75	200	Herbert Smith	NE¼ SW¼ ✗	4	16	1E	40		
8	19+75	22+25	250	Mary A. Carney	SW¼ SE¼ ✓	3	16	1E	20		
9	22+25	23+25	100	Peoria + Eastern Railroad	Right-of-way ✓	3	16	1E			
10	23+25	27+25	400	Chester Phillips	Pt NW¼ NE¼ + Pt SW¼ SE¼ NE¼ SE¼ } 3-16-1E	10	16	1E	35		
11	27+25	31+50	425	Harry F. Schwab	~~SE¼ SE¼~~ 4 SE¼	3	16	1E	32	75	
12	31+50	33+00	150	Geo + Alva Ruse	Pt NW¼ ✓	10	16	1E	20		
13	33+00	36+75	375	Lawrence Henderson	NW¼ NW¼ + Pt SW SW 3-16-1E	10	16	1E	39 ~~40~~		
14	36+75	38+50	175	Ward Henderson	NE¼ NE¼ ✓	9	16	1E	20		
15	38+50	42+00	350	~~John A Everett~~ ~~Thomas Tarpy~~	W½ SE¼	33	17	1E	80		
16	42+00	42+50	50	Flo E. Reed	Pt NW¼ NE¼ ✓	3	16	1E	10		
17	42+50	44+00	150	Hendricks County	Roads ✓						
18	44+00	44+50	50	Everett Hamstra	S½ SW¼ ✓	10	16	1E	10		
19	44+50	47+00	250	Hendricks County	Roads ✓						


Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

This is not a new allotment but a copy of reallotment of Joseph Holloway Ditch given on page 13 with landowners continued up to date.

Specifications

The ditch bottom shall be two (2) feet in width the entire length of ditch. All weeds, brush and small trees within the channel limits shall be cut and weeds shall be cut clean up the bank all dirt excavated shall be thrown well back on the banks in such a place as not to wash back into the ditch. The depth shall be cut to the original ditch bottom.



Apportionment for Keeping in Repair the John W French Ditch, by Harold Cook County Surveyor, October 18 1938

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+00	0+50	50	Hendricks County Chas. LeRoy & Sara Barbara Hunsaker	Roads							
2	0+50	1+00	50	Charles Cremeter	NW¼ NW¼	16	17	1W	20			
3	1+00	2+90	190	Robert M. Smith OK	NW¼ SW¼	17	17	1W	39	9		
4	2+90	4+90	200	Goebie V. Bailey M & RC Bailey G.V.B.	NW¼ NW¼	17	17	1W	40			
5	4+90	6+90	200	" " "	SW¼ NW¼	17	17	1W	40			
6	6+90	8+90	200	Marion Bailey Look up.	NE¼ NW¼	17	17	1W	40			
7	8+90	10+90	200	" "	SE¼ SW	17	17	1W	40			
8	10+90	13+30	240	Charles & Gertie Bryant	SE¼ NE¼	17	17	1W	40			
9	13+30	15+40	210	Clay & Myrtle Simmons	NE¼ SE¼	18	17	1W	40			
10	15+40	16+15	75	" "	Pt SW¼ NE¼ Pt NW¼ SE¼	18	17	1W	12	5		
11	16+15	18+25	210	" "	SE¼ SE¼	18	17	1W	27	5		
12	18+25	18+75	50	John H & Margaret Lones	Pt W½ SE¼	18	17	1W	29			
13	18+75	20+25	200	" "	Pt SW¼ NE¼	18	17	1W	32	5		
14	20+75	23+55	280	Mutual Benefit Ins. Co. of Newark OK	NE¼ NE¼	18	17	1W	40			
15	23+55	26+35	280	" " " " " "	NW¼ NE¼	18	17	1W	40			
16	26+35	28+05	170	Charles D. Shockley OK	NE¼ NW¼	18	17	1W	35			
17	28+05	30+10	205	" "	Pt NE¼ NW¼ Pt SW¼ SE¼ ✓	18	17	1W	60			
18	30+10	31+35	125	Charles M. Porter	E½ SE¼ SW¼	17	17	1W	20			
19	31+35	32+60	125	" "	W½ SE¼ SW¼	17	17	1W	20			
20	32+60	35+40	280	Edgar H. Dale et. al.	NE¼ NW¼	18	17	1W	40			
21	35+40	38+20	280	" "	SE¼ NW¼	18	17	1W	40			
22	38+20	39+90	170	" "	Pt SW¼ NE¼	18	17	1W	26			
23	39+90	40+30	40	Wm J. & Blanche Heidemrich	Pt SE¼ NE¼	19	17	1W	20			
24	40+30	41+30	100	Boone County	Roads							
25	41+30	44+10	280	Geo. K. Daley (Boone)	SE¼ NE¼ OK	13	17	2W	40			
26	44+10	46+90	280	" " "	OK SW¼ NW¼	18	17	1W	40			
27	46+90	49+40	250	Union Trust Joint St Land Bank	NE¼ SW¼	17	17	1W	40			
28	49+40	51+90	250	" " " "	OK SW¼ SW¼	17	17	1W	40			
29	51+90	52+75	85	Curtis W. & Ella Reynolds. Lore Crampton Conley et al	NE¼ NE¼	17	17	1W	40			
30	52+75	53+10	35	Cesear & Charlotte M. Laahman Clyde Linton Myrtle Linton	Pt NW¼ NW¼	20	17	1W	5			
31	53+10	54+65	155	" "	Pt NW¼ NW¼	20	17	1W	35			
32	54+65	57+45	280	Everett E. & Laura Howes. Homer Highwood	NW¼ NW¼	18	17	1W	40			
33	57+45	61+65	420	Charles B. & Della Dale	Pt W½ SW¼	18	17	1W	70			
34	61+65	62+80	115	" " OK	Pt NE¼ SE¼	18	17	1W	16	25		
35	62+80	64+65	185	Cesear & Charlotte M. Laahman	NE¼ NE¼	19	17	1W	35			
36	64+65	64+80	15	" "	Pt SE¼ NE¼	19	17	1W	9			
37	64+80	65+45	65	" " G.V.B.	Pt NW¼ NE¼	19	17	1W	10			
38	65+45	66+55	110	Jesper Bailey	N½ NW¼ NE¼	17	17	1W	20			
39	66+55	66+80	25	Chas Routh Ralph & Evelyn Morris	NW¼ SE¼	19	17	1W	15			

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 15th day of October, 1938, at the hour of 10 A M and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the J W French ditch in Union & Eel River township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 1st day of October, 38

Harold Cook
County Surveyor.

M. M.

Danville Indiana
Oct. 18, 1938

Pursuant to an act of the General Assembly of the State of Indiana, Acts of 1933, Chapter 264, Sec. 41, 42, 43 & 44, pages 1198, 1199 & 1200 and ammended by Act of 1935, chapter 225, Sec 5, page 1052 prescribing the duties of County Surveyor in regards to the reallotment of open ditches, I issued the following notice as required by law to the resident land owner in Union & Eel River Twp. Hendricks Co & Jackson Twp Boone Co, which notice is in words & figures as attached copy and on the 3rd day of October 1938 served the same on all resident land owners and upon the County Road Supt. appointed upon the office of each corporate road or railroad effected by said improvement and posted five (5) printed notices in five (5) public places in each Township and Counties whereby all said parties were duly notified to appear before me at my office on the 15th day of October 1938 to show cause if any why the allotments heretofore made should not be ratified approved or confirmed and now on this 15th day of October 1938 the following persons appeared: Robert M. Smith, Vesper & Harry Bailey, Charles Bryant, Clay Simmons, John Lones, Charles & James Shockley, Charles Porter, Claude Wiley acting for Edgar Dale, Chas Dale, Wiley Condon, Jay Scott, Oliver Roberts, Robert Shockley, Charles & Paul Martin. I continued said hearing from day to day and made such changes as was justified and on this 18th day October I now confirm said allotment as herein set out and adjusted

Apportionment for Keeping in Repair the John W French (Cont.)

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefitted		Amount of Benefits	
									Acres	Hund.	Dols.	Cts.
				P.R. & E.C. Morris.								
40	66+80	67+45	35	~~Chas. Routh~~ Foy	SW¼SE¼	19	17	1W	20			
41	67+15	69+65	250	Mary J Couden &c	2W¼NE¼	17	17	1W	40			
42	69+65	72+15	250	" " "	NW¼SE¼	17	17	1W	40			
43	72+15	73+45	130	" " " Foy Scott	S½NW¼NE¼	17	17	1W	20			
44	73+45	75+15	170	Fay Scott ER. ~~Foy~~	NW¼SE¼	13	17	2W	35			
45	75+15	76+85	170	" " "	Pt SE¼SE¼	13	17	2W	35			
46	76+85	78+55	170	" " "	Pt SW¼SE¼	13	17	2W	35			
47	78+55	79+20	65	N. C. Spangler Heirs O. Foy	2W¼NE¼	19	17	1W	40			
48	79+20	79+65	45	Oliver Roberts Foy	NE¼NW¼	19	17	1W	28			
49	79+65	80+15	50	" " Foy	Pt NW¼NE¼	19	17	1W	30			
50	80+15	80+39	24	" "	2E¼NW¼	19	17	1W	17			
51	80+39	82+19	180	Harvey Coulter & Geo. Kunodle	Pt SE¼SE¼ Boone	7	17	1W	35			
52	82+19	83+09	90	Harvey Gentry F.	Pt SE¼SE¼ "	7	17	1W	15			
53	83+09	83+99	90	David Smith Foy	Pt SE¼SE¼	13	17	2W	18	31		
54	83+99	85+44	145	Prudential Ins. Co of America	Pt SW¼SE¼ Boone	7	17	1W	25			
55	85+44	86+89	145	" " " "	Pt SE¼SW¼ "	7	17	1W	25			
56	86+89	88+34	145	" " " "	Pt N SE¼SW¼ "	7	17	1W	25			
57	88+34	89+99	165	Bull Dale Jewett	SW¼NE¼ Ok	13	17	2W	30			
58	89+99	92+39	240	Preachers Aid Society of the N.W. Indiana M.E. Church	NE¼SW¼ Pk	13	17	2W	40			
59	92+39	93+54	115	Jewell Coshow Jewett	NW¼SW¼ Boone	7	17	1W	20			
60	93+54	94+54	100	Peoria Div of Big 4 R.R.	Right-of-way	19	17	1W				
61	94+54	97+04	250	Francis Shockley Jewett	SW¼SW¼ Boone	7	17	1W	40			
62	97+04	97+84	80	Robert Shockley Pk	SE¼SE¼ Boone	12	13	2W	12			
63	97+84	99+14	130	Charles F. Martin Foy Scott	SE¼SW¼	13	17	2W	25			
64	99+14	102+14	300	Hendricks County	Roads							

Specifications

All brush and weeds and small trees shall be cut clean off the banks. The banks shall be sloped at a 45° angle and the dirt excavated shall be thrown back 2' from the banks. The width of the bottom of the ditch shall be 2' the entire length of the ditch

Ditch, by Harold Cook County Surveyor, October 1938


Original Specifications			Specifications for Rep		
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Lambert Arm of John W. French Ditch.

Sheet	From Station	To Station	Feet Long	Land Owner	Description	Sec	Twp	Range	Acres Af
1	0+00	0+90	90	Chas Bryant et al	2E¼NE	18	17	1W	90
2	0+90	3+40	250	Edgar Dale et al	Pt SW¼NE¼	18	17	1W	
3	3+90	5+90	250	Prudential Ins. Co. Ragsdale	Pt SE¼ Pt SW¼	7	17	1W	75
4	5+90	6+90	100	~~Harvey Coulter~~ ~~Geo~~ Kernodle	Pt SE¼SE¼	7	17	1W	35
5	6+90	7+40	50	Harvey Gentry	Pt SE¼SE¼	7	17	1W	15
6	7+40	13+20	580	Mutual Benefit Ins. Co. of Newark	N½NE¼	18	17	1W	80

Completion date Nov. 5, 1938




22-27-17N-1E

Apportionment for Keeping in Repair the J. W. Phillips Ditch, by Harold Cook County Surveyor, 1939

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Amount of Benefits	
									Acres Hund.	Dols.	Cts.
1	0+00	4+00	400	Hendricks County	Road N&S between 27 & 28 and 21-22 E&W between 15-22						
2	4+00	5+30	130	James Dugan Sr. Est.	Pt NE¼ NE¼ Pt SE¼ NE¼	28	17	1E	10		
3	5+30	6+30	100	Hendricks County	Road E & W	22 27	17	1E			
4	6+30	8+25	195	Bertha Richwine	Pt. E½ SE¼ SE¼	21	17	1E	15		
5	8+25	13+50	525	Phillip B. Herring	NE¼ SE¼	21	17	1E	40		
6	13+50	18+0	450	Richard T. Richwine & wife	Pt SW¼ NW¼	27	17	1E	35		
6a	18+0	20+30	230	" " " "	S½ NW¼ NW¼	27	17	1E	20		
7	20+30	25+55	525	Oliver H & Dora E. Amick	SW¼ SW¼	22	17	1E	40		
8	25+55	26+05	50	Rolla Roseboom	Pt SW¼ SE¼ SW¼	15	17	1E	4		
9	26+05	28+55	250	Forest Richwine	N½ NW¼ NW¼	27	17	1E	20		
9a	28+55	33+80	525	" "	NE¼ NW¼	27	17	1E	40		
9b	33+80	35+05	125	" "	N Pt SE¼ NW¼	27	17	1E	10		
10	35+05	37+05	200	S.P. & Nannie Scott	Pt W½ SE¼ NW¼ Pt W½ NE¼ NW¼	22	17	1E	15		
11	37+05	38+0	95	Stella Wiley	Pt E½ NE¼	21	17	1E	7		
11a	38+0	46+20	820	Ethel J. Gilbert	Pt E½ NE¼	21	17	1E	63		
12	46+20	51+0	480	Hendricks County	Road E & W between	22 27	17	1E			
13	51+0	55+25	425	James E. Bingham	Pt NE¼ SW¼	22	17	1E	32		
13a	55+25	60+50	525	" " "	SE¼ SW¼	22	17	1E	40		
14	60+50	63+91	341	Patrick K. Dugan. Maud G. & Orem E.	Pt W½ NW¼	22	17	1E	60	credit 28 7 Tile.	
15	63+91	64+91	100	Hazell E & Lena Wing	Pt SE¼ SE¼ S½ SW¼ NW¼	16	17	1E	12	credit 6	
16	64+91	66+91	200	Harry D & Lowder Bersot	NW¼ SW¼	22	17	1E	60	credit 5 7 Tile.	

Original Specifications			Specifications for Repairing			DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	
						This is not a new allotment but a copy & reallotment of the J.W. Phillips drain found on page 14 of this book with the landowners brought to date



Specifications

The width of Ditch bottom shall be two (2) feet from Station 0+00 to 48+00 and one (1) foot from Station 48+00 to 66+91. All weeds, brush, and small trees within the channel limits shall be cut and thrown back two feet from banks. The banks of said ditch shall be cut smooth and on an angle of 45°. The dirt excavated shall be thrown well back on the banks in such a manner as not to wash back into the ditch. The ditch shall be cut to the original ditch bottom.

Completion Date Sept, 15, 1939

Apportionment for Keeping in Repair the Pollard - Todd (Lincoln)

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+0	9+00	900	Wm A. Banta	E² NW⁴	24	16	1E	60			
2	9+00	21+00	1200	Edmond G + Otha N. Denton	E² SW⁴	24	16	1E	80			
3	21+00	30+00	900	Emma Jane + Nellie W. Tansel	W² NE⁴	24	16	1E	60			
4	30+00	32+00	200	B + O. Railroad								
5	32+00	44+00	1200	Thos R. Corliss Hendricks County.	W² SW⁴	24	16	1E	78			
6	44+00	46+25	225	~~Chester W. Brunes~~	~~SW4 NW4~~ Roads	~~24~~	~~16~~	~~1E~~	~~15~~			
7	46+25	52+25	600	Mary Belle Sides and Mabel Sides Parish	NW⁴ SE⁴	24	16	1E	40			
8	52+25	58+25	600	Joseph Wm and Helen Marie Schell	NE⁴ NW⁴	25	16	1E	40			
9	58+25	70+25	1200	Malchy K. Wynne	W² NW⁴	25	16	1E	80			
10	70+25	71+00	75	Mary A. Bersot	E² W² SE⁴	23	16	1E	5			
11	71+00	77+00	600	" " "	NE⁴ NE⁴	26	16	1E	40			
12	77+00	83+00	600	Malachy K. Wynne	SE⁴ NE⁴	26	16	1E	40			
13	83+00	85+00	200	Sarah Hession	W² NE⁴	26	16	1E	13			
14	85+00	88+75	375	Frank + Ruth Grimes	W² E² SE⁴	26	16	1E	25			
15	88+75	91+75	300	Richard Christie	E² E² SE⁴	26	16	1E	20			
16	91+75	97+75	600	Mary Etta Davis	N² W² SE⁴	26	16	1E	40			
	97+75	99+25	150	Maly Shockley	Pt E² SE4 E² SW⁴	26	16	1E	10			
	99+25	101+50	225	Frank Perkins	Pt W² SE4 E² SW⁴	26	16	1E	15			
	101+50	104+50	300	Lillie G Gatson	Pt SW4	26	16	1E	20			
	104+50	105+25	75	Hattie + Laura Jones and Ella J. Warren	Pt SW4	26	16	1E	5			
	105+25	108+25	300	Loren E. Masten	NE4 SW4	26	16	1E	20			
	108+25	121+12	1287	Hendricks Co (Lin. Twp.)								
	121+12	134+00	1288	Hendricks Co (Wash Twp.)								

Ditch, by Harold Cook County Surveyor, July 20 1939


Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Specifications

The width of Ditch bottom shall be 1 foot from Sta. 0+00 to Sta 100+00 and 2 feet from 100+00 to 134+00. All weeds, brush and small trees within the channel limits shall be cut and thrown back two feet from banks. The banks of said ditch shall be cut smooth and on an angle of 45 degrees. The dirt excavated shall be thrown well back on the banks in such manner as not to wash back into the ditch. The ditch shall be cut to the original ditch bottom.

Completion date: Sept. 15, 1939.



Apportionment for Keeping in Repair the Pollard-Todd (Lincoln) Ditch, by Harold Cook County Surveyor, July 20 1939

Wm. B. Burford Blank Book Mfr., Indianapolis


Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+0	9+00	900	Wm A. Banta	E½ NW¼	24	16	1E	60			
2	9+00	21+00	1200	Edmond G + Otha N. Denton	E½ SW¼	24	16	1E	80			
3	21+00	30+00	900	Emma Jane + Hellert W. Tansel	W½ NE¼	24	16	1E	60			
4	30+100	32+00	200	B + O. Railroad								
5	32+00	44+00	1200	Thos R. Carliss Hendricks County.	W½ SW¼	24	16	1E	78			
6	44+00	46+25	225	~~Chester W. Brunes~~ Road ~~Sum Total~~		~~24~~	~~16~~	~~1E~~	~~15~~			
7	46+25	52+25	600	Mary Belle Siders and Mabel Siders Parrish	NW¼ SE¼	24	16	1E	40			
8	52+25	58+25	600	Joseph Wm and Helen Marie Schell	NE¼ NW¼	25	16	1E	40			
9	58+25	70+25	1200	Malchy K. Wynne	W½ NW¼	25	16	1E	80			
10	70+25	71+00	75	Mary A. Bersot	E½ W½ SE¼	23	16	1E	5			
11	71+00	77+00	600	" " "	NE¼ NE¼	26	16	1E	40			
12	77+00	83+00	600	Malachy K. Wynne	SE¼ NE¼	26	16	1E	40			
13	83+00	85+00	200	Sarah Hession	W½ NE¼	26	16	1E	13			
14	85+00	88+75	375	Frank + Ruth Grimes	W½ E½ SE¼	26	16	1E	25			
15	88+75	91+75	300	Richard Christie	E½ E½ SE¼	26	16	1E	20			
16	91+75	97+75	600	Mary Etta Davis	W½ W½ SE¼	26	16	1E	40			
17	97+75	99+25	150	Maly Shockley	Pt E½ E½ SW¼	26	16	1E	10			
18	99+25	101+50	225	Frank Perkins	Pt W½ E½ SW¼	26	16	1E	15			
19	101+50	104+50	300	Lillie G Gatson	Pt SW¼	26	16	1E	20			
20	104+50	105+25	75	Hattie + Laura Jones and Ella J. Warren	Pt SW¼	26	16	1E	5			
21	105+25	108+25	300	Loren E. Masten	NE¼ SW¼	26	16	1E	20			
22	108+25	121H+	1287	Hendricks Co (Lin. Twp.)								
23	121H+	134+00	1288	Hendricks Co (Wash Twp.)								

Wash Twp.

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
						Specifications.

The width of ditch bottom shall be 1 foot from Sta. 0+00 to Sta 100+00 and 2 feet from 100+00 to 134+00. All weeds, brush and small trees within the channel limits shall be cut and thrown back two feet from banks. The banks of said ditch shall be cut smooth and on an angle of 45 degrees. The dirt eparated shall be thrown well back on the banks in such manner as not to wash back into the ditch. The ditch shall be cut to the original ditch bottom.

Completion date: Sept. 15, 1939.




Apportionment for Keeping in Repair the Lemmon & Keeney (Middle Twp) Ditch, by Harold Cook County Surveyor, July 27 1939

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Amount of Benefits Dols.	Cts.
					(Boone County)						
1	0+00	4+00	400	Harry C & Ruby A. Hume	Pt SE¼ SE¼	12	17	1W	25		
					(Hendricks Co)						
2	4+00	9+50	550	NW + J. W. Pearcy	Pt NE¼ NE¼	13	17	1W	35		
					(Hendricks Co)						
3	9+50	15+30	580	Albert P + Zola B. Marsh	NW¼ NE¼	13	17	1W	38		
					(Boone Co)	18					
4	15+30	21+30	600	Chas. & Sarah Baker	Pt SW¼ SE¼ + SE¼ SW¼	12	17	1W	20		
					(Hendricks Co)						
5	21+30	32+10	1080	George Snyder	Pt NE¼ NW¼ + SW¼ NE¼	13	17	1W	70		
6	32+10	32+97	87	C A Owens	(Hendricks Co)	13	17	1W	5		
					Pt W½ NW¼						
6a	32+97	39+90	693	Katherine E Owens	" " "	13	17	1W	40		
					(Hendricks Co)						
7	39+90	46+00	610	R. O. Hiland	SE¼ NW¼	13	17	1W	40		
8	46+00	~~44+50~~	~~350~~	Hendrick Co Roads (Middle Twp)		12	17	1W			
		52+10	610								
9	~~44+50~~	~~54+60~~	~~810~~	" " " (" ")		13	17	1W			
	52+10	56+72									
10	~~54+60~~	~~59+22~~	462	Boone Co. Roads (Harrison Twp)	(Boone County)	12	17	1W			
	56+72	59+22									
11	~~59+22~~	~~61+77~~	~~255~~	Jesse B + Galen C. Hicks	Pt SW¼ SW¼	12	17	1W	(15)		
	59+22	60+76	250		(Hendricks Co)						
12	~~61+92~~	~~63+26~~	154	Galen C. Hicks	Pt NE¼ NE¼	14	17	1W	(10)		

Original Specifications			Specifications for Repairing		
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.



Specifications

The width of the ditch bottom shall be One (1) foot from Sta 0+00 to Sta 63+26. All weeds, brush and small trees within the channel limits shall be cut and thrown back two (2) feet from banks. The banks of said ditch shall be cut smooth and on an angle of 45 degrees. The dirt eparated shall be thrown well back on the banks in such a manner as not to wash back into the ditch The ditch shall be cut to the original ditch bottom.

Completion date is Sept. 15, 1939.

Jesse B. & Galen C. Hicks by mutal agreement added Jesse B. Hicks allotment to Galen C. Hicks allotment. Thereby giving to Jos Galen C. Hicks a total of 704' feet of channel.

19 Feb. 1948.

James A. Gossett

Apportionment for Keeping in Repair the O.A. Stout (Liberty Twp.)

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	72+08	70+10	208	Lena Mc Collum	SE¼ SW¼ clayton	20	14	1W				
2	70+00	62+25	375	Alfred Glover	NE¼ NW¼ Walter Coleman clayton	29	14	1W				
3	62+25	57+00	925	Carl C. Cooper	NW¼ NE¼ Bertha clayton	29	14	1W				
4	57+00	54+00	300	Laura B. Smith	Pt NE¼ NE¼ Wm Dungy clayton	29	14	1W				
5	54+00	50+00	400	J. Henry & Amt.	SW¼ SE¼	20	14	1W				
6	50+00	47+00	300	" " "	SE¼ SE¼	20	14	1W				
7	47+00	40+00	700	" " "	SW¼ SW¼	21	14	1W				
8	40+00	30+77	923	Hendricks County	Roads.							
9	30+77	25+52	525	Laura Moon	NW¼ NW¼ clayton	28	14	1W				
10	25+52	20+52	500	Obe H. Johnson & Ora A. Johnson	Pt SW¼ SE¼ clayton	21	14	1W				
11	20+52	17+83	269	Ora M. & Dora A Stout	Pt E½ E½ SW¼ public clayton	21	14	1W				
12	17+83	12+46	537	Melvin & Opal M. Stout	W½ E½ SW¼ public clayton	21	14	1W				
13	12+46	9+77	269	Alma & Lafayette Richards	Pt E½ E½ SW¼ clayton clayton	21	14	1W				
14	9+77	5+52	425	Bertha E. Cooper	NE¼ NW¼ clayton	28	14	1W				
15	5+52	4+00	152	Hendricks County	Roads							
16	4+00	0+00	400	Daniel S. Hazlewood	Pt NW¼ NE¼ clayton	28	14	1W				

Specifications

The width of the ditch bottom shall be one (1) foot the entire length of the ditch. All weeds, brush and small trees within the channel limits shall be cut and thrown back two feet from the banks. The banks shall be cut smooth and on an angle of 45 degrees. The dirt excavated shall be thrown well back on the banks in such a manner as not to wash back into the ditch. The ditch shall be cut to the original ditch bottom.

Completion date is Sept. 15, 1939

Ditch, by Harold Cook County Surveyor, July 28 1939

Notice of Ditch Allotment


TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 25th day of July, 1939, at the hour of 10 AM and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the O.A. STOUT ditch in LIBERTY township, HENDRICKS County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 6th day of July, 1939

Harold Cook
M.M. County Surveyor.

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.



Pursuant to an act of the General Assembly of the State of Indiana Acts of 1933, Ch. 264, Sec. 41, 42, 43 & 44, pages 1148, 1149, & 1200 and ammended by Acts of 1935 Chapter 225 Sec 5 page 1052 prescribing the duties of County Surveyor in regards to the reallotments of open ditches, I issued the following notice as required by law to the resident land owner in Liberty Township, Hendricks Co, which is in words and figures as attached copy and on the 6th day of July 1939 served the same on all resident land owner and upon the County Road Supt. ajjected upon the office of each corporate road or railroad affected by said improvement and posted five (5) printed notices in (5) five public places in the township and County whereby all said parties were duly notified to appear before me at my office on the 25th day of July 1939 to show cause if any why the allotments heretofore made should not be ratified approved or confirmed and now on this 25th day of July 1939 the following persons appeared: Lena McCollum, Daniel S. Hazlewood, CC Cooper, I continued said hearing from day to day and made such changes as was justified and on this 28th day of July I now confirm said allotments as herein set out and adjusted.

Harold Cook, Co. Surveyor
per. M.M.

Apportionment for Keeping in Repair the Stout – Richardson Ditch, by Harold Cook County Surveyor, Aug 25 1939

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
				Conrad M & Jeannette H. Gentry	Pt NE¼ SW¼							
1	0+00	4+50	450	Ruth E. Foster	Pt NW¼ SE¼	31	14	1W	41	✓		
2	4+50	6+70	220	Harry M. Lockart ✓	SE¼ NW¼	31	14	1W	20	✓		
3	6+70	8+90	220	Celia J. Pearce ✓	Pt SE¼ SE¼	30	14	1W	20	✓		
4	8+90	13+30	440	Robert Bayliss	N½ SW¼ SW¼ NW¼ SW¼	29	14	1W	40			
5	13+30	17+70	440	" "	S½ SW¼ SW¼ W½ SW¼ SW¼	29	14	1W	40	✓		
6	17+70	18+20	50	Elmer L. & Merlie Patton	SE¼ NW¼	31	14	1W	4	✓		
7	18+20	22+60	440	Cornie L ~~Bayliss~~ Burjs ✓	SW¼ NE¼	31	14	1W	40	✓		
8	22+60	32+95	1035	Hendricks Co. Roads.								
9	32+95	36+65	370	Carl C. Cooper (Ralph C. Cooper W½ W½ NE 20A; Bertha E. Cooper E½ W½ NE 20)	SW¼ NE¼	29	14	1W	40	✓		
10	36+65	39+40	275	John E & Catherine Ritzel	NE¼ NE¼	31	14	1W	25	✓		
11	39+40	44+40	500	James E. Ritzel	NE¼ NE¼ (James L. & Vera M. Patrick)	31	14	1W	45	✓		
12	44+40	48+45	405	Grace S. Wass et al.	SE¼ NE¼	31	14	1W	37.5	✓		
13	48+45	51+00	255	Mary S. Evans	SW¼ NW¼	32	14	1W	25	✓		
14	51+00	53+00	200	E.E. Evans & Mary S. Evans	W½ NW¼ NW¼	32	14	1W	17	✓		
15	53+00	60+00	700	Hendricks Co. Roads								
16 5th 16	60+00	62+20	220	Chas. & Martha Simmons	E½ SE¼ SW¼	29	14	1W	20	✓		
17	62+20	64+40	220	" " " "	E½ W½ NW¼	32	14	1W	20	✓		
18	64+40	68+80	440	Ruth & Hattie Simmons	NE¼ NW¼	32	14	1W	40	✓		
19	68+80	77+00	820	Hendricks County Roads								
20	77+00	80+30	330	Julia A. Ritzel	NW¼ NE¼	32	14	1W	30	✓		
21	80+30	83+80	350	Sarah Scott	Pt NE¼	29	14	1W	32	✓		
22	83+80	84+35	55	Glen Enoch Warmoth	Pt W½ NW¼	33	14	1W	5	✓		
23	84+35	89+85	550	~~J.E. Parens~~ Edith A. Wilson and	Pt SE¼	29	14	1W	50	✓		
24	89+85	93+15	330	Laura Smith	Pt NE¼ NE¼	29	14	1W	30	✓		
25	93+15	94+15	100	Ada Stout	N pt NW¼ NW¼	33	14	1W	9	✓		
26	94+15	98+35	420	Luther Stout	SE¼ SE¼	29	14	1W	38	✓		
27	98+35	99+45	110	Wm H. Callahan	S½ SE¼ NE¼	29	14	1W	10	✓		
28	99+45	100+35	90	Walter H. + Bessie R. Callahan	Pt E½ NE¼	29	14	1W	8	✓		
29 Sept 30	100+35	111+85	1150	Fredrick C. + Lillian C. Meredith	Pt SE¼ & ½ of Pt SW¼	29	14	1W	105	✓		
30	111+85	120+65	880	Mary Stout	W½ SW¼	28	14	1W	80	✓		
31	120+65	122+85	220	" "	Pt N½ NW¼	33	14	1W	20	✓		
32	122+85	129+45	660	Laura Moon (Sage)	Pt NW¼	28	14	1W	60	✓		
33	129+45	131+65	220	Inez & Oliver Underwood	W½ SE¼ NW¼	28	14	1W	20	✓		
34	131+65	132+20	55	" " (11) "	NW pt NE¼ SW¼	28	14	1W	5	✓		
35	132+20	134+40	220	Bertha E. Cooper	~~SE¼~~ S½ NE¼ NW¼	28	14	1W	20	✓		
36	~~134+40~~	137+10	330	~~D.S.~~ Wagelwood	~~Pt SE¼~~	28	14	1W	30	✓ should have remained 40 acres due to conveyance.	440'	40
37	137+10	143+70	600	" " "	Pt SW¼ + Pt NE¼ NW¼	28	14	1W	55	should be 45	490'	45
38 not in	143+70	152+50	~~880~~	Dr. Russell A. & Kathleen Sage	Pt SW¼ + Pt NW¼	28	14	1W	80	✓ OK. The 10 A. added here should be subtracted from #37	880'	80

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

This is not a reallotment but a copy of the allotment found on page 20 of this book with the landowners brought up to date.

Specifications

All brush and small trees shall be cut and thrown back at least two feet from the banks. The banks shall be cut smooth and on an angle of 45 degrees. the dirt excavated shall be thrown back from the banks in such a manner as not to wash back into the ditch. The width of the bottom shall be as follows

From 0+00 to 5+00 is to be 4ft in width
" 5+00 to 92+00 " " " 2ft " "
" 92+00 to 98+00 " " " 1½ " " "
" 98+00 to 152+50 " " " 1ft " " ".

correct allotment	correct acre	allotments	
440'	40	134+40 to 138+80	This error caused by incorrect transfer of 10 acres on this book. See Will record 9/92.
490'	45	138+80 to 143+70	
880'	80	143+70 to 152+50	

Apportionment for Keeping in Repair the John Brown Arm of Stout-Richardson Ditch, by Harold Cook County Surveyor, Sept 5 1939

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+00	5+00	500	Ruth E. & Hattie Simmons	S½ SE¼ NW¼	32	14	1W	20 ~~40~~			
2	5+00	14+00	900	Orrill Broadstreet	NE¼ SW¼	32	14	1W	40			
3	14+00	17+80	380	Grace L. Wass et al	Pt SE¼ NE¼	31-32	14	1W	~~40~~ 35			
4	17+80	22+80	500	" " " " " Grace L. Wass & Dora M. Patrick	NE¼ SE¼ ~~and Pt SE¼ NW¼~~				~~25½~~ 40			
5	22+80	23+20	40	" " " " " ~~E of ways~~	Pt. SE¼ SE¼	31	14	1W	5			
5A	23+80	24+80	~~200~~ 160	Mary S. Evens	S½ SW¼ NW¼	32	14	1W	20			
6	24+80	33+80	900	David Blunk	Pt W½ NW¼ SW¼	32	14	1W	60			
7	33+80	35+30	150	Robert Bayliss	Pt S½ SW¼ NE¼ Pt W½ NW¼ SE¼	32	14	1W	5			
8	35+30	36+80	150	Julia Rietzel	N½ SW¼ NE¼	32	14	1W	10			

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Specifications

Some specifications as Stout-Richardson with the bottom width of three (3) ft from Sta 0+00 to 5+00 and a two (2) ft bottom from 5+00 to 36+80, the terminus.

Apportionment for Keeping in Repair the A. W. Carver Ditch, by Harold Cook County Surveyor, Sept 6 1939

Wm. Wm. A. Leitzman #6463 BK42 P.370

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited Acres	Acres Benefited Hund.	Amount of Benefits Dols.	Amount of Benefits Cts.
1	0+00	0+50	50	Hendricks County	Roads							
2	0+50	1+10	60	Mutual Benefit Life Ins Co.	SW¼ SW¼	8	16	1W	30			
3	1+10	1+90	80	Inez & John Shoffner	NE¼ SE¼	7	16	1W	40			
4	1+90	2+40	50	" " "	Pt SE¼ SE¼	7	16	1W	25			
5	2+40	3+40	100	Chas E. Biggs	Pt E½ SW¼	8	16	1W	50			
6	3+40	4+20	80	W. R. Flynn	NW¼ SW¼	8	16	1W	40			
7	4+20	4+55	35	Esta & Lora M. Page	Pt SE¼ NE¼	7	16	1W	17	5		
8	4+55	5+00	45	Ross C & Bessie Brichet	Pt SE¼ NE¼ Lots 9-11-12-13-14-15-16-20 in Montclair	7	16	1W	22	5		
9	5+00	5+15	15	" " " "								
10	5+15	5+47	32	" " " "	Pt NE¼ NE¼	7	16	1W	16			
11	5+47	6+27	80	Wm & Ora R. Page	SW¼ NW¼	8	16	1W	40			
12	6+27	6+57	30	" " " "	Pt NW¼ NW¼	8	16	1W	15			
13	6+57	6+59	2	" " " "	Lot #1 in Montclair							
14	6+59	6+99	40	Nancy C Hunt	Pt NW¼ NW¼	8	16	1W	23	57		
15	6+99	7+24	25	C I & W Railroad	Right-of-way							
16	7+24	7+84	60	Thos E & Elva Hughes	SW¼ SW¼	5	16	1W	40			
17	7+84	8+44	60	Verna B & Ozella Eggus	SW¼ SE¼	6	16	1W	40			
18	8+44	8+04	60	" " " "	SE¼ SE¼	6	16	1W	39	40		
19	9+04	9+24	20	Emily Clark	Pt NE¼ NE¼	7	16	1W	12			
20	9+24	9+66	42	Geo P & Bonie Duncan	Pt NW¼ NE¼ Montclair	7	16	1W	28			
21	9+66	9+68	2	" " " "	Lot #3 in ~~Hopkins~~							
22	9+68	9+83	15	Harl & Martha Osborn	Pt NE¼ NE¼	7	16	1W	11	8½		
23	9+83	9+88	5	Ada Mendenhall	Pt NW¼ NE¼	7	16	1W		75		
24	9+88	9+93	5	Geo. M. Hays	Pt NE¼ NE¼	7	16	1W		12		
25	9+93	9+98	5	Mary Asher Est.	Pt NE¼ NE¼	7	16	1W	1	50		
26	9+98	10+06	8	Benj D & Dessie V. White	Lots #4-5-6-7 in Montclair							
27	10+06	10+08	2	Lillie Mc Daniel	Lot #2 in Montclair							
28	10+08	10+12	4	Moses D. Barnett	Lots #8-9 in Montclair							
29	10+12	10+14	2	Alva Hedge	Lot #10 in Montclair							
30	10+14	10+18	4	Catherine Jones	Lots #17-18 in Montclair							
31	10+18	10+20	2	Sylvia Maye Nearville	Lot #19 in Montclair							
32	10+20	10+24	4	Lester Denney	Lots #21-22 in Montclair							

1000+24

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 8th day of August, 1939, at the hour of 10 AM and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the A W Carver ditch in Union township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 25th day of July, 1939

Harold Cook
M.H. County Surveyor.

Specification

All brush, weeds and small trees and shrubs within the channel limits shall be cut and thrown back at least two feet from the banks. The banks shall be cut smooth and on an angle of 45°. The dirt excavated shall be thrown back in such a manner as not to wash back into the channel. The bottom width of said ditch is to be two(2) feet the entire length of the ditch. The bottom of the ditch shall be cut to the original ditch bottom. The completion date of this clearout is Sept. 30, 1939

H.C. Cobur
per M.H.

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Pursuant to an act of the General Assembly of the State of Indiana Acts of 1933, Ch 264, Sec 41, 42, 43, & 44 pages 1198, 1199, & 1200 and ammended by Acts of 1935 chapter 225 Sec 5 page 1052 prescribing the duties of County Surveyor in regards to the reallotment of open ditches I issued the following notice as required by law to the resident land owner in Union Township, Hendricks Co, which is in words and figures as attached copy and on the 25th day of July 1939 served the same on all resident land owner and upon the County Road Supt. affected upon the office of each corporate road or railroad affected by said improvement and posted five (5) printed notices in five (5) public places in the Township and County whereby all parties were duly notified to appear before me at my office on the 8th day of August. 1939 to show cause if any why the allotments heretofore made should not be ratified approved or confirmed and now on this ~~20~~ 8th day of August 1939 the following persons appeared: Chas Biggs, Chas Hunt in the interest of Nancy C. Hunt, H.T. Passell in the interest of C I & W Railroad, and Chas Jones in interest of Catherine Jones. I continued said hearing from day to day and made such changes as were justified and on this 25th day of August I now confirmed said allotments as herein set out and affixed.

Harold Cook, Co Surveyor
per M.H.

Apportionment for Keeping in Repair the Miller-Dillon Ditch, by Harold Cook County Surveyor, June 12 1940

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITTED	Section	Town.	Range	Acres Benefitted: Acres	Acres Benefitted: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
					Roods							
1	0+0	3+0	300	Hendricks County	Mid Pt E½ SE¼					40		
2	3+0	7+00	400	Alonzo Dillon	S½ SE¼ SE¼	13	17	1W		20		
3	7+0	7+60	60	W. C. Dillon	Pt SW¼ SW¼	18	17	1W		5		
4	7+60	17+10	950	Alonzo Dillon	E½ NE¼	24	17	1W		80		
5	17+10	18+60	150	Roy Ragsdale	N½ NE¼ SE¼	13	17	1W		15		
6	18+60	19+35	75	J. W. Lovell	NW¼ NW¼ SE¼ Pt NW¼ SE¼	13	17	1W		8		
7	19+35	21+85	250	J. Harvey	Pt N½ SW¼ SE¼	13	17	1W		28		
8	21+85	22+60	75	John E. Toole	Pt W½ SE¼	13	17	1W		7		
9	22+60	24+10	150	Clarence Kerberg	W½ NW¼ NW¼	24	17	1W		15		
					Roods							
10	24+10	27+10	300	Hendricks County								
11	27+10	32+50	540	Mary Dugan	W½ NW¼	19	17	1E		60		
12	32+50	39+50	700	Harvey Reser	Pt W½ NE¼	24	17	1W		72		
13	39+50	49+50	1000	Dana & Herschel Gentry	Pt N½ NW¼ Pt N½ NE¼	13	17	1W		107	30	
14	49+50	57+0	750	J. D. Hendricks	W½ SE¼	24	17	1W		80		
15	57+0	61+0	400	George Stanley	NE¼ SW¼	24	17	1W		40		
16	61+0	65+0	400	Oscar Reynolds	SE¼ SW¼	24	17	1W		40		
17	65+0	69+0	400	Robert F. Hunt	SE¼ NW¼	24	17	1W		40		
18	69+0	70+75	175	A. V. Keeney	E½ NE¼	23	17	1W		30		
19	70+75	72+50	175	Wm Merritt	Pt NW¼ SW¼	24	17	1W		20		
20	72+50	72+80	30	Jewell Ar Maxine L. Merritt	Pt NW¼ SW¼	24	17	1W		284		
21	72+80	73+40	60	Lon Slagle	W½ NE¼	25	17	1W		5		
22	73+40	78+90	550	John Hendricks & Velma Hunt	E½ SE¼	24	17	1W		60		
23	78+90	80+90	200	Ella Lovon & Walter I. Green	E½ NW¼	25	17	1W		20		
24	80+90	84+90	400	Ora O. & Chas. T. Bolar	Pt SW¼ NW¼	24	17	1W		40		
25	84+90	86+40	150	Fred & Nola Dunn	Pt SW¼ NW¼	13	17	1W		16		

Ditch is staked from upper end.

Ditch Bottom shall be one (1) foot in width the entire length of the ditch. All weeds, brush and small trees within the channel limits shall be cut. All dirt excavated shall be cast at least 2' back from the bank of the ditch in such a manner as to not wash back into the ditch. The ditch shall be cut to the original ditch bottom.

Completion Date is Aug. 15, 1940

This is a copy of the allotment found on page 25 of this book with the land owners brought up to date.

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

8640
8470
170

Apportionment for Keeping in Repair the Miller-Dillon

436

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITTED	Section	Town.	Range	Acres Benefitted Acres	Hund.	Amount of Benefits Dols.	Cts.
1.	0+00	0+60	60	Lon Slagle	W² NE¼	25	17	1W	5			
2.	0+60	2+60	200	Ella Lavon & Walter I Green	E² NW¼	25	17	1W	20			
3.	2+60	2+90	30	J.A. & M.L. Merritt	Pt. NW¼ SW¼	29	17	1W	2	84		
4	2+90	9+65	175	William Merritt	Pt. NW¼ SW¼	29	17	1W	20			
5	9+65	6+90	175	A.V. Kreeney	E² NE¼	28	17	1W	30			
6	6+90	10+90	400	Ora & Charles Bolar	Pt. SW¼ NW¼	29	17	1W	40			
7	10+90	11+90	150	Clarence Krenberg	W² NW¼ NW¼	29	17	1W	20			
8	11+90	12+90	100	Elbert Williams	S.pt. W² SW¼	29	17	1W	8			
9	12+90	16+90	400	Oscar Reynolds	SE¼ SW¼	29	17	1W	40			
10	16+90	20+90	400	George Stanley	NE¼ SW¼	29	17	1W	40			
11	20+90	28+40	750	J.D. Hendricks	W² SE¼	29	17	1W	80			
12	28+40	32+90	450	J.D. Hendricks et. al.	E² SE¼	29	17	1W	20			
13	32+90	36+90	400	Robert Hunt	SE¼ NW¼	29	17	1W	40			
14	36+90	38+40	150	Fred Dunn	Pt. SW¼ ~~NW¼~~ SE SW	13	17	1W	16			
15	38+40	39+15	75	John Lovell	NW¼ NW¼ ~~SW¼~~ SE¼	13	17	1W	8			
16	39+15	39+90	75	John Toole	pt. W² SE¼	13	17	1W	7			
17	39+90	42+40	250	Jesse Harvey	Pt. NW¼ SE¼ Pt. N² SW¼ SE¼	13	17	1W	28			
18	42+40	43+90	150	Ray Ragsdale	N² NE¼ SE¼	13	17	1W	15			
19	43+90	50+90	700	Harvey Reser	Pt W² NE¼	29	17	1W	72			
20	50+90	53+90	300	Hendricks County	Roads							
21	53+90	63+90	1000	Henshel Gentry	Pt. N² NW¼ Pt. N² NE¼	24 / 13	17	1W	107			
22	63+90	69+30	540	Mary Dougan	W² NW¼	19	17	1E / HH	60			
23	69+30	78+80	950	Lon Dillon	E² NE¼	29	17	1W	80			
24	78+80	82+80	400	Lon Dillon	Mid-pt. E² SE¼ S² SE¼ SE¼	13	17	1W	40 / 20			
25	82+80	83+40	60	William Dillon	Pt. SW¼ SW¼	10	11	1E / HH	5			
26	83+40	84+70	130	Hendricks County	Roads							

Completion date from station 0+0 to 32+90 is Sept. 15, From station 32+90 to 84+70 is Sept. 30.

Ditch, by Harold Cook — County Surveyor, August 10 1940

Original Specifications			Specifications for Repairing			Description of the manner in which the work shall be done, including bench marks, &c.
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 24th day of July, 1940, at the hour of 10 AM. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the Miller-Dillon ditch in Middle township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 11th day of July, 1940

Harold Cook
~~County Surveyor.~~

Specifications.

The ditch bottom shall be ONE (1) Foot in width the entire length of the ditch

All weeds, brush and small trees within the channel limits shall be cut and weeds shall be cut clear up the banks. All dirt excavated shall be thrown well back on the banks in such a place as not to wash back into the ditch.

The depth shall be cut to the original ditch bottom.

Pursuant to an act of the Gen. Assembly of the State of Indiana acts of 1933, ch. 264 Sec. 41, 42, 43 ~~44~~ Pages 1198, 1199 & 1200 and ammended by the acts of 1935 Ch. 225 Sec. 5 Page 1052 prescribing the duties of the Co. surveyor in regard to the reallotment of open ditches, I issued the following notice as required by law. to the resident land owners in middle Twp. Hendricks Co. which is in words and figures as attached copy and on the 12th day of July 1940 served the same on all resident land owners and upon the County road supt. affected upon the office of each corporate road or railroad affected by said improvement and posted (5) five printed notices in (5) five public places in the Township and County whereby all parties were duly notified to appear before me at my office on the 24th day of July 1940 to show cause if any why the allotments heretofore made should not be ratified approved or confirmed and now on this 24 day of July. 1940 the following persons appeared: Jewell Merritt, Chas & Ora Bolar, Reynolds in the intrest of Oscar Reynolds, Geo. Stanley, J. D. Hendricks, John Toole, Jesse Harvey, Ray Ragsdale, Harley Reser & Lon Dillon. I Continued said hearing from day to day and made such changes as were justified and on this 10th day of August I now confirm said allotments as herein set out and adjusted.


Harold Cook. Co. Surveyor
Per C.O.W.

Apportionment for Keeping in Repair the John Garvey

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Amount of Benefits Dols.	Cts.
1.	0+00	12+49	1249	Hendricks County	To be tiled by W.P.A.						
2.	12+49	20+49	800	Henry & Catherine O. Kerr	NE¼SE¼ S.pt. SE¼ NE¼ E pt NW¼ SW¼ (SW¼SW¼ NE¼)	19	16	1E	70		
3.	20+49	23+79	330	Geo E. & Eva B. Davis	Pt W² NE¼	19	16	1E	30		
4.	23+79	28+19	440	Robt. S. & Jewell P. Hornady	Pt W² NW¼ - ~~Pt SW¼ SW¼~~ Pt. S² SE¼	13	16	1E	40		
5.	28+19	36+29	810	Herbert A. & Lilly M. Seymour	Pt W² NW¼ ~~Pt SW¼ SW¼~~	19	16	1E	70		
6.	36+29	46+09	980	John W. & Jeanette E. McPheeters	SW¼ W½ SE¼	13	16	1E	80		
7.	46+09	47+19	110	Ethel C. & Mildred C. Corrie	Pt. SE¼ SW¼	13	16	1E	10		
8.	47+19	52+19	500	Peter M. Leuteritz	NE¼ NE¼	23	16	1E	40		
9.	52+19	55+79	360	Peter M. Leuteritz	Pt. E² W² NE¼	23	16	1E	30		
10.	55+79	68+09	1230	Chester W. Brunes	SE¼ NE¼ & pt NE¼ SE¼ - SW¼ ~~SW¼~~ NW¼	23 24	16	1E	100		
11.	68+09	69+19	110	Emma Jane & Herbert Tansel	Pt NW¼ NE¼	24	16	1E	10		
12.	69+19	71+69	250	Hendricks County	Roads						
13.	71+69	83+99	1230	L. Park Thornberg	W. pt. W. pt. NW¼ Pt NW¼ SE¼ (SE¼NW¼ - W pt W² NE¼)	23	16	1E	100		
14.	83+99	86+49	250	B & O. Railroad	Right of Way						
15.	86+49	91+19	470	John B. & Ruth Corliss	NW¼ NW¼	24	16	1E	40		
16.	91+19	95+89	470	William Banta	NE¼ NW¼	24	16	1E	40		
17.	95+89	106+34	1045	Mary Bersot	S.pt. W² SE¼ + W² E² SE¼ (E pt SW¼)	23	16	1E	88.75		
18.	106+34	110+19	385	Thomas R. Corliss	Pt NW¼ SW¼	24	16	1E	35		
19.	110+19	115+94	575	Sarah & Martin Hession	P W² NE¼	26	16	1E	50		
20.	115+94	122+15	621	Hendricks County	Roads						

Completion date is Sept. 15th 1940.



John B. Corliss Box 134 Comm. Zone Balboa, C.Z.

Ditch, by Harold Cook County Surveyor, August 8 1940

43

Original Specifications Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing Width at Top	Depth of Cut	Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 2nd day of August, 1940, at the hour of 9 AM and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the John Garvey ditch in Lincoln township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 20th day of July, 1940

Harold J. Cook
County Surveyor.

- Specifications -

Ditch bottom shall be (2) two feet in width the entire length of ditch.
All Weeds, brush and small trees within the channel limits shall be cut and weeds shall be cut clear up the bank. All dirt excavated shall be thrown well back on the banks in such a place as not to wash back into the ditch. The depth shall be cut to the origional ditch bottom.


Pursuant to an act of the general assembly of the state of Indiana acts of 1933, Ch 264, Sec 41, 42, 43, 44 pages 1198, 1199 & 1200 and ammended by the acts of 1935 Chapter 225 Sec 5 Page 1052 prescribing the duties of County Surveyors in regards to the allotment of open ditches issued the following Notice as required by law to the resident land owners in Lincoln Township Hendricks County which is in words and figures as attached Copy and on the 20th day of July 1940 served the same on all resident land owners and upon the County road superintendent affected upon the office of each corporate road or railroad affected by said improvement and Posted five (5) printed Notices in five (5) public places in the Township and County whereby all parties were duly notified to appear before me at my office on the 2nd day of August 1940 to show cause, if any, why the allotments theretofore made should not be ratified, approved or confirmed and now on this 2nd day of August 1940 the following persons appeared: Mrs. George E. Davis, Peter Leuteritz, L Park Thornberg, & , as representative of the B. & O. Railroad. I continued said hearing from day to day and made such changes as were justified and on this 8th day of August 1940 I now Confirm said allotments as herein set out and adjusted

Harold Cook Surveyor
Per C.& W.

Apportionment for Keeping in Repair the James Pritchett (Union Twp) Ditch, by Harold Cook County Surveyor, Aug 27th 1940

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefitted: Acres	Acres Benefitted: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+0	0+45	45	Fay Scott	Pt SE¼ NE¼	30	17	IW	12			
2	0+45	1+70	125	Roscoe Leak	NE¼ SE¼	30	17	IW	40			
3	1+70	2+05	35	" "	Pt. SW¼ SW¼	29	17	IW	9			
4	2+05	3+30	125	Margaret Leak	SE¼ SE¼	30	17	IW	40			
5	3+30	4+40	110	" "	Pt NW¼ SW¼	29	17	IW	37			
6	4+40	5+40	100	" "	Pt. SW¼ SW¼	29	17	IW	31			
7	5+40	5+95	55	Hendricks County	Roads.							
8	5+95	6+20	25	Dennial Dungan	Pt SE¼ NE¼	30	17	IW	6			
9	6+20	6+60	40	" "	Pt. SW¼ NW¼	29	17	IW	10			
10	6+60	6+80	20	John E. Leach	Pt NE¼ SW¼	29	17	IW	5			
11	6+80	7+40	60	Anita Overstreet	Pt NW¼ SE¼	30	17	IW	15			
12	7+40	8+20	80	" "	E½ SW¼ SE¼	30	17	IW	20			
13	8+20	8+80	60	Alva Hocker	W½ SW¼ SE¼	30	17	IW	15			
14	8+80	10+0	120	Jennie Robins	NW¼ NE¼	31	17	IW	35			



Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 26th day of August, 1940, at the hour of 9 AM. and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the James Pritchett ditch in Union township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 14th day of August, 1940

Harold Cook
County Surveyor.

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Specifications

Ditch bottom shall be two (2) feet in width the entire length of ditch. All weeds, brush and small trees within the channel limits shall be cut and weeds shall be cut clear up the banks All ditt excavated shall be thrown well back on the banks in such a manner as not to wash back into the ditch. The ditch shall be cut to the original ditch bottom.

Completion date - October 1st 1940

Pursuant to an act of the General Assembly of the State of Indiana Acts of 1933, ch. 264, Secs. 41, 42, 43 & 44 pages 1198, 1199 & 1200 and ammended by the Acts of 1935 chapter 225 sec. 5 page 1052 perscribing the duties of the County Surveyors in regards to the reallotment of open ditches issued the following notice as required by law to the resident land owners in Union Township, Hendricks County ~~and~~ which is in words and figures as attached copy and on the 14th day of August 1940 served the same on all resident land owners and upon the County Road Supt. affected and upon the office of each corporate road or railroad affected by said improvement and posted five (5) printed notices in five (5) public places in the Township and County whereby all parties were duly notified to appear before me at my office on the 26th day of August 1940 to show cause, if any, why the allotments heretofore made should hot be ratified, approved or confirmed and now on this 26th day of August 1940 the following persons appeared: Fay Scott, O.M. Overstreet in interest of Anita Overstreet, Roscoe Leak, Alva Hocker and John E. Leach by letter. I continued said hearing from day to day and made such changes as were justified ~~and now~~ on this 27th day of August 1940. I now confirm said ~~said~~ allotments as herein set out and adjusted.

Harold Cook Co. Sur.
men.

Two Tiles & Opens Scott arm

Apportionment for Keeping in Repair the Thomas R. Leak (Union & Eel River) Ditch, by Harold Cook County Surveyor, Aug. 27 1940.

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited Acres	Acres Benefited Hund.	Amount of Benefits Dols.	Amount of Benefits Cts.
1	39+0	38+50	50	Hendricks County	Roads							
2	38+50	38+25	25	" "	"							
3	38+25	38+10	15	Solomon Ellis	NW¼ NE¼	36	17	2W	40			
4	38+10	37+45	65	" "	NE¼ NE¼	36	17	2W	40			
5	37+45	37+10	35	Fay Scott	SW¼ NE¼	30	17	2W	40			
6	37+10	37+0	10	Anita D. Overstreet	Pt E½ W½ SE¼	30	17	1W	10			
7	37+0	36+65	35	" " "	Pt NW¼ SE¼	30	17	1W	28			
8	36+65	36+40	25	R. T. Hall	Pt NE¼ SW¼	30	17	1W	34			
9	36+40	36+05	35	Alva Hocker	SE¼ SW¼	30	17	1W	40			
10	36+05	35+90	15	" "	Pt. SW¼	30	17	1W	60			
11	35+90	34+90	100	" "	SW¼ SW¼	30	17	1W	40			
12	34+90	34+80	10	John G. & Mabel A. Sharp	NW¼ NW¼	31	17	1W	39			
13	34+80	33+80	100	" " " " " "	NE¼ NW¼	31	17	1W	40			
14	33+80	32+80	100	Mary E. & William F. Ayres	SE¼ SE¼	25	17	2W	40			
15	32+80	31+80	100	O. T. Storm	NW¼ SW¼	31	17	1W	40			
16	31+80	31+75	5	" " "	SW¼ SW¼	31	17	1W	40			
17	31+75	31+70	5	" " "	SE¼ NE¼	36	17	2W	40			
18	31+70	31+65	5	Melvina Eva Harper	N½ NW¼ SW¼	31	17	1W	21			
19	31+65	31+60	5	" " "	Pt NE¼ SE¼	36	17	2W	40			
20	31+60	31+50	10	" " "	Pt SE¼ NE¼	36	17	2W	29			

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Specifications

The ditch bottom shall be two(2) feet wide the entire length of the ditch. The weeds, brush and small trees shall be cut and removed from the channel limits. The dirt excavated shall be thrown at least 2 feet from the bank in such a manner so as not to wash back into the ditch. The ditch shall be cut to the original ditch bottom.

Completion Date

October 1st 1940

This is not a reallotment but a copy of an allotment found on page 161 of previous Ditch Book with the land owners brought up to date.

Apportionment for Keeping in Repair the John W. French (Union & Eel River) Ditch, by Harold Cook County Surveyor, Aug. 27 1940.

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Amount of Benefits Dols.	Amount of Benefits Cts.
1	0+0	0+50	50	Hendricks County	Roads						
2.	0+50	1+00	50	Chas. LeRoy & Sara B. Hornaday	NW¼ NW¼	16	17	1W	20		
3	1+0	2+90	190	Robert M. Smith	NW¼ SW¼	17	~~17~~	~~1W~~	39.9		
4	2+90	4+90	200	Goldie V. Bailey	NW¼ NW¼	17	17	1W	40		
5	4+90	6+90	200	" " "	SW¼ NW¼	17	17	1W	40		
6	6+90	7+90	100	" " "	W½SE¼NW¼	17	17	1W	20		
6A	7+90	9+15	125	Luna A. Pritchett	Pt NE¼ NW¼	17	17	1W	25		
7	9+15	10+90	175	Harry E. Bailey	E½SE¼NW¼ & Pt NE¼NW¼	17	17	1W	35		
8.	10+90	13+30	240	Chas. & Gertie Bryant	SE¼ NE¼	~~17~~ 18	17	1W	40		
9	13+30	15+40	210	Clay & Myrtle Simmons	NE¼ SE¼ Pt SW¼NE¼	18	17	1W	40		
10	15+40	16+15	75	" " " "	Pt NW¼SE¼	18	17	1W	12 5		
11	16+15	18+25	210	" " " "	Pt SE¼ SE¼	18	17	1W	27 5		
12	18+25	18+75	50	John H. & Margaret Lones	Pt W½SE¼	18	17	1W	29		
13	18+75	20+75	200	" " " "	Pt SW¼NE¼	18	17	1W	32 5		
14	20+75	23+55	280	The Mutual Benefit Life Ins. Company of Newark.	NE¼ NE¼	18	17	1W	40		
15	23+55	26+35	280	" " " " "	NW¼ NE¼	18	17	1W	40		
16	26+35	28+05	170	Chas. D. Shockley	~~NE~~ SE¼ NW¼ Pt NE¼ NW¼ (?)	18	17	1W	35		
17	28+05	30+10	205	" " "	Pt SW¼ SE¼	18	17	1W	60		
18	30+10	31+35	125	Chas. M. Porter	E½SE¼SW¼	17	17	1W	20		
19	31+35	32+60	125	" " "	W½SE¼SW¼	17	~~17~~ 17	1W	20		
20	32+60	35+40	280	Edgar H. Dale et al.	NE¼ NW¼	18	17	1W	40		
21	35+40	38+20	280	" " " " "	SE¼NW¼	18	17	1W	40		
22	38+20	~~39+90~~ 39+48	~~170~~ 128	" " " " "	Pt SW¼ NE¼	18	17	1W	19½		
22A	39+48	39+90	42	David H. Clark	Pt. SW¼ NE¼	18	17	1W	~~26~~ 6½		
23	39+90	40+30	40	Wm J. & Blanche Heidenreich	Pt SE¼ NE¼	19	17	1W	20		
24	40+30	41+30	100	Boone County	Roads	-	-	-	—		
25	41+30	44+10	280	George K. Isley	SE¼ NE¼	13	17	~~1W~~ 2W	40		
26	44+10	46+90	280	" " "							
27	46+90	49+40	250	The Union Trust Joint Stock Land Bank of Ind'p'l's.							
28	49+40	51+90	250	" " " " "							
29	51+90	52+75	85	Curtiss W. & Ella. Reynolds.							
30	52+75	53+10	35	Caesar & Charlotte Laakman							
31	53+10	54+65	155	Myrtle E. Linton							
32	54+65	57+45	280	Everett E. & Laura Howes							
33	57+45	61+65	420	Chas. B. & Della Dale							
34	61+65	62+80	115	" " " "							
35	62+80	64+65	185	Caesar & Charlotte Laakman							
36	64+65	64+80	15	" " "							
37	64+80	65+45	65	" " "							
38	65+45	66+55	110	Goldie V. Bailey							
39	66+55	66+80	25	Ralph D & Evelyn Morris 1050 Consolidated Bldg. Indpls 4, Ind.							

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Geo R. & Nellie West
1030 So. Tremont St.
Indpls. Ind.

Apportionment for Keeping in Repair the John W. French (Cont.)

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited		Amount of Benefits	
									Acres	Hund.	Dols.	Cts.
A0	66+80	67+15	35	Ralph D & Evelyn Morris	SW¼ SE¼	19	17	1W	20			
A1	67+15	69+65	250	Mary J. Couden	SW¼ NE¼	17	17	1W	40			
A2	69+65	72+15	250	" " "	NW¼ SE¼	17	17	1W	40			
A3	72+15	73+45	130	" " "	S½ NW¼ NE	17	17	1W	20			
A4	73+45	75+15	170	Fay Scott	NW¼ SE¼	13	17	2W	35			
A5	75+15	76+85	170	" "	Pt SE¼ SE¼	13	17	2W	35			
A6	76+85	78+55	170	" "	Pt SW¼ SE¼	13	17	2W	35			
A7	78+55	79+20	65	H.C. & Leana O. Spangler	SW¼ NE¼	19	17	1W	40			
A8	79+20	79+65	45	Oliver Glen Roberts	NE¼ NW¼	19	17	1W	28			
A9	79+65	80+15	50	" " "	Pt NW¼ NE¼	19	17	1W	30			
A10	80+15	80+39	24	" " "	SE¼ NW¼	19	17	1W	17			
A11	80+39	82+19	180	John W. Kernodle Jr. Lebanon	Pt. SE¼ SE¼	7	17	1W	35			
A12	82+19	83+09	90	Harvey M. Gentry	Pt SW¼ SE¼	7	17	1W	15			
A13	83+09	83+99	90	David F. Smith	Pt. SE¼ SE¼	13	17	1W	18	31		
A14	83+99	85+44	145	Lester C. & Eva M. Ragsdale	Pt. SW¼ SE¼	7	17	1W	25			
A15	85+44	86+89	145	" " " " " "	Pt. SE¼ SW¼	7	17	1W	25			
A16	86+89	88+34	145	" " " " " "	Pt. NE¼ SW¼	7	17	1W	25			
A17	88+34	89+99	165	Buell Dale	SW¼ NE¼	13	17	2W	30			
A18	89+99	92+39	240	Preacher's Aid Society of the N.W. Indiana M.E. church	NE¼ SW¼	13	17	2W	40			
A19	92+39	93+54	115	Jewell Coshow	NW¼ SW¼	7	17	1W	20			
A20	93+54	94+54	100	Peoria Division of The Big 4 Railroad	Right-of-way							
A21	94+54	97+04	250	Francis Shockley	SW¼ SW¼	17	17	1W	40			
A22	97+04	97+84	80	Robert Shockley	SE¼ SE¼	12	17	2W	12			
A23	97+84	99+14	130	Charles F. Martin	SE¼ SW¼	13	17	2W	25			
A24	99+14	102+14	300	Hendricks County	Roads							
				Lambert Arm of French Drain								
1	0+0	0+90	90	Chas. & Gertie Bryant	SE¼ NE¼	18	17	1W	40			
2	0+90	3+40	250	Edgar H. Dale et al.	Pt. SW¼ NE¼	18	17	1W				
3	3+40	5+90	250	Lester C. & Eva M. Ragsdale	Pt SE¼ & Pt SW¼	7	17	1W	75			
4	5+90	6+47	57	L. E. Jackman Jamestown Rt.	Pt SE¼ SE¼	7	17	1W	20			
4A	6+47	6+90	43	Miles Smith Jamestown Rt.	Pt SE¼ SE¼	7	17	1W	15			
5	6+90	7+40	50	Harvey M. Gentry	Pt SE¼	7	17	1W	15			
6	7+40	13+20	580	Mutual Benefit Life Ins. Co	N½ NE¼	18	17	1W	80			

~~John W. Kernodle Jr.~~

Ditch, by County Surveyor, 19

Original Specifications			Specifications for Repairing			DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	

Specifications

The ditch bottom shall be two (2) feet wide the entire length of the ditch (Arm 1 foot wide) The weeds, brush and small trees shall be cut and removed from the channel limits. The dirt excavated shall be thrown at least two (2) feet from the bank in such a manner so as not to wash back into the ditch. The ditch shall be cut to the original ditch bottom.

Completion Date - October 15th 1940.

This is not a reallotment but a copy of an allotment found on page 31 of this ditch book with the landowners brought up to date.

Apportionment for Keeping in Repair the Oscar Stephenson (Eel River) Ditch, by Harold Cook County Surveyor, Aug. 29 1940

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefitted: Acres	Acres Benefitted: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+00	0+65	65	Richard Miller	Pt. $NW^4 NW^4$	21	17	2W	~~25~~ 15			
2	0+65	2+15	150	" "	Pt SW^4 SW^4	16	17	2W	35			
3	2+15	2+35	20	Russell C. & Gladys C. Calloway	Pt. NE^4 SW^4	16	17	2W	5			
4	2+35	4+0	165	A. J. Davis	NW^4 SW^4	17	17	2W	40			
5	4+0	5+40	140	Martha J. Davis	Pt NE^4 SW^4	17	17	2W	35			
6	5+40	9+45	405	Gladys O. Niven	Pt NW^4	17	17	2W	98			
7	9+45	9+80	35	" " "	Pt NW^4 NE^4	17	17	2W	8.9			
8	9+80	12+35	255	Nellie H. Voorhis	Pt. NW^4	17	17	2W	62			
9	12+35	14+0	165	" " "	NW^4 SE^4	17	17	2W	40			
10	14+0	14+20	20	" " "	E. Pt NE^4 SW^4	17	17	2W	4.25			
11	14+20	15+85	165	William Taylor	NW^4 NW^4	16	17	2W	40			
12	15+85	17+50	165	" "	SW^4 NW^4	16	17	2W	40			
13	17+50	18+35	85	Ephraim Eastes	E^2NW^4 NE^4	16	17	2W	20			
14	18+35	20+0	165	Elmer Ross	NE^4 NW^4	16	17	2W	40			
15	20+0	20+85	85	" "	W^2NW^4 NE^4	16	17	2W	20			
16	20+85	22+50	165	Etta F. Beisel	NE^4 NE^4	16	17	2W	40			
17	22+50	24+15	165	William Smith	SW^4 SW^4	9	17	2W	40			
18	24+15	24+60	45	Walter Hopper	Pt S.W.^{4} S.E.^{4} Pt. SE^4 SW^4	9	17	2W	11 2/3			
19	24+60	25+05	45	Carl L. Ferguson	Pt SE^4 SW^4	9	17	2W	11 2/3			
20	25+05	25+50	45	Ruth M. Williams	Pt SE^4 SW^4	9	17	2W	11 2/3			
21	25+50	28+80	330	Mayme Page Livesay	E^2 SE^4	18	17	2W	80			
22	28+80	29+65	85	Pauline Hume et.al.	N^2NW^4 # SE^4	18	17	2W	19			
23	29+65	30+30	65	Ruth M. Williams	Pt ~~S.W.^{4}~~ S.2 SE^4	9	17	2W	15			
24	30+30	31+55	125	" " "	Pt ~~S.W.^{4}~~ S.2 SE^4	9	17	2W	30			
25	31+55	34+85	330	James H. Hackleman	S^2 SE^4	8	17	2W	80			
26	34+85	35+70	85	Jeff & Joann Cleveland	Pt SE^4 SW^4	8	17	2W	20			
27	35+70	37+35	165	C. C. Smith	SW^4 SW^4	8	17	2W	40			
28	37+35	39+0	165	Jos. & Lula B. Emmert	SW^4 SE^4	18	17	2W	40			
29	39+0	39+85	85	" " " " "	S^2NW^4 SE^4	18	17	2W	20			
30	39+85	41+50	165	Ina R. Chambers et.al.	NE^4 NE^4	17	17	2W	40			
31	41+50	42+35	85	" " " " "	N^2 SE^4 NE^4	17	17	2W	20			
32	42+35	44+0	165	The Mutual Benefit Life Insurance Company	NE^4 SE^4	17	17	2W	40			
33	44+0	44+85	85	" " " "	S^2 SE^4 NE^4	17	17	2W	20			
34	44+85	46+50	165	" " " "	NW^4 SW^4	16	17	2W	40			
35	46+50	49+40	290	L.T. Endicott et. al.	Pt W^2NE^4	17	17	2W	71			
36	49+40	51+05	165	Marvin M. Porter	SE^4 SE^4	17	17	2W	40			
37	51+05	54+35	330	George W. Buckingham	N^2 NE^4	19	17	2W	80			
38	54+35	55+20	85	Chas. & Anna Zimmerman	N^2NE^4 NE^4	20	17	2W	20			
39	55+20	56+05	85	Guy Kernodle	S^2NE^4 NE^4	20	17	2W	20			

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Apportionment for Keeping in Repair the Oscar Stephenson (Cont.) Ditch, by County Surveyor, 19

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Amount of Benefits
									Acres Hund.	Dols. Cts.
40	56+05	57+70	165	Mutual Benefit Life Ins. Co.	SW¼ NE¼	18	17	2W	40	
41	57+70	58+55	85	" " " " "	S½ NW¼ NE¼	18	17	2W	20	
42	58+55	60+20	165	Hortense Click	SW¼ SE¼	17	17	2W	40	
43	60+20	62+25	205	Bertha Z. Porter	Pt NE¼	20	17	2W	50	
44	62+25	64+30	205	F.D. Porter	Pt NE¼ Pt E½ SE¼ NW¼	20	17	2W	50	
45	64+30	67+60	330	Frank & Minnie Clark	S½ SW¼	17	17	2W	79	5
46	67+60	69+25	165	Isaac Huffman	NE¼ NW¼	19	17	2W	40	
47	69+25	70+90	165	Emmett Woodrum	NE¼ NW¼	20	17	2W	40	
48	70+90	71+60	70	Geo. W. & Corda I. Core	Pt N W¼ NW¼	20	17	2W	17	
49	71+60	72+50	90	Henry VanCleave	Pt W½ NW¼	20	17	2W	23	
50	72+50	74+15	165	" "	Pt W½ NW¼	20	17	2W	40	
51	74+15	75+80	165	" "	SE¼ NE¼	18 ~~20~~	17	2W	40	
52	75+80	77+45	165	Fred L. & Ina L. Clark	NW¼ NW	19	17	2W	40	
53	77+45	79+10	165	" " " " " "	SW¼ NW¼	19	17	2W	40	
54	79+10	82+40	330	Harry C. Jordon	S½ NE¼	19	17	2W	80	
55	82+40	83+65	125	" " "	Pt SW¼ SW¼	18	17	2W	29	5
56	83+65	84+50	85	" " "	E½ SE¼ SE¼	13	17	3W	20	
57	84+50	84+70	20	" " "	Pt S½ SW¼ SW¼	18	17	2W	5	
58	84+70	85+55	85	Indianapolis Life Insurance Company	Pt NE¼ SE¼	19	17	2W	20	
					Pt N½ SW¼	20	17	2W		
59	85+55	87+20	165	Ruth & Kathleen Radford	NE¼ SW¼	19	17	2W	40	
60	87+20	88+05	85	Arizona Varvel et al	W½ NE¼ NE¼	18	17	2W	20	
	88+05	88+90	85	Lottie A. Hedge	E½ SE¼ SW¼	18	17	2W	20	
62	88+90	89+30	40	Carl L. Ferguson	Pt E½ SW¼	9	17	2W	11 3/~~20~~	
63	89+30	92+60	330	Attie B. Mercer	N½ SW¼	18	17	2W	80	
	92+60	94+25	165	Mutual Benefit Life Ins. Co	NE¼ SE¼	13	17	3W	40	
	94+25	95+65	140	Clyde O. & Ethel Grater	Pt SE¼	19	17	2W	35	
	95+65	96+85	120	Lottie A. Hedge	Pt S½ SW¼	18	17	2W	30	
	96+85	97+85	100	Hendricks County	Roads					
	97+85	98+85	100	Montgomery "	"					
	98+85	100+60	175	Boone "	"					
	100+60	101+80	120	Rufus Myers	Pt S½ NW¼	18	17	2W	30	
	101+80	102+65	85	Perry B. Smith	N½ NE¼ SE¼	20	17	2W	20	
	102+65	107+25	460	Hendricks County	Roads					
	107+25	107+60	35	Oscar & Nellie Smith	Pt NW¼ NW¼	18	17	2W	9	
	107+60	108+20	60	Zachria Smith	E½ NE¼ NE¼	18	17	2W	15	
	108+20	108+60	40	Clyde M. Carmichael	~~Pt E½ SE¼~~ Pt N.W¼ S.E¼	13	17	3W	10	
	108+60	113+50	490 ~~485~~	C.C. & Belle Myers	Pt NW¼	18	17	2W	121	

Original Specifications			Specifications for Repairing			Description of the manner in which the work shall be done, including bench marks, &c.
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	
						Specifications The ditch bottom shall be two (2) feet wide the entire length of the ditch. The weeds, brush and small trees shall be cut and removed from the channel limits. The dirt excavated shall be thrown at least two (2) feet from the bank in such a manner so as not to wash back into the ditch. The ditch shall be cut to the original ditch bottom. Completion Date - October 15, 1940 This is not a reallotment but a copy of an allotment found on page 289 of a previous ditch book with the land owners brought up to date.

Apportionment for Keeping in Repair the Oscar Stephenson (Cont.)

Ditch, by County Surveyor, 19

Wm. B. Burford Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITTED	Section	Town.	Range	Acres Benefitted: Acres	Acres Benefitted: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
40	56+05	57+70	165	Mutual Benefit Life Ins. Co.	SW¼ NE¼	18	17	2W	40			
41	57+70	58+55	85	" " " " "	S½ NW¼ NE¼	18	17	2W	20			
42	58+55	60+20	165	Hortense Click	SW¼ SE¼	17	17	2W	40			
43	60+20	62+25	205	Bertha Z. Porter	Pt NE¼	20	17	2W	50			
44	62+25	64+30	205	F.D. Porter	Pt NE¼ Pt E½ SE¼ NW¼	20	17	2W	50			
45	64+30	67+60	330	Frank & Minnie Clark	S½ SW¼	17	17	2W	79	5		
46	67+60	69+25	165	Isaac Huffman	NE¼ NW¼	19	17	2W	40			
47	69+25	70+90	165	Emmett Woodrum	NE¼ NW¼	20	17	2W	40			
48	70+90	71+60	70	Geo. W. & Corda I. Core	Pt N W¼ NW¼	20	17	2W	17			
49	71+60	72+50	90	Henry VanCleave	Pt W½ NW¼	20	17	2W	23			
50	72+50	74+15	165	" "	Pt W½ NW¼	20	17	2W	40			
51	74+15	75+80	165	" "	SE¼ NE¼	18 20	17	2W	40			
52	75+80	77+45	165	Fred L. & Ina L. Clark	NW¼ NW	19	17	2W	40			
53	77+45	79+10	165	" " " " " "	SW¼ NW¼	19	17	2W	40			
54	79+10	82+00	330	Harry C. Jordon	S½ NE¼	19	17	2W	80			
55	82+00	83+65	125	" " "	Pt SW¼ SW¼	18	17	2W	29	5		
56	83+65	84+50	85	" " "	E½ SE¼ SE¼	13	17	3W	20			
57	84+50	84+70	20	" " "	Pt S½ SW¼ SW¼	18	17	2W	5			
58	84+70	85+55	85	Indianapolis Life Insurance Company	Pt NE¼ SE¼ / Pt N½ SW¼	19 / 20	17	2W	20			
59	85+55	87+20	165	Ruth & Kathleen Radford	NE¼ SW¼	19	17	2W	40			
60	87+20	88+05	85	Arizona Yarrel et al	W½ NE¼ NE¼	18	17	2W	20			
61	88+05	88+90	85	Lottie A. Hedge	E½ SE¼ SW¼	18	17	2W	20			
62	88+90	89+30	40	Carl L. Ferguson	Pt SE¼ SW¼	9	17	2W	11 3/4 ~~20~~			
63	89+30	92+60	330	Attie B. Mercer	N½ SW¼	18	17	2W	80			
64	92+60	94+25	165	Mutual Benefit Life Ins. Co	NE¼ SE¼	13	17	3W	40			
65	93+25	95+65	140	Clyde O. & Ethel Grater	Pt SE¼	19	17	2W	35			
66	95+65	96+85	120	Lottie A. Hedge	Pt S½ SW¼	18	17	2W	30			
67	96+85	97+85	100	Hendricks County	Roads							
68	97+85	98+85	100	Montgomery "	"							
69	98+85	100+60	175	Boone "	"							
70	100+60	101+80	120	Rufus Myers	Pt S½ NW¼	18	17	2W	30			
71	101+80	102+65	85	Perry B. Smith Drain Smith	N½ NE¼ SE¼	20	17	2W	20			
72	102+65	107+25	460	Hendricks County	Roads							
73	107+25	107+60	35	Oscar & Nellie Smith	Pt NW¼ NW¼	18	17	2W	9			
74	107+60	108+20	60	Zachria Smith	E½ NE¼ NE¼	18	17	2W	15			
75	108+20	108+60	40	Clyde M. Carmichael	~~Pt E½ SE¼~~ Pt N.W¼ S.E¼	13	17	3W	10			
76	108+60	113+50	~~485~~ 490	C.C. & Belle Myers	Pt NW¼	18	17	2W	121			

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Specifications

The ditch bottom shall be two (2) feet wide the entire length of the ditch. The weeds, brush and small trees shall be cut and removed from the channel limits. The dirt excavated shall be thrown at least two (2) feet from the bank in such a manner so as not to wash back into the ditch. The ditch shall be cut to the original ditch bottom.

Completion Date - October 15, 1940

This is not a reallotment but a copy of an allotment found on page 289 of a previous ditch book with the land owners brought up to date.

Apportionment for Keeping in Repair the Stout - Richardson (Franklin & Liberty) Ditch, by Harold Cook County Surveyor, July 8 19 41

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITTED	Section	Town.	Range	Acres Benefitted: Acres	Acres Benefitted: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
					Pt NE¼ SW¼ 5742 Guilford Ave Indianapolis							
1	0+00	4+50	450	Conrad M & Jeanette H. Gentry	Pt NW¼ SE¼	31	14	1W	4	1		
2	4+50	6+70	220	Harry M. Lockhart	SE¼ NW¼	31	14	1W	2	0		
3	6+70	8+90	220	Celia J. Pearce	Pt SE¼ SE¼	30	14	1W	2	0		
4	8+90	13+30	440	Robert Bayliss	N½ SW¼ SW¼ NW¼ SW¼	29	14	1W	4	0		
5	13+30	17+70	440	" "	Pt SW¼	29	14	1W	4	0		
6	17+70	18+20	50	Elmer L. & Merlie Patton	Pt SE¼ NW¼ Clayton #1	31	14	1W		4		
7	18+20	22+60	440	Cornie L. Buis	SW¼ NE¼	31	14	1W	4	0		
8	22+60	32+95	1035	Hendricks County	Roads.							
9	32+95	34+80	185	Ralph C. Cooper	W½ W½ NE¼ Clayton #2	29	14	1W	2	0		
10	34+80	36+65	185	Bertha E. Cooper	E½ W½ NE¼	29	14	1W	2	0		
10	36+65	39+40	275	John E. & Catherine Reitzel	NW¼ NE¼	31	14	1W	2	5		
11	39+40	44+40	500	James E. Reitzel	Pt NE¼ Clayton #3	31	14	1W	4	5		
12	44+40	48+45	405	Gerna L. & Vera M. Patrick	Pt E¼ NE¼ Clayton #4	31	14	1W	3	5		
13	48+45	51+00	255	E. E. & Mary S. Evens	W½ NW¼ NW¼ SW¼ NW¼ Clayton #5	32	14	1W	~~25~~	40		
14	51+00	53+00	200	" " " " "	SW¼ NW¼ Pt. NW¼ NW¼	32	14	1W	17	20		
15	53+00	60+00	700	Hendricks County	Roads							
16	60+00	62+20	220	Ruth & Hattie Simmons	E½ SE¼ SW¼ Clayton	29	14	1W	2	0		
17	62+20	64+40	220	" " " "	E½ W½ NW¼	32	14	1W	2	0		
18	64+40	68+80	440	" " " "	NE¼ NW¼	32	14	1W	4	0		
19	68+80	77+00	820	Hendricks County	Roads							
20	77+00	80+30	330	Julia A. Reitzel	NW¼ NE¼ 708 Lawton Richmond	32	14	1W	3	0		
21	80+30	83+80	350	Sarah Scott	Pt NE¼	29	14	1W	3	2		
22	83+80	84+35	55	Glen Enoch Wormouth	Pt W½ NW¼	33	14	1W		5		
23	84+35	89+85	550	Edith A. Wilson	Pt SE¼ Clayton #6	29	14	1W	5	0		
24	89+85	93+15	330	Laura Smith	Pt. NE¼ NE¼ Clayton	29	14	1W	3	0		
25	93+15	94+15	100	Ada Stout	N. Pt NW¼ NW¼ Clayton	33	14	1W		9		
26	94+15	98+35	420	Lather Stout	SE¼ SE¼	29	14	1W	3	8		
27	98+35	99+45	110	Wm H. Callahan	S ½ SE¼ NE¼	29	14	1W		10		
28	99+45	100+35	90	Walter H & Bessie R. Callahan	Pt. E¼ NE¼ Clayton #7	29	14	1W		8		
29	100+35	111+85	1150	Fredrick C. & Lillian C. Meridith	Pt. SE¼ & Pt. SW¼	29	14	1W	10	5		
30	111+85	120+65	880	Mary Stout	W½ SW¼	28	14	1W	8	0		
31	120+65	122+85	220	" "	Pt. W½ NW¼	33	14	1W	2	0		
32	122+85	129+45	660	Laura Moon	Pt. NW¼	28	14	1W	6	0		
33	129+45	131+65	220	Russell A. & Kathleen Sage	W½ SE¼ NW¼ 331 W. 44th St Indpls	28	14	1W	2	0		
34	131+65	132+20	55	" " " "	NW Pt NE¼ SW¼	28	14	1W		5		
35	132+20	134+40	220	Bertha E. Cooper	S½ NE¼ NW¼	28	14	1W	2	0		
36	134+40	~~137+20~~ 138+80	~~280~~ 440	D. S. Hazelwood	Pt SE¼ Clayton #8	28	14	1W	3	0	40	
37	~~137+20~~ 138+80	143+70	490	" " "	Pt SW¼ & Pt NE¼	28	14	1W	~~55~~	45		
38	143+70	152+50	880	Russell A. & Kathleen Sage	Pt SW¼ & Pt NW¼	28	14	1W	8	0		

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
					0+00 to 5+00 4'-0"	
					5+00 to 9+80 2'-0"	
					9+80 to 98+20 1'-6"	
					98+20 to 152+50 1'-0"	(County Shreve - County Allotments 2 ¼ cu yds per 100 ft)

Apportionment for Keeping in Repair the Brown Arm of Stout-Richardson Ditch, by Harold Funk

County Surveyor, July 19 41

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefitted		Amount of Benefits	
									Acres	Hund.	Dols.	Cts.
1	0+00	5+00	500	Ruth & Hattie Simmons	S½ SE¼ NW¼	32	14	1W	~~20~~ 10			
2	5+00	14+00	900	ORVELL BROADSTREET	NE¼ SW¼	32	14	1W	40			
3	14+00	17+80	380	Gerno L. & Verna M. Patrick	Pt SE¼ NE¼	~~32~~ 31 32	14	1W	35 ~~40~~			
4	17+80	22+80	500	" " " " "	NE¼ SE¼ ~~& Pt SE¼ NW¼~~	~~32~~ 31 32	14	1W	40			
5	22+80	23+20	40	" " " " "	Pt. SE¼ SE	31	14	1W	~~25~~ 5			
5A	~~22+80~~ 23+20	24+80	~~200~~ 160	MARY S. & E.E. EVANS	S½ SW¼ NW¼	32	14	1W	5			
6	24+80	33+80	900	DAVID BLUNK (for F. M. Wright)	Pt. W½ SW¼ ~~NW¼ SW¼~~	32	14	1W	20			
7	33+80	35+30	150	ROBERT BAYLISS	Pt S½ SW¼ NE¼ ~~Pt W½ NW¼ NE¼~~	32	14	1W	6.0			
8.	35+30	36+80	150	JULIA RIETZEL	N½ SW¼ NE¼	32	14	1W	5			
									10			

Original Specifications			Specifications for Repairing			DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	
					2'-0"	
Completion Date					2'-0"	
Aug. 30, 1941.					2'-0"	
					2'-0"	
					2'-0"	
					2'-0"	
					2'-0"	
					2'-0"	

Apportionment for Keeping in Repair the John Collins (Brown Twp) Ditch, by Harold Cook

County Surveyor, July 29 1941

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITTED	Section	Town.	Range	Acres Benefitted: Acres	Acres Benefitted: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+00	1+22	122	Hendricks County	Roads	27 28	17	1E				
2	1+22	3+22	200	Mary G. Cummings	Pt SE¼ SE¼	28	17	1E	25			
3	3+22	10+57	735	Hannah Hession	Pt W½ NE¼	33	17	1E	70			
4	10+57	16+47	590	Wilbur Lowder	E½ E½ SW¼ SW¼ SE¼	28	17	1E	56			
5	16+47	18+37	250	Patrick J. Kelley	Pt N½ SE¼	28	17	1E	20			
6	18+37	20+57	160	James M. Tarpey	Pt NE¼ NE¼	33	17	1E	20			
7	20+57	21+57	100	Henry T. Vidito	W½ W½ SW¼	28	17	1E	20			
8	21+57	22+57	100	Albert Sloan	Pt E½ W½ SW¼	28	17	1E	20			
9	22+57	26+57	400	Allen O. McDaniel	Pt E½ NW¼	33	17	1E	55			
10	26+57	28+57	200	Otis R & Agnes M. Medsker	Pt NW¼	33	17	1E	36			
11.	28+57	34+70	613	Earl E & Bertha May Monroe	Pt SW¼	28	17	1E	80			
12.	34+70	35+45	75	Lester E. Everett	Pt S½ NW¼	28	17	1E	15			
13.	35+45	35+93	48	Wilbur Lowder	Pt W½ NW¼	33	17	1E	6			
14	35+93	41+95	602	Hendricks County	Roads.	33 28 34	17	1E				
15	41+95	42+95	100	John A. Everett	Pt NW¼ SE¼	33	17	1E	20			
16	42+95	45+55	260	Wyatt McCoslin	Pt NE¼ SW¼	33	17	1E	20			

Completion Date Sept 15, 1941.

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
		2'-0" Bottom.				

Apportionment for Keeping in Repair the O. A. Stout (Liberty Twp) Ditch, by Harold Cook

County Surveyor, July 30 1941

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.	Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
1	72+08	70+10	208	Lena McCollum	SE¼ SW¼	20	14	1W											
2	70+00	~~62+25~~ 66+25	375	Alfred Glover	NE¼ NW¼	29	14	1W											
3	66+25 ~~62+25~~ ~~57+63~~ 61+63	~~59+63~~ 61+63 ~~66+87~~	462	Bertha E. Cooper	E½ NW¼ NE¼	29	14	1W											
4	~~57+63~~ 61+63 ~~66+87~~	~~53+00~~ 57+00 ~~71+50~~	463	Ralph Cooper	W½ NW¼ NE¼	29	14	1W											
5	57+00	54+00	300	Laura B. Smith	Pt NE¼ NE¼ (Harvey Smith)	29	14	1W											
6	54+00	50+00	400	Henry J. Amt.	SW¼ SE¼	20	14	1W											
7	50+00	47+00	300	" " "	SE¼ SE¼ (8 & E Raymond Smith)	20	14	1W											
8	47+00	40+00	700	" " "	SW¼ SW¼	21	14	1W											
9	40+00	30+77	323	Hendricks County															
10	30+77	25+56 2	525	Laura Moon	NW¼ NW¼	28	14	1W											
11	25+56 2	20+52	500	Obe H. Johnson	Pt SW¼ SE¼	21	14	1W											
12	20+52	17+83	269	Ora M & Dora A. Stout	Pt E½ E½ SW¼ (Dunbar)	21	14	1W											
13	17+83	12+46	537	Melvin & Opal May Stout	W½ E½ SW¼	21	14	1W											
14	12+46	9+77	269	Almo & Lafayette Richards	Pt E½ E½ SW¼	21	14	1W											
15	9+77	5+52	425	Bertha E. Cooper	NE¼ NW¼	28	14	1W											
16	~~5+52~~	4+00	152	Hendricks County															
17	4+00	0+00	400	Daniel S. Hazlewood	Pt NW¼ NE¼	28	14	1W											

Specifications Same as on Page 36 of this book. Completion date Sept. 15, 1941

Thurman Rigdon Clayton RR2 Tel Hazlewood #35

Apportionment for Keeping in Repair the Adam Beaman Ditch, by Geo R. Harvey County Surveyor, 19

Wm. H. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITTED	Section	Town.	Range	Acres Benefitted: Acres	Acres Benefitted: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+0	6+75	675	Hendricks County	Roads	21						
2	6+75	12+05	530	James Dugan, Jr, Est.	Pt NE¼ NE¼	28	17	IE				
2A	12+05	16+10	405	James Dugan, Jr. Est.	Pt NW¼ NE¼	28	17	IE	90			
2B	16+10	16+60	50	James Dugan, Jr, Est.	Pt SW¼ NE¼	28	17	IE	23			
2C	16+60	20+15	355	James Dugan, Jr, Est.	Pt SE¼ NE¼	28	17	IE	3			
3	20+15	21+05	90	Bertha Richwine	Pt SE¼ SE¼	21	17	IE	20			
4	21+05	28+15	710	Estella Wiley	SW¼ NE¼	21	17	IE	5			
5	28+15	29+40	125	Grant V. Arbuckle	Pt S½ NW¼ SW¼	21	17	IE	40			
6	29+40	30+80	140	Martin & Sarah Hession	Pt NE¼ SE¼	21	17	IE	7			
7	30+80	41+35	1055	Fletcher Jt. Stock Land Bank	W½ SE¼ SE¼ - E½ SW¼ SE¼ E½ NW¼ SE¼	20	17	IE	8			
8	41+35	48+45	710	Lester C. Everett	W½ NW¼ SE¼ W½ SW¼ SE¼	21	17	IE	60			
9	48+45	53+85	540	Wendell & Rose Hansell	Pt NW¼ NW¼	21	17	IE	40			
9A	53+85	57+85	400	Wendell & Rose Hansell	Pt NE¼ NW¼	21	17	IE	30			
10	57+85	60+95	310	Metropolitan Life Ins. Co.	Pt NE¼ NE¼	21	17	IE	25			
11	60+95	68+05	710	Josephine Arbuckle	NE¼ SW¼	20	17	IE	17			
11A	68+05	72+10	405	Josephine Arbuckle	SE¼ SW¼	21	17	IE	40			
12	72+10	75+65	355	Everett E. & Grace McKee.	N½ NW¼ SW¼	21	17	IE	23			
12A	75+65	85+70	1005	Everett E. & Grace McKee.	S Pt. SW¼ NW¼ S Pt. SE¼ NW¼	21	17	IE	20 57			
13	85+70	89+75	405	Albert W. Beaman	N Pt. SW¼ NW¼ N Pt. SE¼ NW¼	21	17	IE	57 23			
13A	89+75	95+80	605	Albert W. Beaman	Pt. SE¼ NE¼	20	17	IE	34			

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
						This is not a new allotment but a copy of the allotment as shown on page 28 with the property owners continued up to date.
						Notice taken to twp. trustee Sept. 20, 1942

Apportionment for Keeping in Repair the John W. French Ditch, by Geo. R. Harvey County Surveyor, 19

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+0	0+50	50	Hendricks County	Roads							
2	0+50	1+00	50	Chas. LeRoy & Sara B. Hornaday (Harley Garrett Lessee)	NW¼ NW¼	16	17	1W	20			
3	1+00	2+90	190	Robert M. Smith	NW¼ SW¼	17	17	1W	39	90		
4	2+90	4+90	200	Goldie V. Bailey	NW¼ NW¼	17	17	1W	40			
5	4+90	6+90	200	" " "	SW¼ NW¼	17	17	1W	40			
6	6+90	7+90	100	" " "	W½ SE¼ NW¼	17	17	1W	20			
A	7+90	9+15	125	Luna A. Pritchett. (Geo. Doz Rt 1 Jamestown)	Pt. NE¼ NW¼	17	17	1W	25			
7	9+15	10+90	175	Harry E. Bailey (Goldie V. & Ruth A. Bailey Jamestown)	E½ SE¼ NW¼ & Pt. NE¼ NW¼	17	17	1W	35			
7	10+90	13+30	240	Chas. & Bertie Bryant (Jesse Hunt & Walter Hunt Rt 1 Jamestown)	SE¼ NE¼	18	17	1W	40			
	13+30	15+40	210	Clay & Myrtle Simmons.	NE¼ SE¼	18	17	1W	40			
0	15+40	16+15	75	" " " "	Pt. SW¼ NE¼ Pt. NW¼ SE¼	18	17	1W	12	50		
1	16+15	18+25	210	" " " "	Pt. SE¼ SE¼	18	17	1W	27	50		
	18+25	18+75	50	John H. & Margaret Long. (Orville & Rosa C Rhoda Rt, 1 Jamestown)	Pt. W½ SE¼	18	17	1W	29			
3	18+75	20+75	200	" " " "	Pt. SW¼ NE¼	18	17	1W	32	50		
	20+75	23+55	280	Mutual Benefit Life Ins Co. of Newark. (John H & Elizabeth Ryan Rt 1 Jamestown)	NE¼ NE¼	18	17	1W	40			
	23+55	26+35	280	" " " " " "	NW¼ NE¼	18	17	1W	40			
	26+35	28+05	170	Chas. D. Hockley (David H Blank Rt 1 Jamestown)	NE¼ NW¼ Pt S²	18	17	1W	35			
	28+05	30+10	205	" " "	Pt. NE¼ NW¼ & Pt. SW¼ SE¼ NE	18	17	1W	60			
	30+10	31+35	125	Chas. M. Porter	E½ SE¼ SW¼	17	17	1W	20			
	31+35	32+60	125	" " "	W½ SE¼ SW¼	17	17	1W	20.			
	32+60	35+40	280	Edgar H. Dale, et al. (Ralph Shaw Rt 1 Jamestown)	NE¼ NW¼	18	17	1W	40			
	35+40	38+20	280	" " " " "	SE¼ NW¼	18	17	1W	40			
	38+20	39+90	170	" " " " "	Pt SW¼ NE¼	18	17	1W	26			
	39+90	40+30	40	Wm. J. & Blanche Heidenreich (William & Doris Vickery Rt 1 Jamestown)	Pt. SE¼ NE¼	19	17	1W	20.			
	40+30	41+30	100	Boone County	Roads.							
	41+30	42+70 44+10	280 140	Everett E & Laura Howes.	SE¼ NE¼	13	17	2W	20			
	42+70 44+10	44+10 46+90	140 280	George & Pearle F Cornwell Rt. 1 Jamestown Earl & Frances Shockley	NE¼ NE¼	13	17	2W	~~40~~ 20			
	46+90	49+40	250	Geo. R. & Nellie West. (1030 S. Tremont St Indianapolis Ind)								
	49+40	51+90	250	" " " "								
	51+90	52+75	85	Curtis W. & Ella Reynolds. (Oscar F & Ruth L Joseph Linton)								
	52+75	53+10	35	Caesar & Charlotte Laakman.								
	53+10	54+65	155	Myrtle E. Linton.								
	54+65	57+45	280	Everett E. & Laura Howes								
	57+45	61+65	420	Chas. B. & Della Dale.								
	61+65	62+80	115	" " " "								
	62+80	64+65	185	Caesar & Charlotte Laakman.								
	64+65	64+80	15	" " "								
	64+80	65+45	65	" " "								
	65+45	66+55	110	Goldie V. Bailey. 19.								

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
						See field book 201/49

Apportionment for Keeping in Repair the John W. French Ditch, by Geo. R. Harvey County Surveyor, 19

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Hund.	Amount of Benefits Dols.	Cts.	Original Specifications: Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing: Width at Top	Depth of Cut	Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
1	0+0	0+50	50	Hendricks County	Roads														See field book 201/49
2	0+50	1+00	50	Chas. LeRoy & Sara B. Hornaday	NW¼ NW¼	16	17	1W	20										
3	1+00	2+90	190	Robert M. Smith	NW¼ SW¼	17	17	1W	39	90									
4	2+90	4+90	200	Goldie V. Bailey	NW¼ NW¼	17	17	1W	40										
5	4+90	6+90	200	" " "	SW¼ NW¼	17	17	1W	40										
6	6+90	7+90	100	" " "	W½ SE¼ NW¼	17	17	1W	20										
6A	7+90	9+15	125	Luna A. Pritchett.	Pt. NE¼ NW¼	17	17	1W	25										owner Jackman claims this in 22A
7	9+15	10+90	175	Harry C. Bailey	E½ SE¼ NW¼ & Pt NE¼ NW¼	17	17	1W	35										
8	10+90	13+30	240	Chas. & Gertie Bryant	SE¼ NE¼	18	17	1W	40										
9	13+30	15+40	210	Clay & Myrtle Simmons.	NE¼ SE¼	18	17	1W	40										
10	15+40	16+15	75	" " " "	Pt SW¼ NE¼ Pt. NW¼ SE¼	18	17	1W	12	50									
11	16+15	18+25	210	" " " "	Pt. SE¼ SE¼	18	17	1W	27	50									
12	18+25	18+75	50	John H. & Margaret Lowe.	Pt. W½ SE¼	18	17	1W	29										
13	18+75	20+75	200	" " " "	Pt. SW¼ NE¼	18	17	1W	32	50									
14	20+75	23+55	280	Mutual Benefit Life Ins Co. of Newark.	NE¼ NE¼	18	17	1W	40										
15	23+55	26+35	280	" " " " " "	NW¼ NE¼	18	17	1W	40										
16	26+35	28+05	170	Chas. D. Shockley	NE¼ NW¼ Pt S²	18	17	1W	35										
17	28+05	30+10	205	" " "	Pt. NE¼ NW¼ & Pt. SW¼ SE¼ NE	18	17	1W	60										
18	30+10	31+35	125	Chas. M. Porter	E½ SE¼ SW¼	17	17	1W	20										
19	31+35	32+60	125	" " "	W½ SE¼ SW¼	17	17	1W	20.										
20	32+60	35+40	280	Edgar H. Dale, et al.	NE¼ NW¼	18	17	1W	40										
21	35+40	38+20	280	" " " " "	SE¼ NW¼	18	17	1W	40										
22	38+20	39+90	170	" " " " "	Pt SW¼ NE¼	18	17	1W	26										
23	39+90	40+30	40	Wm. J. & Blanche Heidenreich	Pt. SE¼ NE¼	19	17	1W	20.										
24	40+30	41+30	100	Boone County	Roads.														
25	41+30	42+70	140	Everett E. & Laura Howes.	SE¼ NE¼	13	17	2W	20										
25A	42+70	44+10	140	George & Pearle F Cornwell	NE¼ NE¼	13	17	2W	20										
26	44+10	46+90	280	Earl & Frances Shockley															
27	46+90	49+40	250	Geo. R. & Nellie West.															
28	49+40	51+90	250	" " " "															
29	51+90	52+75	85	Curtis W. & Ella Reynolds.															
30	52+75	53+10	35	Caesar & Charlotte Laakman.															
31	53+10	54+65	155	Myrtle E. Linton.															
32	54+65	57+45	280	Everett E. & Laura Howes															
33	57+45	61+65	420	Chas. B. & Della Dale.															
34	61+65	62+80	115	" " " "															
35	62+80	64+65	185	Caesar & Charlotte Laakman.															
36	64+65	64+80	15	" " "															
37	64+80	65+45	65	" " "															
38	65+45	66+55	110	Goldie V. Bailey.															

Apportionment for Keeping in Repair the John W. French Ditch, by Geo. C. Harvey County Surveyor, 19

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefitted	Amount of Benefits Hund.	Dols.	Cts.
					1050 Consolidated Sch. Dists 4, Ind.							
39	66+55	66+80	25	Ralph D. & Evelyn Morris	SW¼ SE¼	19	17	W	20			
40	66+80	67+15	35	" " " "	SW¼ NE¼	17	17	W	40			
41	67+15	69+65	250	Mary J. Cowden. Lyton	NW¼ SE¼	17	17	W	40			
42	69+65	72+15	250	" " "	S½ NW¼ NE¼	17	17	W	20			
43	72+15	73+45	130	" " "	NW¼ SE¼	13	17	2W	35.			
44	73+45	75+15	170	Fay Scott	Pt. SE¼ SE¼	13	17	2W	35.			
45	75+15	76+85	170	" "	Pt. SW¼ SE¼	13	17	2W	35.			
46	76+85	78+55	170	" "	SW¼ NE¼	19	17	W	40			
47	78+55	79+20	65	H.C. & Lena O. Spangler. Lyton	NE¼ NW¼	19	17	W	28.			
48	79+20	79+65	45	Oliver Glen Roberts. Lyton	NW¼ NE¼	19	17	W	30			
49	79+65	80+15	50	" " "	SE¼ NW¼	19	17	W	17			
50	80+15	80+39	24	" " "	416 W. Main, Lebanon John Kendall 416 W. Main Lebanon John Kendall Lyton							
51	80+39	82+19	180									
52	82+19	83+09	90									
53	83+09	83+99	90	David F. Smith Lyton	Pt. SE¼ SE¼	13	17	2W	18	31		
54	83+99	85+44	145		Jamestown R.F. Clifford Young Jamestown R.F.							
55	85+44	86+89	145		Walter & Eva M Ragsdale Jamestown, R.R.							
56	86+89	88+34	145		Wm & Dora Alice Cudworth							
57	88+34	89+99	165	Buell Dale.	SW¼ NE¼	13	17	2W	30			
58	89+99	92+39	240	Preacher Aid Society of the N.W. Ind. M.E. Church.	NE¼ SW¼	13	17	2W	40			
59	92+39	93+54	115		Jamestown R.R. Jewell Cochran							
60	93+54	94+54	100	Penn. Div. of Big 4 R.R. Co.	Right-of-way.							
61	94+54	97+04	250		Jamestown R.R. Frances S Shockley							
62	97+04	97+84	80		Jamestown R.R. Frances S Shockley							
63	97+84	99+14	130	Paul Martin	SE¼ SW¼	13	17	2W	25.			
64	99+14	102+14	300	Hendricks County	Roads.							

Original Specifications			Specifications for Repairing			DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	

Apportionment for Keeping in Repair the Pollard-Todd Ditch, by County Surveyor, 19


Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Amount of Benefits Hund.	Dols.	Cts.
1	0+0	9+0	900	Gordon & Donna Brunes	E² NW⁴	24	16	1E	60			
2	9+0	21+0	1200	Edmond D & Otha H. Manton	E² SW⁴	24	16	1E	80			
3	21+0	30+0	900	Margaret Walsh Feeney	W½ NE⁴ 4227 Euclid St. Indpls.	24	16	1E	60			
4	30+0	32+0	200	B+O Railroad								
5	32+0	44+0	1200	Thos. R. Corliss	W½ SW¼	24	16	1E	78			
6	44+0	46+25	225	Hendricks County	Roads	~~24~~	~~16~~	~~1E~~	~~40~~			
7	46+25	52+25	600	Mary Belle Sikes & Mabel Sikes Parrish 610 S Central, Mpls spec.	NW⁴ SE⁴	24	16	1E	40			
8	52+25	58+25	600	Jos. Wm & Helen Marie Ickell	NE⁴ NW⁴	25	16	1E	40			
9	58+25	70+25	1200	Patrick Hynne	W² NW⁴	25	16	1E	80			
10	70+25	71+0	75	Mary A. Bersot	E² W⁴ SE⁴	23	16	1E	5			
11	71+0	77+0	600	Mary A. Bersot	NE⁴ NE⁴	26	16	1E	40			
12	77+0	83+0	600	Patrick Hynne	SE⁴ NE⁴	26	16	1E	40			
13	83+0	85+0	200	Geo. G. & Sallie Cornett	W½ NE⁴	26	16	1E	13			
14	85+0	88+75	375	Elbert E. & Ednal L. Patterson	W½ E½ SE⁴	26	16	1E	25			
15	88+75	91+75	300	Richard Christie	E² E² SE⁴	26	16	1E	20			
16	91+75	97+75	600	Mary Etta Davis	NW⁴ SE⁴	26	16	1E	40			
17	97+75	99+25	150	Mary Shockley	Pt. E² SE⁴ SW⁴	26	16	1E	10			
18	99+25	101+50	225	Clyd & Ruth McHugh	Pt. W² SE⁴ SW⁴	26	16	1E	15			
19	101+50	104+50	300	Lillie G. Gatson	Pt. SW⁴ 3746 N Capital Indpls.	26	16	1E	20			
20	104+50	105+25	75	Hattie A. Hays, Laura Jones & Biddie A. Bean & Iva E. Bean	Pt. SW⁴	26	16	1E	5			
21	105+25	108+25	300	Loren E. Masten	NE⁴ SW⁴	26	16	1E	20			
22	108+25	121+12	1287	Hendricks County (Lin. Twp)								
23	121+12	134+00	1288	Hendricks County (Wash. Twp)								

Original Specifications: Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing: Width at Top	Depth of Cut	Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

See specifications on page 34.
This is not a new allottment but a copy of the allottment as shown on page 34 of this book, with the names of the property owners brought up to the 17th day of July 1945.
Completion Date: Nov. 1, 1945.
Stanley Shartle, Dep. Surv.



Apportionment for Keeping in Repair the Lucy King Ditch, by County Surveyor, 19

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited		Amount of Benefits	
									Acres	Hund.	Dols.	Cts.
6	0	0+50	50	Robert & Grace Pock	NE¼ SE¼ SW¼	33	16	1E	10			
5	0+50	2+00	150	Herman E. & Opal L. Smith	E½ NE¼ SW¼	33	16	1E	20			
4	2+00	14+00	1200	Wm. G. Forbyce, et al.	NW¼ SE¼	33	16	1E	40			
3	14+00	17+00	300	Wm. G. Forbyce, et al.	N pt. SW¼ SE¼	33	16	1E	6	50		
2	17+00	30+00	1300	Frank & Anne Marie Pock	S pt. SW¼ SE¼	33	16	1E	33	75		
1	30+00	34+00	400	Edwin J. & Esther Knauss	NE¼ NE¼	4	15	1E	40			

Original Specifications			Specifications for Repairing			DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	

The only note on the specifications of this ditch shown in Drainage Record 1 page 5 is that the banks shall be cut at an angle of 45°. This is not a new allottment but a copy of the allottment as exhibited in said book and page stated above, with such changes in the names of the property owners as will bring the same up-to-date.

Stanley Shartle, Deputy Surveyor
25th July 1945

21+83 = N line A. A. Ross et al Road.

Apportionment for Keeping in Repair the John Garvey (Lincoln twp) Ditch, by County Surveyor, 19

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+00	12+49	1249	Hendricks County (This allottment has been tiled)								
2	12+49	20+49	800	David L. & Aline Furnish	NE¼ SE¼ – S pt SE¼ NE¼ – S pt SW¼ NE¼	14	16	1E	70			
3	20+49	23+79	330	Geo. E. & Eva B. Davis	Pt. W½ NE¼	14	16	1E	30			
4	23+79	28+19	440	Robt. S. & Jewell P. Hornaday	Pt. W½ NW¼	13	16	1E	40			
5	28+19	36+29	810	Herbert G. & Lilly M. Seymour	Pt S½ SE¼	14	16	1E	70			
6	36+29	46+09	980	Otis C. & Dorothy E. Winters (231 N.E. 2nd St. Miami 32, Fla.)	W½ SE¼	13	16	1E	80			
7	46+09	47+19	110	Ethel C. & Mildred Corrie	Pt. SE¼ SW¼	13	16	1E	10			
8	47+19	52+19	500	Peter M. Leuteritz	NE¼ NE¼	23	16	1E	40			
9	52+19	55+79	360	Peter M. Leuteritz	Pt E½ W½ NE¼	23	16	1E	30			
10	55+79	68+09	1230	Chester H. Brunes	SW¼ NW¼ SE¼ NE¼ & Pt. NE¼ SE¼	24 23	16	1E 1E	100			
11	68+09	69+19	110	Margaret Walsh Feeney	Pt. NW¼ NE¼	24	16	1E	10			
12	69+19	71+69	250	Hendricks County	Roads							
13	71+69	83+99	1230	L. Park Thornburg	SE¼ NW¼ – W pt. W½ NE¼ – Pt. NW¼ SE¼	23	16	1E	100			
14	83+99	86+49	250	B. & O. Railroad	Right-of-way.							
15	86+49	91+19	470	Peter M. & Myrtle M. Leuteritz	NW¼ NW¼	24	16	1E	40			
16	91+19	95+89	470	Gordon & Donna Brunes	NE¼ NW¼	24	16	1E	40			
17	95+89	106+34	1045	Mary Berndt	E pt SW¼ & S pt W½ SE¼ & W½ E½ SE¼	23	16	1E	88	75		
18	106+34	110+19	385	Thos. R. Corliss	Pt. NW¼ SW¼	24	16	1E	35			
19	110+19	115+94	575	Geo. G. & Sallie Cornett	Pt W½ NE¼	26	16	1E	50			
20	115+94	122+15	621	Hendricks County	Roads							

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Specifications:

Ditch bottom shall be two (2) feet in width for the entire length of the ditch. All weeds, brush, and small trees within the channel limits shall be cut down clear up to the top of the banks. All dirt excavated shall be thrown well back of the banks in such a place as not to wash back into the ditch. The depth shall be cut to the original ditch bottoms.

This is not a new allottment but a copy of the allottment exhibited on page 43 of this book, with certain errors corrected and the names of the property owners brought up-to-date.

Danville Ind.
26th July 1945

Stanley Shartle,
Deputy Surveyor.

Apportionment for Keeping in Repair the John Garvey Ditch, by R. Major Franklin County Surveyor, Sept. 17 1945

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+00	12+49	1249	Hendricks County (this allotment has been filed)								
2	12+49	20+39	790	David L. & Alice Furnish	NE¼SE¼ - S½t SE¼NE¼ - S½t SW¼NE¼	14	16	1E	70			
3	20+39	23+59	320	Geo. E. & Eva B. Davis	Pt. W½NE¼	14	16	1E	30			
4	23+59	31+59	800	Herbert A. & Lilly M. Seymour	Pt. S½ SE¼	14	16	1E	70			
5	31+59	35+89	430	Robt S. & Jewell P. Hornaday	Pt. W½ NW¼	13	16	1E	40			
6	35+89	36+89	100	Ethel C. & Mildred Corrie	Pt. SE¼SW¼	13	16	1E	10			
7	36+89	37+89	100	Margaret Walsh Feeney	Pt. NW¼ NE¼	24	16	1E	10			
8	37+89	38+72	83	Hendricks County	Highways							
9	38+72	51+72	1300	Peter M. Leuteritz	Pt NE¼ NW¼ NW¼	23 24	16 16	1E 1E	110			
10	51+72	56+32	460	Gordon & Donna Brenes	NE¼ NW¼ SW¼ NW¼	24 24	16 16	1E 1E	40			
11	56+32	68+52	1220	Chester W. Brenes	SE¼ NE¼ & pt NE¼ SE¼	23	16	1E	100			
12	68+52	70+82	230	Hendricks County	Highways							
13	70+82	84+22	1340	L. Park Thornburg	SE¼NW¼ - W½t W½NE¼ - Pt NW¼SE¼	23	16	1E	110			
14	84+22	86+62	240	Baltimore & Ohio Railroad	Right-of-way Pt. SW & E							
15	86+62	96+87	1035	Mary Bersot	S½t W½SE¼ & W½E½SE¼	23	16	1E	88	75		
16	96+87	106+67	970	Otis C. & Dorothy E. Winters	W½ SE¼	13	16	1E	80			
17	106+67	112+17	550	Geo. G. & Sallie Cornett	Pt W½NE¼	26	16	1E	49			
18	112+17	112+32	15	Howard A. & Elsie M. Scott	Pt. W½NE¼	26	16	1E	1			
19	112+32	116+07	375	Thos. R. Corliss	Pt. NW¼SW¼	24	16	1E	35			
20	116+07	121+45	538	Hendricks County	Highways							

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 14th day of September, 1945, at the hour of 10 A.M. (CWT) and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the John Garvey ditch in Lincoln township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 1st day of September, 1945

R. Major Franklin
County Surveyor.

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Pursuant to an Act of the General Assembly of the State of Indiana, Acts of 1933, Ch. 264, sec. 41, 42, 43 and 44 and amended by Acts of 1935, ch. 225, sec. 5, and as amended by Acts of 1945, Ch. 221, sec 31 and 32 prescribing the duties of County Surveyors in regards to the reallotment of open ditches, I issued the following notice as required by law and on the 1st day of September 1945 served the same on all land owners affected by the John Garvey ditch in Lincoln Township and upon the county highway superintendent affected and upon the office of each corporate road or railroad, allotted a portion of said improvement and thereupon caused to be posted up, for not less than ten (10) days, five (5) printed notices in five (5) public places in said township, which notices were in words and figures as follows: (H.I.), whereby all said parties were duly notified to appear before me at my office on the 14th day of September 1945 to show cause, if any, why the allotments heretofore made should not be ratified, approved, or confirmed. And now on this 14th day of September 1945 the following persons appeared: Geo. Cornett, Thos. R. Corliss, Peter M. Leuteritz, Gordon Brenes, Chester W. Brenes, L. Park Thornburg, Chas. Bersot representing Mary Bersot, and Roy Blaydes representing the B&O Railroad. I continued said hearing from day to day and having heard said objections, I made such changes as justice required and on this 17th day of September 1945, I now confirm said allotments as herein set out and adjusted.

R. Major Franklin
Surveyor of Hendricks County
by Stanley Shartle, Deputy.

Apportionment for Keeping in Repair the Thomas Feeney Ditch, by John H. Trotter County Surveyor, Aug. 6 1946 1895

Aug 3 1946

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited Acres	Acres Benefited Hund.	Amount of Benefits Dols.	Amount of Benefits Cts.
				R.R.1 Danville								
19	0+0	2+0	200	Brutt Lee Sharp	NE¼ NE¼ SE¼	36	16	1E	10	00		
18	2+0	7+0	500	Do.	W½ NE¼ SE¼	36	16	1E	20	00		
				Timothy deceased. 4222 Rucker Ave. Indianapolis.								
17	7+0	9+0	200	Timothy & Margaret Feeney	NW¼ NE¼	36	16	1E	40	00		
16	9+0	18+0	900	Do.	SW¼ NE¼	36	16	1E	40	00		
				R.R.1 Danville								
15	18+0	20+0	200	Henry D. Long	SE¼ NE¼ SE¼	36	16	1E	10	00		
14	20+0	24+0	400	Do.	SE¼ SE¼	36	16	1E	40	00		
				% Jarod Delong R.R.1 Plainfield								
13A	24+0	26+75	275	Bert O. Delong	E½ SW¼ SE¼	36	16	1E	20	00		
				R.R.1 Danville								
13	26+75	29+50	275	Earl Ferree	W½ SW¼ SE¼	36	16	1E	20	00		
12	29+50	32+0	250	Hendricks County	Road E & W on N. L. 1-15-1E							
				Timothy deceased. 4222 Rucker Ave. Indianapolis.								
11A	32+0	33+12	112	Timothy & Margaret Feeney	Pt. SE¼ NW¼	36	16	1E	20	00		
	32+00		150'	R.R. 18 Box 623 Indianapolis.								
11	33+12	33+50	38	Ralph C. & Leola A. Cooper	Pt SE¼ NW¼	36	16	1E	40	00		
				Harry Jenger - Danville, R.R.1								
10	33+50	34+25	75	Constant V. Abeele	Pt SW¼ SW¼	31	16	2E				
				R.R.1 Danville								
9	34+25	34+50	25	Russell L. & Edith E. Lynch	Pt W½ NW¼ SW¼	31	16	2E				
				% John Henry Lewis Danville								
8	34+50	38+00	350	Emmett H. Davis	Pt NE¼ NE¼	1	15	1E	35	00		
7	38+00	40+00	200	Do.	Pt. SE¼ NE¼	1	15	1E	35	00		
6A	40+00	40+55	55	Do.	Pt. NW¼ NE¼	1	15	1E	11	00		
				2715 N. Illinois Indpls.								
6	40+55	42+0	145	Jesper N. & Dorothy L. Jackson	Pt NW¼ NE¼	1	15	1E				
5A	42+00	45+63	363	Bert O. Delong	E½ NW¼ SE¼	36	16	1E	20	00		
				R.R.1 Danville								
5	45+63	49+25	362	Earl Ferree	W½ NW¼ SE¼	36	16	1E	20	00		
				John G. Anderson RR1 Box 156 Danville.								
4B	49+25	49+32	7	Wm C. & Ellen Reynolds	E. pt NE¼ NE¼	1	15	1E				
				R.R.1 Danville								
4A	49+32	49+39	7	Clarence A. & Bess Reynolds	E. pt NE¼ NE¼	1	15	1E				
				R.R.1 Danville								
4	49+39	49+50	11	Harry L. Read	E. pt NE¼ NE¼	1	15	1E				
				R.R.1 Danville								
3D	49+50	49+60	10	Oliver J. & Minnie L. Sprinkle	E. pt E½ NE¼	1	15	1E				
				R.R.1 Danville								
3C	49+60	49+70	10	Wm. F. & Beulah Parsons	E pt SE¼ NE¼	1	15	1E				
				R.R.1 Danville								
3B	49+70	49+80	10	Jesse W. Parsons	E. pt SE¼ NE¼	1	15	1E				
				R.R.1 Danville								
3A	49+80	49+90	10	Gerald F. & Gertrude E. Wise	E pt SE¼ NE¼	1	15	1E				
				R.R.1 Danville								
3	49+90	50+0	10	Henry & Emma K. Ewell	E pt SE¼ NE¼	1	15	1E				
2	50+0	53+00	300	Hendricks County	E pt E½ NE¼ (Road)	1	15	1E				
				3510 N. Penn. Indpls. 5, Ind.								
1.	53+00	60+0	700	Margaret Dittrick	SE¼ NE¼	36	16	1E				

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Original specifications: The banks of said ditch must be cut smooth and on an angle of 45°. The bottom width must be one foot. The dirt excavated must be cast back two (2) feet from the banks. The bush, briers, & growing on and along the banks of said ditch must be removed.

Note: This is not a new allotment but a copy of the allotment of said ditch as shown on Ditch Record No. 1 page 121 except that the land transfers and subdivisions have been accounted for.

Stanley M. Shartle
Assistant Surveyor.

3rd August 1946.

Apportionment for Keeping in Repair the Joseph Holloway Ditch, by Harold Cook or C. E. Logan County Surveyor, Aug. 24 1932.

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
				R.R.1 Brownsburg	Pt. E½ SE¼	4	16	1E				
1	0+00	8+00	800	Nona Fay Brookshire	N½ SW¼	3	16	1E	100	00		
				R.R.1 Brownsburg	Pt SW¼ NW¼	3	16	1E				
2	8+00	10+50	250	John A. & Lucile Hornaday	Pt SE¼ NE¼	4	16	1E	50			
				R.R.1 Brownsburg								
3	10+50	12+50	200	Bert & Virginia Witham	SE¼ NW¼	3	16	1E	40			
				R.R.1 Brownsburg								
4	12+50	13+75	125	Gertie L. Lowder	Pt. N½ NW¼	3	16	1E	25			
				R.R.1 Brownsburg								
5	13+75	15+25	150	Benj. Hedble	Pt. W½ NE¼	3	16	1E	20			
				Joseph Holloway Brownsburg								
6	15+25	17+75	250	Russell Holloway	Pt. E½ NE¼	4	16	1E	42	91		
				R.R. Brownsburg								
7	17+75	19+75	200	Herbert & Mildred Smith	Pt. NE¼ & Pt. SE¼	4	16	1E	40			
				Brownsburg, Indiana								
8	19+75	22+25	250	Mary A. Carney	SW¼ SE¼	3	16	1E	20			
				B.S. Dickson, Mgr. 523 Fire Prom. Bldg. Phila.								
9	22+25	23+25	100	New York Central System (P. & E. R.R.)	Right-of-way							
				R.R. Brownsburg	Pt NE¼ NW¼	10	16	1E				
10	23+25	27+25	400	Chester Phillips	Pt SE¼ SW¼ & Pt SW¼ SE¼	3	16	1E	35			
				2660 Hamilton Blvd. Indianapolis								
11	27+25	31+50	425	Harry F. & Emma L. Schwab	Pt. E½ SE¼	4	16	1E	32	75		
				Box 5 RR1 Brownsburg								
12	31+50	33+00	150	Oscar H. & Lola S. Etter	Pt NW¼	10	16	1E	20			
				Brownsburg (1)	NW¼ NW¼	10	16	1E	39			
13	33+00	36+75	375	Lawrence E. Henderson	Pt SW¼ SW¼	3	16	1E	4			
				R.R. Brownsburg								
14	36+75	38+50	175	Ward & Daisy M. Henderson	NE¼ NE¼	9	16	1E	20			
				Brownsburg								
15	38+50	42+00	350	John A. Everett	Pt W½ SE¼	33	16	1E	40			
				R.R. Brownsburg								
16	42+00	42+50	50	Flo E. Reed	Pt NE¼ NW¼	3	16	1E	10			
17	42+50	44+00	150	Hendricks County	Roads							
				Everet Brownsburg								
18	44+00	44+50	50	Everett & Anna Hamstra	S½ SW¼	10	16	1E	10			
19	44+50	47+00	250	Hendricks County	Roads							

The bottom of said ditch shall be two (2) feet in width for the entire length thereof. All weeds, brush, and small trees within the channel limits shall be cut. All dirt excavated shall be cast at least 2 feet from the bank in such a manner as not to wash back into the ditch. The ditch shall be cut to its original depth.

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Note: This not a new allotment but is a copy of the allotment shown on page 13 of this book with the transfers brought up-to-date.

Danville, Indiana Stanley M. Hartle
August 3rd 1946. Assistant Surveyor

Apportionment for Keeping in Repair the Peter a. Storms Ditch, by Harold Cook County Surveyor, 19

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+0	0+50	50	R.R.1 Lizton Lillie Odom	Pt NE¼ SE¼	15	17	1W	5			
2	0+50	1+0	50	Pittsboro Carl & Anna R. Eads Fleming	Pt SE¼ SW¼	14	17	1W	5			
3	1+0	1+50	50	R.R.1 Pittsboro Kenneth E. & Mary Alice Fleming	N pt NE¼ NW¼ SW¼ SW¼	23	17	1W	5			
4	1+50	4+70	320	R.R.1 Brownsburg John R. Alexander	S. pt NW¼ SW¼	14	17	1W	40			
5	4+70	8+90	420	Hendricks County	Highways							
6	8+90	12+10	320	R.R.1 Lizton Jesse & Ora Vaughn	SE¼ SE¼	15	17	1W	40			
7	12+10	15+60	350	R.R.1 Lizton Glen R. Leak	SW¼ NW¼ Pt NW¼ NE¼ ? S pt NE¼ NW¼ ?	23	17	1W	53			
8	15+60	17+60	200	Glen R. Leak	Pt NW¼ NE¼	22	17	1W	20			
9	17+60	20+10	250	R.R.1 Lizton Sarah Alice Lowe	W½ SW¼	23	17	1W	35			
10	20+10	21+20	110	R.R.1 Lizton Jonathan Lowe	SE¼ SE¼	22	17	1W	38			
11	21+20	21+70	50	R.R.1 Lizton Albert H. Shane	NW¼ SE¼	22	17	1W	5			
12	21+70	22+80	110	R.R. Lizton Otis Russell Griffith	NE¼ SE¼ N pt SE¼ SE¼	22	17	1W	42			
13	22+80	23+90	110	2911 E. 17th St. Indpls. Domenico M. & Margerita Santarossa	SE¼ NE¼	22	17	1W	40			
14	23+90	24+65	75	R.R. Lizton Francis M. Wilson	Pt SW¼ NE¼	22	17	1W	9			
15	24+65	25+65	100	R.R. Lizton Clarence & Lydia Ward	Pt SW¼ NE¼ NE¼ NE¼	22	17	1W	10			
16	25+65	31+25	560	R.R. Lizton Nevada Leak	NW¼ NW¼	23	17	1W	80			

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
						Note: This is not a new allotment but is a copy of the allotment shown on page 29 of this book, except that all land transfers made since the original allotment was made have been brough up-to-date. Danville, Indiana 13th August 1946. Stanley Shartle Assistant Surveyor.
		30 A. probably more correct				
		Allotment too large Possibly only 33 A.				
		More correct - allotments may be too small				

To the Surveyor of Hendricks County;

I, Walter Jackson, wish to request that you reallot the Peter Storms Ditch in Union Twp. Hendricks Co. Ind. for the reason that the allotments are unequal in feet to clean out

October 14, 1946

signed Walter Jackson

Apportionment for Keeping in Repair the Tavner Neal

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+00	7+00	700	Brownsburg R.R.1 Mary Berset	Pt W½SE¼ Pt E½SW¼	23	16	1E	47			
2	7+00	22+40	1540	Brownsburg R.R.1 Claudia Turpin	E½NW¼	26	16	1E	80			
3	22+40	24+10	170	Brownsburg R.R.1 Alvin O. Smith	Pt SW¼ NW¼	26	16	1E	8			
4	24+10	27+40	330	Brownsburg R.R.1 Geo. G. & Sallie Cornett	Pt W½ NE¼	26	16	1E	17			
5	27+40	31+10	370	Plainfield R.R. Loren E. Masten	Pt NE¼ SW¼	26	16	1E	20			
6	31+10	35+40	430	Plainfield R.R. Biddie A. & Ira E. Bean	Pt NW¼ SW¼	26	16	1E	21			
7	35+40	35+91	51	Hendricks County Highway Dept.	Highways							

Ditch, by R. Major Franklin County Surveyor, Sept. 25 1946.

Original Specifications: Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing: Width at Top	Depth of Cut	Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Notice of Ditch Allotment

TO WHOM IT MAY CONCERN:

You are hereby notified that I will be at my office on the 20th day of September, 1946, at the hour of 10 A.M.(CDST) and will then and there hear all objections that may be made to my allotment for cleaning out annually and keeping in repair the Tavner Neal ditch in Lincoln & Washington township, Hendricks County, Indiana, when and where you can appear and be heard, if you see fit.

Dated this 6th day of September, 1946

County Surveyor.

Pursuant to an act of the General Assembly of the State of Indiana, Acts of 1933, Ch. 264, sec. 41, 42, 43, and 44 and amended by Acts of 1935, Ch. 225, sec. 5, and as amended by Acts of 1945, Ch. 221, sec. 31 and 32 prescribing the duties of County Surveyors within and for said state in regards to the allotment of open ditches, I issued the following notice as required by law and on the 6th day of September 1946 served the same by registered U.S. mail on all land owners affected by the Tavner Neal ditch in Lincoln and Washington Townships and upon the Hendricks County Highway Department affected and upon the office of each corporate road or railroad allotted a portion of said improvement and thereupon caused to be posted up, for not less than ten (10) days, five (5) printed notices in five (5) public places in said townships, which notices were in words and figures as follows: (H.I.), whereby all said parties were duly notified to appear before me at my office on the 20th day of September 1946 at the hour of 10 A.M. (C.D.S.T.) to show cause, if any, why the allotments heretofore made should not be ratified, approved, or confirmed. And now on this 20th day of September the following parties appeared: Alvin O. Smith, Charles Berset representing Mary Berset, and Park Daye representing Claudia Turpin. I continued said hearing from day to day and having heard said objections, I made such changes as justice required and on this 25th day of September 1946, it is therefor considered that the allotments herein described are wholly made default and it is determined by me that said allotment is hereby in all things ratified, approved, and confirmed as made.

R. Major Franklin
by Stanley Shartle, Asst.

Apportionment for Keeping in Repair the Oscar Stephenson Ditch, by Geo. R. Harvey County Surveyor, 1927

Wm. B. Burford, Blank Book Mfr., Indianapolis.

S	Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefitted	Amount of Benefits		Original Specifications			Specifications for Repairing			DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
										Acres	Hund.	Dols. Cts.	Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	
1	1	0+0	0+65	65	Harry T. Hale	Pt. NW NW¼	21	17	2W	15									
2	2	0+65	2+15	150	Ligton, Indiana	Pt. SW SW¼	16	17	2W	35									
3					Russell C. & Gladys Callaway														
4	3	2+15	2+35	20	North Salem, Ind.	Pt. NE SW¼	16	17	2W	5									
5	4	2+35	4+0	165	Edgar & Norah O. Davis	NW¼ SW¼	17	17	2W	40									
6	5	4+0	5+40	140	North Salem, Ind.	Pt. NE SW¼	17	17	2W	35									
7	6	5+40	9+45	405	Gladys Niven	Pt. NW¼	17	17	2W	9.8									
	7	9+45	9+80	35	546 E 38th St. Indpls, Ind.	Pt. NW NE¼	17	17	2W	8.9									
	8	9+80	12+35	255	Ralph & Opal Rohn Jamestown, Ind.	Pt. NW¼	17	17	2W	6.2									
	9	12+35	14+0	165	Edgar & Norah O. Davis	NW SE¼	17	17	2W	4.0									
	10	14+0	14+20	20	North Salem, Ind.	E. Pt. NE SW¼	17	17	2W	4.25									
	11	14+20	15+85	165	William & Jerry Edward Taylor 947 Shelby St. Indpls, Ind.	NW NW¼	16	17	2W	4.0									
	12	15+85	17+50	165	% James Kelly, Jamestown, Ind.	SW SW¼	16	17	2W	4.0									
	13	17+50	18+35	85	Ephriam W. & Louis Eastes 3868 Park Ave, Indpls, Ind.	E½ NW NE¼	16	17	2W	2.0									
	14	18+35	20+0	165	Alford D. & Barbara Young	NE NW¼	16	17	2W	4.0									
	15	20+0	20+85	85	Ladoga, Indiana	W½ NW NE¼	16	17	2W	2.0									
	16	20+85	22+50	165	Ephriam W. Louis Eastes 3868 Park Ave. Indpls, Ind.	NE NE¼	16	17	2W	4.0									
	17	22+50	24+15	165	William Smith Rt. 1, Jamestown, Ind.	SW¼ SW¼	9	17	2W	4.0									
	18	24+15	24+60	45	Walter Hopper Rt. 1, Jamestown, Ind.	Pt. SW SE Pt. SE SW	9	17	2W	11⅓									
	19	24+60	25+05	45	Carel Logan Ferguson Rt. 1, Jamestown, Ind.	Pt. SE SW¼	9	17	2W	11⅓									
	20	25+05	25+50	45	Ephriam W. Louise B. Eastes 3868 Park Ave, Indpls, Ind.	Pt. SE SW¼	9	17	2W	11⅓									
	21	25+50	28+80	330	Mayme page Liversay Rt. 2, North Salem, Ind.	E½ SE¼	18	17	2W	8.0									
	22	28+80	29+65	85	Earl Cot North Salem, Ind.	N½ NW SE¼	18	17	2W	1.9									
	23	29+65	30+30	65	Ephriam W. Louise B. Eastes 3868 Park Ave, Indpls, Ind.	Pt. S½ SE	9	17	2W	1.5									
	24	30+30	31+55	125		Pt. S½ SE	9	17	2W	3.0									
	25	31+55	34+85	330	Fred L. Ina L. Clark Rt. 5, Crawfordsville, Ind.	Pt. S½ SE	8	17	2W	8.0									
	26	34+85	35+70	85	Jeff & Joann Cleveland Rt. 1 Jamestown, Ind. % Lloyd Newkirk, Rt. 1 Jamestown, Ind.	Pt. SE SW	8	17	2W	2.0									

Apportionment for Keeping in Repair the Oscar Stephenson Ditch, by Geo. R. Harvey County Surveyor, 1927

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefitted: Acres	Acres Benefitted: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.	Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
27	35+70	37+35	165	Virgil & Nellie Cyrus Claycomb Rt. 1, Jamestown, Ind.	SW¼ SW¼	8	17	2W	40										
28	37+35	39+0	165	Earl Cox North Salem, Ind.	SW SE¼	18	17	2W	40										
29	39+0	39+85	85		S½ NW SE¼	18	17	2W	20										
30	39+85	41+50	165	Lona P. Woodrum Ina Chambers % Emmit Woodrum, New Ross.	NE NE¼	17	17	2W	40										
31	41+50	42+35	85		N½ SE NE¼	17	17	2W	20										
32	42+35	44+0	165	Orvin L. & Lucy M. Hartle Rt. 1, Jamestown, Ind.	NE SE¼	17	17	2W	40										
33	44+0	44+85	85		S½ SE NE¼	17	17	2W	20										
34	44+85	46+50	165	Russell C. & Gladys Callaway North Salem, Ind.	NW SW¼	16	17	2W	40										
35	46+50	49+40	290	Loral Endicott Rt. 1, Jamestown, Ind.	Pt. W½ NE¼	17	17	2W	71										
36	49+40	51+05	165	Marvin M. Porter North Salem, Ind.	SE SE¼	17	17	2W	40										
37	51+05	54+35	330	Everett W. & Bess K. Macgregor Rt. 2, Lodoga, Ind.	N½ NE¼	19	17	2W	80										
38	54+35	55+20	85	Charles & Anna Zimmerman North Salem, Ind.	N½ NE NE¼	20	17	2W	20										
39	55+20	56+05	85	Harry J. Hale Lyton, Ind.	S½ NE NE¼	20	17	2W	20										
40	56+05	57+64	159	James A. & Opal Frazier New Ross, Ind.	SW NE¼	18	17	2W	40										
40 A	57+64	57+70	6	Earl Cox North Salem, Ind.	SW NE¼	18	17	2W	1.50										
41	57+70	58+55	85	James A. & Opal Frazier New Ross, Ind.	S½ NW NE¼	18	17	2W	20										
42	58+55	60+20	165	Sallie Click Elsie Porter North Salem, Ind.	SW SE¼	17	17	2W	40										
43	60+20	62+25	205	James Marion Dorothy Roberts Lyton, Ind.	Pt. Pt. NE NE¼	20	17	2W	50										
44	62+25	64+30	205		Pt. E½ SE NW¼	20	17	2W	50										
45	64+30	67+60	330	Carry W. Hester L. Small North Salem, Ind. (Trustees of)	S½ SW¼	17	17	2W	79.5										
46	67+60	69+25	165	Herbert H. & Mayme Livesay Rt. 2, North Salem, Ind.	NE NW¼	19	17	2W	40										
47	69+25	70+90	165	William & Fern Kelley North Salem, R.F.D.	NE NW	20	17	2W	40										
48	70+90	71+60	70	Robert E. & Lillian J. Rankin North Salem, Ind.	Pt. NW NW	20	17	2W	17										

Apportionment for Keeping in Repair the Oscar Stephenson Ditch, by Geo. R. Harvey County Surveyor, 1927

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED			Section	Town.	Range	Acres Benefitted		Amount of Benefits	
											Acres	Hund.	Dols.	Cts.
49	71+60	72+50	90	Edgar & Norah O. Davis	Pt. W½		NW¼	20	17	2W	23			
50	72+50	74+15	165	Rt. 2, North Salem, Ind.	Pt. W½		NW¼	20	17	2W	40			
51	74+15	75+80	165	Oscar L. Josephine M. Jefferies New Ross, Ind.		SE	NE¼	18	17	2W	40			
52	75+80	77+45	165	Myron K. & Florence D. Cutrell		NW	NW¼	19	17	2W	40			
53	77+45	79+10	165	Rt. 2, Ladoga, Ind.		SW	NW¼	19	17	2W	40			
54	79+10	82+40	330	Harry C. Jordan	S½		NE¼	19	17	2W	80			
55	82+40	83+65	125	Rt. 2	Pt.	SW	SW¼	18	17	2W	29.5			
56	83+65	84+50	85	Ladoga, Ind.	E½	SE	SE¼	13	17	3W	20			
57	84+50	84+70	20	Omer & Kathryn Jarvis Rt. 2, Ladoga, Ind.	Pt. S½	SW	SW¼	18	17	2W	5			
58	84+70	85+55	85	Cecil H. & Helen Miller North Salem, Ind.	Pt.	NE	SE¼	19	17	2W	20			
					Pt. N½		SW¼	20	17	2W				
59	85+55	87+20	165	Marvin & Pauline Zimmerman Rt. 2, Ladoga, Ind.		NE	SW¼	19	17	2W	40			
60	87+20	88+05	85	Arizona Varvel Rt. 3 Box 910 Indpls, Ind.	W½	NE	NE¼	18	17	2W	20			
61	88+05	88+90	85	Omer & Kathryn Jarvis Rt. 2, Ladoga, Ind.	E½	SE	SW¼	18	17	2W	20			
62	88+90	89+30	40	Carel L. Ferguson Rt. 1, Jonestown, Ind.	Pt.	SE	SW¼	9	17	2W	11 3/8			
63	89+30	92+60	330	Altie & Minnie Mercer Rt. 1, New Ross, Ind.	N½		SW¼	18	17	2W	80			
64	92+60	94+25	165	Grant Weyls Rt. 1, New Ross, Ind.		NE	SE¼	13	17	3W	40			
65	94+25	95+65	140	Clyde O. & Ethel Grater 1229 Wash. Ave, Wilmette, Ill.	Pt.		SE¼	19	17	2W	35			
66	95+65	96+85	120	Omer & Kathryn Jarvis Rt. 2, Ladoga, Ind.	Pt. S½		SW¼	18	17	2W	30			
67	96+85	97+85	100	Hendricks Co. Highway Dept.										
68	97+85	98+85	100	Montgomery Co. Highway Dept.										
69	98+85	100+60	175	Boone Co. Highway Dept.										
70	100+60	101+80	120	Ernest & Bessie Freeland Rt. 1, New Ross, Ind.	Pt. S½		NW	18	17	2W	30			
71	101+80	102+65	85	Oram & Estel Eubank Rt. 1, North Salem, Ind.	N½	NE	SE	20	17	2W	20			
72	102+65	107+25	460	Hendricks Co. Highway Dept.										
73	107+25	107+60	35	Oscar & Nellie Smith New Ross, Ind.	Pt.	NW	NW	18	17	2W	9			

Original Specifications			Specifications for Repairing			Description of the manner in which the work shall be done, including bench marks, &c.
Width at Top	Depth of Cut	Width at Bottom	Width at Top	Depth of Cut	Width at Bottom	

Apportionment for Keeping in Repair the Oscar Stephenson Ditch, by County Surveyor, 19

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited	Amount of Benefits Hund.	Dols.	Cts.
74	107+60	108+20	60	Leonard & Edith Hoskins Rt. 1, Jamestown, Ind.	E½ NE NE¼	18	17	2W	15			
75	108+20	108+60	40	Grant Wyrls Rt 1, New Ross, Ind.	Pt. NW SE¼	13	17	3W	10			
76	108+60	113+50	~~190~~ 485	Ernest & Bessie Freeland Rt. 1, New Ross, Ind.	Pt. NW¼	18	17	2W	121			

Original Specifications: Width at Top	Depth of Cut	Width at Bottom	Specifications for Repairing: Width at Top	Depth of Cut	Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
						See specifications on page 49 of this book. Completion date: August 31, 1951 This is not a new allotment but is a copy of the allotment set out on pages 48 & 49 of this book with the landowners names brought up-to-date

Apportionment for Keeping in Repair the Joseph Lamar Ditch, by County Surveyor, 19

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED			Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	6	5½	50	Russell & Lucille Turley. New Augusta Ind.	S½	SE¼	SE¼	18	17	2E	20			
2	5½	4½	100	" " "	N½	NE¼	SE¼	18	17	2E	20			
3	4½	3½	100	" " "	S½	NE¼	SE¼	18	17	2E	20			
4	3½	2½	100	" " "	N½	SE¼	SE¼	18	17	2E	20			
5	2½	2¼	25	Joseph C. Lamar ½ interest Edwin O. & Maude Lamar. ½ interest New Augusta Ind.	E½	NW¼	SW¼	17	17	2E	20			
6	2¼	2	25	Louis E. & Orpha Clements Brownsburg Ind. RR2		SE¼	NE¼	18	17	2E	40			
7	2	1	100	Joseph C. Lamar ½ interest Edwin O. & Maude Lamar. ½ interest New Augusta Ind.	W½	NW¼	SW¼	17	17	2E	20			
8	1	0+75	25	" " "		SW¼	NW¼	17	17	2E	40			
9	0+75	0	75	Russell & Lucille Turley. New Augusta Ind. William Porter		SW¼	SW¼	17	17	2E	40			

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Apportionment for Keeping in Repair the Thomas Feeney Ditch, by John W. Tratter County Surveyor, July 16 1952 Aug 6 1995

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.	Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
19	0+0	2+0	200	Cecil F. & Mayine V. Rhees write: Mayine V. Rhees Danville, RR #1	NE¼ NE¼ SE¼	36	16	1E	10										
18	2+0	7+0	500	Cecil F. & Mayine V. Rhees ditto	W½ NE¼ SE¼	36	16	1E	20										
17	7+0	9+0	200	Timothy K. & Margaret Feeney write: Margaret Feeney 4222 Ruckle St Indpls.	NW¼ NE¼	36	16	1E	40										
16	9+0	18+0	900	Timothy K. & Margaret Feeney ditto	SW¼ NE¼	36	16	1E	40										
15	18+0	20+0	200	Henry D. Long RR #1, Danville	SE¼ NE¼ SE¼	36	16	1E	10										
14	20+0	24+0	400	Henry D. Long ditto	SE¼ SE¼	36	16	1E	40										
13A	24+0	26+75	275	Bert O. DeLong write: Sarah DeLong Route 1, Plainfield	E½ SW¼ SE¼	36	16	1E	20										
13	26+75	29+50	275	Earl Ferree write: Dr. Earl Ferree Route 1, Danville	W½ SW¼ SE¼	36	16	1E	20										
12	29+50	32+0	250	Hendricks County	Rd. E & W on ¼		15	1E	1										
~~11A~~	~~32+0~~	~~33+12~~	~~112~~	~~Ulysses S. & Mary K. Marcum R #13 Box 623, Indpls~~	error Pt SE¼ NW¼	36	16	1E	~~20~~										
11	32+00 ~~33+12~~	33+50 ~~33+50~~	150 ~~38~~	Ulysses S. & Mary K. Marcum ditto	~~Pt~~ SE¼ NW¼	36	16	1E	40										
10B.	33+50	33+62	12	Wm Clifford Mathews 701 S. Norfolk, Indpls.	Pt SW¼ SW¼	31	16	2E	5										
10F.	33+62	33+74	12	Joseph F. & Emma C. Rebenduck RR #1, Danville	Pt SW¼ SW¼	31	16	2E	5A										

Apportionment for Keeping in Repair the Tomas Feeney Ditch, by County Surveyor, 19

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.	Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
10E	33+74	33+86	12	Elmer E. & Ruth T. Enlow R.R.#1, Danville	Pt SW¼SW¼	31	16	2E	5	A									
10D	33+86	33+91	5	Loren H & Edith S. Whitfield RR #1, Danville	Pt W½SW¼SW¼	31	16	2E	2	A									
10C	33+91	33+96	5	Leroy C. & Lavetta MacFinder Rt. 1, Danville	Pt W½SW¼SW¼	31	16	2E	2										
10B	33+96	34+01	5	Leslie E. & Ruth E. Rader Rt. 1, Bridgeport, Ind.	Pt W½SW¼SW¼	31	16	2E	2										
10A	34+01	34+06	5	Harold & Rosemary Clark	Pt W½SW¼SW¼	31	16	2E	2										
10	34+06	34+25	19	Harry F. & Edna G. Linder Rt. 1, Danville	Pt W½SW¼SW¼	31	16	2E	7										
9D	34+25	34+27½	2½	Edwin P. & Gloria S. Morgan 1406 Milburn, Indpls	Pt W½NW¼SW¼	31	16	2W	1										
9C	34+27½	34+30	2½	Marvin L. & Rosa Ann Rench 1416½ Montecello St., Indpls	Pt W½NW¼SW¼	31	16	2W	1										
9B	34+30	34+35	5	Edw. F. & Muriel M Sanders Rt. 1, Danville	Pt W½NW¼SW¼	31	16	2W	2										
9A	34+35	34+45	10	John W & Jane Conn Rt. 1, Danville	Pt. W½NW¼SW¼	31	16	2W	4										
9	34+45	34+50	5	Russell L & Edith E. Lynch Rt. 1, Danville	Pt. W½NW¼SW¼	31	16	2W	2										
8	34+50	38+0	350	Egra & Mabel E. Fleener Rt. 1, Danville	Pt. NE¼NE¼	1	15	1E	35										
7	38+0	40+0	200	Egra & Mabel E. Fleener ditto	Pt. SE¼NE¼	1	15	1E	35										

Apportionment for Keeping in Repair the Thomas Feeney Ditch, by County Surveyor, 19

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.	Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
6A	40+0	40+95	55	Ezra + Mabel C. Kleaver RT. 1, Danville	Pt nw ¼ ne ¼	1	15	1E	11										
6	40+95	42+0	145	Jasper N. & Dorothy L. Jackson RT. 2, Danville	Pt nw ¼ nc ¼	1	15	1E	6	97									
6A	42+0	45+63	363	Bert O. Delong	E½ nw ¼ SE ¼	36	16	1E	20										
5	45+63	49+25	362	Dr. Earl Feree RT. 1, Danville	W½ nw ¼ SE ¼	36	16	1E	20										
4C	49+25	49+31	6	Harley R. & Jessie L. Smoot RT. 1, Danville	E Pt. ne ¼ ne ¼	1	15	1E		94									
4B	49+31	49+37	6	Mitchel & Geneva Poindexter Rt. 1, Danville	E Pt. ne ¼ ne ¼	1	15-1E			94									
4A	49+37	49+43	6	Clarence A. & Bess Reynolds Rt. 1, Danville	E Pt ne ¼ ne ¼	1	15-1E			94									
4	49+43	49+50	7	Harry L. & Bertha M. Reed Rt. 1, Danville	E Pt. ne ¼ ne ¼	1	15-1E		1	31									
3J	49+50	49+54	4	Ivan O. & Nida C. Eddy Bracownaburg	E Pt. E½ ne ¼	1	15E												
3E	49+54	49+58	4	Robert A. & Juanita C. White Rt. 1, Danville	E Pt. E½ ne ¼	1	15-1E												
3D	49+58	49+60	2	Marvel & Laverne J. Wilson Rt. 1, Danville	E Pt. E½ ne ¼	1	15-1E			25									
3C	49+60	49+70	10	Curtis H. & Mabel S. Reynolds Rt. 1, Danville	E pt. SE ¼ ne ¼	1	15-1E		1	11									
3B	49+70	49+80	10	Jesse W. Parsons Rt. 1 Danville	E Pt. SE ¼ ne ¼	1	15-1E			89									

Apportionment for Keeping in Repair the Tomas Feeney Ditch, by County Surveyor, 19

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
3a	49+80	49+90	10	Clyde & Ruth McHugh Rt. 1, Plainfield	E Pt. SE¼ NE¼	1	15	IE		33		
3	49+90	50+0	10	Henry & Emma K. Ewell Rt. 1, Danville	E Pt. SE¼ NE¼	1	15	IE		94		
2	50+0	53+0	300	Hendricks County	E Pt. C¢ NE¼ (Rd.)	1	15	IE				
1	53+0	60+0	700	Margaret Dittrich Land on Contract to Mitchell & Lorette Osman Rt 18, Box 625, Indpls	SE¼ NE¼	36	16	IE				

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Original Specifications: The banks of said ditch must be cut smooth and on an angle of 45°. The bottom width must be one foot.
The dirt excavated must be cast back two (2) feet from the banks.
The bush, briers, & growing on and along the banks of said ditch must be removed.

Note: This is not a new allotment but a copy of the allotment of said ditch as shown on Ditch Record No. 1 page 121 except that the land transfers and subdivisions have been accounted for.

Stanley M. Shartle
County Surveyor

16 July 1952

By Jack Gurnow
Asst. Surveyor

Apportionment for Keeping in Repair the Wm H. Stout – Wm B. Rickardson Ditch, by Carl E. Logan County Surveyor, August 16, 1932

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+00	4+50	450	Conrad M. & Jeannette H. Beatty	Pt. NE¼ SW¼ & Pt. NW¼ SE¼	31	14	1W	41			
2	4+50	6+70	220	Harry M. Lockhart	Pt. SE¼ NW¼	31	14	1W	20			
3	6+70	8+90	220	Chas. E. & Jessie V. Hostetler	Pt. SE¼ SE¼	30	14	1W	20			
4	8+90	13+30	440	Robt. H. & Lura Bayliss	W½ SW¼ SW¼ & NW¼ SW¼	29	14	1W	40			
5	13+30	17+70	440	" " "	Pt. SW¼	29	14	1W	40			
6	17+70	18+20	50	John & Beatrice M. Handlon	Pt. SE¼ NW¼	31	14	1W	4			
7	18+20	22+60	440	Conrad M. & Jeannette H. Beatty	SW¼ NE¼	31	14	1W	40			
8	22+60	32+95	1035	Hendricks County Highway Dept.	roads							
9	32+95	34+80	185	Bertha E. Cooper	W½ W½ NE¼	29	14	1W	20			
9A	34+80	36+65	185	" "	E½ W½ NE¼	29	14	1W	20			
10	36+65	39+40	275	Nettie Reitzel	Pt. NW¼ NE¼	31	14	1W	25			
11	39+40	44+40	500	James E. Reitzel	N. pt. E½ NE¼	31	14	1W	45			
12	44+40	48+45	405	Emma L. & Vera M. Patrick	Pt. SE¼ NE¼	31	14	1W	35			
13	48+45	51+00	255	Edw. E. & Mary S. Evens	SW¼ NW¼	32	14	1W	40			
14	51+00	53+00	200	" " "	Pt. NW¼ NW¼	32	14	1W	20			
15	53+00	60+00	700	Hendricks County Highway Dept.	roads							
16	60+00	62+20	220	Ruth & Hettie Simmons	E½ SE¼ SW¼	29	14	1W	20			
17	62+20	64+40	220	" " "	Pt. NW¼ NW¼	32	14	1W	20			
18	64+40	68+80	440	" " "	NE¼ NW¼	32	14	1W	40			
19	68+80	77+00	820	Hendricks County Highway Dept.	roads							
20	77+00	79+70	270	Floyd & Bladye G. Wildman	Pt. NW¼ NE¼	32	14	1W	24.64			
20A	79+70	80+30	60	Edith A. Wilson	Pt. NW¼ NE¼	32	14	1W	5.36			
21	80+30	83+80	350	Forest L. & Velma Kirklan	Pt. E½ NE¼	29	14	1W	32			
22	83+80	84+35	55	Howard B. Davis & Lillian C. Davis	Pt. W2 NW¼	33	14	1W	5			
23	84+35	89+85	550	Edith A. Wilson	Pt. W2 SE¼	29	14	1W	50			
24	89+85	93+15	330	Nevie Beadle	Pt. NE¼ NE¼	29	14	1W	30			
25	93+15	94+15	100	Ada Stout	N. Pt. NW¼ NW¼	33	14	1W	9			
26	94+15	98+35	420	Pearl & Henry Stout	Pt. SE¼ SE¼	29	14	1W	38			
27	98+35	99+45	110	Wm H. Callahan	S. pt. SE¼ NE¼	29	14	1W	10			
28	99+45	100+35	90	Wm & Irene Henderson	S. pt. SE¼ NE¼	29	14	1W	8			
29	100+35	111+85	1150	Frederick C. & Lillian Meridith	Pt. S2	29	14	1W	105			
30	111+85	120+65	880	Mary Stout	W2 SW¼	28	14	1W	80			
31	120+65	122+85	220	" "	Pt. W2 NW¼	33	14	1W	20			
32	122+85	129+45	660	Clova Hammond	Pt. W2 NW¼	28	14	1W	60			
33	129+45	131+65	220	Edgar H. & Mamie Owen	W2 SE¼ NW¼	28	14	1W	20			
34	131+65	132+20	55	" " "	NW. pt. NE¼ SW¼	28	14	1W	5			
35	132+20	134+40	220	Forest L. & Velma L. Kirklan	S2 NE¼ NW¼	28	14	1W	20			
36	134+40	138+80	440	Daniel S. Hazelwood	Pt. SE¼	28	14	1W	40			
37	138+80	143+70	490	" "	Pt. NE¼	28	14	1W	45			
38	143+70	152+50	880	Edgar H. & Mamie Owen	E½ SE¼ NW¼ & Pt. E½ SW¼	28	14	1W	80			

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom	DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.
						7975 N. Penn. St, Indpls.
						4745 Southeastern, Indpls.
						Clayton, Ind.
						Carroll J. Harrison, 295 S. Tenn. St., Danville, Ind.
						" " " "
						709 N. Alabama St, Indpls.
						7975 N. Penn St, Indpls.
						Court House, Danville, Ind.
						1610 E. Morgan St, Martinsville, Ind.
						" " " "
						Route 2, Clayton, Ind.
						" 3, " "
						Hugh D. Patrick, Monrovia, Ind.
						Route 2, Clayton, Ind.
						" "
						" "
						Court House, Danville, Ind.
						Clayton, Ind. R.F.D.
						Route 2, Clayton, Ind.
						" " "
						" " "
						" " "
						" " "
						" " "
						" " "
						" " "
						Clayton, Ind.
						Monrovia, Ind.
						Frank M. & Lenore Russell, Plainfield, Ind.
						" " " "
						Clova Hammond Newman, Route 1, Clayton, Ind.
						Clayton, Ind. R.F.D.
						" " "
						Route 2, Clayton, Ind.
						Floyd Wildman, Clayton, Ind., R.F.D.
						" " " "
						Clayton, Ind. R.F.D.

Specifications.

From	To	Grade	Min. bottom width
0+00	26+00	+0.20%	4 feet
26+00	108+00	+0.13%	
108+00	145+00	+0.27%	
145+00	152+50	+0.50%	

Sta.	Elevation
0+00	750.30'
152+50	779.90'

0+00 is located at the east bank of the Edgar Reitzel Drain (Mud Creek). 152+50 is supposed to be at the SE. cor. NE¼ NW¼ 28-14-1W but 15250' from 0+00 terminates 30' east of the corner of said quarter-quarter sec.

Bench Marks

U.S.C.&G.S. Bench Mark G-76 about 10 rods S. of 0+00 – Elev. 765.40'.
Bottom bolt in S. side of 12"×12" conc. post sta. 46+30 – Elev. 763.39'.
E. end N. header of bridge between sta. 84+00 & 85+00 – Elev. 769.92'.
Top of conc. base of fence post at sta. 152+50 – Elev. 784.98'.

Stout - Richardson

Apportionment for Keeping in Repair the John Brown Arm to Wm H. Stout Ditch, by Carl E. Logan County Surveyor, August 16, 1932

Wm. B. Burford, Blank Book Mfr., Indianapolis.

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LANDS BENEFITED	Section	Town.	Range	Acres Benefited: Acres	Acres Benefited: Hund.	Amount of Benefits: Dols.	Amount of Benefits: Cts.
1	0+00	5+00	500	Ruth & Hattie Simmons	S½ SE¼ NW¼	32	14	1W	20			
2	5+00	14+00	900	Orvell Broadstreet	NE¼ SW¼	32	14	1W	40			
3	14+00	17+80	380	Gema L. & Vera M. Patrick	Pt. SE¼ NE¼	31	14	1W	35			
4	17+80	22+80	500	" " "	NE¼ SE¼	31	14	1W	40			
5	22+80	23+20	40	" " "	Pt. SE¼ SE¼	31	14	1W	5			
5A	23+20	24+80	160	Edw. E. & Mary S. Evens	S½ SW¼ NW¼	32	14	1W	20			
6	24+80	33+80	900	Frederick N. & Mamie Wright	Pt. W½ SW¼	32	14	1W	60			
7	33+80	35+30	150	Robt. H. & Lura Bayliss	Pt. S½ SW¼ NE¼	32	14	1W	5			

Original Specifications: Width at Top	Original Specifications: Depth of Cut	Original Specifications: Width at Bottom	Specifications for Repairing: Width at Top	Specifications for Repairing: Depth of Cut	Specifications for Repairing: Width at Bottom

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE, INCLUDING BENCH MARKS, &c.

Route 2, Clayton, Ind.
Route 1, Stilesville, Ind.
Hugh D. Patrick, Monrovia, Ind.
" " " "
" " " "
Route 2, Clayton, Ind.
Stilesville, Ind.
Carroll J. Harrison,

This is not a new allotment but a copy of the allotment of said ditch as exhibited on pages 11 and 12 of this book, with certain errors corrected and the landowners names revised to date. Nov. 13, 1952.

Stanley Shuttle
County Surveyor

Specifications

0+00 Brown Arm = 25+85 Wm H. Stout Ditch 0+00 to have an elevation of 755.47' above sea level and to proceed upstream on a grade of +0.07% to station 35+30.