


**PLAT
BOOK
STONES**



17N.R.2W.

Plat of Township

North, Range

, Hendricks County, Indiana.



CH.	LK.		CH.	LK.	
		South Boundary.			Variation 6° E.
Met.		On S. Boundary of Sec. 36.	Met.		On S. Boundary of Sec. 33.
4 00		Set gr. sec. post from which	33 00		A Brook 4 lks. mile Co. S.
		Elm. 10 in. Dr. bears S. 88 E. 21 lks.	40 00		Set gr. sec. post from which
		H. Ash. 10 " " " S. 84 W. 11 "			Beech 9 in. Dr. bears N. 7 E. 20 lks.
59 50		Brook 8 lks. mile Co. S.			Do 18 " " " S. 69 W. 9 "
80 00		Set post corner to Secs. 35 & 36 from which	80 00		Set post Cor. to Secs. 32 & 33 from which
		Hickory 10 in. Dr. bears N. 54 E. 23 lks.			Beech 12 in. Dr. bears S. 68 E. 24 lks.
		Beech 10 " " " S. 48 W. 21 "			Sugar 30 " " " S. 82 W. 39 "
Met.		On S. Boundary of Sec. 35.	Met.		On S. Boundary of Sec. 32.
40 00		Set gr. sec. post from which	39 00		A creek 50 lks. mile Co. S. W.
		H. Oak 18 in. Dr. bears S. 50 W. 37 lks.	40 00		Set gr. sec. post from which
		Beech 12 " " " N. 17 W. 38 "			A Buckeye 8 in. Dr. bears N. 78 E. 19 lks.
80 00		Set post corner to Secs. 34 & 35 from which			Do 9 in. " " N. 57 W. 28 "
		Bl. Ash. 18 in. Dr. bears N. 37 E. 17 lks.	83 50		Spring branch 4 lks. mile Co. S.
		Beech. 14 " " " S. 25 W. 17 "	80 00		Set post Cor. to Secs. 31 & 32 from which
Met.		On S. Boundary of Sec. 34.			Beech 11 in. Dr. bears N. 67 E. 41 lks.
40 00		Set gr. sec. post from which			Do 18 " " " S. 41 W. 27 "
		Sugar 30 in. Dr. bears N. 63 W. 57 lks.	Met.		On S. Boundary of Sec. 31.
		Do 27 " " " S. 54 E. 23 "	40 00		Set gr. sec. post from which
55 00		Creek 30 lks. mile Co. S.			Hickory 9 in. Dr. bears S. 43 E. 13 lks.
80 00		Set post Cor. to Secs. 33 & 34 from which			Sugar 9 " " " N. 25 lks.
		Buckeye 9 in. Dr. bears N. 15 E. 16 lks.	45 49		Intersected Range 868 lks. N. of temp. Sp.
		Beech 20 " " " S. 70 W. 45 "			Cor. & set post at intersection fr. which
					Bl. Walnut 30 in. Dr. bears N. 70 W. 6 lks.
					Beech 10 " " " S. 55 E. 17 "
			8100		

CH.	LK.		CH.	LK.	
1	00	Set post Cor. to Sp. 17 N. of R. 2 + 3 West fr. sh. 80 00 Elm 15 in. Dr. bears N. 64 W. 10 lks. Maple 9 " " " S. 12 E 14 " Land level a post set. Aug. 4 1874. Surv. by Wm. Hami.			Set post Cor. to Secs. 13 + 24 from which Buck 12 in. Dr. bears S. 66 E 23 lks. H. Oak. 48 " " " N. 63 W. 6 "
		D.S. North.			On E. Boundary of Sec. 13.
		East Boundary Variation 6° 10' E.	38	00	Brook 10 lks. mile Co. West.
North.		On E. Boundary of Sec. 36.	40	00	Set qv. Sec. post from which
40	00	Set qv. Sec. post from which			H. Oak 5 in. Dr. bears N. 78 E. 8 lks.
		Buck 11 in. Dr. bears S. 68 E. 33 lks.			S. Oak 30 " " " S. 26 W. 19 "
		Do 14 " " " S. 87 W. 33 "	80	00	Set post Cor. to Secs. 12 + 13 from which
75	00	Entered a swamp.			Buck 12 in. Dr. bears S. 68 E 24 lks.
80	00	Set post Cor. to Secs. 25 + 36 from which			Do 9 " " " N. 68 W. 19 "
		H. Oak 12 in. Dr. bears N. 60 W. 22 lks.			Surv. Aug. 1874. By Wm. Hami. Dep. Surv.
		Maple 10 " " " S. 84 W. 25 "			West Boundary Variation 6° 28' E.
North.		On E. Boundary of Sec. 25.	North.		On E. Boundary of Sec. 36 Sp. 17 N. R. 3 W.
2	00	Left swamp.	40	00	Set qv. Sec. post from which
40	00	Set qv. Sec. post from which			Buck 12 in. Dr. bears S. 12 W. 18 lks.
		Shin wood 6 in. Dr. bears S. 67 W. 8 lks.			Sugar 18 " " " N. 35 W. 35 "
		Buck 9 " " " S. 89 E 12 "	80	00	Set post cor. to Secs. 25 + 36 from which
80	00	Set post Cor to Sec. 24 + 25 from which			Poplar 9 in. Dr. bears S. 2 W. 19 lks.
		Elm 24 in. Dr. bears S. 50 W. 32 lks.			Elm 12 " " " N. 32 W. 31 "
		Do 27 " " " N. 20 E 43 "			
North.		On E. Boundary of Sec. 24.	North.		On E. Boundary of Sec. 25 - Sp. 17 N. R. 3 W.
40	00	Set qv. sec. post from which	40	00	Set qv. sec. post from which
		H. Oak 9 in Dr. bears N. 85 E. 12 lks.			Poplar 48 in Dr. bears S. 38 W. 14 lks.
		Elm 11 " " " N. 33 lks.			Sugar 8 " " " N. 13 W. 31 "
			80	00	Set post Cor. to Secs. 24 + 25 from which

CH. LK.

Beech 11 in. Dr. bears N. 76 W. 18⁵ lks.
 Poplar 36 " " " N. 59 E 4 "

North. Our E. Boundary of Sec. 24. Sp. 17 N.R. 3 W.

40 00 Set gv. Sec. post from which

Beech 10 in. Dr. bears N. 66 E. 14 lks.

Poplar 30 " " " N. 86 W. 5 "

80 00 Set post Cor. to Secs. 13 + 24 from which

Beech 10 in. Dr. bears N. 18 E. 11 lks.

Do 9 " " " S. 8 W. 24 "

North. Our E. Boundary of Sec. 13. 5. 17 N.R. 3 W.

40 00 Set gv. Sec. post from which

Sugar 9 in. Dr. bears N. 68 W. 11 lks.

Do 18 " " " S. 36 E 21 "

65-00 V. Brook 15 lks. mile Co. W.

80 00 Set post cor. to Secs. 12 + 13 from which

Sugar 8 in. Dr. bears S. 20 E 18 lks.

Do 18 " " " N. 32 E 18 "

Subdivisions

Variation given 6' 10" E.

Variation run. 6' 40" E.

North. Between Secs. 33 + 36.

29 46 W. Oak 24 in. Dr.

40 00 Set gv. sec. post from which

Bl. Ash 12 in. Dr. bears N. 22 E. 16 lks.

Elm 12 " " " N. 87 W. 26 "

61 20 Sugar 20 in. Dr.

CH. LK.

80 00 Set Post Cor. to Secs. 25, 26, 35 + 36 from which

Beech 14 in. Dr. bears S. 71 E 32 lks.

Do 15 " " " S. 85 W. 3 "

East Our Random between Secs. 25 + 36.

40 00 Set temp. gv. Sec. post.

80 00 Intersected E. boundary 80 lks. N. of post.

West. Connected between Secs. 25 + 36.

40 30 Set gv. Sec. post from which

Bl. Ash 12 in. Dr. bears N. 22 E 5 lks.

Beech 15 " " " S. 59 E 30 "

80 60 To Section Corner.

North V. Between Secs. 25 + 26.

11 70 V. Brook 4 lks. mile Co. S. W.

21 00 Sugar 18 in. Dr.

40 00 Set gv. Sec. post from which

Sugar 20 in. Dr. bears S. 52 E 18 lks.

Beech 12 " " " S. 12 W. 4 "

52 00 W. Oak. 48 in. Dr.

80 00 Set post Cor. to Secs. 23, 24, 25 + 26 from which

Beech 16 in. Dr. bears S. 18 E 15 lks.

Do 15 " " " N. 2 E 14 "

East. Our Random between Secs. 24 + 25.

40 00 Set temp. gv. Sec. post.

0 00 Intersected (N. + S. line) E. Bound. 30 L. N. of post.

CH. LK.

West. Corrected between Secs. 24 + 25.
 40 32 Set gr. sec. post from which
 Sugar 20 in. Dr. beaver S. 80 E 8 lks.
 W. Oak 30 " " " N. 27 W. 8 "
 80 64 To Sect. Corner.
 North Between Secs. 23 + 24.
 18 00 Buckeye 12 in. Dr.
 40 00 Set gr. sec. post from which
 W. Oak 12 in. Dr. beaver N. 78 W. 20 lks.
 R. Oak 14 " " " S. 43 W. 25 "
 59 58 W. Oak 45 in. Dr.
 63 60 V. Brook 3 lks. wide Co. S. W.
 80 00 Set post Cor. to Secs. 13, 14, 23 + 24 from wh.
 Sugar 15 in. Dr. beaver S. 69 W. 14 lks.
 Sugar 15 " " " S. 57 E 8 "
 East Out Random between Secs. 13 + 24.
 8 00 V. Brook 3 lks. wide Co. S. W.
 40 00 Set temp. gr. sec. post.
 80 66 Intersected E. boundary 58 lks N. of post.
 West. Corrected between Secs. 13 + 24.
 40 38 Set gr. sec. post from which
 Hickory 20 in. Dr. beaver S. 8 E. 38 lks.
 W. Oak 14 " " " N. 65 W. 25 "
 80 66 To Section Corner.

June 23 " 1820.

CH. LK.

North. Between Secs. 13 + 14.
 14 46 Hickory 20 in. Dr.
 40 00 Set gr. sec. post from which
 Sugar 14 in. Dr. beaver S. 66 E. 28 lks.
 R. Oak 24 " " " N. 49 W. 25 "
 58 04 Sugar 16 in. Dr.
 80 00 Set post cor. to Sec. 11, 12, 13 + 14 fr. which
 Sugar 14 in. Dr. beaver N. 57 W. 33 lks.
 V. Brook 12 " " " S. 11 E 42 "
 East. Out Random between Secs. 12 + 13.
 40 00 Set temp. gr. sec. post.
 80 68 Intersected E. boundary 6 lks. N. of post.
 West. Corrected between Secs. 12 + 13.
 40 34 Set gr. sec. post from which
 W. Oak 30 in. Dr. beaver S. 72 E. 15 lks.
 V. Brook 14 " " " S. 30 W. 40 "
 80 68 Section Corner.
 North. Between Secs. 24 + 35.
 28 20 Elm 30 in. Dr.
 40 00 Set gr. sec. post from which
 V. Brook 24 in. Dr. beaver N. 88 E 39 lks.
 Sugar 18 " " " N. 68 W. 12 "
 45 00 Brook 3 lks. wide Co. S. W.
 58 25 V. Brook 20 in. Dr.
 80 00 Set post Cor. to Secs. 26, 27, 34 + 35 from which

CH.	LK.		CH.	LK.	
		Beech 10 in. Dr. bears N. 60 E 16 lbs.	West		Corrected between Secs. 23 + 26,
		Do 12 " " " N. 39 W 22 "	40 03		Set gr. Sec. post from which
East.		Our Random between Secs 26 + 33 -			Beech 24 in. Dr. bears S. 75 W. 20 lbs.
40 00		Set temp. gr. Sec. post.	80 06		Do 20 " " " N. 57 E 16 "
80 00		Intersected N. + S. line 45 lbs N. of Post.			To Section Corner.
West.		Corrected between Secs 26 + 33 -	North.		Between Secs. 22 + 23.
40 00		Set gr. Sec. post from which	21 26		Poplar 36 in. Dr.
		Beech 15 in. Dr. bears N. 32 E 32 lbs.	40 00		Set gr. Sec. post from which
		Do 12 " " " S. 32 W. 18 "			Maple 12 in. Dr. bears N. 20 E 23 lbs.
80 00		Section Corner.	57 00		Beech 12 " " " S. 41 E 14 "
North		Between Secs. 26 + 27.	80 00		Buckeye 14 " " "
5 00		Brook 5 lbs. mile Co. West, S. W.			Set post Cor. to Secs 14, 18, 22 + 23 fr. rd.
19 06		Wh. Oak 20 in. Dr.			Beech 16 in. Dr. bears S. 30 E. 10 lbs.
40 00		Set gr. sec. post from which			Do 12 " " " N. 63 W. 35 "
		Beech 12 in. Dr. bears N. 62 E 5 lbs.	East		Our Random between Secs. 14 + 23.
		Do 14 in. " " " N. 50 W. 2 "	40 00		Set temp. gr. Sec. post.
62 50		Hickory 18 in. " "	80 30		Intersected the N. + S. line 4 lbs N. of post.
69 00		Brook 4 lbs. mile Co. S. E.	West.		Corrected between Secs. 14 + 23.
80 00		Set post Cor to Secs 22, 23, 26 + 27 fr. rd.	40 13		Set gr. Sec. post from which
		Sugar 15 in. Dr. bears S. 32 E. 24 lbs.			Hickory 18 in. Dr. bears N. 7 E 14 lbs.
		Beech 14 " " " N. 31 W. 3 "			Wh. Oak 18 " " " S. 18 W. 6 "
East.		Our Random between Secs. 23 + 26.	80 30		Section Corner.
36 00		Brook 5 lbs. mile Co. S. E.			June 25 - 1820
40 00		Set temp. gr. Sec. post.	North		Between Secs. 14 + 15.
80 06		Intersected N. + S. line - lbs N. of post.	6 30		Branch of Eel River 20 lbs. mile Co. S. W.

Township 17 North, Range

Two West

Hendricks County, Indiana.

CH. LK.

40 00 Set gr. sec. post from which
Walnut 20 in. Dr. bears N. 39 W. 5 lks.
Sugar 12 " " " S. 20 W. 12 "

67 50 Brook 3 lks. mile co. N.E.

68 50 Sugar 14 in. Dr.

80 00 Set post corner of Secs. 10, 11, 14 & 15 - fr. which
W. Oak 14 in. Dr. bears S. 84 E. 15 lks.
Walnut 30 " " " N. 88 W. 21 "

East. Our Random between Secs. 11 & 14.

20 09 Brook 3 lks. mile co. S.E.

32 00 Oak Run 20 lks mile S.E.

80 25 Intersected E & Bound. (N. & S. line) 3 lks. N. of post.

West. Corrected between Secs. 11 & 14.

40 12 1/2 Set gr. sec. post from which
Red oak 40 in. Dr. bears S. 50 W. 10 lks.
Beech 8 " " " S. 19 E. 18 "

87 25 Section corner.

North. Between Secs. 33 & 34.

17 50 Beech 12 in. Dr.

40 00 Set gr. sec. post from which
W. Oak 13 in. Dr. bears N. 20 E. 8 lks.
Beech 14 " " " S. 23 W. 20 "

66 90 Burr Oak 18 " "

80 00 Set post cor. to Secs. 27, 28, 33 & 34 from which
Beech 16 in. Dr. bears N. 82 E. 22 lks.
W. Oak 36 " " " South 20 "

CH. LK.

East Our Random between 27 & 34.

40 00 Set temp. gr. sec. post.

76 50 Brook 4 lks. mile co. S.E.

80 38 Intersected N. & S. line 19 lks N. of post.

Corrected between Secs. 27 & 34.

40 19 Set gr. sec. post from which
Sugar 24 in. Dr. bears S. 27 E. 41 lks.
Elm 14 " " " N. 30 W. 50 "

80 38 Section corner.

North. Between Secs. 24 & 28.

20 80 Beech 12 in. Dr.

40 00 Set gr. sec. post from which
Beech 10 in. Dr. bears S. 31 W. 10 lks.
Sugar 12 " " " N. 5 W. 35 "

76 30 Poplar 30 " "

80 00 Set post cor. to Secs. 21, 22, 27 & 28 from which
Sugar 14 in. Dr. bears N. 30 E. 13 lks.
Do 10 " " " S. 14 W. 31 "

East Our Random Between Secs. 22 & 27.

40 00 Set temp. gr. sec. post.

76 00 Brook 3 lks. mile co. S.E.

80 40 Intersected N. & S. line 10 lks N. of post.

West. Corrected between Secs. 22 & 27.

40 20 Set gr. sec. post from which

CH.	LK.		CH.	LK.	
80	40	Poplar 36 in. Dr. bears N. 70 W. 14 lbs. Beech 24 " " " N. 70 E. 10 " Section Corner.	40	00	Set gr. Sec. post from which Sycamore 36 in. Dr. bears N. 39 E. 30 lbs. Bl. Oak 14 " " " S. 75 W. 37 "
North.		Between Secs. 21 + 22.	56	00	Sugar 24 in. Dr.
7	50	Eel River 20 lbs. mile Co. S. W.	80	00	Set post Cor. to Sec. 9, 10, 15 + 16 from which Maple 15 in. Dr. bears N. 34 W. 30 lbs. Elm 8 " " " N. 43 E. 28 "
27	75	H. Oak 24 in. Dr.			
40	00	Set gr. Sec. post from which Elm 20 in. Dr. bears S. 14 E. 15 lbs. Do 14 " " " N. 28 W. 21 "	East		On Random between Secs. 10 + 15.
61	00	Poplar 36 in. Dr.	40	00	Set temp. gr. Sec. post.
80	00	Set post Cor. to Secs. 15, 16, 21 + 22 fr. which Sugar 10 in. Dr. bears N. 72 E. 7 lbs. Do 8 " " " N. 89 W. 17 "	67	40	Brook 3 lbs. mile Co. S.
			80	20	Intersected N. + S. line 23 lbs. N. of post.
East		On Random between Secs. 15 + 22.	West.		Corrected between Secs. 10 + 15.
32	00	Eel River 20 lbs. mile Co. S. W.	40	10	Set gr. Sec. post from which Beech 10 in. Dr. bears N. 41 E. 2 lbs. Sugar 12 " " " S. 73 W. 30 "
40	00	Set temp. gr. Sec. Post.	80	20	Section Corner,
80	30	Intersected N. + S. line 40 lbs. N. of post.	North		Between Secs. 32 + 33.
West.		Corrected between Secs. 15 + 22.	14	35	Spring Run Co. S. W.
40	15	Set gr. Sec. post from which Beech 12 in. Dr. bears N. 51 E. 25 lbs. Do 20 " " " S. 12 W. 11 "	18	34	Beech 12 in. Dr.
80	30	Section Corner,	25	50	Spring Run Co. S. W.
North.		Between Secs. 15 + 16.	40	00	Set gr. Sec. post from which Beech 16 in. Dr. bears S. 54 W. 21 lbs. Do 16 " " " N. 39 E. 32 "
20	40	Beech 15 in. Dr.	60	39	Sugar 12 in. Dr.
			80	00	Set post Cor. to Secs. 28, 29, 32 + 33 fr. which

CH. LK.

Birch 12 in. Dr. bears E 15 lbs.
 Do 12 " " " S 21 W. 25 lbs.
 East On Random between 28 + 33
 4 00 A Spring Run 2 lbs. mile C. N. W.
 11 00 Brook 3 lbs. mile C. N. W.
 40 00 Set go. Sec. post.
 80 30 Intersected N. & S. line 3 lbs. N. of post.
 West Connected between Secs. 28 + 33.
 40 15 Set go. Sec. post from which
 Birch 10 in. Dr. bears S 33 W. 32 lbs.
 Do 18 " " " N. 56 W. 39 "
 80 30 Section corner.
 North Between Secs. 28 + 29
 4 10 Spring Branch C. N. W.
 16 50 Eel River 25 lbs. mile C. S. W.
 35 25 Poplar 12 in. Dr.
 40 00 Set go. Sec. post from which
 Birch 16 in. Dr. bears N. 52 E 27 lbs.
 Do 12 " " " S. 39 W. 29 "
 60 50 Poplar 36 " "
 65 50 Brook 3 lbs. mile C. N. W.
 80 00 Set post Cor. to Secs. 20, 31, 35 + 39 from which
 Birch 24 in. Dr. bears N. 45 W. 58 lbs.
 Do 12 " " " S 88 E 30 "

CH. LK.

East On Random between 21 + 28.
 6 10 Spring C. S. E.
 11 05 Do Branch C. S. E.
 40 00 Set go. Sec. post.
 47 15 Brook 3 lbs. mile Sec. S. E.
 55 30 Eel River 25 lbs. mile C. S. W.
 80 28 Intersected N. & S. line 8 lbs. N. of post.
 West Connected between Secs. 21 + 28.
 40 14 Set go. Sec. post from which
 Elm 12 in. Dr. bears S 65 E 26 lbs.
 Do 10 " " " N. 10 lbs.
 80 28 Section corner.
 North Between Secs. 20 + 21.
 15 20 H. Oak 18 in. Dr.
 40 00 Set go. Sec. post from which
 Sugar 10 in. Dr. bears S 75 W. 13 lbs.
 Do 10 " " " N. 6 E 12 "
 60 62 Red Oak 36 " "
 80 00 Set post Cor. Secs. 16, 17, 20 + 21 from which
 Elm 20 in. Dr. bears S. 54 W. 20 lbs.
 Do 12 " " " N. 54 E 18 "
 East On Random between Secs. 16 + 21.
 40 00 Set. temp. go. Sec. post.
 80 21 Intersected N. & S. line 18 lbs. N. of post.

CH.	LK.	
West.		Connected between Secs. 16 + 21,
40 10 1/2		Set gr. sec. post from which Sugar 10 in. Dr. bears S. 28 W. 11 lbs. Buck 12 " " " N. 14 E 12 "
80 21		Section corner. June 29" 1820,
North.		Between Secs. 16 + 17,
12 00		Sugar 10 in. Dr.
40 00		Set gr. sec. post from which Buck 10 in. Dr. bears S. 28 E 5 lbs. Do 16 " " " N. 66 W. 12 "
65 82		Buck 20 in. Dr.
80 00		Set post cor. to Secs. 8, 9, 16 + 17 from which Buck 20 in. Dr. bears S. 75 E 24 lbs. Sugar 18 " " " N. 71 W. 26 "
East		On Random between Secs. 9 + 16.
40 00		Set temp. gr. sec. post.
80 18		Intersected N. + S. line 28 lbs. N. of post,
West		Connected between 9 + 16.
40 09		Set gr. sec. post from which Buck 12 in. Dr. bears S. 5 E 16 lbs. Do 18 " " " N. 34 E 16 "
80 18		Section corner.
North.		Between Secs. 31 + 32.
29 55		Buck 20 in. Dr.


CH.	LK.		
			24.80 66 14880
40 10		Set gr. sec. post from which Sugar 18 in. Dr. bears N. 30 E 17 lbs. Buck 12 " " " S. 40 W. 32 "	6360
60 00		Buck 3 lbs. side Co. S.E.	16 + 36.8
60 04		W. Oak 24 in. Dr.	
77 50		Buck 3 lbs side Co. S.E.	
80 00		Set post cor. to Secs. 29, 30, 31 + 32 from which Buck 8 in. Dr. bears N. 40 W. 15 lbs. Do 12 " " " S. 75 E 12 "	
East		On Random between Secs. 29 + 32,	
20 50		Spring Run Co. S.E.	
27 30		Do " " "	
40 00		Set temp. gr. sec. post.	
63 50		Eel River 25 lbs. side Co. S.W.	792
80 57		Intersected N. + S. line 20 lbs. N. of post,	
West.		Connected between Secs. 29 + 32	
40 25		Set gr. sec. post from which Sugar 16 in. Dr. bears S. 60 W. 15 lbs. Buck 12 " " " N. 31 W. 11 "	
80 57		So section corner.	
		See last ruled line in Bk.	

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Wab. News, Darnall, A Survey for.						
N. $\frac{1}{2}$ mi. put.	18 X 15	Old Beech stump		N. 9 W.		5 $\frac{1}{2}$
Sec. N. N. E. $\frac{1}{4}$	3 Cor.	Beech,	30	N. 68 E		11
		W. Walnut.	8	S. 19 $\frac{1}{2}$ E		47 $\frac{1}{2}$
Sec. N. N. W. $\frac{1}{4}$	Good.					
Sec. N. Sec.	17 X 9 X 16	Sycamore	5	S. 4 E		38 $\frac{1}{2}$
Sec. N. S. W. $\frac{1}{4}$		Beech.	20	N. 46 E		38
		Lynn	18	S. 19 E		13
Sec. S. S. W. $\frac{1}{4}$		Hickory	20	N. 29 W.		27
		B. Oak		S. 40 W		15
Sec. N. N. E. $\frac{1}{4}$		Beech	22	N. 68 E		11
		Do	8	S. 50 W		47
Sec. S. N. E. $\frac{1}{4}$		Hickory	20	S. 39 E		12
		W. Oak.	8	N. 34 E		9
Sec. Center.		Sugar.	11	N. 37 E.		9
		Beech	14	N. 62 W.		14
		Beech.	12	N. 79 W		11
2 mi. put on N. relocated.		Pine Oak	20	S. 75 E		39
V.B. V.B. for 214.						
66 rods S. Sec. Sec.	12 X 6 X 8	Oak	15	S. 12 W		85
N. E. Cor. found by running and measuring.						
		B. Walnut.	10	S. 16 E		101
	10 X 16 X 16	W. Oak.	12	N. 18 $\frac{1}{2}$ E		180
May, 1879						
J. H. Trotter S. H. Co.						

Field Notes of Section

North, Range

, Hendricks County, Indiana.



CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Cor. S. S. $\frac{1}{4}$	24 x 18 x 16	Stone under Smelling house	11	S. 73 E		185 $\frac{1}{2}$
Cor. 4 R. N. Cor. N. N. $\frac{1}{4}$		Henry Locust	12	S 33 $\frac{1}{2}$ E		116 $\frac{1}{2}$

Sections 14, 15 + 22.

James Trotter Estate of.

The Widow Homer set off. About 39 acres of the $\frac{1}{2}$ of N. $\frac{1}{4}$ of Sec. 14. North of Creek.

Also that portion of the $\frac{1}{2}$ of N. E. $\frac{1}{4}$ of Sec. 15 - N. of creek about 62 A. and N. $\frac{1}{2}$ of said N. E. $\frac{1}{4}$ and N. $\frac{1}{2}$ of N. E. $\frac{1}{4}$ + 13 A. off the E. end of S. E. $\frac{1}{4}$ of N. $\frac{1}{4}$ of Sec. 22 in T. 17 S West.

The Homer is that portion of $\frac{1}{2}$ of N. $\frac{1}{4}$ of Sec. 14 + of E. $\frac{1}{2}$ of N. E. $\frac{1}{4}$ of Sec. 15 lying S. of a line drawn E + W 48 rods S. of N. line of said $\frac{1}{4}$ on N. of Creek + W. of County Road being 60 $\frac{3}{4}$ A. more or less as follows:

Beginning on Sec. line between 14 + 15	48 rods	S. of
Elm.	20	S. 30 E
$\frac{1}{2}$ Mi. East.	46	N. 43 W.
Thence N. 74 rods + 5 Chs.	26	N. 36 W.
	14	S. 62 E
Thence S. 12 $\frac{1}{2}$ E	8 rods + 4 Chs.	

Field Notes of Section 14 Township 17 North, Range Two West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Thence S. 2° E 67		to center of creek. in pond											
N. 2° W.		Post 2 rds.		N. 2 W.									
		Willow	10	N. 6½ W		22							
		Sycamore	10	S 27 W		22							
Thence E on a straight line 71 rds but with the													
center of the meanders of the creek to sec. line.													
Thence N. about 2 rds to N. edge of water.													
Thence E + N. with creek to within 48 rds of N.													
line of ¼ on bank.		Beech	24	N. 23 W.		46							
		Ash	22	S 81 W		73							
Thence N 57 rds to Beginning.													
Beginning ½ mi. S. of S. Road.													
Thence N. 71 E 34 rds.													
Thence N. 21 E 12 rds (less 30 ft.) or 10 rds. 4½ lks.													
Thence N. 63 W with R. Road line 41 rds 25 lks to													
N. Oak Stump.			24	N. 20 E		3							
N. line of ¼ Sec.		Elm	28	S 4½ E		141							
Thence S. 15¾ rds to Beginning.													
Sec. S. S. E ¼ line.													
N. 105° ½ rds + 4 feet West of Sec S. S. E ¼ is a good													
stone.													

Bk C. p. 307.

Bk. C. p. 321.

Bk. C. P. 383

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Commencing at S.E. Cor. of N.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$ Sec. 22, & running N. 80 rds to N.E. Cor. of same $\frac{1}{4}$ $\frac{1}{4}$ & continuing N. in Sec. 15. 31 $\frac{2}{3}$ rds. Thence N. 44 rds to E. bank of Mill race. Thence S 45 N. 43 rds to Sec. line between above sections at a point 7 rds & 20 lks. E of Cen. N. N. W. $\frac{1}{4}$ Sec. 22. Thence S. 22 $\frac{1}{2}$ N along Mill race 18 rds to line dividing said N. W. $\frac{1}{4}$ N. & S. Thence S. in said line 28 rds to E. Bank of Owl River. Thence S. on E. Bank with meanders thereof to the line running E. & W. dividing said gr. Thence E. 19 rds. to S.W. Cor. of N.E. $\frac{1}{4}$ said N.W. $\frac{1}{4}$ & continuing 80 rds. to Beginning.							mill with stone in the course & distance, I. marked the stone with a cross & and planted 24 x 18 S. 69 N. 13 distant to Cent. intended to be where the original sugar witness stood, being S. 73 N. allowing & for variation being according to my couring and measurement 42 lks. N. & 8 lks. E. of Cent. point on a direct line between Sec. corners. Cen. N. W. W. $\frac{1}{4}$ 22 x 16 x 10 very near where Huff had one relocated but which was on the ground loose and supposed to be knocked out. Cen. N. W. $\frac{1}{4}$ Huff's cor. stone marked & across, the distance of the Bench witness being right and agreeing with our couring and measure- ment. N. & S. throughout the $\frac{1}{4}$.						
T.B.C. p. 280.							T.B.C. p. 283.						

From the various evidences gathered, I estab-
lished the cor. on the old line as taken and
relocated by Huff on page 120 of former record.
The white oak stump being plain & agreeing

Took Shuffi' Section Cent.
 Thence N. over 6 lbs. to $\frac{1}{2}$ mi. post. Notes
 tree-origins found variation about $3^{\circ}45'$
 Cen. W. Sec. Cen. 28x14 Ash. 30 W. 68 W 50

Hendricks County, Indiana.


Vzh. C. p. 32.

Field Notes of Section 15 Township 17 North, Range Ind West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
40 Rds N. Cen. S. S E $\frac{1}{4}$ a mark				S 38 W.		11 ft.	Lorry Estate. - Survey for. Apr. 93,						
Aug. 29 " 1881. A survey for Wilson & Free,							10.48 $\frac{2}{3}$ ch. E. of N. $\frac{1}{2}$ mi. stake.						
Sam'l Cook & Harvey Rop. Served as chainmen.							12 X 18						
(Surv. for Jno Ashley & Sam'l Lewis Nov 1880-1892) Jno. Wilson & J. S. Ashley Surv. chainmen							10.78 $\frac{1}{2}$ ch. S. of N. $\frac{1}{2}$ mi. stake.						
Beginning 80 rds S. of Cen. of Sec. (one at time							4 X 16 X 32						
Meridian) at a point. { Hackberry 20 310 $\frac{1}{2}$ ft. 394 ft. 12	Stone 7 X 10 X 12						Thence E 10.48 $\frac{2}{3}$ ch. to						
Thence S. 51 $\frac{1}{2}$ W. 2.41 ch.							8 X 12 X 20						
Thence S. 57 $\frac{1}{2}$ W. 4.30 ch.							10.78 $\frac{1}{2}$ ch. S. of N. E cor. of Sec. 15 -						
Thence S. 44 $\frac{1}{2}$ W. 307 $\frac{1}{2}$ ch. to N. Bank of creek to							6 X 12 X 18 Stone. South 22						
a point. B.S. Ash. 8 N. 27 W. 18													
Thence S. 61 $\frac{1}{2}$ W. 2.10 ch.													
Thence S. 21 W. 1.53 ch. to top of a large							3.75- ch. East of N. $\frac{1}{2}$ mi. stone						
stone.							Cottonwood 24 South 136						
Thence S. 1.38 ch. to point W. by stone. 37 $\frac{1}{2}$							6 X 16 X 18 Pine 8 N. 84 E 114						
the next on Bluff. (The above line fixed							6.88 $\frac{1}{2}$ ch. East of N. $\frac{1}{2}$ mi. stone.						
by agreement of parties) C.M.G. Dep. 3 corners 24 in. long. Stone. 12 N. 73 $\frac{3}{4}$ W. 32,													
							14.64 $\frac{1}{2}$ ch. East of N. $\frac{1}{2}$ mi stake						
							8 X 8 X 16						

N. W. Cor. Sec. good stone well set. Relocated by running the line from the N. + the S. and dividing the distance + also measuring 40.37 c W from N. $\frac{1}{2}$ mi. stone the distance called for in an old deed. B.L.C. P. 392.

J. W. Frother. S.H.Co.



CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Aug 23, 1887. A survey for Margaret R. Jones et al.						
1. The N.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$ run & found to be 19 lks short E. & W. & 6 $\frac{1}{2}$ lks. long N. & S.						
Then set off 20 a. off of N. end of N.W. $\frac{1}{4}$ of N.E. $\frac{1}{4}$ as follows:						
9.96 $\frac{2}{3}$ ch. E. of N. $\frac{1}{2}$ mi. stone set stone to N.E. Cor.						
of 20 a. 6x15x20 rough, W. Walnut.	8	S. 27 $\frac{3}{4}$ E.		114		
9.96 $\frac{2}{3}$ ch. E. of Cen. N. of Sec. Cen. or S.E. cor. of						
the 20 a. 10x14	13 lks	W. on line.				
	14	" N. "				
J. M. Eads & Maria Daubenshiek sworn as chainmen.						
Cen. N. Cen.	12x10 Taper	Beech.	12	N. 26 W.		15 $\frac{1}{2}$
		Do	18	S. 44 W.		61 $\frac{1}{2}$
Cen. of Sec.		Beech.	14	N. 12 E.		17 $\frac{3}{4}$
		Poplar	36	S. 84 E.		104
Cen. E. Cen.		Hickory	24	Cor. S. W. side.		
S.E. Cor. Sec. Relocated.						
	16x12 Round.	W. Oak.	24	S. 16 $\frac{1}{2}$ E.		82 $\frac{1}{2}$
X S.E. $\frac{1}{4}$ Cen. E.		Beech.	15	N. 73 E.		23
		Do	22	S. 43 W.		70
Cen. S. Cen.	18x14 square	W. Oak.	22	S. 65 $\frac{1}{4}$ E.		96
		Water Beech.	4	S. 17 W.		25
X S.W. $\frac{1}{4}$ Cen. W.	20 long round	Elm.	24	N. 24 W.		37 $\frac{1}{2}$
		Do	30	S. 88 W.		40
X Cen. S.E. $\frac{1}{4}$	27x15 one side sq.	W. Oak.	38	N. 37 $\frac{1}{2}$ W.		87
		Do	22	S. 48 $\frac{1}{2}$ W.		79 $\frac{1}{2}$

Field Notes of Section 16 Township 17 North, Range Ind. West., Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
N. E. $\frac{1}{4}$ Sec. 11.	24 x 16	tapering to a point at bottom & Beech.	15-	S. 43 $\frac{1}{2}$ W.		64							
sq. noted at top.		Hickory	15-	N. 20 E.		65 $\frac{1}{2}$							
Sec. N. E. $\frac{1}{4}$	35 x 15 taper.	H. Oak.	6	N. 23 $\frac{1}{2}$ E.		44 $\frac{1}{2}$							
		VB. Oak.	8	S. 86 $\frac{1}{2}$ E.		58 $\frac{1}{2}$							
		Poplar.	20	S. 34 $\frac{1}{2}$ E.		47							
N. E. $\frac{1}{4}$ Sec. E. Round Bould. 20.		Walnut	36	N. 15 W.		29							
N. W. Cor. of Sec. relocated from old stump.													
	23 x 15-	one side flat. the-bottom round & Sugar	15-	S. 2 E.		105-							
notch at top.		N. Walnut	6	N. 33 $\frac{1}{2}$ E.		69.							
		N. Oak.	20	N. 63 $\frac{1}{2}$ W.		137							
N. W. Cor. N.	24 x 17 sq.	VB. Oak.	121	S. 49 $\frac{1}{2}$ E.		95 $\frac{1}{2}$							
Sec. N. W. $\frac{1}{4}$	26 x 18 taper.	Walnut.	5-	S. 62 $\frac{1}{2}$ E.		62 $\frac{1}{2}$							
Sec. N. Sec.	19 x 15-	at bottom, & tapering to top.											
		Elm.	10	N. 82 $\frac{1}{2}$ E.		107 $\frac{1}{2}$							

Bk C. p. 112.
 Center S. of Center - (Center E. of Sec. 11) The red granite stone 12 x 16 x 18
 lowered to depth of 6" & referenced as follows:
 concrete cor. post S. 14. 35 ft. wood cor. post north
 15.3 ft. red granite stone about 5 x 12 x 14 74 $\frac{1}{2}$ W 24.8'
 Stanley Shartle March 22, 1947.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Cen. E. Cen.		relocated from old nit stump,				
		promised C.				
Cen. N. E. ¼	Stake D.					
	A.	Beech.	17	S. 2 H		4
No. 1. Alfred Ames.	Do		12	N. 78 E		16
	B.	P. Oak.	28	S. 11 W.		14
No 2. Gardner Clark.	Beech		11	N. 11 E.		20
	C.	B. Oak.	16	S. 34 W.		20
	Do		"	N. 34 E		23-
	D.	Sugar.	11	S. 77 E.		10
No 3. Samuel Jones.	Do		10	North		26
	E.	Beech	21	S 76 E		9
	F.	Sugar	15-	N. 76 W		47
	G.	S. Oak.	36	S. 48 W.		9
No. 4. James M ^r . Lital.	Buckeye		14	N. 55-W.		20
	H.	Beech	13	N. 26 W.		28½
	I.	Do	10	East		22½
	J.	Beech	18	S. 8 E.		24
	K.	Elm	15-	N. 3 E.		28

V3k. V3. f. 217.

John Kelley & Malucida Mount. A Survey for.				
X	cen. C. S. E. $\frac{1}{4}$	10X12X16	Stone	N. 62 ft. 27
			Do	S. 37 $\frac{1}{2}$ ft. 34
	cen. S. of cen.	12X27	Stone	S 89 $\frac{3}{4}$ E 28
			Do	S 80 ft 21
	Cen. C. of Cen.	8X10X16	Tr. Oak	28 N. 86 $\frac{1}{2}$ ft. 34 $\frac{1}{2}$
			Stone	East 25-
	Cen. of S. E. $\frac{1}{4}$	8X12 by =	old cor Stone	S. 15 ft 28 $\frac{1}{2}$

Note the last cor. above is N. 15. E. $28\frac{1}{2}$ L. from the supposed old corner.

Field Notes of Section 17 Township 17 North, Range 2 West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
----------	--------	----------	-----	-----------	-----	-----	----------	--------	----------	-----	-----------	-----	-----


Stones found by Geo. R. Harvey in 1920 (Field Bk 78 page 115-7):

SW corner section-stone { corner post north 15 ft.
 { corner post South 16 ft.
 { corner post N45°W 21.4'
 On S of SW 4 - stone found 1337.8' { corner post N45°E 23'
 E. of SW cor sec. { corner post S45°E 22'
 { corner post S45°W 21.4'

Transcribed by Stanley Shattle, Jan 28, 1946.

17 1/2
22

Plat of Section 18 Township 17 North, Range 1st West, Hendricks County, Indiana.



CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
34 1/2 Rds N. Cen.	10 x 12.	Black Walnut.	15	N. 26 1/2 E.		22 1/2
N. W. Cor. of Co. relocated		Beech	18	S. 19 E.		45-
Lucie. 26 x 18		Do	3	N. 67 1/2 E.		40
		Ash.	18	N. 83 W.		16
Cen. N. of S.E. 1/4		Walnut	20	S. 67 E.		47
		Beech.	18	N. 23 1/2 E.		26 1/2
1/2 Mi. post N. of Sec.		N. Oak	60	S. 51 1/2 E.		18 1/2
7 1/2 poles + S. full 1/2 Mi.				a flat lime stone. 26 x 18.		
		N. Oak.	20	S. 88 W.		19
Cen. E. of Cen. Lucie. 18 x 8		Sugar	16	N. 67 1/2 E.		29
		Beech.	19	N. 43 E.		41
Cen. of Sec. Boulders. 28 x 18		Do	7	S. 20 E.		3 1/2
		Beech.	24	N. 19 E.		7 1/2
Cen. N. Cen. Lucie. 26 x 15		Cherry	4	S. 1 W.		10 1/2
		Beech.	28	S. 38 E.		22 1/2
Cen. N. N. N. 1/4 Lucie. 15 x 13		Do	18	S. 42 1/2 W.		33
N. 1/2 post	24 x 30					
Ottomaw N. 1/2 of N. N. 1/4.						
Piece N. 1/2 of N. E. 1/4 S. N. 1/4						
				Bk. C. p. 44.		
N. 34 1/2 from cent. + N. 83 E. 324 Rds.						
	Stone.	Red Haw.		S. 84 W.		269.
Cen. N. E. 1/4.	12 x 18	N. Walnut.		S. 78 1/2 E.		82
Cen. N. of Cen. 10 x 12 Boulders.		Small Walnut.		S. 60 1/2 W.		42 1/2
Place E. 32 rds.	15 x 20	Stone		East on the line		25-

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
----------	--------	----------	-----	-----------	-----	-----	----------	--------	----------	-----	-----------	-----	-----

The following is a description of the above survey.

Beginning 34 1/2 rds. N. of Cen. of Sec. 18 T. 17. N. R. 2 W.
Thence N. 45 1/4 feet rds to Cen. N. of Cen.

Thence E. 32 rds.

Thence S. 4 1/4 rds to Cen. of Road.

Thence S. 83 West with Cen. of said Road 32 1/4
rds to the place of beginning. Estimated to
contain 8.66 A. more or less.

Cen. S. S. E 1/4	8x12x16	Stone	South	25-
		Elm.	6 N. 14 1/2 W.	29

E. 1/2 Mi. relocated by measurement & one Sec. mt.
8x20x24


J. W. Prother S. H. C.

The following references were transcribed from field notes of
Geo. R. Harvey (Field Book 78 pages 106 to 117) made during his survey
of the Haray E. Jordan Road in 1920:

SW corner sec - stone found	{	Corner post S 64° E 35 ft.
		Corner post N 39° E 19.5 ft.
		Corner post S 45° E 23 ft.
1/2 Milestone found 2659.8'	{	Corner post S 46° W 21 ft.
E of SW cor section.		Corner post N 46° E 22 ft.
		Corner post N 41° W 25 ft.

SE corner sec - stone found 2638.6' E of S 1/2 mile stone and
referenced by corner posts N. 15' and S. 16'. This stone
was found again by R. M. Franklin in 1945.
Transcribed by Stanley Shurtle, Jan 28, 1946.

On S of SE 1/4 - a stone found but not referenced - Stanley Shurtle



CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Cen Sec.	18 X 10	B. Oak. Poplar	36 38	N. 62 1/2 E. N. 71 W.		56. 64.
X S. 1/2 Mi.	15 X 12	in division of Bonneyfield's land being about 50 A. in S. E 1/4 of Sec. 19: 64 rds + 19 lks S. of Cen.				
		Beech.	12	N. 61 W.		119 1/2
		S. Oak.	12	S. 41 1/2 W.		75.
		E. Cen. 54 rds + 3 lks or 35 rds S. of N. E. Cor.				
	12 X 6					
		Thence N. 17 1/8 rds: N. + S. 35 rds: E + N. 17 1/8 rds: on N. E. Cor. on N. 35 rds.				
	18 X 8	Bk. C. p. 320.				
N. 1/2 Mi.	30 X 14					
N. 1/2 Mi.	24 X 18	+ 124 lks S. of other Cor.				
		N. Oak.	15	N. 15 E.		33
		Beech.	14	S. 4 W.		17 1/2
		B. Oak.	36	N. 62 1/2 E.		56.
Cen. of Sec.	18 X 10	Poplar.	38	N. 71 W.		64
		Oak.	38	N. 49 W.		86
Cen. W. Cen. S.	28 X 15	Hickory	24	N. 5-7 E.		97 1/2
		Cen.	28	N. 85 E.		43 1/2
Cen. N. N. W. 1/4	18 X 12	Beech.	12	S. 81 W.		62.
X S. W. Sec. Cor.	15 X 9					
X S. 1/2 Mi. post.	15 X 12					
X	Thence South 20 poles to Cranfordsville Road.					

Field Notes of Section 19 Township 17 North, Range Ind West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
		Beech.	20	N. 15-1/2 E.		96.	Huffman Partition.						
Sec. S. S. 1/4	15 X 18	Sugar	20	S. 37 E.		68	1.	6 X 10 X 14	B. Walnut.	8	S. 23 1/2 W.		38 1/4 ft.
		W. Oak.	30	S. 14 E.		92							
Sec. N. of Sec.	32 X 24	B. Oak	24	N. 78 1/2 E.		45 1/2	2.	8 X 12 X 18	Apple tree.	12	N. 83 E.		28 1/2 ft.
N. E. Sec. Cor.	28 X 15-						For E. C. Hoff Et al. - 10 days notice given						
Sec. E. N. E. 1/4	15 X 10	Ash	12	N. 85 W.		25-	interesting parties. All present but						
		N. Elm	24	S. 19 1/2 W.		22.	J. T. Gadsby, Pres. of Sec. N. of N. E. 1/4, then run S. (directed	by a stake a few rods N. of said cor. stone)					
				Bk. C. p. 70.			and found stake in line of sec. of Sec. - This stake was						
							known to have been set by J. W.						
Sec. 19 & 20. S. 17 2 W.							Trotter S. H. Co. and an old resident said that he was present						
Chesley Page Estate. Partition of.							and that the stake was set for the center						
S. N. 1/4 Sec. 20 + S. E. 1/4 Sec. 19 + part of S. E. 1/4 of of state							Cor. of said Sec. - at the time a W. tree was standing, but now	has disappeared. Set stone in place					
N. N. 1/4. 30 A. of Sec. 20 + 25 A. out of N. end measured							6 X 14 X 14	W. tree	6 X 12 X 18	N. 79. 96	chs. to stone at N. E. cor. Sec. 19		
of N. 1/2 of N. E. 1/4 Sec. 30.											disk. & set cor. stone for E. 2 mile		
							10 X 10 X 18	Rough stone.	E. 25 L.				
											John Harris Sur. H. C.		
Barber + Chesley. A survey for.													
1 1/2 rds. N. of Sec.		Sycamore	14	S. 66 E.		63 1/2							
S. of S. E. 1/4	12 X 15 X 20	Beech	14	S. 8 E.		127 1/2							
1 1/2 rds. N. S. E. Cor. of		S. Ash.	15	S. 1 1/2 E.		148							
Sec.	12 X 15 X 18	Elm	6	S. 37 W.		83.							

Field Notes of Section 5 19+20 Township 17 North, Range 7th West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
		1. Ash. Elm.	12 24	N. 83 W. S 19 1/2 W		85 22		1. Stone.	N. Oak. Do	18 30	N. 26 E N. 73 W		119 106
		2 Beech.	13	N. 26 W.		28 1/2		2 Hickory mulberry		16 16	N. 20 1/2 W. N. 39 E		23 1/2 70
		3 Beech. Do.	15 16	N. 64 W. S. 67 1/2 E.		15 11.							
		4 Sugar. Do		S. 10 W. N. 61 E		12 1/2 21 1/2							
				V.B. C. p. 245 -									
		11. Elm. B. Oak.	20 4	N. 4 W. N. 51 W		32 52.							
		12. Beech. N. Oak.	14 30	S 9 1/2 W. S. 38 1/2 E		82 1/2 116.							
13	10 X 20	Stone 10 X 20.											
14	10 X 20												
15	16 X 30												
16	16 X 20												
		17. Beech. Sugar.	10 16	N. 37 E N. 18 1/2 W		27 33							
	12 X 20	18. Mulberry.	8	N. 45 1/2 E.		244							
		19 Beech.	14	N. 54 W.		129							
	10 X 16	Ash.	14	S 55 W.		61 1/2							


V.B. C. p. 246.

See plate P. 1

Mulberry still found 15 X 20

See plate P. 1

Balance on left hand,



X E. $\frac{1}{2}$ mi. post. 15 x 10.

V.B.K.C. p. 30

Peter Pargi. Estate Partition of.

It being the N. $\frac{1}{2}$ of N. W. $\frac{1}{4}$ of the Sec. ²⁰. The S. $\frac{1}{2}$ of said N. $\frac{1}{2}$ was set off + assigned unto Mary Ann Pargi

to her and her heirs + assigns in severalty forever.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
N. W. Cor.	10 x 15	W. Elm.	24	S. 19 $\frac{1}{2}$ W.	22.	

N. $\frac{1}{2}$ of said N. $\frac{1}{2}$ was set off + assigned unto Phoebe E. Pargi Minor Heir. of said Dec'd.

X N. E. Cor.		Tree.	13	N. 26 W.	28 $\frac{1}{2}$	
--------------	--	-------	----	----------	------------------	--

X N. W. Cor.		Rock.				
--------------	--	-------	--	--	--	--

V.B.K.C. p. 146

Cent. S. N. E. $\frac{1}{4}$		Elm.	30	S. 40 $\frac{1}{2}$ E	18	
------------------------------	--	------	----	-----------------------	----	--

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
----------	--------	----------	-----	-----------	-----	-----	----------	--------	----------	-----	-----------	-----	-----

Steward Partition.

Cen. N. N. $\frac{1}{4}$ stone found but not on record in book.
 N. $\frac{1}{2}$ mile stone found & Cent. of N. $\frac{1}{4}$ stone found
 a Iron ^(Rod) pin 10 rods East of Cent. N. of N. $\frac{1}{4}$
 b. Iron Rod 1" diam 14" long 10 rd. E. of Cent of
 N. $\frac{1}{4}$ N. F. Franklin Sur. & Co.
 Chas. Martin & Jas. Hendricks Comrs.

Plat of Section 21 Township 17 North, Range Two West, Hendricks County, Indiana.

Part of E. $\frac{1}{2}$ of S.E. $\frac{1}{4}$. Commencing at N.W. Cor.
Thence E. 40 rds. + $19\frac{3}{4}$ lks.
Thence S. to Cen. of Creek.
Thence S. Westwardly with Cen. of same to N. line of
said E. half.
Thence N. to beginning. Estimated at 31 A.

			Trk. C. p. 216.	
		Sugar.	16 N. 55° W.	27
Cen. of Sec. 12 x 18		R. Oak.	20 S. 83 $\frac{1}{2}$ ° W.	57 $\frac{1}{2}$
		R. Oak.	20 N. 98 $\frac{1}{4}$ ° E.	65.
Cor. 5 rds. N. Cen. Sec. 10 x 15		N Oak.	22 S. 52 $\frac{1}{2}$ ° W.	128.

Trk. C. p. 224.

The N. $\frac{1}{2}$ of S.W. $\frac{1}{4}$. Except 20 A. on N. Measured on
N. of S.W. $\frac{1}{4}$ over 10 lks. The S.E. Cor. of the excepted
20 A. 39 rds + $23\frac{1}{2}$ lks. S. of N.E. Cor. of N. $\frac{1}{4}$ of S.W. $\frac{1}{2}$
Beech. 16 S. 54° W. 37
Marked thus + 12 x 15 Sugar 11 N. 37 $\frac{1}{2}$ ° W. 20


Thence W. at 3 $\frac{1}{2}$ Var. to Sec. line 39 rds + $23\frac{1}{2}$ lks.
S. of $\frac{1}{2}$ mi post. 15 x 18 Mar. + B. Walnut. 12 N. 28 $\frac{1}{2}$ ° W. 184 $\frac{1}{2}$
Cen. S. of S.W. $\frac{1}{4}$ (Set by measurement of Rowland Clark
and J. W. Tucker Affirmed as road veivers on said line).
Sugar 18 N. 86° W. 40
Marked + 20 x 12 Poplar. 40 N. 46 $\frac{1}{3}$ ° W. 144

Trk. C. p. 253.

Field Notes of Section 24 Township 17 North, Range Ind West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Cen. S. S. E $\frac{1}{4}$	3' $\frac{1}{2}$ ft	too far S.					S. W. Cor. in New Creek Channel.		Lynn, Buckeye	18 12	S 24 N. N. 6 $\frac{1}{2}$ E	42 79	
The S. W. & S. E. Sec. Corners	good stones.						Estimated to contain a very small fracture over 66 A.						
S. $\frac{1}{2}$ mi.	Stone.	Stump of one mt. plane.		Bk. C. p. 385-							Aug. 17-1869.		
											Bk. C. p. 297.		
John Adams & Lee Tucker.	Survey made for.												
Beginning 39 $\frac{1}{4}$ rds	to Willie Gulley.	N. of $\frac{1}{2}$ mi.											
Cor. between the Sect.													
Thence E. 82 $\frac{1}{2}$ rds	to the Creek.	On N. bank of Creek.											
12 x 9 x 8	W. Walnut,	10		N. 86 W.		10 $\frac{1}{2}$.							
Thence S. 15 E.	20 rds.												
Thence S. 40 W.	9 $\frac{1}{2}$ rds.	Thence S. 54 E.		20 rds.									
Thence S. 8 E.	24 rds.	Thence S. 70 W.		15 rds.									
Thence S. 22 E.	30 rds.	Thence S. 21 W.		22 rds.									
Thence S. 69 W.	30 rds.	Thence S. 85 W.		20 rds.									
Thence S. 20 W.	6 rds	to the Island.											
Thence N. 33 rds.	Thence N. for Tucker	14 $\frac{2}{3}$ rds.											
Thence N. 102 $\frac{1}{3}$ rds	to Beginning.	Tucker's Island being the - 14 $\frac{2}{3}$ rds. N.											
Thence N. 80 E.	26 rds.												
Thence S. 23 E.	21 rds.	Thence N. 3 rds		to N. line		33 rds.							

Plat of Section 22 Township 17 North, Range 7th West, Hendricks County, Indiana.



CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Cor. 39 rds. S. Sec. Cen. 12 X 16		W. Walnut.	24	N. 28 1/2 E.		61 1/2
		Blue.	12	South.		49.
Cor. 39 1/2 rds. S. of Cen.		Ush.	7	North 11 1/2		72
N. of S. W. 1/4.		Stone 9 X 17.				
Cor. 29 rds. N. of Cen.		W. Oak.	48	S. 45 W.		79
S. of N. 1/4 12 X 16		S 80 1/2 E.				83.
Cor. 24 rds. N. of N. W.		W. Walnut.	6	N. 8 E.		55-
Cor of S. E. 1/4 10 X 14		Blue	8	S 40 1/2 E		56.
				Wk. C. p. 183.		
Ely's Nuff vs Henry Nuff Et al.		R. Oak.	24	S. 37 W.		20
Cor 10 rds. E. Cen. N. E. 1/4		W. Walnut	4	S. 47 1/2 E.		33 1/2
Ely's Nuff's tract commences at S. E. Cor. of S. E. 1/4						
Thence N. 70 rds or to 10 rds E. of Cen S. same 1/4.						
		Beech.	16	S 11 E.		132
		Ash.	8	N. 51 E.		17
Thence N. 102 1/4 rds.		Beech	18	S. 69 E.		65-
		Thickory	3	N. 9 1/2 E.		48
Thence E. 70 rds to Section Sugar.			16	S. 83 1/2 E		58.
Thence S. 102 1/4 rds. to Beginning.						
Estimated to contain 45 a.						
				Wk. C. p. 207.		

Field Notes of Section s 22 & 15 Township 17 North, Range 7rd West, Hendricks County, Indiana.


CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Colored Etab. Division of, Being S. W. 1/4 of S. W. 1/4 of Sec. 15 & so much of N. 1/2 of W. 1/4 of 22 as is included in the following bounds.							The line cutting off portion must 23 rods & 10 1/3 lbs N. of Center E. & W. line in which is stone on N. Bluff of the Creek 56 rods & 22 lbs E. of Pine Oak. 28 N. 26 E 128 W. Sect. line. 18x16 Sycamore 8 N. 12 E 99 5 rods & 16 lbs N. of E. bank of Creek. Thence N. to Section line in all 62 rods & 13 lbs on West line of Sec.						
Beginning at the N. 1/2 mile post of Sec. 22. Thence N. with Sec. line 160 lbs rods lacking 3 lbs. Thence E. 71 rods 4 1/2 lbs to within 7 rods of Cor. of 1/2 1/2 18x16 marked & sand in road.							{ Grollie' N. W. Cor. in 23 rods & 10 1/3 lbs N. of Cen. W. found Nov 20-1902 } Pine Oak. 30 N. 15 W 122 of N. W. 1/4 22x10 deep Sycamore 2 N. 11 1/2 W 20 Sycamore 18 N. 24 W 98						
Thence S. with Sec. bearing 40 rods to S. bank of Creek, cutting about 2 ft of S. W. Cor. of old mill. Thence S. W. wadly with E. bank of Creek to line running E & W this said 1/2 1/4. Thence N. 5 rods across creek. - a stone. Thence ^{3 1/4} N. 80 rods. The deed says 84 rods but it is not so, to the line of 1/2 1/4 Thence N. 51 rods to Beginning.							Being 56, 19 lbs S. of Sec. line. Croll by the corrected chain line about 35:50 A. The Widows' portion must be about 24:50 A. more or less. VBC, p. 279.						
The line from the stone N. of Creek on Center line 55 rods & 22 lbs then add the 3 rods to E. bank still standing. 12x18 pointed Birch of the Creek or Oak River 60 rods & 22 lbs.							Cen. E. Cen. flat 2 1/2 x 2 1/2 V.B. Walnut. 18 N. 63. W. 10 Cor. to Sec. 22, 23, 26 & 27 Relocated from me gov. Mt. N. Oak 30 S 53 1/2 E 56 22 South 39th 27						

See sec. 15 for Sur. for Ross et al. Secs. 15 & 22 & Ashley & Lewis

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Beginning at S.E. cor. of N. $\frac{1}{2}$ Sec. 22 on Ave. N. of Ave. as shown from the N. as heretofore surveyed. WB Walnut. 5 S. 27 $\frac{1}{2}$ E 8 Beech 15 N. 25 W 109 by examining & from N. $\frac{1}{2}$ mi. post I find there as a mi. N. that there has been a crook in Sec. line, but I claim the Cor. to be about one rd S. of where the line N. indicates, but entirely lost, which if settled may set Ave. N. of Ave. $\frac{1}{2}$ rd. S. N. from the line N. on true line 88 rds being about 8 $\frac{1}{2}$ rds. N. of $\frac{1}{2}$ mi. post. Stone. Thence N. with 4 $\frac{3}{4}$ Var. 25 rds. 20x18 smooth. Do 30 N. 32 $\frac{1}{4}$ E 91 $\frac{1}{4}$ Thence S. 27 W. with true meridian 20 rds. Stone. Beech. 12 S. 78 W. 1. N. Oak 24 S. E part of tree. Thence S. 46 W. 40 rds. stump or tree. Thence S. 10 W. 6 rds. Thence S. 34 W. 6 rds. Sugar. 26 Thence N. 49 W. 12 rds. Thence N. 53 W. 8 rds. Thence N. 4 rds. passing the line from N. 2 $\frac{1}{2}$ rds from & a point 40 rds S. of Sec. line 9 rds S. of a Honey Locust.							N. of Ave. N. of N. N. $\frac{1}{4}$ of Sec. 22. 100 ft in S.W. Cor. of mill house) Thence S. 63 W 4 rds. Thence S. 13 W. 27 rds. Thence S. 5 E 10 rds. to S. line of the $\frac{1}{2}$ $\frac{1}{4}$. Thence E. 99 rds + 5 lks to Beginning. Deed made to contain 36 $\frac{1}{2}$ - A. Bk. C. p. 286. Secs. 22 + 15. again. & Beginning Ave. N. of N. N. $\frac{1}{4}$ (See Sec. 15 for later dir.) Thence E 50 Var. 37 rds + 5 lks. to stone Old Cor. Thence N. 12 E 11 rds. Thence N. 52 E 16 rds. Thence N. 39 E. 8 rds. Thence N. 44 E. 14 rds. Thence N. 36 E. 14 rds. Thence N. 48 E 4 rds. to the E. line of $\frac{1}{4}$ 72 rds S. of Ave. of Sec. on N. bank of Creek. The last six stations with high water marks, as well as we could judge. Thence S. 42 $\frac{1}{2}$ rds to point 10 ft S. of Creek, N. Oak. 40 S. 46 W. 42 Thence S. 34 W. 6 rds. Thence S. 74 W. 10 rds. to two ft. S. of a Honey Locust.						

Field Notes of Section _____ Township _____ North, Range _____, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Sec. 22 & 15- continued.							running N. & S. etc.						
Thence S. 72 1/2 N. 12 rds.				Thence S. 79 N. 8 rds.			Bk. C. p. 306,						
the point of levee.				Thence S. 67 1/2 N. 8 rds.			E. 1/2 mi.	30 X 24	Old Mt. still standing				
Thence S. 7 N. 2 rds.				Thence S. 46 N. 18 rds.			N. E. Cor. Sec. 22.	12 X 16	Thellow		N. 43 N	113	
Thence S. 40 N. 12 rds.				Thence S. 36 1/2 N. 8 rds.			Sur. for Darnall & Roberts 8/6-1900						
Thence S. 26 N. 32 rds.	Sycamore	12		N. 46 N	23		108.66 ch. N. of		B. Walnut	16	N. 62 1/2 E	25 3/4	
Thence S. 10 N. (or) 15- rds.				to gravel line			13.25 ch. E. of (1) in	18 X 16 X 8	Do	13	N. 16 1/2 E	65	
a Corner	14 X 12 X 9.			Thence N. 2 1/2 rds.			Cent. of Road	16 X 8 X 11	Stone 14 X 16 X 6		West	32 1/2	
Thence N. in S. H. Cor. of the mill				24 rds. back			Jno. Wilson } Sw. ch. new.		N. F. Franklin Sur. N. Co.				
ing 2 chs.				Thence S. 76 E. 6 rds.			Henry Seach }		Elmer Road et al. Sur. for Nov. 19-1902.				
				VB Walnut	12		Beginning at Cent. N. Cent.		Jno. Ashley } in Sec. 15 & 22.				
							at a stone thence North 21.93 3/4 ch. Stone 12 X 14 X 18						
							Thence West 6.25 ch. 8 X 15 X 24		Beech 24 S 85 3/4 N 45 S ch.		By Stone (small) N 25 E		
							Thence S. 27 N 5 ch. 12 X 12 X 18		St. 9 X 12 X 18 & 25 S ch.		Do " 6 X 9 X 20 N 25 E.		
							Thence S. 46 N 10 ch. 10 X 14 X 20		Sugar	32	N 2 1/2 E	42	
							Thence S. 10 N 1.50 ch. No St. (Stake)						
							Thence S. 54 N 1.50 ch. 14 X 16 X 26		Stone 7 X 12 X 13		N 79 N	25	
							Thence N. 79 N 3 ch. No St. (a Stake)		Do 8 X 12 X 18		N 54 E	33 1/2	
							Thence N. 53 N 2 ch. No St. (Stake.)						
							Thence West 1 ch. 10 X 15 X 17		Large Stone		N 43 1/4 E	13	
							" 3 53 N 1 ch. to Stake		Stone 7 X 8 X 16		S 13 N	35	
							St. Rock promised this is on line dividing gr.		Thence S. 13 N 6.75 ch. to Sta.		Thence S. 5 N 26 2 1/2 ch. to		
							within 6.6 1/2 ch. of place of beginning		Thence North 250 ch. Stone 14 X 14 X 20		By St. 3 X 11 X 13		
							also by Stone (small) N 25 E.		Thence N. 13.36 1/4 ch. to Stone (15 3/4 L. from E.)		By St. 3 X 11 X 13		
							N 10 1/2 N 31 L. also by Stone 4 X 8 X 12 S 26 1/2 N 27 E.						
									N. A. Chman Dep. S. H. Co.				



CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Noah Ligon.						
S.W. 1/4 of N.E. 1/4 also S.E. 1/4 of N.W. 1/4	B. Elm.		30	East.		24 1/2
	ash.		4	S. 16 W.		9.
	C. Beech.		11	S. 84 E.		11
	Do		10	S. 31 W.		8 1/2
	D. Beech.		26	N. 41 E.		14
	Do		12	S. 13 W.		22.
	E. Beech.		12	N. 64 W.		16
	24 x 12 Do		18	S. 36 E.		20.
	Elm.			N. 32 W.		45-
V.B. V.B. p. 223.						
William Trotter. N.E. of S. W. 1/4.						
Sec. Cen.	F. Beech.		10	East.		18
	Cherry		5	N. 42 W.		6 1/2
	G. Beech			N. 35 W.		24 1/2
	Do			N. 73 E.		22
V.B. V.B. p. 223.						
Wakefield Trotter.						
Cen. S. W. 1/4	Beech.			N. 35 W.		24 1/2
	Do			N. 73 E.		22.
(Duplicate)	Sugar.		16	S. 29 W.		13 1/2
	Beech		8	S. 31 E.		12.
V.B. V.B. p. 223.						
Cen. N. W. 1/4	Elm		10	N. 74 W.		30
	Beech		10	S. 23 E.		3 1/4
Cen. N. W. 1/4 N. E. 1/4	8x10x12 Beech.		16	N. 48 E.		58 1/2

Field Notes of Section 23 Township 17 North, Range 2 W, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
----------	--------	----------	-----	-----------	-----	-----	----------	--------	----------	-----	-----------	-----	-----

Cen. N of NW 1/4 - A stone found and referenced:
 Wood corner post west 15.1 ft. - SE cor. wood corner post N45°W 22.5 ft.
 Maple 26 S30°E 42 ft. Maple 24 S60°E 54 ft. Elm 10 N80°E 93.8 ft.
 Stanley Shurtle, April 8, 1946.



CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Cen. N. S. $\frac{1}{4}$ S. E. $\frac{1}{4}$	6 X 8 X 12.	Poplar.	5-	S. 22 $\frac{1}{2}$ W.		35 $\frac{1}{2}$
Cen. S. S. $\frac{1}{4}$ S. E. $\frac{1}{4}$	from wire	Beech	16	N. 18 W.		20
N. $\frac{1}{2}$ Mi. stone set	by measurement	W. Walnut.	10	90 E.		30
to all parties	12 X 10 rough.	Water Oak	6	N. 85 $\frac{1}{4}$ W.		16
		N. Oak.	14	N. 29 E.		5-2
Cen. N. N. $\frac{1}{4}$	6 X 8 X 12	Hickory	16	S. 57 E.		60
N. E. Cor. Sec.	16 X 8.					
N. $\frac{1}{2}$ Mi. post	Relocated from old stump.	Hickory	16	S. 84 E.		43
	20 X 8	N. Oak.	28	N. 54 W.		75 $\frac{1}{2}$
E. $\frac{1}{2}$ Mi. post.	12 X 8					
S. E. Cor.	12 X 14.					
Cen. E. S. E. $\frac{1}{4}$	20 X 8 flat.	Ash.	16	N. 6 $\frac{1}{2}$ E.		23
		Walnut	2 $\frac{1}{2}$	S. 22 E.		13
		Lynn	12	N. 75 $\frac{1}{4}$ E.		61 $\frac{1}{2}$
Cen. of Sec.	10 X 12	R. Oak.	24	N. 58 $\frac{1}{4}$ W.		100
		Beech.	16	N. 46 $\frac{1}{2}$ E.		142
Cen. S. of S. E. $\frac{1}{4}$	12 X 6	Hickory	12	S. 19 W.		20
		Elm. f.	27	S. 65 $\frac{1}{2}$ E.		81 $\frac{1}{2}$
Cen. N. S. E. $\frac{1}{4}$	10 X 12	R. Oak	6	N. 29 $\frac{1}{2}$ W.		26
		Beech.	12	S. 37 $\frac{1}{2}$ E.		12
Cen. S. E. $\frac{1}{4}$	20 X 6 flat.	Buckeye	9	S. 62 W.		27 $\frac{1}{2}$
		Elm.	14	S. 49 E.		50
Cen. E. of S. N. $\frac{1}{4}$	9 X 14	Sugar	3	S. 87 E.		38 $\frac{1}{2}$
		Beech.	16	N. 30 E.		30
Cen. N. S. $\frac{1}{4}$	8 X 16	Hickory	6	S. 63 $\frac{1}{2}$ E.		5-1
Cen. S. N. $\frac{1}{4}$	25 X 18 X 4.					

Vol. C. fo. 71.

Field Notes of Section 24 Township 17 North, Range 3rd West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Cor. S. S. W. 1/4		Hickory	6	N. 16 E		23-							
		W. Walnut	10	S. 87 E		29 1/4							
4 ch. + 10 1/4 lks. S. Cen. S. W. 1/4		W. Walnut.		N. 1/2 E		57							
A corner 85 1/2 L. S. of the above cor.													
Cor. 7 ch. + 97 lks. E. of Cen. of S. W. 1/4													
		W. Walnut.		S. 23 E.		76							
A Cor. 12 ch. + 25 lks. N. of S. 1/2 mi.													
		R. Oak.	12	N. 36 E		38 1/2							
		Hickory	10	N. 59 E.		9.							
A Cor. 6 ch. + 21 lks. N. of the above.													
		Ash.	6	S. 16 1/2 W.		38							
		Elm	5	S. 31 1/2 E		23							
A Cor. 9 ch. + 68 1/2 lks. N. of above cor.													
		W. Oak (forked)		S. 24 E.		17							
A. Cor. 6 ch. + 21 lks. N. of S. W. Cor. of Sec.													
		Hickory.	22	S. 78 1/2 E		9 1/2							


John Covey & Ray Tucker. A Survey for,

Jas. Hedge and J. M. Frother. Chaimmen.

		W. Walnut,	15	S. 43 E		38 1/2 ft
1.	9 x 10 x 20	Sugar.	26	N. 28 E.		38 1/2"
		Beech	18	S. 37 W		21 3/4"
2.	6 x 15 x 18	Oak	8	N. 14 E.		70 1/2"

J. M. Frother, Surveyor.


Plat of Section 25 Township 17 North, Range T. 10 N. R. 12 E., Hendricks County, Indiana.



CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
E. 1/2 Mi.		Beech.	12	S. 50 E		32 1/2
N. E. Cor.	12 X 16	Snamp Oak	8	N. 86 W		18.
Sec. 25 + 26. A line in a Road for Eel River P.						
Beginning at Cen of N. E. 1/4 of Sec. 26 T. 17 N. R. 12 E.						
by Snapp one old stump.	18 X 14	Beech.	15	S. 25 E		23
Cen. E. N. E. 1/4		W. Walnut.	12	S. 74 1/2 W		125-
By measurement from Sec. Cor. to 1/2 mi. post. one old						
stump of Sec. Cor. mark but satisfactory. S. 24 lks. to						
	19 X 14 X 8	Hickory	20	N. 48 1/2 E,		74.
Elm. E. 64 Rds + 15 lks on the line as laid out S.						
	24 X 18 X 12	P. Oak.	24	N. 30 W		102.
Vol C. p. 289.						
Cen. E. N. W. 1/4		Elm.	5	N. 61 1/2 E		4 1/2
Cen. N. W. 1/4	16 X 18 X 22.	Sycamore	6	N. 2 E		34.
A cor. 4 ch. + 13 1/2 lks. S. of N. W. Cor. of Sec.						
		Elm.	10	S. 2 W.		60-
A Cor. 16 ch. + 18 lks. E. of above. Elm						
A Cor. 12 ch. + 95 lks. S. of above.						
	5 X 6 X 12	Red Oak.	6	S. 33 1/2 E		68

Field Notes of Section 25 Township 17 North, Range 2nd West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
A cor. 7 ch. + 94 lks. N. of Cen. N.W. ¼		Sugar.	6	S. 60. W.		37½
A cor. 4 ch. + 13½ lks. S. of Cen. N. of N.W. ¼		V.B. Walnut.	14	S. 41 W		89½
E. ½ mi., Cor. well marker found Cen. of Sec. by measurement.						
Commencing at Cen. of Sec.		Beech.	20	S 84 ½ W. 6.87½		
Thence N. 134.6 yds. 8x9x18 Hickory		Hickory	7	S 71 ½ W		89½
N. with Sec. V.Bear. sv rds. N. S. line of N.W. ¼						
N.W. ¼ Sec. 25- 8x10x12 V.B. Walnut.		V.B. Walnut.	10	S. 1 W.		
E. line of Corner of E & F Hall Ireland.						
John T. Hocker et al. A Survey for.						
Cen. Sec. found by measurement.		Hickory	10	N. 1 E.		47
Large round stone.		Stone		N. 85-E		12.
		V.B. Walnut.	12	N. 43 E.		177
An N. S.E. ¼ 6x10x14 Beech		Beech	15-	N. 2 E		176-
		Elm.	24	N. 53¾ W.		128½
Cen S. An. 6x8x12. Ash		Ash	5	S 57 E		57.
J.M. Trotter, Surveyor.						



CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
1. Wakefield Frotter.	A.	Sugar, Beech, Beech, H. Oak.	8 14 16 12	N. 39 W. S 72 E. N. 61 E. S 37 W		19 38 15- 31.
2. Jacob Dinsmore.	C. D. E. F.	Water Oak. Beech. Do Beech Sugar.	Cent. Post. 17 15- 16 12 22 7	N. 12 E. S 48 W. S 52 W N. 38 E S 79 E N. 45- W		25- 25- 9 14 23 18
4. Joseph Clive.	G. H.	Hickory Beech Do	18 13 10 18	Vbk. V.B. p. 226 S 2 E N. 53 E West		9 18 7
6. Bennett Clive.	B.	Beech, Do	14 14	S 87 E North S. 25 W.		25- 10 25-
Cor. on W. side of N. 1/2 of N. W. 1/4 at the middle.		Lynn. 8x12. H. Oak. Beech	20 18 16 18	N. 77 1/2 E. S. 47 E. N. 66 1/2 E N. 51 W.		198. 238 21. 8.
On E. side 5x16 sq.		Hickory	18	N. 51 W.		8.
A division of E 1/2 of N. W. 1/4 + N. 1/2 of N. E 1/4, a line crossing them E. & W. 75 rods. N. of S. end N. Corner.		Beech.	17	S. 5 E		10 1/4
Stone.		Sugar. H. Elm, Beech	15 5 14	N. 81 W. S 49 E. N. 24 E.		14 1/2 16 1/4 59 1/2
E. Cor. Boulders 14x18						
				Vbk. C. p. 133		

Field Notes of Section _____ Township _____ North, Range _____, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Spears Partition Jan. - 1900													
W. P. Franklin	See	P. L. Burne and Harry Ireland		Several Chammers									
Cor S.S. 3/4	gas pipe 10' long	2 Beech	24	N. 18° E.		60							
		2 Stone		N. 18 1/2° E.		23							
		2 Ash	24	S. 40° E.		82							
S 1/2 mile	" " 10" 2 Stone			N. 62 1/2° E.		21 3/4							
Cor S. S. 1/4	16 x 8 x 10	Stone under prop of post		North		6 1/2							
Cor N. Center	Hammer tooth Stone			West		10							
		2 Beech	18	N. 61° E.		15							
Cor E. Center	12 x 10 x 8	2 Oak	24	S. 87° E.		30							
		2 Hickory	8	N. 86° E.		7 1/2							
Center of Sect.	10 x 10 x 8	2 Ash	10	S. 69 1/2° E.		7 1/2							

lat of Section 24 Township 17 North, Range Ind West, Hendricks County, Indiana.



CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
A Corner in the S.W. Corner of S.E. $\frac{1}{4}$.						
Beginning 80 rods E. of S $\frac{1}{2}$ mi. post.						
		Sugar.	125	N. 21 W.		14.
Thence N. with station						
		Hickory	24	N. 3 W.		21
Bearing 114 rods.						
		Poplar	4	West		38
Thence W. to about the W. line of the gr. by						
some other surveyor. Hornbeam.						
			5	N. 12 $\frac{1}{2}$ W.		22
Containing about 37 A.						
				Bk. C. p. 15.		
		H. Oak.	24	S 37 $\frac{1}{2}$ W.		60 $\frac{1}{2}$
S.W. Cor. relo. Small.						
		Do	4	N. 82 $\frac{1}{2}$ W.		70
$\frac{1}{2}$ mi. post on S. relocated from the old blue stump						
by splitting the growths off the stump, found place						
the ax mark.						
		Beech.	20	S. 33 $\frac{1}{2}$ W.		64
		Sugar	22	N. 28 $\frac{1}{2}$ W.		45-
		H. Oak.	24	N. 67 W.		75-
S.W. $\frac{1}{4}$ Cew. S.						
		Do	24	S 60 $\frac{1}{2}$ W.		85 $\frac{1}{2}$
Cew. S.W. $\frac{1}{4}$.						
		Sour Oak	24	S 73 $\frac{1}{2}$ W.		46
		Beech	18	South		63
N.W. Cor. relocated. 30x22. as much as three men can lift						
set even with surface, no witness trees in reasonable						
distance.						
Bk C. p. 84.						

Field Notes of Section 27 Township 17 North, Range Ind West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
15 - a. off N. side of S.E. 1/4. 15 pole mile by 160 long.							NE cor. of Sec 3	Stone protruding 1" above surface of road.					
S. E. Cor.	stone.	Sugar	10	N. 45 1/4 W.	45-			Concrete Post N 15.43' Wooden cor post S 15.87'					
N. E. Cor.	20 X 12	Thick	19	N. 88 1/4 W.	48			Wooden gate post N 30° E 20.42' Wooden end post S 30° W 20.50'					
S. E. Cor.	Stone	set. Old tree standing - 2 beech.	26	S. 71 E.	8 1/2		NW cor. of Sec.	Stone found at the depth of 2' below surface of road.					
S. E. 1/4 Cor.	36 X 14 in Birch.	Slippery Elm	18	S. 21 1/2 W.	43 1/2			Wooden cor. post N 20.35' Telephone pole S 75° E 57.40'					
N. E. 1/4 Cor. N.	15 X 10	P. Oak	22	N. 21 1/2 E	30.			Ash 18" S 56 E 51.22' Wooden cor post S 45° W 23.16'					
			24	S 20 W	5 1/2			Aug 21 1947					
				Tbk. C. p. 84.				Ophir Clay post.					

~~NE~~

NW corner

Corner post
Large Rock


North
S 45° W
31 1/2 l.
30 l.

NE corner

Concrete
Corner post

North
23 1/2 l.

Cor. S. of SW 4 - The red granite stone 9x13x19 lowered to depth of 6"
wit. stone 7x14x16 N 45 W 22.6 ft. wood cor. post
North 16.3 ft. Wood cor. post S 35° E 21.05 ft.
Power pole N 50° W 27.3 ft. The stone is 3 ft. east of
fence bearing northward.
March 22 1947
Stanley Shurtle



CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Joseph Elmer, the N $\frac{1}{2}$ of N. E $\frac{1}{4}$						
Div. line between		Hickory	9	S 40 $\frac{1}{2}$ W		27
Elmer and Elmer.		Buckeye	9	N. 20 E		22
		Beech	16	N. 37 E		16
Explicit.		Sugar	28	N. 56 W		28
				Bk. B. p. 225,		
N. E $\frac{1}{4}$ Cen. N.	28 X 16	Pin Oak.	18	N. 65- W.		34
		Some Oak.	21	S 85 $\frac{1}{2}$ E		26
				Bk. C. p. 84,		
S. $\frac{1}{2}$ Mi. part. rels. 14 X 8		R. Elmer,	20	N. 52 $\frac{1}{2}$ E		62
		Sugar	14	S. 30 W		69
		Beech.	24	S. 72 $\frac{1}{2}$ E		26
Cen. Sec. Round Stone 26.		Do	10	N. 54 W		17
		Is. Ash.	48	N. 23 E.		35-
E. $\frac{1}{2}$ Mi. part. relocated. 34 X 24		Beech	14	S. 71 $\frac{1}{2}$ E		35-
		B. Oak.	24	N. 24 E.		121
Cen. N. S. E $\frac{1}{4}$	14 X 8	N. Elmer.	8	N. 62 $\frac{1}{2}$ E.		91 $\frac{1}{2}$
		Poplar.	30	N. 68 W		28 $\frac{1}{2}$
Cen. S. S. E $\frac{1}{4}$	15 X 9 flat.	Beech	14	S 20 $\frac{1}{2}$ W		31.
Cen. S. E $\frac{1}{4}$	20 X 15-					
		Sugar	14	S 70 W		26
Cen. N. S. E $\frac{1}{4}$	14 X 3 flat.	Do	30	N. 40 W		25-
A corner for Phos. F. Marks on N. side of						
Sec. 28, T. 17, R. 7 West.		83 poles N. of $\frac{1}{2}$ Mi. part.				
		Beech.	26	N. 27 $\frac{1}{2}$ E		29
	18 X 8	Sugar.	24	S 85 E		59
		Elmer.	48	S 65- W		13
Cen. S. of N. W $\frac{1}{4}$ 12 in.		Is. Ash.	14	N. 69 $\frac{1}{2}$ E		21.
A corner 80 rods North						
of above one. 8 in. round.		Sugar.	14	N. 5- E.		52 $\frac{1}{2}$
		N. Oak	40	N. 58 E		115-
				Bk. C. p. 70		

Field Notes of Section 28 Township 17 North, Range Ind West, Hendricks County, Indiana

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Cor. 120 rds. + 12		the S. of Cen. N. of N.E. $\frac{1}{4}$.				
	24 X 16	VB Oak.	24	N. 14 N.	63	
		Hickory	18	N. 42 $\frac{1}{2}$ N.	67	
		Sugar	14	S 74 E	72	
Cor. 120 rds. 42 E. S. N. $\frac{1}{2}$ Mi.		VB Walnut	4	N. 29 E	106	

VBk C. J. 221.

Silas Russell A Survey for in Sect. 28, 29 & 32.

Beginning 32 $\frac{2}{3}$ rds. N. of Cen. E. of Cen. of Sec. 29.

Thence E. 134 rds to Cen. of Creek.

Thence S. 32 N. 18 rds. Thence S. 45 E. 14 rds.

Thence S. 10 N 7 rds. Thence S. 80 N. 12 rds.

Thence N. 2 $\frac{2}{3}$ rds. Thence S. 30 rds.

The point taking S. is 40 rds E. of $\frac{1}{2}$ mi. post.

Thence S. 45- N. 24 rds. Thence S. 16 rds.

Thence S. 19 -- 14 rds. Thence N. 74 N 14 rds.

Thence S. 84 N. 34 rds. Thence S. 8 N. 14 rds.

Thence S 63 N 14 rds. Thence S 27 N. 32 rds.

Thence S. 40 -- 18 rds. to a line of Sec. 13

R. 17 $\frac{1}{2}$ E. of $\frac{1}{4}$ Cor. Thence S. 40 -- 18 rds.

Thence S. 7 E 216 rds. Thence S. 42 N. 22 rds.

Thence S. 2 E 16 rds. Thence S 42 $\frac{1}{2}$ N. 20 rds

Thence N. 40 E. 10 rds. Thence N. 55-E. 19 rds + 3 L.

Thence N. 8 E 28 rds. Thence N. on line
158 $\frac{1}{2}$ rds. to the $\frac{1}{2}$ mi. post.

Containing by Estimation about 112 $\frac{3}{4}$ A.

VBk C. J. 298.

Hedge et. al. a Survey for Jan 21-1901.

C. H. Rolins & Chas. Ross sworn chainmen.

Cent. N. W. $\frac{1}{4}$ 17 X 5 X 6 $\frac{1}{2}$ Walnut Ash 50 N 9 $\frac{1}{4}$ E 50

Cent N of Cent 17 X 12 X 6 Walnut 10 N 14 N 48

W. F. Franklin Sur. H. Co.

Plat of Section 29 Township 17 North, Range 7th West, Hendricks County, Indiana.

[illegible]

Field Notes of Section 29 Township 17 North, Range Grid West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Grave yard. Beginning N. 32 W from a true Meridian. Variation (4'2) 92 rds from Cen							Geo. Hedge, Survey for, Trustee Col River Tp.						
S. S. E 1/4 (29), to N. side of P. Oak 20							3.15 ch. N. S. 1/2 W. stake. 4 X 12 X 16 Stone		S.				21
Thence N. 14 lks 10 X 12 on edge of Bluff.							Thence N. 20 rds. 6 X 12 X 20 Stone		S 30 1/2 W				26 1/2
Thence N. 75 E 14 lks. Thence S. 27 E 5 rds.							Thence S. 43 1/2 E. 3.45 ch. in road to						
" N. 8 rds.							6 X 10 X 14 Stone		S 8 1/2 E				24 1/2
" N. 71 1/4 E to Beginning Stone. 163 lks.							Thence S. 2.76 ch to Beginning = 1.22 A						
									J. H. Trotter. S. H. Co				
27.46 rds S. of Cen. on N. of N. E. gr.							Cen N of NE ⁺ Stone found at the depth of 7" below surface of Road. Wooden cor. post N 21.32' Wooden Cor. post S 45 W 29.15' Wooden Cor. post S 70 E 33.14' NW cor. of W header of concrete culvert S 5 E 39.96' NE cor. of S header of concrete culvert S 75 W 53.37'						
10 X 18 TB Walnut. 15- N. 9 1/2 W						43							
27.74 rds S. Cen. N. E 1/4							Cen E of Cen. stone found on S side of End fence post setting upright corresponds to size 11 X 18 given in Book C page 29. The above stone was in W road fence.						
10 X 12 Hickory				S 81 W		57							
							Cen of SE ⁺ Stone found in W road fence about 2' N of old cor. post E end post S 30 W 3' Elm 20" N 60 E 13.70' Elm 28" W 24.80'						
							NE cor of Sec. Stone found at the depth of 3" Wooden Cor post N 60 E 33.22' Wooden end post S 15.27' Tele. Pole N 15 E 52.18' Tele Pole N 60 W 45.52' Power pole (C3-122) S 45 W 21.95'						
							Aug 21 1947 Ophir Claypool						

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
N. $\frac{1}{2}$ mi. post.	107 lks. S. of the full corner.	Sugar.	22	S. 7 E.	20	
	12 x 15-	Beech	18	N. 16 $\frac{1}{2}$ E	24	
		Beech.	24	N. 5 $\frac{1}{2}$ E	33	
Cent. N. of Cent.	28 x 24	Poplar	26	S 37 $\frac{1}{2}$ W.	38 $\frac{1}{2}$	
Bk C. p. 13						
Part of N. $\frac{1}{2}$ of N.E. $\frac{1}{4}$. Commencing N. of N.W. Cor.						
of said N. $\frac{1}{2}$ 21 rods + 15 lks. Thence S. 52 E. 33 $\frac{1}{3}$ rods						
Thence S. 66 E 63 $\frac{1}{3}$ rods.						
Thence N. to Beginning						
Containing 25 A.						
Bk. C. p. 245						
Mill Lot. Survey for in N.E. Cor. of Sec.						
Commencing in Cranfordsville road						
		Oak stump.	40	S 16 W.	62	
	Premier. Ls		25	N. 37 E	68	
Thence N. 37 $\frac{1}{2}$ E. 3.50 lks						
A post from which						
		Sycamore	48	S. 21 $\frac{1}{2}$ W.	5 $\frac{1}{2}$	
		Sugar	6	S. 8 W.	18	
Thence N. 42 W. 8 ch. a post.		Beech	10	N. 59 W.	12	
Thence S. 37 $\frac{1}{2}$ W. 4.86 mi						
Road.	Post.	Elm.	10	N. 21 E	94	
Thence S. 64 $\frac{1}{2}$ E. 3.30.						
Thence S. 43 E 4.70 to Beginning.						
Estimated to contain three A.						
Bk. C. p. 137						

Field Notes of Section 30 Township 17 North, Range 9th West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Smith Russell Survey for.							Thence S. 135.8 lbs to another Cor. of Dennis.						
Beginning 5.40 ch. S. of N. $\frac{1}{2}$ mi put in the							Thence N. 20 rds. Thence S. 36 rds.						
line running N. & S. thro' Cen. of Sec.							Thence E. 20 rds to Beginning.						
Thence S. on Saw line							Containing 40 And a Cor. 53 $\frac{3}{4}$ rds North of						
47 $\frac{3}{4}$ ch. where.	Sugar	8	N. 51 $\frac{1}{4}$ W	13	Th. Oak. 36 N. 50 W 48								
	Beech	10	S 47 E	68 $\frac{1}{2}$	Th. Elm. 30 S. 71 W. 40								
	Sugar	10	N. 14 W	23	Bk C. p. 175.								
	As	6	N. 10 $\frac{1}{2}$ E	27									
Thence E. 20 ch, 5 X 7					L. & F. Russell. Part of S.E. $\frac{1}{4}$ of N.E. $\frac{1}{4}$ + pt. of N.E. $\frac{1}{4}$ of p. 28 $\frac{1}{2}$.								
Thence N. 33.83 ch. 12 X 16	Beech	9	S 23 W	54	Commencing - - - Thence S. 68 rds + 20 lbs.								
Thence N. 47 W. 25 lbs.	Buckeye	9	S 3 W	65	Thence N. 38 $\frac{1}{4}$ E. 61 rds to Cen. of State Road,								
Thence N. 13 lbs	Beech	14	N. 6 $\frac{1}{2}$ E	42	Th. Oak 136 S. 44 W 68								
Thence N. 61 W. 15.83 ch.	Sycamore	6	S 68 $\frac{1}{2}$ W	41	where 12 X 16 Th. Walnut 10 S 80 $\frac{1}{2}$ W 177								
Thence N. 46 $\frac{1}{4}$ W. 10	Beginning.				Thence N. 51 $\frac{3}{4}$ W. 45 rds + 15 lbs to Beginning.								
6 X 10	Th. Oak	40	N. 52 $\frac{1}{2}$ E	41	Containing 6 $\frac{1}{4}$ A.								
	As	10	N. 65 W.	43									
	Elm.	14	S. 29 W	47	Bk C. p. 233.								
Cen. of Sec.					X 60 rds. N. of Cen. W. of Cen.								
Containing Eighty three A - - more or less.					Th. Walnut 4 S 76 W 8								
					12 X 18 Th. Oak. 10 N. 85 E 72 $\frac{1}{2}$								
					Bk. C. p. 147.								
Commencing 7 $\frac{1}{2}$ rds	N. of Cen. S. of S.E. $\frac{1}{4}$				N. from Cen. Sec. 60 rds 10 X 12. Th Burr Oak 16 N. 65 E 83								
Thence E 20 rds. 6 X 8	Oak.	36	S. 62 E	18									
Th. N. 135 rds + 20 lbs	4 X 8 Hickory	16	S 40 $\frac{1}{2}$ E	17 $\frac{1}{2}$									
Th. N. 47 W. 53 rds + 20 lbs	to Cor. of Dennis.				Cen. Sec. relocated by witness + a survey by								
	Beech.	9	S 23 W	54	running both maps.								

Field Notes of Section 30 Township 17 North, Range 7th West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
		Good 20x30. Small Ash.	2	N. 86 E		27							
12 1/2 rds. S. Cor.	12 x 20	Stone N. of line		12 1/2 rds.		Thence							
S. 38 5/10 rds.													
Thence N.	43 4/10 Rds.												
Thence N.	38 8/10 rds.												
Thence W.	43 4/10 rds	to the place of beginning.											
Chick and Barber - A survey for.													
1 1/2 Rds. N. of Cor. N. of N.E. 1/4		Lycamore	14	S 66 E		63 1/2							
	12 x 15 x 20	Tree	14	S 8 E		12 1/2							
1 1/2 rds N. of N.E. Cor. Sec. 30.		Ash.	15	S 1 1/2 E		148							
	12 x 15 x 18	Elm	6	S 37 N		83							



CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
John Richardson						
S. W. 1/4 & N. E. Cor.		Beech.	22	S. 74 W.		56
		Buckeye.	6	S. 43 E		30
				Bk. B. p. 232.		
Cent. of Sec. 14 x 10		Cherry	11	S. 17 1/2 W		49
		N. Walnut	10	S. 45 E		88
Set up from Greys stump witnesses.						
Cent. N. of Cent.	20 x 10 well set.	S. E. Cor. of fence.		S. 50 W.		33 1/2
		Sugar	15	S. 23 E		84
Cent. N. W. 1/4	10 x 19.	Beech	15	S. 2 1/2 E.		53 1/2
		B. Oak.	15	S. 19 W.		12 1/2
Cent. E. of Cent.	12 x 15	N. Walnut.	12	S. 73 E.		46
				Bk. C. p. 73.		
Silas Russell A survey for.						
Beginning at the N. E. Cor. of N. 1/2 of N. E. 1/4						
Thence S 3 1/4 W 28 poles S. Ack. 18 in. Corner.						
Thence S 49 W. 19 poles + 7 lks. Sugar 22 in. Cor.						
Thence S. 36 W. 10 poles to N. side of State Road						
leading from Danville to Crawfordsville.						
Thence S. 49 E 18 poles N. bank of N. fork of Coal River.						
Thence N. with main of said Creek. 56 poles to the						
line dividing the N. E. 1/4 N. & S. Mrs. Ann.						
Thence N. with said line 10 poles + 20 lks. to Beginning						
Supposed to contain 2 a. but lot to State road.						
				Bk. C. p. 114.		

Field Notes of Section 22 Township 17 North, Range 5th West, Hendricks County, Indiana.


[illegible]

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Beginning at a point which is 55 rods E. & 52 rods N. & 49 rods N. 14 E. from Cen. of Sec. in the Cen. of the Crawfordville road and in the Creek. Which point is 25 lbs N. 3 E from a good stone buried in the gravel & thence (variation of 4° allowed for). Thence S. 28 E 8 rods; thence S. 52 E - with the N. side of the road - 242 lbs; to the Cen. of the road at the bend; thence S. 79 E. in line with a tree 76 rods; thence S. 67 E 216 lbs to the Sec. line; thence N. with the Sec. line. 90 ⁸⁸ / ₁₀₀ to Sec. Cor; thence N. on E. line of Sec. 29. - to the Cen. of Creek. 66 rods; - thence N. 83 W. with Cen. of said creek - 14 rods; thence S. 63 W. 10 rods; thence N. 64 W. 90 lbs. thence S. 74 W. 100 lbs; thence S. 200 lbs; thence S. 38 W 100 lbs thence S 61 W. 16 rods; thence S. 22 W. 20 rods; thence S. 32 1/2 W. 22 rods. thence S. 44 1/2 W. 12 rods, thence S. 21 W. 12 rods. thence S. 15 E, 12 rods. Thence S. 51 W 26 rods, thence S. 5 E. to Beginning 13 1/2 rods.							Geo. Hedge and Jesse Davis. Survey for. Beginning at N.E. Cor. of N. 1/2 N.E. 1/4. Thence S. 4 1/2 W (at pt of needle) 7 chains to Elm 18 S 69 1/2 E (needle) 72 1/2 4 x 20 x 24 Stone S 17 1/2 E (") 42. Thence S 53 W (at pt of needle) 4.82 ch. to old cor 4 x 8 x 18 Stone S 44 W 31 Thence S 38 W (needle) 2.50 ch. to a 4 x 8 x 24 Stone N. 43 1/2 W. 43 1/2 Thence N. 44 W 6.14 ch. to school-house lot. " N. 44 1/2 E 4.16 " " N. 44 W. 2.22 1/2 " " S 44 1/2 W. 4.16 ch. to E. line of N. E. & L road. " N. 44 W. 8.16 " " Sec. line. " E. 17.92 1/2 ch. to Beginning. 7 rods & 15 lbs. E. of N. 1/2 mi. is a Black Walnut. 18 N. 14 1/2 E 90 6 x 7 x 18 Rock. S 40 W 40 J. H. Trotter. S. H. Co.						

Field Notes of Section 32 Township 17 North, Range 1st West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
47 A.				Beginning at a point 55 rods E. of		
				Cor. of Sec 32. Thence N. 52 rods: to a stone		
				found in the Field notes: thence N. 14 1/2 E. by		
				the old line 49 rods: (as found by an old Mt.).		
				Reintroduced by a good stone. S 3 N. 25-		
				Thence S. 28 E. from true meridian. 8 rods to		
				N. side of the road at the E. End of the bridge		
				Thence S. 82 E. 24 1/2 lks. to the Cor. of road:		
				Thence S. 79 E. with cent. of road. 76 rods.		
				Thence S. 67 E. 216 lks. to Sec. line.		
				Thence S. with said line 69 rods. to the E. 1/2 Mi. stone		
				Thence S. with Sec. line. 80 rods to the Cor. on E.		
				of the S.E. qtr. of said Sec.		
				Thence N. to Cor. of the said S.E. qtr. Sec. 80 rods.		
				Thence N. 24 rods to the E. side of Creek.		
				Thence N. 33 5-Rods: thence N. 56 E. 11 rods.		
				Thence N. 25 E. 14 rods: thence N. 12 rods,		
				Thence N. 48 E. 4.8 rods to line running N. & S. thro		
				Cor. of said S.E. 1/4 Sec.		
				Thence N. to Cor. E of Cor. of said Sec.		

Thence N. 25 1/2 rods. to place of Beginning
 Estimated to contain 97 A. more or less.



CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	L.K.
S. 1/2 Mi. post found by measurement just where two beeches agree with old field notes except the marks & bearing	Beech	18	S 71 N	27		
	Do	24	N. 37 1/2 E	70 1/2		
Cen. S. of S.E. 1/4 66 lbs. N. 1/2 post on the S.						
	24x28 Beech	24	S. 58 1/2 N	64		
Cen. N. of S.E. 1/4 15x30 Hickory		36	N. 72 E	40 1/2		
For Blake E 1/2 of S.E. 1/4; also N. 1/2 of S.W. 1/4 of Sec. 34 9.14 2 N.	Sugar.	18	S 48 N	31		
Cen. N. of S.W. 1/4 24x16	Do	10	N. 2 N	36.		
	Beech.	24	S 72 N	29		
Cen. S. S.W. 1/4 18x24 Round Elm		26	N. 69 E	23		

Bk. C. p 45-

Commencing in the Cen. of Crawfordsville Road on the division line of the N.W. 1/4. Thence N. on said line 10.32. post for which Hickory 15- S 45 1/2 N. 70
Do 18 N. 65 N 40

Thence S 86 1/2 N. 8.09 Thence N. 3.90 to Road.

Thence S. 67 1/2 E. 1.45 Thence S. 57 1/2 E. 10.20 to Beginning.

Estimated to contain 6 2/100 A.

Again commencing 44 lbs. N. of Cen. on S. of N.W. 1/4. Thence S. 48 1/2 N. 4.26 to N. Oak 25 in.

Thence S. 86 1/2 N. 1.63. to sugar 10 Thence S. 59 1/2 N. 5.20

Field Notes of Section 33 Township 17 North, Range Two West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
to		Sugar	20.				following Variation) (78 1/2) by needle 1						
Thence S. 50 1/2 W. 5.70 to Hickory			18				Thence N. 68 E. 80 rds + 9 lks. to E side of						
Thence S. 78 1/4 W. 5.70 to							road to a pt 44 lks N. of S. line of the 1/4 Sec.						
Section line, a post. Hickory.			6	S. 80 W.	3-		Stone 12x20 S 45 E 63						
Thence S. on said line 1.73 lks. Thence							8x15 B. Walnut 12 S 42 E 175-						
E. with Sec. bearing 20.10 lks. to division line							Thence N. 97 rds to Sec. line to a pt S. of						
of the "4". Thence N. on said line 10.44 to							the Cranfordsville Road. The E. line was agreed						
the Beginning Estimated to contain 12. 5/100.							upon by the parties. See plat Back of Bk.						
						Bk. C. p. 137.							
Cent. E. of S. N. 1/4.							A Description of a Survey made for J. H. Campbell.						
Post. Ash.			20	S. 15-E	78		To mt - Beginning 44 lks. N. of the S. line of						
Cent. n. E. of N. N. 1/4.							S. E 1/4 of N. N. 1/4 of Sec. 33. in the N. edge						
Post. Oak.			8	N. 8 1/2 E	62		of the Cranfordsville ^{state} road						
Post. Hickory			16	S 56 1/2 W	77.		Good stone. S. 45 E 63						
						Bk. C. p. 136.	6x18 B. Walnut. 12 S. 42 E 175-						
For J. H. Campbell.							which point was agreed upon by Sec. Fleck &						
Beginning at a pt on Sec. line 102 1/2 rds. S.							J. H. Campbell: the old deed being wrong.						
of the crossing of said line & Cranfordsville							Thence S. 68 W. (from a true meridian) 80 rds + 9 lks						
State road at Hickory tree; thence N. 83 1/2 E							to a Hickory stump. Else. 8 N. 78 1/2 W 30						
3.80 chains to Hickory stump. (Variation 4 1/2 E)							Thence S. 83 1/2 W. 230 rds. to the Sec. line						
Witness to Hickory stump Else.			8	N. 74 W.	30		to a Hickory.						
							Thence N. 32 1/2 rds. to a point on Sec. line						

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
in the Center of Crawfordsville State road. Cairman, Stevens, Young & Cramer. A Survey for.							Thence S 89 E. with the Center of said road - 5 ch. E. of Cen. S. of S.E. 1/4 Sec. 33 is						
50 rods: To the N. line of a 6 2/100 A. tract des-							10 x 12 x 18						
cribed in the field notes: thence North 14 1/2 E. S.E. Cor. Sec. 10 x 15 x 16							found by running and measuring						
with said line 15 3/10 rods: thence N. 86 1/2 E. by							Thence N. 4 ch. to stone						
old survey 809 chains: thence N. to Center of							6 x 10 x 12						
said N. W. 1/4 Sec.: thence E. to the Cen. on							Thence N. 2.50 ch. to a stake,						
E. of said gr. Sec: thence S to the Cen. of							" N. 3.50 ch. 10 x 14						
said Sec: thence W. to a point in the							" " 60 ft. 8 x 12						
Crawfordsville State Road crossed by the S.							May, 14, 1894,						
line of said N. W. gr. Sec: thence N. 44 the							J. W. Prother S. H. Co.						
to place of Beginning.													
Estimated to contain 80 1/3 A. in all.													

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
----------	--------	----------	-----	-----------	-----	-----	----------	--------	----------	-----	-----------	-----	-----

Survey for Saml Barber, Now David Barber
 But Robbins Et al. Barber, Landman Robbins
 present. No notices given.
 S.E. cor. Sec. 33 not found. Located same as follows:-
 Run at stone at S.E. cor. of measuring
 N. to S 1/2 M. stone - distance 40.45 chs 3/4 cent. N. from
 S 1/2 mi. stone 40.45 chs. Run,
 again at S 1/2 mi. stone 33 measuring E. 20.077 chs to
 stone Run S. of S.E. 33 & continuing
 E. 20.077 chs. Finding the two measurements lacking
 about 1/2" of coming together.
 Established Cor. to Sec 33 & 34 in accordance
 with such measurements by
 extending a line from S 1/2 mi stone to the
 Run, on S. of S.E. 33 to point of
 measurement. To line used in 34. In absence of other
 evidence the above mode being
 theoretically locate Cor. for 33 & 34 nearer in
 accordance with old corner
 than any other way.

Set Stone 13 x 20 Cor 33 & 34 - Kil. Stone on S. side road
 used as footing for fence brace 27 1/2 L.
 Stone Well set on E. side of road 15 1/2 L.

Paul & I measured line from N.E. cor 33 to S.E. cor 33
 distance 80.31 chs Set Iron
 pin 30" long for Cent. E. of S.E. at point 20.07 3/4
 Chs N. of S.E. cor. 33.
 John C. Kain S.H.C.

SE cor sec 33 - dug for 1 1/2 days without finding the
 stone. Found Kain's old witness stone under
 the brace for fence post but couldn't find the
 other stone 158 links northward. Due to
 lack of ability to scribe arcs from two witnesses
 it is possible that the stone still exists
 and that I dug in the wrong spot.

Center S of SE 4 - Large but poorly marked stone found about
 51.7 feet westward of a stone at the N 1/2
 mile of sec. 4-16-24. Rewitnessed as follows:
 Elm 4" N 5° E 7.4 ft.; Elm 10" N 4° E 15.5 ft.;
 SE corner brick foundation house N 45° E 76.8 ft.
 13 July 1945. Stanley Shurtle.

Plat of Section 34 Township 17 North, Range 5th West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
N. $\frac{1}{2}$ Mi. post Relocated.		Hickory.	8	S. 74 W.		5-0
		Sugar	28	N. 25 E.		4-2
		Walnut	6	N. 46 $\frac{1}{2}$ W.		2-6
E. $\frac{1}{2}$ Mi. " rel.	10 X 12	Do	5-	S. 68 W.		2-8
		Poplar.	38	N. 19 E.		17-8
Cor. of Sec.		Beech	18	N. 25 W.		14 $\frac{1}{2}$
		Beech.	15-	N. 80 $\frac{1}{2}$ E.		3-4
Thence N. 53 $\frac{1}{3}$ poles.	9 X 15-	Sugar	10	N. 7 E.		1-6
Thence E. across the		$\frac{1}{4}$ cut 6 $\frac{1}{4}$		$\frac{1}{3}$ of the distance up the		
		Beech	18	N. 4 W.		3-2
E. line.	8 X 10	Do	18	S. 62 $\frac{1}{2}$ W.		4-1
Thence N. 53 poles + 11 lks		Hickory	12	N. 79 E.		4-6
or $\frac{1}{3}$ of $\frac{1}{4}$	9 X 10	Beech	18	S. 9 W.		4-2
Thence W. dividing		Beech	12	N. 77 $\frac{1}{2}$ W.		2 $\frac{1}{2}$
the $\frac{1}{4}$ $\frac{1}{3}$ do	12 X 20	Sugar	24	S. 66 E.		4 $\frac{1}{2}$
				Bk. C. fa	29	
S. E. Cor.	36 X 18	VB, Walnut.	8	West		5 $\frac{1}{2}$
		Conc. Cor. Post		South		24'-0"
South half mile	18" X 22" X 37"	" " "		S 40° W		16'-6"
Stone lowered	(8" under Ground)	Utility Pole		North		17'-9"
9/10/41 by						
M. Newman Dept. Sur.						

Field Notes of Section _____ Township _____ North, Range _____, Hendricks County, Indiana.

[illegible]

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
E ½ of N.E ¼ S. H.		Beech.	20	S 80 W		17
Cor. Cw. S.		H walnut	28	N. 66 E		31.
		H. Oak.	18	N. 84 W.		16
Cen. N. of N.E ¼		Beech	6	S 71 E		9
		Beech	18	S 38 E		14
Cen of N.E ¼		do	7	N. 85- W		33
Cen. N. of N.E ¼ +		Beech.	15-	N. 45-E		19
E. of N. W. ¼		W. Ald	20	N. 65- W		14
Cen. on E. side of		Beech.	20	S 68 W		17
N.E. ¼		H walnut	28	N. 86 E		31.
				Blk. B. p.	236	

Nathan Davis' Estate. Survey for.
The S. $\frac{1}{2}$ of Sec. 36 T. 14 R. 2 W. & N. $\frac{1}{2}$ of S. W. $\frac{1}{4}$ of Sec.
31, T. 14 1 W. & N. W. $\frac{1}{4}$ of Sec. 1 T. 16 2 W. also S. E. $\frac{1}{4}$ of
S. E. $\frac{1}{4}$ & N. W. $\frac{1}{4}$ of S. E. $\frac{1}{4}$ of Sec. 1 T. 16 2 W. & S. E. $\frac{1}{4}$ of
Sec. 7. T. 14 1 W in Boone County.

S. W. Cor. Sec. 36 relocated from one stump.

S. W. Cor. is S. 25° E 4 lks. S. E. Cor. of the tract on
the Town line is East side of a poplar stump
in the road. R. Oak 12 N. 55° E 32

Field Notes of Section 36 Township 17 North, Range 7nd West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
$\frac{1}{2}$ mi. post E. of Sec. 36 relocated from stumps. Hickory 24 N. 53 E 15- Walker Davis' Share. Over his advancement in 16 poles + $4\frac{1}{2}$ lks off the N. of S $\frac{1}{2}$ of Sec. 36 as above.							William Davis' Portion. 40 rods on Acres off the E. end of the five' Hickory 12 N. 47 $\frac{1}{2}$ W 26 Elm 15 S 8 $\frac{1}{2}$ E 32 Lynn 20 S 36 W 26 $\frac{1}{2}$ H. Oak. 40 N. 31 E 47						
S.E. Cor.		Sugar.	12	N. 20 E		23							
		Do	14	S 62 $\frac{1}{2}$ E		43							
		B. Oak.	40	S. 83 W.		57 $\frac{1}{2}$							
N.E. Cor.		Hickory	15-	S 6 W		43							
Walker has also 30 feet N. of the Widow or E. of Hunt and on the N. of Hunt for to turn the Road.							The 140 A. W. of this to the Widow divided E. + N. 65 on the S. + 75 on the N. The S. 71 poles + 11 lks on N. 85 p. + 7 lks. Beech. 20 S 65 E 29.						
Walker has also 30 feet N. of the Widow or E. of Hunt and on the N. of Hunt for to turn the Road.							E. Cor. between Frankline + manor S. Oak. 12 N. 39 $\frac{1}{4}$ W 23-						
Thence E. 39 poles + $15\frac{1}{2}$ lks. to the Widow's and youngest Henri							Thence E. West. at $5\frac{3}{4}$ var. to 74 poles + 6 lks + 83 p. + 7 lks. 140 poles B. Oak. 36 S 58 E 114. N.E. Cor. of Fractional $\frac{1}{4}$ Sugar. 28 S 16 W. 26 $\frac{1}{2}$ Ash 10 N. 14 W. 42 $\frac{1}{2}$.						
H. line + N. W. Cor. of Dome. W. Oak 24 N. 42 E 24 Do 24 N. 37 $\frac{1}{2}$ E 54							John Davis 80 off the S. end of the $\frac{1}{4}$ and N.E. Corner. Ash. 10 S 57 W 21						
S. W. Cor. 4 poles + 15 lks. Hickory 12 N. 48 E. 19 N. of S. Sec. Cor. Sugar 18 S. 62 $\frac{1}{2}$ W. 78							John's 80 being 150 $\frac{1}{2}$ E + N. Hickory 22 N. 11 E 31 Chest 1 S 89 W 49 Poplar. 30 N. 4 $\frac{1}{4}$ E 12 $\frac{1}{2}$ Beech 20 S 50 $\frac{1}{2}$ W. 22 $\frac{1}{2}$						
Dome + younger Henri portion. Thence East 145 - 80 $\frac{3}{4}$ poles N. + S. + N. W. Cor. poles.							Center of the fraction. Beech 20 S 50 $\frac{1}{2}$ W. 22 $\frac{1}{2}$						
S. E. Cor. Ash. 12 S. 70 E 12.							Thence S to Cen. on						
N. E. Cor. Dome. 10 x 24 R. Oak. 26 S 50 $\frac{1}{2}$ W 25-							John's N. line. Beech 20 S 50 $\frac{1}{2}$ W 22 $\frac{1}{2}$ Lynn 10 N. 17 W 28 $\frac{1}{2}$						
							The N. line of the fraction N. of John is 116 poles						

Field Notes of Section 36 Township 17 North, Range Ind West, Hendricks County, Indiana.

CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.	CORNERS.	STONE.	WITNESS.	DR.	BEARINGS.	CH.	LK.
& the E. line is believed to be about 117 1/2 poles. The Madison portion and those of Lee minor children is 145 A. as above described. Hunt's West of the Willow. Flora's 60 A. on the N. in Boone County & 40 E of Plummer, Quincy 100 A. on the E. in Boone. Catharine, the N. fraction N. of John & Jay back \$50. Halter 16 1/3 Acres on the N. & privilege out stunts. E. line for road. William Davis 40 Acres, the E. of Lime tract & 40 A. N. of Plummer. W.R. & F. Davis 65 A. on the S. between William and the Willow. Francis M. Davis North of Frank- lin 75 A. Susan Davis the E. fraction N. of John & Jay back \$10. John gets none. & 20 acres goes to the youngest boys. Bk C. p. 46							N. Davis, (Deceased). Estate. A Survey for. S.E. Cor. of Dover or 140 rods, E. of S.H. Cor. Relocated from stumps of old witnesses, and Set by Roger Stone. P. Oak. 30 N. 59 1/2 W. 60 Thence N. 75 poles to V.B. Oak. 6 S 21 1/2 E 64 1/2 Well set Stone. Do 4 N. 16 E. 27 1/2 Thence E. at 5 1/2, Variation to within 40 rods of E. line V.B. Oak 30 N. 61 W. 86 of the S. 20x14x10 S. Oak 15 S. 1/2 W. 34 W. Oak. 38 N. 51 W. 42 N.W.C. of 40 R. or acres mulberry 121 S. 59 E. 128 1/2 mi. E. of 36 old roots of Hickory Whit. V Beech. 24 N. 48 W. 68 Stone. V.B. Walnut. 6 North. 87 Cen. W. Cor. of Sec. 31 T. 17 N. 20x10x18 Cen. E. of N.E. 1/4 of Sec. 36. T. 17 - 2 W. Elm. 26 N. 28 1/2 E. 214 15x12x8 Walnut Stump. 30 N. 82 E. 29 Thence N. 58 Rods. to set off 29 A. 24x12x9 V.B. Walnut. 2 S. 1/2 W. 30 Thence E. across the 40 15x16x9.						

Field Notes of Section 36 Township 17 North, Range 9nd West, Hendricks County, Indiana.

Public or County Roads in Township 17 North, Range 10 West, Hendricks County, Indiana.

DIRECTION.	WITNESS.	DR.	BEARINGS.	CH.	LK.	DIRECTION.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Road in N.W. Cor. of the Co. W. from Carter Mill.						Thence S. 9 poles + 5 lks. with the line to Cor.					
Beginning at S.W. Cor. Sec. 18 T. 7. R. 2 W.						" N. 81 poles with the line					
Thence E. 149 1/2 poles on line. Sugar.	20	S 81 E	9			" N. 7 1/2 poles to the Montgomery Corner.					
" N. 79 E. 38 "	Sugar.	20	S 76 E	51		Being 18 poles longer than is now used.					
" N. 89 1/2 E. 19 "	Ash.	6	S 21 W	30		Bk. C. p. 45.					
" S 47 E 7 1/2 "	An old sugar root - the Cor.					Road, Beginning at the Cor. of Sec. 27, 28, 33 & 34,					
" E. 51 3/4 f. on line to 1/2 mi. post						Thence E. one sec. line 1 mi. + 18 poles.					
" E. 1/2 mi.						" S. 81 E. 10 poles.					
" E. on line 67 f. (about)	Beech	15	N. 60 W	6		" N. 74 E. 11 " to the first line.					
" S. 84 E 24	Elm.	12	North	3.		" E. 204 f. + 30 lks. to Spears N.E. Cor.					
" N. 57 E. 3 poles to Sec. line.						" N. 240 poles with Sec. Bearing					
" E. 67 f. to 1/2 mi. post.						" N. 6 poles extending the line to the Co.					
" E. 235 poles on line to Road at Carter Mills.						Road leading from Danville to Jamestown.					
Distance nearly 3 1/4 miles.						Bk. C. p. 77.					
Jonathan Cartwright's Road. N.W. Cor. of Co.						Road. Beginning in Crawfordsville & Indiana's old					
Beginning on the N. line Sec. 16, T. 17 N. R. 2 W.						State Road.					
85 poles E. of 1/2 mi. post. Ash	30	N. 85 E	14.			Beginning in the State Road leading from Craw-					
Thence N. at 5' Variation. Thence at 7 1/2 Variation;						fordville thru Jamestown to Indiana's pole.					
" at 7 Var. to N.E. Cor. Sec. 18. as far as the						Hickory 22 S 5 E 350					
road. (Balance in Borne).						Thence N. on land dividing the lands of Jas. Alvey					
Thence S. at 6 variation 88 f. Beech.	18	S 14 E	63.			and James Isower & the lands of Jesse Hendricks. &					
" S 68 W. 78 poles. Beech.	15	N. 75 W.	41.			James Caldwell and the line of David Boatright (Deid.					
" S. 46 W. 11 "	Sugar	10	S 18 E	42.		& Samuel Penny & Washington Hill, 1 mi. to the					
" S 82 1/2 W 40 "	Beech.	18	S. 4 E	60		Mouth of the lane or a point due E. of said					
" S. 70 W. 121 "	To Rank's E. line.					Penny's lane.					
" S. 83 W. 80 " + 15 lks. Rank's proposed change						Thence S. 86 1/4 W. 80 poles thro said Penny's lane,					
beginning at his E line Beech	18	S 25 W	50			to Range line between Range 1 & 2 West.					
						WB. Walnut 20 S 89 W sp. + 16.					

[illegible]

Public or County Roads in Township 17 North, Range 1st West, Hendricks County, Indiana.

DIRECTION.	WITNESS.	DR.	BEARINGS.	CH.	LK.	DIRECTION.	WITNESS.	DR.	BEARINGS.	CH.	LK.
Ch. lks. East. On Random between Secs. 17 + 20.						Ch. lks. East. On Random between Secs. 8 + 17.					
40.00 Set gv. sec. post.						40.00 Set temp. gv. sec. post.					
80.52 Intersected N. + S. line 7 lks. N. of post.						80.57 Intersected N. + S. line 35 lks. - of post.					
West. Connected between Secs. 17 + 20.						West. Connected between 8 + 17.					
40.26 Set gv. sec. post R. Oak		36	S. 60 E.		12	40.28 1/2 Set gv. sec. post Walnut		20	N. 7 E.		10
from which V Beech		14	N. 50 W.		30	from which V Buckeye		6	S. 50 W.		31
80.52 To section corner.						80.57 To section corner.					
West. V Between Secs. 18 + 19.						West. V Between Secs. 7 + 18.					
28.85 V Beech		12				25.10 W. Oak		4			
38.00 V Brook 4 lks. wide. C. S. W.						40.00 Set gv. sec. post Sugar		14	N. 31 E.		9
40.00 Set gv. sec. post Sugar		20	S. 4 E.		3	from which Red		15	S. 63 E.		19
from which V Beech		12	N. 5 E.		14	R. Oak		24			
65.20 V Beech		15				80.62 Intersected W. Boundary		150	lks S. of post,		
65.30 V Brook 4 lks. wide. C. S. W.						where set post cor. to Secs. 7 + 18. from which					
80.58 Intersected W. Boundary		133	lks. S. of post.			Beech		12	S. 32 E.		
set post cor. to Secs. 18 + 19 from which						Sugar		8	S. 21 W.		4
Hickory		24	N. 41 E.		7						
V Beech		16	S. 30 W.		25						
North. V Between Secs. 17 + 18											
15.17 R		30									
40.00 Set gv. sec. post W. Oak		12	S. 65 W.		9						
from which Elm		18	N. 15 W.		19						
64.85 W. Oak		24									
80.00 Set. post. cor. to Secs. 7, 8, 17 + 18 from which											
Sugar		14	N. 81 E.		27						
Red		10	S. 47 W.		21						

Surveyed July 1st 1870.
By J. Collett & J. S.

