


N¹/₂ 8-16-2W ROBT. HAMILTON

July 8, 1976

B	0°00'10"09	09°5	00.0
C	106 38 44 45	44°5	35.0
D	232 38 08	08.0	<u>58.5</u>
F	235 11 00	00.0	<u>50.5</u>

G Obscured

~~H 297 51 26 26.0 16.5~~

100°38'35" on July 8, 1976
 106°38'30" on July 14, 1976
 mean = 106°38'31" (106°38'31"8)

(3641.2680)
 1000.0000

(664.345)

(3629.5974)
 2328.6428

(589°29'48".2E 1328.69')

(664.345')

(3635.4327)
 1664.3214

(N 52°45'35"1W 827.240')
 N 52°45'35"1W 827.240'
 827.24' on July 8, 1976
 827.24' on July 14, 1976

(3194.5421)
 1650.4769

(N 8°32'26".3W)
 54.49'

(N 53°52'56".7E 829.495')
 N 53°52'55"E
 829.51' on July 8, 1976
 829.48' on July 14, 1976
 (829.495') mean

(3140.6563)
 1658.5693

(N 0°02'16".0E 2641.23')

(565°05'41".4W 230.33')

NOT used

(3043.6003)
 1449.6501

2923.6502
 1649.3946

(52°25'15".4W 217.20')

(N 0°07'34"W 2129.08')
 N 0°07'32".6W 2129.090'

(125°59'23".5 on July 8, 1976)
 125°59'38".0 on July 14, 1976
 mean = 125°59'31".3"
 125°59'30".17

(2680.6582)
 5091.2118

ABED: $\frac{1}{171,362}$
 e = 0.0365'
 p = 6260.94'

(Assumed meridian)

South 2641.268'
 South 2641.28'

127°22'01".5 on July 8, 1976
 127°21'52.0 on July 14, 1976
 127°21'57" = mean
 (127°21'57".5)

89°44'55"
 1000
 1000

89°00'02".
 (N 89°00'01".7E 663.342)
 N 89°00'02"E 663.34'
 (589°29'55"E 662.605')

90°52'24"

(994.2017)
 1662.5796

(1011.5714)
 1663.2411

(1987.215')

(N 64°02'18".4E 3812.72')

(974.7176)
 4979.1087

(53°45'34".9W)
 1709.62'

E 2 Mi. Stone 8-16-2W

Stan:

Katherine and I went to
Dumville this morning. We got
the deed, had it recorded. So
we did work in a hurry

I appreciate your interest
in the project and thank
you very much

Bob

RE: Mr. Robert B. Hamilton

Legal Description of Real Estate

A part of the West Half of the West Half of the Northeast Quarter of Section 8, Township 16 North, Range 2 West, Hendricks County, Indiana, described as follows: Commencing at a stone at the southwest corner of said quarter section; thence North on the west line of said quarter section 1927.00 feet to a point which is on the north line of a certain 43.12-acre tract of land described in a warranty deed dated September 26, 1949, and recorded in Deed Record 160, page 557, in the Office of the Recorder of Hendricks County, Indiana, which point is also 714.27 feet South of a stone at the northwest corner of said quarter section; thence South 89 degrees 44 minutes 55 seconds East on the north line of said 43.12-acre tract of land 438.40 feet to the point of beginning of this description; thence South 89 degrees 44 minutes 55 seconds East on said north line 225.45 feet to the east line of said half-half-quarter section; thence North 0 degrees 02 minutes 16 seconds East on said east line 270.45 feet to a pipe; thence West 225.63 feet; thence South parallel with the west line of said quarter section 269.47 feet to the point of beginning; containing 1.40 acres, more or less. The west line of said quarter section is an assumed meridian to which all bearings herein refer. Subject to all legal highways, rights of way, and easements.

The foregoing property is subject to all recorded and unrecorded contracts, easements, right-of-ways, alleys, roads, streets, and highways which may affect same by specific limitations or reservations not herein described.

Given under my hand and seal this 19th day of July, 1976.



Stanley M. Shartle
Stanley M. Shartle, Registered Land
Surveyor No. 3431, State of Indiana

RE: Mr. Robert B. Hamilton

Legal Description of Real Estate

A part of the West Half of the West Half of the Northeast Quarter of Section 8, Township 16 North, Range 2 West, Hendricks County, Indiana, described as follows: Commencing at a stone at the southwest corner of said quarter section; thence North on the west line of said quarter section 1927.00 feet to a point which is on the north line of a certain 44.61-acre tract of land conveyed to Carl J. Booker and Flossie H. Booker, husband and wife, on November 26, 1949, by virtue of a warranty deed recorded in Deed Record 161, pages 2 and 3, in the Office of the Recorder of Hendricks County, Indiana, which point is also 714.27 feet South of a stone at the northwest corner of said quarter section; thence South 89 degrees 44 minutes 55 seconds East on the north line of said 44.61-acre tract of land 438.40 feet to the point of beginning of this description: thence South 89 degrees 44 minutes 55 seconds East on said north line 225.45 feet to the east line of said half-half-quarter section; thence North 0 degrees 02 minutes 16 seconds East on said east line 270.45 feet to a pipe; thence West 225.63 feet; thence South parallel with the west line of said quarter section 269.47 feet to the point of beginning; containing 1.40 acres, more or less. The west line of said quarter section is an assumed meridian to which all bearings herein refer. Subject to all legal highways, rights of way, and easements.

VOID
7-19-76

The foregoing property is subject to all recorded and unrecorded contracts, easements, right-of-ways, alleys, roads, streets, and highways which may affect same by specific limitations or reservations not herein described.

Given under my hand and seal this 17th day of July, 1976.



Stanley M. Shartle
Stanley M. Shartle, Registered Land
Surveyor No. 3431, State of Indiana

157/132-9 Mc Nabb to Robt. B. & Katherine S. Hamilton $\frac{1}{2}$ int. & Floyd Davis & Helen H. Davis $\frac{1}{2}$ int. $W^2W^2NE^4$ 8-16-2W 40 ac. Also, E^2NW^4 8-16-2W 80 ac. Also, $12\frac{1}{2}$ ac off N end W^2NW^4 8-16-2W, Also, S^2SW^4 5-16-2W 80 ac. EXC 10 ac of entire N side leaving after ad exp 70 ac. Total 202.5 ac. May 21, 1947.

160/557 Hamilton ^{et al} to Jessie M. Healy Pt. E^2NW^4 & Pt $W^2W^2NE^4$ 8-16-2W Beg on $\frac{1}{4}$ E^2NW^4 978.7' N of stone @ SW cor.; N on $\frac{1}{4}$ 948.3'; E = to $\frac{1}{4}$ E^2NW^4 & = $\frac{1}{4}$ $W^2W^2NE^4$ to $\frac{1}{4}$ last-mentioned $\frac{1}{2}\frac{1}{2}\frac{1}{4}$; S on $\frac{1}{4}$ 941.7' to point 985.3' N of SE cor.; Wly to leg. 43.12 ac. 26 Sept. 1949.

161/2-3 Hamilton et al to Carl J. & Flossie H. Barker. Pt. SE^4NW^4 & pt. $W^2SW^4NE^4$ 8-16-2W Beg at stone cor. 8-16-2W; E on $\frac{1}{4}$ NE^4 to SE cor. $W^2SW^4NE^4$; N on $\frac{1}{4}$ 985.3'; Wly to point in $\frac{1}{4}$ SE^4NW^4 978.7' N of stone at SW cor; S on $\frac{1}{4}$ 978.7' to stone at SW cor $\frac{1}{4}\frac{1}{4}$; E on $\frac{1}{4}$ 1323' to leg. 44.61 ac. 26 Nov. 1949

Carl Neil Ott - ^{Home} 676-5570 ^{Office} 633-4888
Robert Hamilton 676-6984 852-2221

Carl Neil Ott and Joan Hamilton Ott


RR1, Box 100C

~~10² in part~~

Can sec found by Logan 1831

" " " 6x12x14 - stone N. 15' (Trotter or WFF)

SE cor Conc cor foot N45W24.81'
SW " " " E 13.81'

$$BA = 10.075 \text{ eV}$$
$$93/2 +$$


p pole N 23.6 L

tel " S75W 110.12

11 S80E 141.2 L

Can sec 8 stone 4" deep

gone $\rightarrow$ P. pale $N37^{\circ}W$ 33.5 ± 22.1

stump $\rightarrow$ 4 km 14 S 22 $\frac{1}{2}$ E 25.4 L 16.76'

ash 16 S71W 90 L 59.40

Cen W Cen 8 Stone showing


SE Cor Conc Cor post N24W 26.52'

NE " house 540W 60.69'

Tel pole S50E 26.34

p pole N78W 89.44

June 1976




REGISTERED PROFESSIONAL ENGINEER

STILESVILLE, IND. 46180

Downloaded from <http://ajphaphysocpharm.sagepub.com/> at 11:00 11 November 2014

REGISTERED PROFESSIONAL ENGINEER

STILESVILLE, IND. 46180



This brg. calculates to S 89° 28' 27" E when using the approximate brg. S 89° 57' 31" E for the 1/4 W 2 SW 1/4 9-16-2W. The agreement with S 89° 29' 55" E is close enough and should have no appreciable influence on the 2650.42' which is surely correct.

$$\frac{1}{4} \times 2650.42 = 662.605' = \frac{1}{4} W^2 W^2 NE^4 8-16-2W$$

$$\frac{1}{2} \times 1328.69 = 664.345' = \frac{1}{2} W^2 W^2 NE^4 8-16-2W$$

In W²W²NE⁴8-16-2W

July 14, 1976

at E

B 0° 00' 04" 00"

D 89 00 06 02"

K 270 15 09 05"

at D

L 0° 00' 02" 00"

E 204 57 47 45"

A 295 50 11 09"

at A

C 0° 00' 03" 00"

D 125 59 41 38"

B 253 21 33 30"

J 297 34 40 37"

at L

M 0° 00' 01" 01" 00"

D 60 16 44" 45" 43".S