


28-16-1E COUNTY

6² Mi. stone 28-16-1E

SE cor. conc. walk NW 49.7'

NW " L. Worrell's Tombstone SE 27'

con. NE⁴
no stone
gray ash S 65W 37L
stone S 22L



$$\frac{52}{2}$$

Walter Hadley Rd. 48/98

Con. N NE⁴ 28 - stone 31+88 B wal 16 S 55E 27' stone S 85W 12.7'

Con. SE⁴ 21 - no stone 45+40 Sep. 14 N 80W 82L Cottonwood 16 N 40E 53L

Con. N SE⁴ 21 - stone B wal 24 N 10E 45' 58+60

Con. Sec. 21 - stone 71+84 E end S parapet conc bridge SW 86.7'
" " N " " " NW 86.5'

221
180
41

360
344
16

7-17-81
88°

Cen N. NE 28-16-1E
good stone 3" deep with +

ZA 900832

1335.86
.84
.85

1335.95

hor. = 1335.846'

B. load 17

tech in
hub

13.05'

N 17° E 59.54' 0 p pole

221° 23' 08" 91 09 41 223.19 R .17 .18

223.18 R .17 223.355 hor. = 223.308'

S 21° E 100.46' 100.48' 344° 28' 10" 0 15° 31' 50" E

0 p pole

B. wall 24

90 15 23

433.91 R .90 .91

433.907 R .175 434.082

hor. = 434.078'

block gar.

R = back of prism against point as old 0.175'
red = distances corrected to 68°

