

E²SW⁴24-16-1E T. SCOTT



T. E. Scott & Company

Scott's Nylon Collars & Leads

BELT LOOPS, RETRIEVING DUMMIES

DUAL-TONE WHISTLES

NAMEPLATES, ETC.

PHONE: 317-852-8124

R. R. 4, BOX 256

BROWNSBURG, INDIANA 46112

$$\begin{array}{r} 1204 \\ 0582 \\ \hline 622 \end{array}$$

$$\begin{array}{r} 1837 \\ 1200 \\ \hline 633 \end{array}$$

627
9.405

34.545 ac

(34)

(9)

$$\begin{array}{r} 1993 \quad 2150 \\ 1837 \quad 1993 \\ \hline 156 \quad 157 \end{array}$$

1565
2.3475 #

8.623 ac.

$$\begin{array}{r} 3504 \\ 3130 \\ \hline 374 \end{array}$$

$$\begin{array}{r} 3880 \\ 3504 \\ \hline 376 \end{array}$$

375
5.625

20.661

(20)

870 x 30

quoted Jan 22, 1979:

\$750

100 plat (optional)

\$850

not ordered!

440


$$\begin{array}{r} 62.50 \\ .50 \\ \hline 63 \end{array}$$

$$\begin{array}{r} 63.83 \\ .50 \\ \hline 64.33 \end{array}$$

$$\begin{array}{r} 9136 \\ 8066 \\ \hline 1070 \end{array}$$

$$\begin{array}{r} 10200 \\ 9136 \\ \hline 1064 \end{array}$$

$$\begin{array}{r} 1067 \\ .015 \\ \hline 533.5 \\ 1067 \\ \hline 1600.5 \end{array}$$



B'burg 60 ac.

20-25 days

4 cor pinned

cut into 3 pieces

Lincoln Co. Sec. 24-

~~Center~~ Tp.


Thos E. Scott 61.3 ac.

NE 1/4 Sec. 24

300 N. 90 E 1 1/2 mi. ^{mi} left 1/4 N

Thos. Scott 852-8/24 ^{across} RR

9 AM Monday



C-6 S-18
2678.94 Shurtle 1977

2682.015 ± Shurtle 1977

53+30 stone
E.E.W. road

Field Books: 171/103.4, 132 166/62 168/115
27/2.37 29/120.28
not on film
Verdant Acres 5/128, 6/131, 7/106, 8/5, 19

35L = 23.10'

no stone found
old PK over hub found
near I.P. with R.R. belt set
PK set at base
of T.P. pole
by D. Hayden 1972

Shumate Rd

nail in fence post
W 61.82'

Stone found by Jones 8" deep
48.7' OPK in p. pole



Lynn 20 S 85 E 7 1/2
Beech 18 N 7 E 15 1/2
C-114
1339' Logan

Stone found
by Logan 1933

Nick 12 N 56 1/2 E 46 } C-29
Oak 24 S 22 1/2 E 19 }
Oak 8 S 50 E 9 1/2 } C-114
" 8 N 57 W 18 }

24

1343' Logan

flat oak 16x18x20
Lynn 10 N 78 E 50
R. Oak 24 N 77 E 103 1/4
Clark

26+47 stone

2672' Logan

20x26 1330' Logan
Beech 18 N 61 1/2 W 17
W oak 30 N 61 1/2 W 62
C-60

13+23 +23

SW cor 19-16-2E reloc.
flat 16x27
W oak 33 N 74 1/2 E 29 1/2
" " 33 S 6 1/2 W 283
C-86

1328' Logan

Stone 73+91.5

Alfred Cox R.R.
1913

Beech 14 N 61 1/2 E 74
Bur oak 30 S 40 E 54 1/2
C-114

21663' Logan

Stone
47+30.5

0+00 Shumate

20x24
Oak 6 S 70 W 80
Willow 7 S 61 W 50
C-60

17 lbs.
= 11.22'

2661' Kain

2657' Kain

PK in p. pole
29.15' 51.20' By Jones 1966:
Stone 10" deep with
hub above
29.87' 31.03' PK in fence
post

Con. E. SE to Con. ENE 15-16-1E:
2673' Kain 1910 ± (Cox Road)
2669.04' Shurtle 1945
B.76

20+73.5

