
T.14 N.
1 & 2 E.
15-2E
16-2E
17-2E

14-1E
14-2E
15-2E
16-2E
17-2E




Said plat covers a
part of Pas Tract
& S E cor Sec 7 14 W
thence W 14 Rds - 8 13 Lks
thence North 60 ft. thence
East 14 Rds 8 13 Lks
thence South 60 ft to
beg. 33/100
Lots 1 & 2 square
Walking 5 min N & S
between each corner of
Lots No 7 3 14 & 5 and
Lots No 10 17 18
has a driveway N & S
14 ft wide



6 6
1 3/8
19
66
8.5.8

13
16
7 8
13
2 0 8 1/2
6 1/2
21 4

Plat of Sect. 1 Tp. 14 N-R. 1 E.



Abadiah Mendenhall, dec, Estate Sec 1

The Lower, E ½ of N. ½ & N. ½ of E. ½ of N. E. ¼ &

S. E. cor.	Ash 14	N. 2 W.	12
	R. oak 10	S. 82½ W.	24
S. W. cor.	Beech 20	N. 96¼ W.	4
	Sugar 24	N. 86½ E	16
N. W. cor.	Ash 15	N. 83½ E	300
	Sycamore 2	S. 35½ E	4
N. E. Cor.	Beech 20	N. 87 W.	17½
	Sugar 10	S. 50 E	28
Cen. Sec. 1.	Beech 28	S. 41 W.	31
	Do 28	N. 26½ E	2.
Thence N. 53½ rds.	Beech 22	N. 21 E	71½
	Sugar 20	S. 65 E	39
Thence N. 55½ rds.	Sugar 18	S. 76½ W.	37½
	Buck 26	N. 31½ W.	92½
53 rds. S. of N. E. cor. of the Sec.			
	Buck 26	N. 51 W.	8
	Hornbeam 8	S. 12 W.	26
Thence S. 53 R.	Ash 12	S. 84 W.	78
	Plumtree 9	N. 55½ W.	64

The house & dooryard in the S. share. Beginning 60 rds. W. with Sec. bearing of the N. E. cor. thence W. at right angle 4 rds. apple tree, 11 N. 42½ E. 58
Thence W. 10 rds. Cotton wood 22, N. 42½ E 58
" S. 4 rds. thence W. through BK C fo. 14

8 A. out of the N. W. ¼ of Sec. 1 as follows: Beginning 63 poles & 2 L. S. on the line of the N. ½ mi. post: thence S. 15½ fo: thence W. with the division line 83¾ fo to Gregg's cor:

N. E. Cor.	Beech 28	N. 71 W.	36
	Sugar 8	S. 49 W.	53½

Thence N. 9° yard 15¼ poles

	Mulberry 12	N. 52½ W	51.

BK. C. fo. 56.

Newlin Carter & Mordecai Carter, Swap in land. Straight line cutting off for Mordecai 50 & sq. poles & for Newlin 64 fo. Sugar 14 S. 12½ W. 35
W. corner, Beech 18 N. 53¾ W. 76
E. cor. in the field.
Poplar stump 24 N. 45¾ E 292
Mordecai Carter 20 acres off of S. end of lot No. 4 in the division of the real estate Beginning at S. W. cor. of Lot. No. 4: thence with the division line North where is

Bur oak 28 N. 53 E 96
Thence E. with Sec. bearing 48 p. & 20 L.
to the E. line of the 1/4 Sec. St. 14x15 at
bot. & 8 at top. Sour oak 8 S. 50¾ E 45
Hickory 10 N. 67½ E 24¼
BK C. p. 119.

Ballard & White, Survey for mi Sec. 1.
S. ½ mi. post relocated from an old
dead witness tree & an old stump:
marks tolerably plain, Stone promised.
Hickory 36 S. 80 W. 27
Beech 14 S. 33 E 50
S. E. Cor. Sec. relocated by measuring, st.
10x10x16 Beech 23 N. 36½ W. 33
Do 22 N. 33½ E 97½
E ½ mi. post relocated, old wit. trees stio
standing, st. 6x8 & one foot long
W. oak 6 S. 40 W. 21
Sugar 12 N. 69 E 25
BK C. p. 140

Cen. Sec. relocated, witnesses lost.
St. 20x15x12 Elm 20 S. 73 W 120
S. from Cen. 76 rds. st.
Elm 15 N. 71 W. 120

N. E. Cor. Sec. 1. Relocated, flat st.
16x8x4, old witness still standing
Elm N. 10 E 26.

N. ½ mi, good st. 6x10x10, old witness
still standing: thence S. 79 rds & 12 L
to a cor. rock 15x10x10
Sugar 10 N. 76½ W. 49½

South from the N. E. cor. Sec. 79 rds. & 12 L.
st. 16x11x10 Rock 15 N. on line 30

Cutting off 67.67 a.
N. from Cen. Sec. 95 R. & 3 L.
Cherry tree 8 S. 30½ E 57


Cen. S. of W. ½ mi. stone, 80 rds & 3 L. meas.
st. 10x10x16 Elm 24 N. 84 W. 16½
Cen. S. Cen. 81 rds. & 2 L.
Stone S. 81 W. 25
Lynn N. 85 W. 107
could not plant stone for culvert.

3.64 7/10 ch. N. of S. ½ mi. of 1-14-1E.
St. 8x12x18 Stone East 18
3.64 7/10 ch. N. of S.E. cor. of 1-14-1E
st. 6x12x16 B. oak 10 S. 81½ E 83½
Stone West 23
Thence N. 83¾ E. 14.62 9/10 ch. to E. line
of W. ½ S. W. ¼ Sec. 6-14-2E. to a st. 8x12x16
Elm 14 S. 18½ E 4½
B. ash 3 S. 5 E 3
Thence S. 3.64 7/10 ch. to a stone which is
2.11 ch. N. of S.E. cor. W. ½ S. W. ¼-6-14-2E.
Thence S. 83¾ W. 14.62 9/10 ch. to the S.E.
cor. Sec. 1-14-1E.
Thence W. 40.19 2/3 ch. to S. ½ Sec 1-14-1E.
" N. 3.64 7/10 ch: thence E. 40.19 2/3 ch.
to Sec. line.
J. H. Trotter, S. H. Co.

Transferred from Sec. 6-14-2E

Sec. Cen. relocated, st., 20x15x12.
Elm 20 S. 73 W. 120
S. from Sec. Cen. 77 rds. & 20 L. st. 20x15.
Elm 15 N. 71 W. 120.

Plat of Sect. 2. Tp. 14, N. R. 1 E.



1/2 mi. post on S. of Sec. 2, relocated
Ft. elm 12, N. 12½ W. 50
Do 5 N. 54½ E 41
S. W. Cor. Sec. relocated.
Sugar 14 N. 65 W. 23½
P. Oak 22 S. 86 E 18
Cen. S. S. W. ¼ Hickory 12 N. 56 W. 12
Sugar 26 S. 15 W. 98
50 poles N. with Sec. bearing of S. W. cor. on Sec. line. Joshua Newlin's Lot.
Appletree 5 N. 4½ W. 202½
Newlin's Mill Lot. W. Elm 20 N. 66 W. 47
Do 14 N. 3x W. 49
Thence W. 30 p. Sugar 18 N. 85 W. 46
Elm 24 N. 51½ E 122½
Thence N. 45 p. & 20 L. Elm 30 S. 75 W. 42
Ash 8 N. 1 E 39
Thence N. 73 E 46¼ p. Sugar 12 S. 33 W. 38

Sycamore 32 N. 37 W. 55
Thence S. 2 p. & 16½ L. to the beginning.
Bk. C. p. 23.

Charles Lowder et al, Survey for in Sec. 2.
S. ½ mi. post st. 9x25 well set, old witnesses standing.
Cen. W. cen. st. 8x18.
Ash 6 N. 41 W. 92
Hackberry x N. 19 E 117
Cen. N. W. ¼, st. 12x16
Elm 10 S. 11½ W. 56
Hickory 8 S. 47½ W. 42
E. ½ mi. Relocated.
Sugar 14 S. 65 W. 90
Hickory 8 N. 53½ W. 87
Cen. E. Cen. Beech 14 N. 68 E 15
Do 16 S. 21 W. 16
Cen. Sec. a lime stone rock, 40x6, well set. N. ½ mi. Hickory 18 N. 40 E 6x
Beginning at the Cen. N. of S. W. ¼
Thence W. 3.25 ch. to st. 10x20
Elm 12 S. 44 E 51½
Ash 5 N. 27 W. 15
Relocated Redbud 10 S. 83 W. 70
Thence S. 13½ ch. to lime st. 9x18
Sycamore 10 N. 37½ E 57
Elm 10 S. 65 E 105⅓
Thence E. 3.25 ch. to the line dividing the S. W. ¼ N. & S. through center: thence N. to the beginning.
Beginning in White Lick creek on Sec. line 20 poles W. of S. ½ mi. post
Sugar 16 N. 83½ E 120
Box elder 10 S. 21 W 87
Thence N. 17 W. 43 poles & 3 L.

Sycamore 7 S. 20 W. 31½
Do 8 S. 60 W. 18
Thence S. 83½ W. 46 p. & 6 L.
Sycamore 6 N. 40 E 160
Do 6 N. 63 E 165
Thence N. 8½ W. 16 p. & 3 L, to cor. of the Mill lot. Sycamore 30 N. 14 W. 65½
Thence S. to the Cen. S. of S. W. ¼; thence E. to beginning = 12.49 acres.
This last described lot was surveyed by Moses B. Harvey, as Dep. Sur. by & with the consent of all parties interested. I. H. Dennis S. H. Co.
Bk C. p. 154

N. E. cor. Sec. 2. Cor. on a line 1 rd. E of the W. line: N. W. cor. of James Symons land 23 rds. & 19½ L. N. of S. line of the ¼, a st. 24 × 18 × 15: thence E 37 rds, st. 6 × 12 × 5 apple 6 S. 4 W. 23
Thence N. 4 rds. & 19 L, st. 14 × 11 × 8
Maple 2 S. 45 W. 1
Poplar 6 S. 67½ W. 20½
Thence E. 12 rds, st. 17 × 10 × 7
Apple 5 S. 49 E 23½
Do 4 N. 51½ E 20
Thence S. 1 rd. & 17 L, 6 × 10 × 18
Apple 6 S. 63¼ W. 20¾
Thence E. to S. line 26 rds. & 19½ L. N. of E. ½ mi. post, st. Hickory 24 N. 61½ E 28
Elm 20 S. 15 E 59
Thence N. 20 rds, & 14½ L. st. 24 × 14 × 8
B. oak 40 N. 20 E 2
Mulberry 10 S. 49 E 12
Thence N. 32 rds. & 15 L. to Dennis' Cor. st. 14 × 8 × 6

Thence N. 30 rds. & 21 L. st. 14 × 10 × 8
Sugar 24 N. 51 E 21½
Hickory 30 S. 55 W. 23⅓
Thence W. on Hornaday's S. line 155 rds. & 16 L, a corner 1 rod E. on line, st. 18 × 16 × 10 Elm 20 S. 30 W. 155
Cedar 4 S. 74 W. 73
Thence N. 30 rds. & 21 L. 1 rod E. of line st. 16 × 8 × 6 Gatepost 12 S. 84 W. 49
Then a corner 46 rds. & 15 L. N. of & 1 rd. E. of Cen. of Sec; for Jesse White Leth Pedison 10 L. S. of dead corner st. 24 × 18 × 16 Ash 12 N. 40½ E 26
Bk C. p. 300

M. Stanley Heirs Survey for Sec. 2. 40 × 20 rds. in N. E. Cor. old stump to Sec. cor, still to be seen: Thence S. 20 rds: Stanley's S. E. Cor. st. 11 × 8 × 6 W. Hickory 10 S. 23 E 45¼
Sugar 10 S. 43 W. 75
Jones' E. line 48¾ rds: Thence W. 40 rds Stanley's S. W. cor. st. 12 × 11 × 10 angular B. oak 30 N. 31 W. 69
Thence N. 62¾ W. 37½ rds. to Sec. line 72 rds. W. of the N. E. Sec. cor. st, 12 × 9 × 5
Sugar 18 S. 67¾ E 166½
21½ L. E. of the N. ¼ N. line of Jones 80 rds. & 9 L: N. ½ mi. Sec 2 st. 19 × 12 × 9, set by Dennis: Stump. B. oak 36 N 59½ E 101
W. line 59½ rds.
Bk C. p. 304

Mills, White, Bradlove, et al, Survey for, Dec. 1892.

Robert Forest & A. J. Brown Sr, chisen.

110 rds. N. of Cen. of Sec. St. 6×10×16

Stone 3×12×16 North 43½

Thence N. 43½ L, to a st. 3×12×16

St. cor, 6×10×6 South 43½

This is Mills & Bradlove's cor. on the N.

127 rds. N. of Sec. Cen. a st. 3×12×20

Stone East 22

Buckeye N. 82 W. 31½

N. ½ mi, a st. 8×10×20

Stone 8×10×12 South 100

This stone is 5½ L. W. of the S. ½ mi of Sec. 35 - 15 N.

63¾ rds. S. of N. E. cor. of the Sec. st. 8×10×16

Maple 12 N. 70½ W 34½

Stone 8×12 West 24

Stone 2.50 ch. E. of Mills S. W. & D. White's N. W. Cor.

Sycamore 4 S 23 W. 19

Do 3 S. 35 W. 29½

Dec. 14. 1892. John W. Trotter, S. W. Co

Symons, Daugherty et al, Survey for,

Beginning at the Cen. of Sec. 2 & running Thence E. 8.41 ch. to st, 3×7×9

Maple 16 S. 63 W 49½

Thence E. 11.29 ch. to a st, 8×10×20

Stone 5×10×12 North 20

Thence E. 16.92½ ch. to a st. 5×16×24

Balm Gilead 14 N. 70 E 74½

Stone North 18

Thence E. 2.94 ch. to the E. ½ mi. stone of Sec. 2.

Thence N. 6.73 ch. to a stone,

Thence W. 2.94 ch. to a st. 6×6×16

Oak 6 N. 32¾ E 18

Do 5 N. 61 W. 29

Thence W. 16.92½ ch. to a st. 5×14×14

Oak 6 N. 71½ W. 7

Thence W. 7.33⅓ ch. to a stone,

Thence N 42 L " " "

" W. 3 ch. " " "

" S. 1.19 " " " "


" W. 88 L. " " " 12×12×15

Maple 10 N. 59½ E. 8

" W. 8.41 ch. to a stone on the W. line of said quarter; Thence S. 5.94½ ch. to the place of beginning

Dec. 19, 1892. J. W. Trotter, S. W. Co.

Plat of Sec'n 3 Tp. 14 N. R. 1 E.



Sec. 3. A. Beech 10 N. 78 E 27
Hickory 18 N. 63 W 50
Cen. of Sec. B. Walnut 2 S. 83 W. 29
Do 2 N. 83 E 34
½ mi. post. E. of Cen, Relocated.
C. Beech 12 N. 40½ W. 48
Sugar 10 N. 69 E 61
80 rds. N. of Cen. E. 20. Not quite clear.
Bk C. p. 4.


Cen. Sec. 3 Beech 9 N. 65 W. 46
Do 11 S. 11½ E 14½
Cen. N. S. W. ¼ Beech 18 N. 66½ W 27½
Do 24 N. 60¾ E 52
S. ½ mi. post. Relo. Cherry 5 N. 42¼ E 66
B. oak 6 N. 53 W. 41.

S. W. cor. of Sec. Relocated.
Beech 19 N. 34 E 44
Hickory 26 S. 2¼ W. 29
Cen. W. S. W. ¼ Hickory 24 N. 77½ E 16
Ash 9 S. 23 W. 32
Cen. S. S. W. ¼ B. oak 6 N. 16½ E 32½
P. oak 12 S. 28 E 45
Cor. 59½ rds. N. of Sec. Cor.
B. oak 34 N. 56 E 26
W. oak 6 S. 87 W. 38
Cen. S W. ¼ P. oak 6 S. 25½ E 36
Ironwood 4 N. 45 E 1½
59½ rds. N. of S. ½ mi. post
Beech 19 N. 62 W. 24½
Do 22 S. 60 E 12
Bk. C. p. 23

Joseph Jessup A Survey for ½ Sec. 3.
Cen. of Sec. Old mit. Tree standing.
Cen. N. Cen, st. 10×14
Oak 40 S. 6½ E 45½
Ash 6 S. 43½ E 46
N. ½ mi. Beech 9 N. 79 E 27
Cen. E. N. E ¼, st. 8×12 set from Hadley's Witnesses.
E. ½ mi, st. 8×18×21. Bk. C, p. 153.

State Farm 195 a. off N. End W. ½ Sec.
3. Stone 12×18
Stone N. 47 E 25½
4. Stone 18×42
Stone N. 81 W. 28½

Plat of Sect. 4 Tp. 14 N. R. 1 E.




Sec. 4. A. Sugar 7 S. 12 E 34
Beech 19 S. 57 W. 14
B. Beech 15 N. 56 W. 4½
Do 18 S. 24 E 40½
C. B. Gum 28 West 23
W. oak 30 S. 32½ W. 41½
Cem. on top x Rock N. 79½ E 45½
D. Sugar 8 N. 72 E 4
Beech 20 S. 25½ E 33
E. Beech 10 N. 51½ E 11
Sugar 16 S. 22 W. 27½
F. Beech 10 North 21
Sugar 14 S. 11½ W 19

Blk C. p. 4.

N. W. Cor. Sec. 4 Relocated, st. 12x20
Blk. C. p. 148.

Plat of Sect. 5 T. 4 N. R. 1 East.



½ mi. post on the N. of Sec. 5, Relocated
42½ L. E. of cor. for Sec. 32, good st.
Elm 22 S. 87 W. 115
Cor. Sec, fine st. 24×16
Buckeye 12 S. 19½ W. 132½
B. Walnut 4 S. 39 E 78
½ mi. post on S. Relocated, good st,
3×2 ft. Sugar 15 S. 23¼ E 147
Sycamore 20 N. 53½ W. 116
Bk. C. P. 79.

N. Fletcher a survey for 40 a. off the S. E. ¼ N. ½ of Sec. 5. Beginning at the S. E. cor. of the ½: thence W. to 119⅗ rds. W. of Cors Sec. stone.

Elm 30 S. 51 W. 103½
Sycamore 4 N. 82½ E 77
Thence N. 38 rds. 3½ L. a stone
Blue ash 15 N. 38 W. 11½
Elm 30 S. 82½ W. 20½
Thence E. to E. side of the Sec. st.
Beech 15 S. 27½ E 14½
W. oak 30 S. 70 W. 22½
Thence S. to beginning. Mch. 26. 1867
Bk c. p. 197.

Sec. 5. N. E. ¼ 1. W. oak 24 N. 63 E 59
Do 36 S. 71 W. 145
2. W. oak 30 S. 83½ W. 83½
Beech 14 N. 4 E 39½
Plat. etc. on Bk c. p. 260.

Sec. 5. Thomas Davis. 21.70 a. in S. W. cor. of N. W. fract. ¼. Beginning at W. ½ mi. post: thence E. on line 86 p. & 18 L, st. 24×20×15
Sugar 16 N. 26 W. 29
Do 15 N. 65 W. 26
Thence N. 25½ W. 36. p. & 2 L, st.
24×15×9. Sugar 14 N. 22 W. 76
Elm 30 S. 12½ E 60
Thence N. 86½ W. 38 p. & about 15 L.
st. 28×24×15 Beech 24 N. 49 W. 17
Sugar 20 S. 75 E 32
Thence N. 83½ W. 36 p. to Sec. line
st. 20×30×8 Sycamore 60 N. 2½ E 73
Sugar 19 S. 30 W. 14
Thence N. 34 p. & 12 L. st. 26×15×14
Apple 15 S. 83 E 36
Bk c. p. 271.

John Miles & S. M. Lawrence: Division of near 10 a, part in Sec. 5 - & part in Sec. 32 - 15 - 1E: 2/3 to Miles & 1/3 to Lawrence. Miles' part begins 50 rds. N. & 41 rds. & 20 L. N. of E 1/2 mi. post where is a st. 10 x 8 x 6

	P. oak 24.	N. 23 W.	58
	B. walnut 36	N. 1 1/2 E	51 1/2

Thence W. 72 rds. & 5 L. st. 16 x 15 x 14

	Sugar 20	N. 19 E	133 9. st. in road

Thence N. 10 W. 104 1/3 rds, a st. on N. side of the National Road: thence S. 75 1/4 E for 79 & 5: thence N. 67 E to a line running N. from the beginning. Call Miles. the lot containing about 67 a. Lawrence's portion 31.33 a, begins at — N. 1/2 mi. stone: thence S. 71 E 22 1/4 rds, a st: thence S. 10 E 114 rds & 1/3; thence E. 72 1/6 rds, a st; Miles S.E. cor. Thence S. 6 2/3 rds; thence W. 132 rds; then N. 44 3/4 rds: thence E 193/10 rds, to a st.

	Sycamore 12	S. 31 1/2 W.	35 1/2
	Hackberry 10	N. 54 1/2 E	40

S. of 1/2 mi. 51 Bk C. p. 288 ~~228~~

Tommy Little & John Day, Survey for. On T. line 29.56 rds. W. of Cen. S.S.W. 1/4 c (Gregg's Cor) N. 23 W. 19.56 rds. N. 82 W. 7.56 rds S. 20 E 45.26 rds. N. 75 1/2 E 11 rds. N. 23 W. 23.30 rds. to starting point. Part of this is in Sec. 32 - 15. Balance in Sec 5 - 14 - 1E 29.20 rds. W. of N.W. cor. N.E. 1/4 on T. line & W. 55.24 rds. S 49.32 rds, rough st. 16 x 13 x 9 S. 80 E 35.24 rds. st. 19 x 13 x 7 S. 14 3/4 E 24.08 rds st. 13 x 7 x 6 B. Locust 24 N. 1 E 7 L & B. Locust 24 N. 32 W. 9 L. N. 75 1/2 E 30.56 rds. & N. 10 1/2 W. 64.36 rds to beginning Bk C. p 371.


N. 1/2 mi, relocated by measurement & set 42 1/2 L. E. of S. 1/2 mi of Sec. 32 - 15 - 1E.

For York, Honaday & Little.

Beginning at N. 1/2 Mi. Sec. 5: thence S. 5 1/2 E. 2752 rds: thence S. 67 W. 49.56 rds. to line st. B. Locust 20 N. 36 E 68 1/2 Thence N. 23 W. 19.54 rds. to a line st. on the T.p. line, Apple 10 N. 56 E. 187 1/2 Thence E. with said line 53.18 rds. to said N. 1/2 mi, or place of beginning estimated to contain 3.30 a + or. -

See D.R. 58, p. 60

Plat of Sec. 6 Tp. 14 N. R. 1 E.



Sec. 6. Small 6 p. & 10 L. N. & S. & E. & W. 11 p. & 15 L.
George Carter, N. ½ of S. W. ¼ & N. E. cor.
1. W. oak stump dead 20 S. 88 E. 33
W. oak 46 S. 55 W. 72
S. ½ on E. side large 37 L.
John Cook. S. ½ of S. W. ¼ & N. W. cor.
2. Buck 10 N. 26 E. 35
Do 20 S. 4 E. 25
Wm. Pope, the N. fract. of S. E ¼ & S. W. cor. Buck 14 N. 5 W. 15
Do 14 West 12
Bk. B. p. 239.

W. ½ mi. Sec. 6. on W. side from the full ½ mi. as far N. of it as the S. W. Sec. cor. is N. of the other, stone 24 x 20 x 15 & a stone 6 p. & 17 L. S. about the same in the line & the ½ mi. st. 6 p. & 17 L. still S.
E. ½ mi. a st. found about 3 ft. deep & a small one on top & a st. 22 x 16 x 14
Elm 28 N. 7 E 118
B. Walnut 11 S. 50 E 73
S. E. cor, a st. 14 x 12 x 9
Ash 40 S. 30½ E 42
R. oak 24 N. 42 W. 58
Bk. C. p. 270.


Sec. 6. Cen. E. N. fract. ½ (as above) st. 26 x 14 x 15
Cen. W. ½ ½, st. 20 x 8 x 4
W. oak 60 N. 49 E 16
Thence E. 42 p. & 20 L. st. 9 x 8 x 7 & a st. on top.
J. W. Pope, 20 a. & S. E. cor. st. 18 x 14 x 12. Buck 2x N. 67 E 51½
W. line of same 20 a. is 73 p. & 5 L. & E. line 74 p. & 5 L. Bk. C. p. 271.

Sec. 6. Beginning 42 rds. & 10 L. E. of Cen. W. of N. ½ mi, a st: thence S. 15 rds. to Cen. of road: thence N. 71 E. 5.55 to line: thence W. 52 rds. & 5 L. Beginning in Cen. of National road on line E. & W. in Cen. of N. ½ of Sec. 6; thence E 52 rds. & 5 L, st. 18 x 15 x 11 thence N. 14 rds, st. 20 x 15 x 5: still N. 1 rd. to Cen. of road: thence S. 71 W. 55 rds. Bk. C. p. 308.

For Nancy Rennard, A part of the N. ½ of Sec. 6. Beginning at the N. E. cor. of Sec; thence S. 76 9 rds. to cen. of Cumberland Road; thence S. 71½ W. with said road about 120.40 rd to a point wit. Beech 20 S. 4 E 71 Thence N. with Sec. bearing to the Tp. line Walnut Stump f N. 76 W. 25 Thence E. 114.72 rds. to beginning. 1892.88

C. C. Webb, A survey for.
Beginning at the S. E. cor. of N. ½ of N. ½ of N. E. ¼ of Sec. 6
Thence W. 5.71 ch.
" N. 3.75 " to cen. National road
" N. 71½ E. in cen. of road 5.94⅓ ch.
" S. on line of said N. ½ N. ½ 5.33⅓ ch. to place of beginning =2.60A

Plat of Sec. 7 Typ. 1N R. 1E.



Commencing 13 rds. & 9 ft. S. & 48 rds. E. N. W. Cor. Sec. 7: thence E. to 125 rds. E. line. Sec. (Not much in this) Bk C. p. 234

Sec. 7. 1/2 mi. post on N. 12 rds & 9½ L. N. of the full cor. st. 20 x 18 x 12

N. oak	36	N. 27 E	94
Do	36	S. 87 W.	98

(a little better this). Bk C. p. 308

1. Boulder.	10 in.		
2. "	15 "		
3. "	12 x 6 x 6		
4. "	12 in.		
5. "	15 "		
6. "	16 "		
7 "	11 "		
8. Stone	8 x 14 x 11		
	Stone	S. 61½ W.	25
	Do	N. 61½ E.	25

Plat of Sec. 8 T.p. 14 N. R. 1 E.

1/2 mi. post on N. of Sec. 8, old mk. gone, but a good stone deep in mud.

Sycamore	10	N. 40½ E	75
Poplar	10	S. 73 W.	28

Cor. of Sec, set. 28 x 15 x 6, sm other,

Beech	28	N. 27 W.	6
Ash	12	S. 88¼ E.	135

Pk. c. p. 308

Cor. W. S. W. ¼, st. 8 x 14 x 11.

Stone		S. 61½ W.	25
Do		N. 61½ E	25.

Nov. 26, 1902. W. F. Franklin. Sur.

Brown, Davis, Townsend, Hornaday and Tully, A Survy for mi Secs. 8 x 9.

Cor. S. S. E ¼ Sec. 8 – st. 9 x 12 x 24

Elm	8	N. 62¾ E	55½ ft.
W. oak	24	S. 32¾ E	134 "

S. E. Cor. Sec. 8 – st. 6 x 14 x 18

Elm	36	S. 41 E	26¼ "

Cor. S. S. W. ¼ Sec 9, – st. 8 x 10 x 14

Beech	28	N. 49 W.	12 "
Do	28	S. 40½ E	24½ "

Cor. N. S. E. ¼ Sec. 8 – st. 12 x 18

Sugar	30	S. 6¾ E	45 5/6 "
Sycamore	6	West	59¾ "

27 rds. W. of E. ½ mi. st. Sec 8 – stake

Sycamore	40	N. 25¾ W.	14 ft.
Buckeye	12	N. 11¼ E	20½ "

197 ft. E. x 424 ft. N. 5½ E in cor. of road from S. W. cor. of Sec. 9 – st. 12 x 12


Stone	7 x 12	West	15½ ft.

Thence N. 5½ E. in cor. of road 30 rds. to a stone 6 x 10

Sycamore	4	N. 46 W.	19⅓ ft.
Stone	6 x 10	West	19 "

Van Johnson, Marion Townsend and James W. Trotter, Sworn Chainmen.
June 7, 1890

Plat of Sect. 9 Tp. 14 N. R. 2 East.



Sec. 9. Cabriel Townsend & survey for Commencing. Part of N. ½ of S. W. ¼. Beginning at N. W. cor. thence E. across said W. ¼: thence S. on E. line 125 rds. to creek: thence N. westwardly with meanders thereof to W. line: thence N. on W. line 52 rds. & 24 L. to the beginning = 44 a. Bk. C. p. 179.

1. Cen. N. E. ¼ Sec. 9, – st. 12×15

Beech	24	N. 24 W.	12
Do	24	S. 72 W.	35½

Moon, (dec.) Estate in Sec. 9 & 16 together. The S. E. ¼ Sec. 9 & N. ½ of N. E. ¼ Sec. 16, S. E. cor. of the tract or Cen. of N. E. ¼ of Sec. 9 (probably 16)

Buckeye	8	S. 54½ E	13½
W. oak	30	N. 67 E	37

Cen. W. N. E. ¼ Sec. 9. – Old post

Beech	15	N. 81 E	17
Sugar	24	N. 16 E	39

The widow's Dower. Commencing at the S. E. cor. of the tract: thence N. with Sec. line 116 p. & 10 L.

Beech	12	S. 88½ E	10
Ash	10	N. 30 W.	18

Thence N. 88¼ W. 80 p. across the E ½ of S. E ¼ Sec 9. Beech 28 S. 72 E 13½

Do	30	S. 26 W.	27

Thence S. with the line 118½ p. to Cen. of N. E ¼ Sec. 16:

S. W. cor. of Dower, Buckeye	9	S. 83 W.	37
Hackberry	14	S. 77 E	36

Containing 60 acres more or less.

Ransom Moore's portion, 43½ a. more or less off the N. end of the W. ½ of S. E ¼ Sec. 9 about 85 p. N. & S. & 82 p. E. & W. Beginning at Cen. N. of S. E. ¼ Sec. 9

Ash	9	N. 84 E	15
Hickory	3	S. 25 E	18

a stone 10×12, – ash standing

Thence S. 84 p. & 23 L.

Cherry	12	N. 84 W.	24
Beech	24	N. 34 E	24

Thence W. across the ½ ¼ 82 p.

Walnut	30	S. 40 E	29
Buckeye	6	N. 8 E.	13

Thence N. about 85½ p. to the corner not settled on account of parties not having lawful notice:
Thence E. with the line about 82 p. to the beginning.

Asa Moon's Portion. Beginning at the ½ mi. tree E. of Sec. 9: thence N. 82 p. to Ransom's N. E. cor: thence S. 104 p. & 23 L. Beech 10 N. 2 E 31
Sugar 18 S. 35 E 41
Thence E. nearly 82 p. to Sec. line
W oak 30 S. 46 E 7¼
Walnut 15 N. 66 W. 17
Thence N. 104 p. to beginning = 53½ a. more or less.

Rachel Barker's Portion. Beginning at the S. E. cor. of Asa's portion: thence W. with his S. line across the E. ½ of S. E ¼ Sec. 9 about 82 p: thence N. 20 p: thence W. with the S. line of Ransom about 82 p. to the W. line of ¼ Sec. Thence S. 58 p.
B. ash 6 the corner.
Do 16 N. 76 E 16½
Buckeye 9 S. 76 W. 18½
Thence E. across the W. ½ of the ¼ about 82 p.
Ash 12 N. 61 E 24
R. oak 18 N. 5 E 50
Thence S. 4 p. Apple 8 S. 70 W. 6
" E. about 82 p. to Sec. line 16 p. N. of Sec. cor.
Beech 20 South 25
W. oak 24 N. 76 E 21
Thence N. 42 p. to beginning = 51¼ a more or less.

Mary Moon's Portion Begins at S. E. cor. of Rachel Barker's tract 16 p. N. of S. E. cor. of Sec. 9: thence W. across the E. ½ ¼ about 82 p: thence N. 4 poles: thence W. across the W. ½ of ¼ about 82 p: thus far with Rachel Barker's line Thence S. 52 p:
Beech 24 N. 20 E 1
S. ½ mi. Do 12 S. 57 E 8½
Thence E. across N. ½ of N. E ¼ of Sec. 16 about 164 p.
W. oak stump N. 6 W. 12
Sugar 24 S. 39 E 34
Thence N. 48 p. & 10 L. to the beginning containing 51½ a. more & less.

John Moon's portion. Beginning at the S. E cor. of the W. ½ of N. E ¼ Sec. 16: thence N. 48 p. Thence W. with Mary Moon's S. line about 164 p. to the W. line of the tract: thence S. 48 p. to S. W. cor: thence E. with S. line of the tract to the beginning = 49 a. & 32 sq. p more or less. 9th mo. 1849. Bk C. p. 38

William Townsend's Mill Lot. Beginning on the Sec. line between Secs. 8 & 9 & S. of the ½ mi. post 52 p. & 24 L: thence N. 70½ W. 14 p. & 4 L. to sycamore 30 cor. marked on N. side thence S. 24½ E 16 p. to a W. Walnut standing on an island in the Mill Pond: Thence S. 33¾ E 50 p. to a good st. in the Co. road: thence S. along the cen. of said road

30 p; good st: thence N. 85 E
66 p. & 23 L. to the line dividing
the S. W. 1/4 N. & S.

Elm 22 S. 36½ E 12

Thence N. with said line 10 p. & 10 L.

Elm 8 S. 56½ E 30
Ash 20 S. 62 W. 11

To the bank of White Lick creek
Thence with the meanders thereof
N. 87 W. 15 poles Sugar 12 N. 78½ W. 54
Thence N. 67½ W. 12 p. & 16 L.


Beech 22 S. 40 E 47

Thence N. 76½ W. 19 p: thence N. 22¾ W.
51 p. & 15 L, to a sycamore marked
on N. side: thence N 70½ W. 23 p.
to the beginning. supposed to contain
11 a. BK C. p. 103

S. ½ mi. Located st. 12 x 15 x 18

Sycamore S. 12 W. 15¼
Cottonwood N. 8½ E 21.

Plat of Sect. 10 Typ. 14 N. Range 1 E.



Cen. E. S. E ¼ Sec. 10
Sugar 8 N. 50 W. 9
Do 14 S. 28 E. 30
N. ½ mi. post. Cherry 5 N. 42½ E. 56
B. oak 6 N. 53 W. 41
N. W. cor. Sec. Beech 19 N. 34 E 44
Hickory 26 S. 2½ W. 29
Gray Ash 10 S. 40¼ E 41
a stone on top of old cor. St.
Cen. N. W. W. ¼ B. oak 6 W. 16½ E 32½
R. oak 12 S. 28 E 95
Bk. C. p. 250

S. ½ mi. Sec. 10 Relocated, st. 16×20
W. oak 16 S. 23 W. 48
B. oak 16 N. 19¾ W. 119½
N. ½ mi. Relocated, st.
B. oak 14 S. 43¼ E. 100
Sugar 6 N. 20 E 73
W. ½ mi. Relocated, st. 16×12
Ash 10 N. 60 E 50
W. oak 40 N. 51 W. 113 (73) 163
E. ½ mi. by running & measuring
P. oak 24 N. 74½ E 62½
Sugar 12 S. 83½ W. 32½
8 rds. of E. ½ mi. st. 10×32.
P. oak S. 21 E 26
Cen. of Sec. st. 36 in long.
B. oak 16 N. 63¾ E 87
Do 50 S. 72 W. 108½
Cen. E. S. E ¼ st. 16×24, flat,
W. oak 30 N. 25½ W. 15½
Sugar 16 S. 22 E 28
Cen. of S. E. ¼, st. 16×24
W. oak 24 S. 64½ W. 30½
R. oak 18 S. 44½ E. 106
Bk. C. p. 213.

28 a. in N. W. cor. or in N. W. cor. of S. ½ of S. W. ¼ Sec. 10, N. of Co. road.
Beginning at Cen. W. of S. W. ¼
P. oak 30 S. 84 E 53
Buckeye 8 S. 39½ W. 31
Thence S. 32½ p.
W. oak 40 N. 17 W. 17
Do 20 S. 52½ E 37
Thence S. 65 E with the road 93 p. & 23 L.
post E. of branch W. oak 18 N. 3½ E 42½
Do 18 N. 41¼ W. 83


Thence N. 72 rds. & 16 L.
W. oak 18 West. 15
Do 20 N. 43½ W. 55
Thence W. with the line 85 p. & 7½ L.
to beginning. Bk. C. p. 267.

2½ E. of 28ª cor. a st.
87½ rds. E. & 75 rds. S. of W. ¼ mi,
W. oak 18 & N. 23 W. 81
76 rds. S. of W. ¼ mi. & 86 rds. & 8 L.
N. of S. W. cor. of Sec. flat stone
4 x 8 x 12 Beech N. 67 E 40
88½ rds. on the S. Daniel Hocketts
tract going W: thence E. 57 rds, a
stone Beech 16 E. on line 2
N. 82½ E.


E. from S. W. cor. Sec. 57 rds & 2½ L,
Small st. Buckeye S. 87 W. 26
Thence E. 32 rds. to E. side of offset
thence E. 44 rds & 16½ L. to the Ad-
kuson & Middleton setoff & 30 rds.
& 6½ L. to S. E. cor. of Widow's tract.
42.4 rds. W. of S. ¼ mi, a stone
Cherry S. 23 W. 17½
42 rds & 9 L. W. of Cen. of Sec,
stone, Lifton N. 9½ W. 11

School Lot No. 4 Guilford Tp.
D. Hadley, Trustee.
Begins 4 ch. S. of N. W. cor. Sec 10—14-1E
Thence E. 2½ ch,
Scrub oak 10 S. 18 W. 45
Thence S. 4 ch; thence W. 2½ ch. to Sec.
line; thence N. 4 ch. to beginning = 1 a.
July 22" 1887.

Sec. 10 - 14 - 1 E.
Cen. W. N. W. ¼ very large stone
Stone East 22½
Thence S. 10 ch; thence E. 10 - stone
" N. 10 " a st; thence W. to
beginning. Bk. C. p. 395.



Plat of Sect. 11, Tp. 14 N. Range 1 East.



Sec. 11 - 14 - 1 E.

N. W. 1/4 Cen. of
Cherry 12 N 7 1/4 W. 112 1/2
Sugar 24 N. 6 W. 238
Bk. C. p. 23.

Cen. W. Cen, st. 36 in. long.
B. Walnut 24 N. 1/2 W. 135
Hickory 8 S. 43 W. 32

Cen. N. W. 1/4, st. 36 in. long.
Hickory 12 S. 24 W. 124
B. Walnut 16 S. 66 W. 191.
Bk. C, p. 213.

Cen. N. Cen. Stone promised.
Sycamore 16 N. 50 E. 52.

Enos Blair et al, Survey for in Sec. 11.
Cen. W. S. W. 1/4 Sugar 8 N. 50 W. 9
Do 14 S. 28 E 30
Brown & Doan Mill Lot. Beginning 10 ch. N. of S. 1/2 mi. post in the line dividing the S. E. 1/4 & S. W. 1/4 of the Sec, at a post whence is B. ash 11 N. 71 E 11 1/2
Mulberry 10 S. 21 E 22 1/4
Thence W. with the same vari. as the line dividing the S. E 1/4 & S. W. 1/4 of the Sec, 6 ch. & 75 L. a post,
W. Walnut 18 S. 31 1/2 E 36
W. Elm 16 N. 6 E 40
Thence N. 4 ch. & 50 L; thence E. 6 ch. & 75 L; thence S. 4 ch. & 50 L. to the beginning, containing 3 4/100 A.
And another lot dividing said mill lot as follows; Beginning at S. W. cor. of said Mill Lot W. Walnut 18 S. 31 1/2 E 36
W. Elm 16 N. 6 E 40
Thence S. 75 1/2 W. 3 ch. & 12 1/2 L; thence N. 1 ch. & 12 1/2 L., thence N. 75 1/2 E 3 ch. & 12 1/2 L., to W. line of Mill Lot., thence S. in said W. line 1 ch. & 12 1/2 L. to beginning containing 35/100 acre,
Bk. C, p. 14.

Cen. W. S. W. 1/4 Sec. 11.
Sugar 8 N. 50 W. 9
Do 14 S. 28 E 30
Cen. N. W. 1/4 Cherry 12 S. 7 1/4 E. 112 1/2
Sugar 24 N. 6 W. 238
Cen. S. Cen. B. Ash 11 N. 71 E 11 1/2
Mulberry 10 S. 21 E. 22 1/4
Bk. C, p. 250.


S. E. cor. of Brown & Doan's Mill Lot.
Relocated from a Mulberry stump
standing. Sycamore 36 N. 67 W. 162½

S. W. cor. relocated from Elm stump.
B. oak 36 N. 5½ E 162½

Cen. of Sec, st. promised.
Hic. elm 12 N. 48 E. 44
Sugar 20 N. 73¾ E. 84
Cen. E. Sec. Cut, st., 3 x 6 x 18
B. Walnut 16 N. 20¾ W. 37½

Trotter & Hornaday, Survey for.
1. Stone 18 x 10 x 8
Elm 18 N. 86 W. 73½
Thence S. 2 E. 5.21 L. to line of road.
2. Stone 18 x 10 x 8
Sycamore N. W. 81

Plat of Sec. 12, Tp. 14 N. Range 1. E.



Cen. S. S. W. 1/4 Sec. 12. St. 18x20

W. oak	6	N. 38¾ W.	66⅔
Apple	6	S. 24¾ E.	45
Stone		N. 59 W.	23
Do	16x16	S. 46½ W.	55
Cen. S. W. 1/4 W. oak	32	N. 23 W.	68
→ Stone	10x16x24		
Elm		S. 80⅓ W.	50
Cen. on W. S. W. 1/4 Sugar	15	N. 11½ W.	46
B. ash	20	N. 45½ W.	63 66
Cen. N. N. W. 1/4 Hickory	10	S. 72½ W.	36
Lynn	10	S. 62 E	35

Bk C. p. 23

Bratton, Newlin White et al. Survey for. 12. Cen. of Sec, Relocated

	W. oak 12	N. 71 W.	44½
	Do 12	N. 31 E	20½
Cen. N. N. W. 1/4	W. ash. 10	S. 1¼ W.	55½
	Sugar 16	S. 45 E	49

Cen. S. N. W. 1/4, St., 10 x 22.

	Hickory 13	S. 89½ W.	41
	Sycamore 16	N. 42½ E.	54

S. ½ mi. post, Relocated. St. 10x20.

	W. ash 14	N. 9 W.	52
	Buck 15	N. 42½ E.	94
	W. ash 20	N. 62½ E	14

S. E. cor. of Sec, Relocated from the remains of old mk. tree.

	Ash 10	S. 71½ E	54½
	Hickory	N. 72 E	27
Cen. S. S. E. 1/4	Hickory 24	S. 81¾ E	65
	Beech 16	N. 85¾ W.	42

Cen. N. S. E. 1/4, St. 16x18x8

	Oak 24	N. 33½ W.	34
	R. oak 30	S. 22 W.	32
	Oak 10	N. 41 W.	132
	W. oak 15	S. 55 W.	50

Cen. N. N. E 1/4 St., 20x14x8

	Beech 16	S. 53¾ W.	114
	W. oak 46	N. 82 E	166

All the corners in the above Sec. to be set with substantial stones. (So say the parties)

Bk C. p. 141. Memphis

Sec. 12 - 14 - 1 E.

E. ½ mi. post, Relocated, one old witness satisfactory, St., 18 x 10 x 8.

	Lynn 20	N. 61½ E	17


Bk. C. p. 266

N. ½ mi. stone.
Beech 24 N. 26½ W. 76½
S. W. cor. Sec. Relocated from Gov.
trees. Stone 12×18 N. 10 E. 6½

55 rds. W. of Cen. N. S. E. ¼, pt. 20×12.
R. oak 20 W. on line 10½
W. " 24 S. 50½ E 14½
S. from Cen. N. S. E. ¼ – 160 rds. + gain
56 L. = ½ way 81 R. + 3 L; pt. at Cen. S.
S. E. ¼ 24×20×24 =.
Beech still standing.
New Wit. R. oak S. 38½ E 114½
Beech N. 49° W. 99
Cen. S. E. ¼ stone, 12×20×20
Stone S. 83½ W. 33

55 rds. W. of Cen. S. E. ¼, small stone
10×12, bearing S. 32½ W. →
Mulberry double, 76

Plat of Sec. 13, T. 14 N. R. 1 East.



Cen. on N. side Sec. 13.

	W. ash 14	N. 9 W.	52
	Beech 11	N. 42½ E.	94

Cen on N. N. E. ¼

	Ash 10	S 71½ E	54½
	Hickory	N. 72 E.	27
N. E. cor. Sec.	Hickory 24	S. 81¾ E	65
	Beech 16	N. 85¼ W.	42

Bk. c. p. 246.

½ mi. post on N. of Sec. 13, Relocated.

	Hickory 38	N. 80¾ E	90
	W. Elm 2	N. 82 W.	57½
Cen. of Sec.	Beech 18	N. 54½ W.	7½
	Do 12	N. 69 E.	42½

Cen. on N. of S. E. ¼

	Beech 16	S. 77½ W.	48
	Maple 5	S. 76½ E.	47½

Cen. on S. side of S. E. ¼

	Hickory 6	N. 78¼ W.	9¾
	Do 24	S. 12 W.	28

½ mi. post on S. side of Sec. Relocated.

	Maple 5	S. 30¼ W.	33½
	Hickory 28	N. 31½ E	78½

Bk. c. p. 6.

Secs. 14 & 13 T. 14 – 1 E. Together.
The E. ½ of N. W. ¼ of 14; & the W. ½ of N. W. ¼ of Sec. 13. East across lower measure 45 L; 60 a. off the N. E. end; being 160 rds. & 20 L. E. & W. by 59 rds. & 9 L. of N. & S.

Cen. of N. W. ¼ of Sec. 13 & the S. E. cor. of the tract (or 60 a.) st., 26 × 20 × 7

	P. oak 24	N. 23½ W.	152

a ¼ mi. W. st., 18 × 15 × 8

	Stone	S. 86 W.	21

Thence W. ¼ mi., st., 18 × 9 × 8

	Sugar 10	S. 18 W.	3½
	Buckeye 8	N. 12 E	22.

(Ezra Cox's line runs 25 L. S. of the above corner.)

5⅓ rds. N. of it is another cor. st., 26 × 18 × 10

N. ½ mi. of Sec. 14 one old witness stone, 22 × 9 × 5, the corner, (straight) S. W. cor. of Millikin's land, at stone 26 × 7 × 3, the corner, set from old wit. standing.

Bk c. p. 336.

John Shutts, a Survey for ne Sec. 13
T. 14 N. R. 1E. and ne Sec. 18 T. 14 N. R. 2 E.
James Spoon & Frank Dakin Sur. Chain.

19.75½ ch. N. of S. E. cor. of Sec. 13, is a stone 7 x 14 x 15

Hickory	18	S. 78½ E	14
Do	28	N. 88½ W.	16

19.04 ch. N. of S. ½ mi. stake of Sec. 18 (14-2E) is a st., 11 x 17

B. Walnut	15	S. 11¾ E	42

J. H. S.

A. Stone.
B. 10.26⅘ ch. S. of Cen. E. of Cen. of 13-14-1E
Stone 8 x 10 x 16

Maple	8	S. 42½ E	39
Do	10	N. 42½ E	30

C. Stone 6 x 12 x 17

Beech	14	N. 39 E	27
Do	18	S. 50 E	55

For Ezra Cox Beginning at the Cen. N. W. Qr. ¼ of Sec. 13., thence S. 60 rds x 10 L., see witness on previous page.; thence N. 80 rds. to Sec. line; thence W. with Sec. bearing 60 rds. to the W. bank of Clark's Creek;

Elm	24	N. 47½ W	104
Buckeye		S. 57 W.	45

Thence N. 25 E. 18 rds. to Cen. of dump on the old gravel road; st., 8 x 18

Sugar	24	N. 19½ E	94
Elm		S. 33 W.	63

Thence N. 46 W. with said road, 33 rds, st., 10 x 12 in W. edge of gravel

Stone		N. 27½ E.	24½

thence N. 27 W. 24 rds. & 4 L., small st., 10 x 12 - Stone S. 67 E 42
thence E. with Sec. bearing to Sec. cor., distant 87 rds., thence E. with Sec. bearing 80 rds. to beginning.

Plat of Sec. 14 Tp. 14 N. R. 1 East.

S. W. cor. of Sec. 14

Buck	28	S. 10½ W.	27½
Do	32	S. 68 E	54½

Cm. on S. S. W. ¼

Mulberry	14	N. 68½ W.	523
		BK. C. P.	4

Commencing at the Cm. of the N. side of N. E. ¼ of Sec. 14. Thence S. 13.52 L. to corner, to stone,

Sugar	18	N. 5 W.	25
Do	10	S. 20 E	32

Thence W. with Sec. bearing 61.12 L. to the W. side of Sec.

Buck	15	S. 46 W.	25
Do	12	N. 12 E	22

St being 82 7/100 a. of N. side of tract.

Commencing at the ½ mi. post on the W. side of the Sec; thence E. with Sec. bearing 20.31 L; thence S. " "
" 20.20 L, st. 10 x 8 rounding

B. ash	16	S. 82½ E	14½
Sugar	24	S. 22½ W.	34

Thence E. with Sec. bearing 30.60 L, Cor. in bed of creek

Sycamore	35	S. 73 W.	143
W. Elm	20	N. 80 W.	190

Thence N. with Sec. bearing 20.20 L,
" E. " " " 9.86 " a rock cor. 6 in., tapering to a point, the Cm. of the S. line of N. E. ¼

W. oak	46	S. 9 E.	46
Buck	15	N. 12 E	9½

Thence N. 5 W. 2.97½ L; thence W. with Sec. bearing 61.12 L. to W. line of Sec. 297½ L. N. of ½ mi. post, st., 10 x 12

Beech	14	N. 69 W.	5
Sour oak	6	S. 62 E	26
		BK. C. P.	129

Moffitt & Hadley, A survey for in Sec. 14. S. ½ mi. post of Sec, Relocated, a st,

Sycamore	18	S. 5½ E	128
Cottonwood	18	N. 40 E	6
Sycamore	10	N. 33½ W.	60

81½ rds. E. W. ¼ mi. post & 11 L. E. of a stone located by some former surveyor.

Sycamore	12	N. 80½ E	87
Beech	30	S. 65 W.	62

13¼ rds. S. of same, a st,

Sugar	18	N. 23½ W.	75
Do	18	N. 78 E	137

20 rds. W. of Cm. S. N. E. ¼, a stone

B. Walnut 36 S.20E 108½
Blue ash 14 S.79W. 14
13¼ rds. S. of same, a stone
Sugar 10 S.82W. 85½
Sycamore 30 N.87W. 77
80 8/10 rds. on same line E. & W. through Cen. of the Sec., a stone
Sycamore 18 N.66½W. 44

Newlin & Cox, A survey for. Sec. 14
Cen. S.S.E ¼ B. Walnut 6 N.9E 43
Do 14 S.44W. 70
S.E. cor. 10 a. out of N.E. cor. S.W. ¼ S.E ¼ a st., Sugar 6 S.66W. 61
Do 12 West 139
S.W. Cor. Do Do. a stone.
Sugar 16 N.10W. 26½
Do 20 S.27½E 69½
Bk. C. p. 196.

Newlin & Cox Continued
Begin at N.W. cor. of E. ½ of N.E ¼ Sec. 23-14-1E, thence N. 10 21/100 ch., thence W. 7 28/100 ch., a cor. established, a st., 12×3×4
Rock 6×8×8 N.56 E (Both at side of road
Flat " 15×4×10 S.56W.
Thence S. 18½ W. to Sec. line[23]; thence S. 13 W. 3 6/100 ch., a rock planted 16×4×4
Elm 24 S.80W. 61
Oak 24 N.61W. 103⅓
Continued. Begin. at N.W. cor. of E. ½ of N.E. ¼ Sec. 23-14-1E; thence S. 11 33/100 ch. to a cor. established, a st., 12×6×4
Sugar 15 S.69E 80
Ash 10 S.65½E 111½
S.E. cor. Sec. Relocated. a rock 8×4 tapering (Sec. 23) Blk ash 10 N.2W. 26

N.W. cor. of Sec. Relocated from old mk. st., 4×6×12
Sugar 8 not marked) S.72½E. 82½

87 rds. W. from N.E. cor. of Sec. for Ezra Cox & John Morgan, to cen. of gravel road, thence S. 27 E.

N.E. cor. Sec. Relocated by old Gov. trees
Small Elm 10 N.9W. 6


60 rds. & 10 L. S. of Cen. N. N.E. ¼ of Sec., a st., 10×18×28 & thne covered
Sugar 12 N.85W. 39
Do 20 N.57E 57

W. ½ mi. Sec. 1 from Gov. trees, a st.,
S. oak 30 S.22¼W. 40¼
13.52 ch. S. of N.W. cor. Sec. 14, a stone 2×6×18 & footed,
S. oak 18 N.4½E. 56¾
Beech 20 S.8E 67
(Vari. not turned off) July 22-1887

Sec. 14-14-1E.
96 L. N.W. ½ mi. stone, a cor. marked by a st., 12×16- Oak 18 South 6
96 L. N. Cen. S. N.E. ¼, a st., 16×12×6
Beech 30 N.89E. 72
5.76 ch. N.W. ½ cor. a st., 10×20
Stone North. 3.20 Ch.
Do South 4.80 C.
8.96 ch. N.W. ½ mi cor. a stone.
18.02 ch. N. Cen. S. N.E. ¼, a stone 16×10×7
Stone 19×12×10 West 25L.
Bk. C. p. 400.

Marion Hadley et al. A Survey for.
A part of N.W.¼ & a part of N.E.¼
Sec. 14.
Beginning at N.W. cor. of said sec,
Thence S. 592½ ft. to st.; 5×11×16,
" 2700 " " " 6×7×20
" N. 592½ " " " 3×10×20
" W. to beginning = 34 18/44 A.
Also commencing at a stake 197½ ft
N. of S.E. cor. of the above described
lot & running E. 1300 ft. to a stake,
Thence N. 197½ ft; thence W. 1300 ft,
" S. 197½ ", to place of beginning = 5 82/100 A.

Plat of Sect. 15 Tp. 14 N. R. 1 East.



Cen. on N. of S. E. ¼ of Sec. 15.

Beech 24	S. 55 E.	8
Do	S. 15½ W.	33

Cen. on S. side of S. E. ¼

W. oak 12	N. 11¾ W.	52
Beech 30	S. 50½ E	21

Bk. c. p. 4.

Cen. on the N. of E. ½ of S. W. ¼ Sec. 15

Rock.	Cherry 10	S. 84½ E	12½
	Buckeye 5	N. 59½ W.	15

Thence S. with the Sec. bearing to Sec. line, a st., Sycamore 18 N 40 E 6

Do 16 S. 17½ W. 4½

The S. W. Sec. cor. & W. ½ mi. post each have a good stone.

Bk. c. p. 11.

Samuel Brown, A survey for ½ Sec. 15. Beginning on the S. end at the Cen. of the E. ½, thence N. 53° 40' W. to the W. boundary line of the S. W. ¼ 160 p. by calculation

Sycamore	12	N. 6¾ W.	74
Do	12	N. 31½ E	81

Thence N. with said 13 23/100 p. to a line cutting off 30 a. on the N. end of 120 a., thence E. with line 120 p. to the E. boundary line of said land, thence S. with said line 120 p. to beginning Containing 51 a. more or less. N. B. The first line cuts the Sec. line 116 67/100 p. from the S. W. cor. of said Sec.

Bk. c. p. 118.

Cen. of Sec. 15 st. 10 x 20

	Beech 17	N. 10 E.	60
	W. elm 30	N. 48 W.	119

Thence N. with Sec. bearing 19.75 L. a st.,

	Beech 24	N. 40 E	13½
	Do 18	S. 35 W.	39

Thence W. with Sec. bearing 40.50 L. to st., 10 x 14

W. beech 8	S. 48 E	4
Buckeye 6	N. 48 E.	15

Thence S. 5 E. to the Cen. of the Sec. line on the W. side, Being 80 a. off the S. side of the N. W. ¼ Bk. c. p. 129.

John Hussey Partition. Pt. of W. ½ & pt. of W. ½ of E. ½ of S. W. ¼ Sec. 15. as follows: Commencing at Cen. S. of said E. ½; thence W. on Sec. line to S. W. cor. of said Sec., " N. " " " 106⅔ p., thence S. 53° 40' E. to beginning = 40 Acres.

Bk. c. p. 170.

Cen. N. Cen. Sec. 15

Beech 34	N. 50 E	80+
Do	S. 15½ W.	33

N. ½ mi. stone.

Beech 16	South	94
W. oak 30	N. 17 W.	187

B.C. p. 250.

W.C. Herring lake, A survey for.
5 a. in N.W. cor. of the E½ E½ S.W. cor. of 15-14-1E. Beginning at N.W. cor; thence S. 8.75 ch. to a st. 6x12x15

Elm 12	N. 11 W.	30¼
Sugar 30	S. 44¾ E.	33½

Thence E 5.71⅖ ch. to a st. 5x8x20

Stone	West	25

Thence N. 8.75 ch. to a st. 9x15

Beech 36	N. 64½ E	105⅔
Do 24	S. 55 E	79

Thence W. 5.71⅖ ch. to place of begin.
J.W. Trotter. S.H.Co.

Brown Estate, Survey for.
W. ½ & W. ½ of E. ½ of S.W. ¼ Sec. 15.

S.W. cor. of Sec. Stone on top of stone

Pin oak 26	S. 69 E	102

Cen. N. of E. ½ of S.W. ¼, a st., 10x12

Beech 30	N. 73 W.	66
Poplar 15	S. 43½ W.	49

Cen. S.E. ½ of S.W. ¼ cor. in creek,

Sycamore 30	N. 14½ E	48
Do 24	N. 54 E	10½

5.23¾ ch. W. of Cen. N. of E. ½ S.W. ¼ is a st., 6x12x12

W. Cherry 14	S. 79 E	121

B. Walnut 18	N. 82 W.	167

Thence S. 35.88 ch. to a stake in mid. of creek

Elm 18	S. 73 E	124½
Sycamore 20	North	233

13.97 ch. S. of W. ½ Mi. Post of 15-a st. 5x8x10

Sycamore 5	W. 73 W.	24

Thence S. 18.60 ch. or 7.71 ch. N. of S.W. Sec. Cor, a st., 5x10x12,
Thence E. 21.52 to a stake on bank of creek

Doub. Syc. 40	S. 31 W.	48
Elm 15	N. 35 W.	12

J.W. Trotter. S.H.Co.

13.97
18.60
7.71
40.28


Plat of Sect. 16 - Tp. 14 N. R. 1 East

Cen. of Sec. 16, a st. 16×24
W. oak 20 N. 19 W. 77½
Do 24 S. 11¼ E 111
Cor. 40 rds. S. of Sec. Cen, a st. 15×20
Sugar 12 N. 65½ E 32
Do 24 N. 62½ W. 116
Cor. 40 rds. S. of E. ½ mi. st., 10×16
Sycamore 24 S. 17½ E 91
Do 20 S. 2¼ W. 163
BK. C. p. 217

34 146/100 rds. N. of Cen. E. N. E. ¼, st., 10×12×16
Beech 20 N. 37½ E 45 ft.
Do 15 S. 50½ E 50 "
Thence W 164 rds. to W. side of the ¼ Sec., stone 6×12×15

Poplar 12 S. 29¾ E 5⅓ ft.
Do 10 N. 51½ E 26 "
J. H. Trotter. S. H. Co.

Plat of Sec. 17, Tp. 14 N. R. 1 East,




30 a. off the W. side of N. W. ¼ of S. W. ¼ Sec. 17. Beginning at W. ½ mi. Post,

Thence E. 60 p. S. Lash 15 S. 41 E 18
Elm 8 S. 50 W. 21

Thence S. across the ¼
Beech 20 N. 73 W. 22½
Do 24 N. 20 E 36

Thence W. to Cen. W. of the ¼
P. oak 28 S. 37½ E 19
B.R.C. p. 53.

Cen. on N. Sec. 17, a good stone
Pine 12 S. 36° 50' E 120
Stone N. 39 30 E 32½
Jan. 11 - 1887.



Plat of Sect. 18, Tp. 14, N. R. 1 East,

N. E. cor. of Sec, Relocated from old
witnesses, stone 12×20

W. oak	40	N. 57 W.	38½
B. walnut	24	N. 86 E	52

N. W. cor. Relocated from old witness,
stone 20×18

Beech	24	N. 8 E	76

Cen. W. N. W. ¼ (fractional) a stone
16×12

Beech	18	N. 6 W.	162
Do	12	N. 73½ E	113

Cen. E. N. E. ¼, stone 14×20

Beech	16	N. 30½ E	145
Do	14	S. 57 W.	35.

Bk. C. fp. 229.

See Sec 19

Part of N. W. ¼ of S. W. ¼ Sec. 18.
Beginning 10 rds. S. of N. W. cor. of
said ¼ ¼ (which is 7½ L. N. of S. ½ mi.
of Sec. 13) Thence S. 70 rds. to Cen.
W. of S. W. ¼ as above, (which is 243½
L. N. of Cen. E. of S. E. ¼ of said Sec. 13
Thence E. 21 5/7 rds. to a stone 10×16

Beech	20	N. 68½ W.	24½
Do	10	N. 70¾ E	76½


Thence N. 70 rds, stone

Beech	10	S. 52 E	30
Sugar	10	S. 4 W.	35

Thence W. 21 5/7 rds. to beginning
estimated at 9½ acres.

Bk. C. fp. 208

Plat of Sec. 19 Tp. 14 N. R. 1 East.




½ mi. post on E. side of Sec. 19 Meridian
Relocated. Buck 18 S. 5 E 41
Sugar 10 S. 89¼ E 100
Also E. side of Sec. 18 on meridian
Buckeye 5 N. 26 E 45
Lynn 19 S. 85¾ E 41.

Jeremiah Hadley. 20 a. off the S. W. cor.
Of the S. E. Cor. Beech 30 S. 26¾ E 44
(not plain) Do 12 S. 19½ W. 54
40 rds. N. at B. Beech 30 N. 59½ W. 83
W. Walnut 10 N. 18 E 71½
N. W. Cor. Beech 12 N. 8½ W. 22
Do 10 S. 37 E 21
All in Bk. C. p. 5.

N. W. cor. of Sec. 19. W. side of N. ½ mi.
Stone 15 x 10 on the
Stone 15 x 24 Beech 12 N. 66½ W. 7½
Hickory 22 S. 34 E 20
Cen. E. of N. ½, a stone
B. oak 16 N. 70¾ W. 63
N. E. cor. of Salem Meting House lot 70
p. E. of W. side, stone 12 x 18
Beech 20 N. 53 E 41
Ash 30 N. 53½ W. 53
S. E. cor. stone 16 x 18
Cherry 14 S. 44 E 19
Sugar 20 West 59
S. W. cor, stone 18 x 20
W. oak 18 N. 74½ W. 26
Beech 28 N. 12½ E 29
N. W. cor. stone 15 x 18
Beech 20 S. 22½ W. 55½
Do 18 N. 84 E 17½
Bk. C. p. 23.

Cen. E. S. E. ¼, stone 15 x 12
Stone S. on line 26
Cen. W. S. W. ¼ Sugar 16 S. ½ W. 28
80 rds. E. of the meridian line on the
S. line of the Sec. stone 10 x 12 in
center road, Stone 8 x 10 N. 5½ W. 22.

Plat of Sect. 20 T. 14 N. R. 1 East.



a. Boulder 15 inches.
b. Triangular rock.

E. ½ mi. Sec. 20 Relocated by running & measuring, stone 8 x 14

	W. oak 26	S. 26½ W.	37½
	Do 40	S. 61¾ E	122
Cen. E. Cen.	stone 10 x 16		
	W. oak 40	S. 22 W.	24
	Elm 14	S. 48½ E	65½
Cen. S. S. E ¼	stone 8 x 15		
	Sugar 18	N. 53 W.	106½
	Do 18	S. 46½ W.	58

Commencing at the Cen. of S. E ¼, thence N. 113 rds. Where is stone 10 x 15

	Pin oak 40	S. 66½ W.	55

	Buck 16	N. 78½ W.	65

Thence E. 40 rds, stone 8 x 10

	Stone 6 x 10	S. 34 E	37
	Do 12 x 16	N. 29 E	34

Thence S. 113 rds. to S. line of Sec.

Stone 10 x 20	W. oak 18	S. 55 W.	125
	Maple 12	S. 44 E	123

Thence W. 40 rds to beginning
Containing 28¼ a. Bk C. p. 205.

N. ½ mi.	Cherry	S. 36 E	145
Cen. N. N. E ¼	W. oak 36	S. 31 W.	105

76 rds. & 9 L. S. of last cor.

	Ash 8	S. 76 W.	7½
Cen. of Sec.	Ash 8	S. 59 E	75

Thence N. 74 rds. & 14 L.

	Ash 24	N. 9 E.	98½
	Walnut 4	S. 10 E	26

W. ½ mi.	B. Walnut.	N. 3 W.	128

49 L. E. of S. ½ mi.

	Buck 24	N. 56 E	20

19 rds. & 8 L. E. of S. ½ mi.

	Hackberry 8	N. 31 E	52
Cen. S. S. W. ¼	Buck 8	N. 9 E	69½

Beginning 40 rds. E. of Cen. on the S. of S. E. ¼; thence E. 41.2 rds. to Sec. line & the S. E. cor. of Sec., thence N. 48 rds. to the S. side of the road, thence N. 52 rds. & 19 L. to E. ½ mi stone, thence W. 80 rds. & 25 L. to stone Cen. on N. of S. E. ¼, thence S. 24 rds., thence E. 12 rds (for Timber) to stake,

	Sugar 20	S. 25 W.	4½

Thence N. 24 rds.

Poplar 12 S. 50½ W. 124
Thence W. 1½ (or 12) rds. cutting off 288
rds. of Timber for Mrs. Northward.


Love et al, Survey for. Pt. W. ½ S.W. ¼
Elwood Stanley
Thos. L. Rushton Sworn Chainmen,

Cor. 98½ L. N. of Cen. W. S.W. ¼
Stone 6×8×12

Stone S. 10 W. 13
Cor. 98½ L. N. of Cen. S.W. ¼
Stone 8×10×16

Stone S. 50 W. 12,

Plat of Sect. 21 Tp. 14, N. R. 1 East.



Cen. N. N. E. 1/4 Sec. 21.

	Beech 18	S. 27 W.	10½
	Do 28	East	29½

Cen. S. of N. E. 1/4, a corner that has stood a series of years & appears to be satisfactory, stone, small

	Buckeye 4	N. 62 E	3
	Ironwood 4	S. 80 W.	8½

Bk. c. p. 11.

Mills et al. Survey for ni Sec. 21.

Cen. S of N. E. 1/4, a small stone, well set

	Cherry 8	N. 86½ W.	26

N. 1/2 mi. Relocated.

	Thorn 4	N. 59½ W.	40½
	Buck 12	N. 51½ E.	67
Cen. N. N. W. 1/4	Oak 30	S. 30½ E	109
	Buck 18	S. 67½ W.	69.
Cen. N. W. 1/4	Hickory 12	S. 52½ E	111
	Do 12	N. 59 E	109

Cen. N. Cen. stone 10 x 16 x 24 long, but no trees near.

Cen. N. E. 1/4	Stone 8 x 10	S. 82 W.	19
	Buck 12	N. 51½ E	38½

E. 1/2 mi. post, stone 12 x 14 Mill set.

N. E. cor. of Sec. Relocated, stone 12 x 14 x 30

	Elm 30	S. 78 E	40 links
	Hackberry 12	S. 51½ E	46½

Note. Rocks promised at the above corners & also at the Cen. N. N. E 1/4

40 rds. E. of Cen. of N. W. 1/4

	Beech 24	S. 47 W	4½

Thence S. 24 rds

	Oak 36	S. 68½ W.	38½

24 rds. S. of Cen. N. W. 1/4

	Beech 15	N. 41½ E	102¼

Plat of Sect. 22, T.p. 14 N. R. 1 East.

Mc. Crackend Moffit. Survey for in 22.
Cen. S. S. W. 1/4, stone - long one.

Beech	22	S. 2 E	43
Elm	18	S. 11 E	59½

Cen. N. S. W. 1/4, stone

Beech	18	N. 81 W.	16
Stone		S. 62 E	30

Blk. c. p. 10

Cen. of Sec. 22. Hickory 20 N. 2 E 12½
Ash 10 S. 67½ W. 41
Cen. N. S. E. 1/4, st. 18 x 10

Ash	18	N. 2 1/4 or 2 1/4 E	33
B. oak	18	S. 48 W.	53

Cen. S. S. E. 1/4, st. 24 x 15

W. Elm	38	S. 44 E	51½
Hickory	14	N. 11 W.	31½

N. 1/2 mi. post. st., 14 x 10 Blk. c. p. 52.

Wm. Hussey, Pt. of E. 1/2 of S. 1/2 of N. W. 1/4 Sec. 22. Beginning at the Cen. of Sec. thence N. on E. line 81 rds. to N. E. cor., thence W. on N. line 61 p., thence S. to S. line of said 1/4; thence E. on said line 64 p. to beginning, containing 32 1/4 a, which has been heretofore set off by commissioners to Thomas Hussey, (Dec) And 20 acres off the N. end of E. 1/2 of S. E. 1/4 of said T.p. & Range as follows; Commencing at E. 1/2 mi. of said Sec. thence S. on Sec. line 72 rds., stone

12 x 16	Walnut	30	N. 40 3/4 W.	78
	Buckeye	14	N. 13 W.	66

Thence N. W. to W. line of said E 1/2 8 rds. S. of N. W. cor. of said 1/2; thence N. 8 rds, thence E. on N. line to the beginning; containing in all 75 1/4 a. And also Lot No. 8 in Blk. No. 11 & Lot No. 1 in Blk. No 16 in the town of Belleville, Indiana.

John Hussey. 20 acres off the N. side of the N. 1/2 of the N. W. 1/4 Sec. 22 as fol; Beginning at the N. W. cor. of said Sec; thence E. on Sec. line to 1/2 mi. post;
" S. on line dividing said N. W. 1/4 & N. E. 1/4 of Sec. 22, 20 rds, where is stone

8 x 12	Mulberry	6	S. 1 W.	65
	B. ash	16	N. 63 3/4 W.	63

thence N. to Sec. line, st., 10x16
B. ash 14 N. 13 E 78
G. ash 18 S. 87 E 100
thence N. on Sec. line to beginning
Containing 60 acres.

Lydia Hussey, The N. ½ of N.W.¼ Sec. 22,
Except 20 a. in width across N. side
which is set off to — = 60 acres

Judiah C. Hussey. The E ½ of S.E.¼ Sec. 22
except 20 a. off the N. end set off to —
Containing 60 A. All in BK C, -167-170

19.4 rd. E. of Cor.
Ash 15 S. 60 E 64
20.4 R. E. S. ½ mi. post, st., 10x12
Hickory 10 N. 43¾ E 151½


Cor. of 22, 23, 26 & 27 established by
Robt. McPheters, Surv. Morgan Co. &
J.H. Trotter Surv. Hendricks Co.

Chainmen. Clark Blair Hendricks Co. Com,
John F. Hadley Morgan " "

Flagman. Joseph E. Overton. Trustee
Brown Tp. Morgan Co.

Cor. of above Secs., st., 7.x7x14
Stone North 20
Hackberry 6 S. 6 W. 32

Plat of Sect. 23 Tp. 14 N. R. 1 East.



Cen. S. N. W. ¼ Sec. 23, in the creek.
Stone 18×12 N. with Sec. bear. 300
Do 15×12 N. on line 150
Soft maple 36 N. 48 W. 150
Thence N. to a cor. formerly set by me, st. 26×8. E. ½ mi, st. 28×12. B.K.C. p. 52.

Moffit's Survey. Beginning at N. ½ mi. st., thence S. 32 rds. to cen. of creek, thence S. 5 W. with Cen. of creek 40 rds, thence S. 25 W. 24½ rds. to beginning thence W. with Sheets line 13.4 rds.: thence W. 38 rds. to cen. of creek; thence N. 24 & 8 R; N. 56 & 12 rds, S. 70 & 11 rds, S. 22 & 10 rds. to intersection of line,

Judiah Hussey, Pt. of W. ½ of S.W. ¼ 23.
Beginning 52 rds. N. (on Sec. line) of S.W. cor. of W. ½, st., 12×16 & under cor. of bank, Beech S. 80½ E 133
Stone S. 75 W. 50
Thence E. 24 rds. & 11 L., thence N. 49½ W. to Sec. line, st., 8×12
B. oak 18 N. 41 W. 26
Walnut 16 S. 51 W. 11
Thence S. on Sec. line 17 rds. to beginning

Rebecca J. Hussey. Pt. W. ½ of S.W. ¼ 23
Beginning at Cor. S. of said S.W. ¼ st., 12×18 Buckeye 16 E. on Sec. line 14
Sugar 20 N. 31½ E 22
Thence W. on Sec. line 81 rds., thence N. on Sec. line 52 rds, thence E. 24 rds & 11 L., thence S. 49½ E. to beginning. And the W. ½ of N.W. ¼ Sec. 26-14-1E in Morgan Co, Indiana. Containing in the whole 96 acres. March 23-1879
B.K.C. p. 170

A. Stone 10×12×15
Ash 15 N. 21½ W. 212½
To creek 23.6 rds. W. of E. ½ mi. stake; thence N. 34 rds., thence N. 28½ E. 20 rds, thence N. 25½ W. 18¾ rds: thence E. 232 to Sec. line. to a Cor. N.E. cor. 23-14-1 E. Sec. 14-1 E.

S ½ mi. Relocated by W. F. Franklin, Sur. of Hendricks Co. & W. W. Johnson Sur. Morgan Co.
Stone 4×5×15
Sycamore 14 S. 60½ E 65
July 14-1899. Do 10 S. 57 W. 25

a.	B. Walnut 16	S. 53½ E.	T.M.	166
6	Sycamore 20	N. 69 W.	"	261
m.	Oak 15	S. 49½ E	"	44
	Mulberry 8	S. 86½ E		55
g	Sycamore 15	S. 81½ E		155
b	Buckeye 10	N. 89 E	"	150
t	Sycamore 20	S. 71 E by needle		248
o	Soft maple 36	N. 48 W		150
g.	B. Walnut 16	S. 53½ E.	T.M.	166 0. 4½ E.
b	Sycamore 20	N. 69 W.	"	261 "
m. in crotk	Mulberry 8	East	"	155
n.	Sycamore 15	N. 81½ E	"	155
r.	Buckeye 10	N. 89 E	"	100
t	Sycamore 20	S. 71 E. by needle		248
c	Sycamore 16	N. 36½ W.	T.M.	471.


From N. ½ mi. S. to g. 32 rds. From g to b. S. 10 W. T.M. 40 rds, from 6 to c S. 29½ W. T.M. 25 rds. × 7 L. from c to Moffits cor. 13.4 rds. (See other page). From t to r S. 5° E 18¾ rds. From r to n S. 33 W. T.M. 20 rds. from n. to m S. 34 rds.

E ½ mi. cor. Relocated from old pit stump, St., 16 × 12 × 6

Beech 20	N. 52½ W.	32¼
Sugar 16	N. 89½ W.	30

Thence N. 17, 31½ c, a stone S. 11.30 c N.E. Sec. c. cor, stone. Bk c. p. 389.

Plat of Sec. 24 T.5. 14 N.R. 1 East.



Jacob Chandler. 100 a. off N. side of S. W. ¼ Sec. 24, or the W. ½ of said ¼ & 20 a. off the N. side of E. ½ of said ¼

N. — cor.	Beech 28	N. 83 W.	40
	Do 18	S. 45¾ E	77
S. — Cor.	Hickory 18	N. 69 E	15
	Beech 10	S. 11¼ W.	59½
Cen. Sec.	Beech 12	S. 60 W.	24
	Do 12	N. 23¾ E	32

Bk C. p 118.

A cor. 32.80 rds. N. of S. W. cor. Sec 24-14-1E
stone planted

	Beech 24	N. 46 E	27
	Stone	N. 88½ E	16½

Mills & Gregory, – a survey for. May-10-1893
S. ½ mi. Relocated, stone 12 x 12 x 18

B. Walnut 14	N. 33 E	50⅔
Beech 16	S. 5¾ E	38⅓

Cen. of Sec, Relocated from old witness.
Stone 5 x 16 x 24
21 85/100 ch. N. of the S. ½ mi.
B. Stone 4 x 10 x 14

Ash 10	N. 52½ W.	8
Stone 30	N. 4¾ W.	13

21 85/100 ch. N. of D.
Stone 6 x 12 x 12

Sugar 18	N. 61½ E	9

A. Stone 8 x 12 x 16 old witnesses.
J. W. Trotter.

Jessup Vs Jessup. Land Partition Nov. 7. 1893.
John W. Trotter, S. H. Co, Alex Swearingen & Samuel Woodward, commissioners
14.94 ch. N. of Cen. of Sec. 24 is a stone 8 x 12 x 17

Beech 15	S. 26½ W.	13
Do 18	N. 54 W.	32

Thence N. 9.81⅙ L. to a stone 6 x 10 x 14


Sycamore 6	N. 25 E	19
Do 6	S. 13 E	21½

Thence N. 10.41⅓ ch. to a stone at the N. W. cor. of Lot 4.
Thence W. 2.60⅔ ch. to a stone at N. W. cor. of Lot 3
Thence N. 2.47 ch. to a Stone at N. W. cor. of Lot 2.

N. ½ mi. Sec. 24, stone 12 x 19 x 22

Maple 18	S. 28 W.	83
Do 12	S. 3 E	70

Plat of Sect. 5 Tp. 14 N. R. 2 East.



Reeves & Ballard, Survey for ie Sec. 5.
S. ½ mi. Rock promised.

Hack.	16	N. 9½ E	69
Sycamore	14	S. 2 E	129

N. E. cor. of Sec. a rock 195 L. N. of S. E. cor. of Sec. 32 - T. 15 R. 2 E. N. W. cor. of Sec. is 139 L. N. of S. W. cor. of Sec. 32 - 15 - 2 E. E ½ mi, a rock very flinty & hard with black & white streaks thro it. & 4 L. N. of another rock.

Cen. of Sec. &	Sugar	12	S. 43½ E	45
St. promised.	Do	12	S. 49½ W.	61

Cen. S. S. W. ¼, st., 5 x 14 x 20

	Walnut	6	N. 82 W.	103
	Oak	24	N. 15½ E	118½
Cen. N. S. W. ¼	Beech	10	S. 62 W.	29

And a rock 8 x 16 x 22 with ring groove a-round it. B. K C. p. 161.

Kellum & Hadley, Survey for ie Sec. 5.
Dividing the E. ½ of W. W. ¼ of 5 - 14 - 2E.
Beginning at the S. W. cor. of E. ½ as above; thence N. 31 E 84 rds.

B. oak	28	S. 39 E	127
Sycamore	12	N. 24½ E	171

Thence N. 58 E. 10 p; thence N. 12 E. 7 p.

W. Locus	10	S. 74 W.	38

Thence N. 15 W. 23 p. B oak 30 N. 57½ W. 75
" N. 21 E. 8 p. B. ash 30 N. 21 E 96½
" N. 84 E. 12 p. W. walnut 16 N. 12½ E 60
" North 24 p. B. oak 36 N. 77 W. 78
" N. 56 E. 10 p. W. Elm 20 N. 38 W. 90½
" N. 5 W. with the line 24 p. to the cor. ½ mi. post. B K c. p. 276.

Lap between N. W. cor. Sec. 5 & S. W. cor Sec. 32 as taken in 1892 is 114 L. as rds. & fences indicate. (J. Hunt.)

David Ballard. Sec. 5. Cor. from S. ½ mi. post on N. or 35 rds. & 15 L. E. (at 3½ Var.) 16 rds. said cor.
Thence S. 74 rds. & 11 L. also 8 rds. making 82 rds. & 11 L. S. price on E. 22.03 ch., 74 rds. N. & S. 36½ a., The whole line is 164 p. & 23 L. E. from Sec. Cen. by distance it should be 83½ L. but road & evidences make it 88½ L, st. 10 x 19

Sugar	26	S. 53 E.	70¾
Do	14	S. 54 W.	68¾

The cor. near John Hadley's S. 26 making 83 rds. & 12 L. on N. less 16 leaves 67.12. S. 81 p. & 1 L. a corner stone 12 x 12.

Furtre	3	N. 72½ E.	69
B. Walnut	15	N. 3¼ E.	263½

(This cor. E. of the one next below in road)

N. W. cor. of Sec, ash much decayed.
Stone 18×12 put in.
Sugar 12 N. 73½ E 31.
S. 83 rds. of the N. W. cor. is st., 18×8
Ash 10 N. 78 E 38
W. oak 18 N. 9½ E 47
S. line 164 rds. & 13 L., N. on line 5 rds.
W. of ½ mi, stone 16×9×4
Ash 12 S. 16½ E 29
N. line is 165 rds. & 20 L: Av. length
165¼ rds. S. 16 R. Ballard's S. W. cor. a
st., Ash 10 N. 81½ E 25½
Sugar 10 N. 85½ W. 41
Thence E. 85 rds. to 16 S. of ½ mi, st., 10×7
Walnut 20 N. 8 r 80 E 22.
Bk. C. f. 322.

N. from W. ½ mi. st. 41½ rds, a cor.
Ash 20 S. 31 W. 33
Thence E. 164 rds. & 10 L, to st., 8×18 in
the road, Small walnut 4 S. 79 W. 26
Thence N. 39 rds; Thence W. 164.8 rds.,
" S. 39 rds. to beginning estimated at 40 a. more or less. (For Patrick Fogarty)


Patrick Lee's portion off the S. side of the John Hadley tract described as fol, Beginning at the W. ½ mi. stake of Sec. 5; thence N. 41½ rds, thence E. 164 rds. & 10 L, thence S. 42½ rds, thence W. 163 rds. & 8 L, to beginning estimated at 43 a. & 10½ rds. more or less.

20.29 C. N. W. ½ mi. st., cor. relocated from mt. st. set, thence E. 41.39 C. to a st., thence S. 1 W. 9.81 C. a st., " S. 1 W. 10.61, st., thence W. 41.05½ to Beg.
Bk C. f 395.

Eli W. & Emsley L. Safe mgr. Survey for.
1. Stone 4×8×16
B. Walnut 8 S. 78 E 25⅔
Do 8 S. 59 W. 9½
Do 6 S. 62 W. 14⅔
3. 18.82 ch. N. of Cen. S. of N. E. ¼, stone
10×16 W. Cherry 8 S. 78½ E 28½
Ash 5 N. 66 E 29
4. 18.60 ch. W. of No. 3. st., 12×18, in cen, of Public road, J. W. Trotter. S. H. Co.

2. Cen. N. N. E. ¼ mi cen. of creek.
Stone East 100
Do North 50
J. W. T.
6.05 ch. S. of Cen. N. of N. E. ¼ stake in the creek. Stone West 25 ft.
Sycamore 18 S. 82½ E 36⅔ "
Thence W. 18.25 ch. to st., 7×8×14
Stone East 16½ "
Maple 24 N. 5¾ E 214⅙ "
Thence N. E. in cen. of road 6.05 ch. to stone, thence E. 18.12½ chs. to the beginning = 11 a, J. W. Trotter. S. H. Co.

Plat of Sect. 6 Tp. 14 N. R. 2 East.



Ballard & White Survey for ½ Sec. 6.
Beginning at the S. E. cor. of W. ½ of S. W. fract. ¼, thence N. with Sec. bear. 2 ch. 11 L. Hickory 24 N. 72 W. 24
Do 20 N. 24 E 70
Thence S. 87¾ W. 14 ch. & 47 L. to S. E. cor. Sec. 1-14-1 E. Thence S. with the range line 1 ch. & 56 L. to the S. W. cor. of Sec. 6-14-2 E.: 14 ch. & 48 L. on S. line of the last named Sec, to beginning. Containing 2 70/100 a. Bk C. p. 146.

W. ½ mi, relocated 82½ L. S. of E. ½ mi. Sec. 1, flat rock 12×20
Oak 16 S. 65 E. 17
Do 16 S. 45 E 32½
Cen. of Sec. 58 rds. & 7 L. from W. ½ mi. E.


St., 10×12 Elm 15 S. 64 W. 159.
84 rds. & 5 L. N. from S. ½ mi. St., 20×16×12
Elm 15 S. 7½ W. 53
Oak 20 N. 40 W. 56.

S. from S. E. cor. of W. ½ S. W. fract. ¼
60 rds, St., 18×12. Beech 24 N. 33 W. 3
W. oak 20 S. 15 E 33.

Ballard Land Partition.
30 a. of the N. end of E. ½ of S. W. ¼ & the W. ½ of S. E. ¼ of Sec. 6.
a. S. E. cor. is a stone 7×6×14
B. walnut 8 S. 79 E. 14 ft.
B. S. W. cor. is a stone 6×8×9
Red oak 24 N. 54½ W. 20½ "
Hickory 18 S. 29½ E 19 "
C. S. ½ mi. is a stone 4×9×18
Large stone N. 22½ W. 49⅔ "
B. Walnut 24 S. 3½ E 63½ "
S. ash 12 S. 84 W. 78¼ "
J. W. Trotter Surv.

Aetna Life Ins. Co. to R. D. Atkins
Said Co. begins at W. ½ mi. Sec. 6-14-2 E.
Thence S. 64.52 rds. to a St., 4×15×18
Beech 24 S. 64½ E 29½ ft.
Thence E. 58 277/1000 rds. to E. line of said W. ½ of S. W. ¼ Sec. 6 - where is St., 12×15×20
Beech 18 S. 84 W. 38⅙ ft.
Black gum 12 S. 63 E. 57 "
Thence N. 64 52/100 rds. to Cen. N. of W. ½ S. W. ¼
St. 6×8×12, smooth on one side.
Flat stone South 18 ft.
Thence W. 58 277/1000 rds. to beginning, estimated to contain 23 50/100 acres.
For R. D. Atkins pt. see plat on foregoing page.
J. W. Trotter Surv.

Plat of Sect. 7 Twp. 14 N. R. 2 East.




S. E. cor. Sec. 7 by running & measuring
Sugar 14 N. 4½ W. 5/4
Hickory 20 N. 61¾ W. 84
Cor. 9 rds. x 7 L. E. of S. ½ mi. post,
St., 16x10 Beech 5 S. 3 E 139
Do 8 S. 23 E 169
Cen. S. S. W. ¼ (Frac.) stone 15x12.
Beech 16 N. 69½ W. 25
Hickory 6 N. 43½ E 72.
Cen. N. N. E. ¼ stone 15x10
Beech 24 S. 76 E 9½
Sugar 14 S. 57 E. 57½
N. E. cor. Sec. 7, lime stone 20x15 & flat.
Bk C. p. 231.

Sec. 7-14-2 E.
St is 95 p. S. of E. ½ mi. post, St., 20x15x6
Thence S. 60 p. & 19¼ L.
B. is Cen. E. Cen. an old stone fixed & believed to be nearly right but the line N. & S. not straight.
R. oak 36 S. 88 W. 75⅓
Do 30 N. 6 E. 63⅓
Thence S. 95 p. St., 18x9x8, whitish.
C. is 100 p. & 9¾ L. N. of Cen. E. of Cen, St., 18x15x10
Sugar 26 S. ½ W. 20
Do 28 S. 26½ E 31½
E. is 96 p. W. of the last named corner. stone 24x18x4 & pointed,
Hickory 28 N. 14½ W. 56½
Beech 22 S. 79½ E 36½
F is 96 p. W. of Cen. E. of Cen, stone 20x12x12
W. oak 24 S. 69 E 34
Bk C. p. 266.

For complete record of the Kellum land see order Book 36 page 234 Clerk's Office

Plat of Sec. 8 T.p. 14 N. R. 2 East.



E. ½ mi. post of Sec, relocated by running & measuring.

	Elm 20	N. 28½ W.	52
	Sugar 10	S. 67 W.	62
Cen. of Sec.	W. walnut 12	S. 66 W.	~~110~~ 256
	Large stone	S. 85 W.	256
Cen. W. Cen.	Beech 16	S. 46 W.	114
	Sugar 14	S. 34½ W.	146

BK. C. p. 233.

Fairfield Mo. Meeting of Friends, Survey for in Secs. 8 & 17. S. ½ mi. post in Sec. 8 Relocated.

P. oak 28	N. 11¼ E	79½
Sycamore 12	S. 35½ E	47

Thence E. with Sec. bearing 20. poles.

	Apple tree 6	S. 21 E	24
	Sugar 12	N. 32¼ W.	81
Thence N. 20 p.	B. oak 30	S. 55 E	23
	Oak 24	S. 54 W.	53
Thence W. 36 p.	Sugar 12	N. 40 E.	23
	Walnut 6	S. 42 E	10
" S. 25 p.	P. oak 28	N. 53½ W.	23
	Do 30	N. 79½ E	56½
" E. 16 p.	Cherry 36	S. 23 E.	62½
	Sugar 20	S. 61 W.	26½

" W. 5 p. to beginning, Containing 5 acres. BK. C. p. 262.

Cen. S. S. W. ¼ Sec. 8, stone 24 × 7 × 7

	Sycamore 20	N. 53½ W.	48
	B. oak 24	S. 29½ W.	32

A cor. 95 p. S. of Cen. N. of S. W. ¼ stone 24 × 10 × 9

	B. walnut 30	S. 51 E.	68½
	Sugar 24	S. 13½ W.	66.

Cen. of Sec. 8, lime stone 20 × 12 × 5.
E. ½ mi. post. stone 30 × 10 × 6. Rogers witnessed. BK. C. p. 266.

Asher Kellum, Guardian Asa Ballard. Survey for. Beginning at the Cen. S. S. W. ¼, thence N. to the bed of creek 5.8 rds., thence N. 58¼ W. 9.6 rds., thence N. 3 W. 9.24 rds., thence N. 26 E. 13.56 rds., thence S. 85 E. 4.7 rds., thence N. 5 E. 6.9 rds., thence N. 55 W. 23.12 rds., thence N. 3 W. 7.84 rds., thence N. 51 E. 9 rds., thence E. 4.12 rds. to a corner

Sycamore 24	N. 80½ E. T. M. 73	
Ash 12	S. 12 E. V. 4°	73

thence N. 22 E. 18.12 rds., thence N. 11½ W. 32.54 rds., thence N. 3 E. 34.56 rds., thence

N. 16 E. 20.32 to Cen. N. of S.W. 1/4 Sec 8
Stone S. 7½ W. 111¾

Cen. E. Cen. stone, 27 x 20 x 20
Sugar 6 N. 9½ W. 29¼

* Stone Sugar 28 S. 45 W. 67½
W. Walnut 24 N. 74 E 83


Chandler & Thompson, Survey for, May 10-93.
Chandler's part. Beginning at the Cen. of N.W. 1/4 Sec. 8, thence E. to the N. 1/2 mi. of said Sec, thence S. 7 75/100 ch. to Cen. of creek, thence S. 44¼ W. 5 80/100 ch. in the creek, thence S. 2¾ W. 3 ch. in cr., thence S. 24¼ W. 72 L., thence W. 18 58/100 ch. to Cen. Public highway to stone 8 x 10 x 12
Maple 12 S. 72 E. 31⅔
Do 12 N. 47½ W. 31⅓
Thence N. 3½ E. in Cen. of road to stone* 1 67/100 ch. W. of Cen. N. N. W¼ of said Sec,
Thence E. 1 67/100 ch. to Beginning = 32⅘ a.
(Thompson)

Beginning at Chandler's S.W. cor., thence E. 18 58/100 ch. to Cen. of creek, thence S. 24¼ W. 11 28/100 ch., in the creek, thence S. 49½ W. 84 L. to a stake
Sycamore 10 N. 14 W. 45½
Willow 14 S. 64 W. 63½
Thence N. 85 W. 14 27/100 ch. to a stone 5 x 8 x 12
Maple 10 N. 60 W. 29½
Do 14 N. 88½ E. 24
Thence N. 3½ E. 9 65/100 ch. to beginning estimated to contain 17 A. J.H.S.

Survey for Trustees of Monthly Meting of Friends Church, Fairfield Co. Aug. 3 1900.

Morris Hostetter & Ralph Swearingen, Sworn Chainmen.
S. 1/2 mi. stone.
(1) 20 rds. E. S. 1/2 mi, stone 16 x 16 x 8
Sugar 28 N. 4½ E. .90
Do 18 S. 88 E 1.24
(2) 20 rds. N. of No. 1. stone 9 x 15 x 16
R. oak 50 S. 24½ W. 2.60
Elm 40 S. 3 x ½ W. 2.38½
(3) 16 rds. W. of S. 1/2 mi, stone 24 x 8 x 10
Sugar 24 N. 70 E 1.14
Do 32 N. 4½ E .84½
(4) 20 rds. N. of 3, stone 14 x 6 x 16
Sycamore 36 S. 70½ E 97.
Elm 40 N. 82½ W. 51½
(5) 5 rds. S. of N. 1/2 mi, (and in Sec. 17) stone 8 x 11 x 13 Sycamore 44 N. 15¾ E. 84¾
B. oak 44 S. 58½ W. 90½
(6) 5 rds. S. of (3) & in Sec. 17, stone 8 x 10 x 14
Sugar 20 N. 76½ E 78
Do 16 S. 53¼ E 94½
W. F. Franklin, S.H. Co.

Plat of Sect. 17, Tp. 14 N. R. 2 E.



S. ½ mi. Sec. 17 Relocated by running and measuring. Stone cor. 20 x 12.

Stone	20 x 10	S. 27½ E	34½
Do	14 x 12	N. 12 E.	96

Bk. C. p. 231.

E ½ mi. Sec. 17, Relocated. Old mk.

Stone 32 x 24	Ash 8	N. 77½ W.	20
	Stone 26 x 20	S. 50 W.	33

Cen. of Sec. Stone 32 x 24

	B. Walnut 30	N. 54½ E	70
	Ash 8	S. 3¼ W.	87
Cen. E. Cen.	Beech 14	N. 58¾ E	55½
	Ash 14	N. 17 W.	34

Bk. C. p. 233

Cen. N. N. E ¼ Stone 16 x 20

	W. oak	N. 60 E.	155

Witness trees & bearings with vari. 3½ E.
Wilson Spray, Assignee of T. Jessup. Survey.
Beginning 92 rds. N. of S. ¼ mi. stone
& stake, Witness stone. N. 30 E. 45

	P. oak 30	S. 68 W.	61

Thence S. 89 W. 48 rds.

	W. oak 20	S. 31 W.	82
"	S. 56½ W. Sycamore 20	S. 61 E	—
	Do 20	S. 17 E	—

" S. 82 W. 20 rds.

	Boxwood 4	N. 58 E	9

" S. 75 W. 15.24 rds.

	Willow 4	S. 60½ W.	20

" N. 85 W. 13 rds. Ash 3 N. 30 E 35
" N. 19 W. 10 rds. Thence N. 55 W. 18¼ R.

	Willow	S. 23 W.	9

" N. 32 W. 10½ rds.

	Willow 10	S. 36½ W.	15

by needle.

Ambrose Jackson & David Master et al.
Survey for.
8 rds. N. of S. ½ mi, stone 8 x 12

	Stone	East	30

Cen. S. Cen. of Sec. stone, 6 x 12 x 16

	B. Walnut 24	N. 80 E	55½
	Sugar 20	S. 62 W.	81

40 rds. E. of S. ¼ N. E. Cor. mile. — stone
6 x 8 x 14 Schoolhouse S. 4½ E 58
Thence N. 8 rds, to stone 12 x 20, not witnessed.
71 rds. E. of S. ½ mi. - stone 10 x 16


	Stone	North	31
	Maple 8	S. 3½ W.	28

Thence N. 384 to stone 10 x 16

	Cedar 6	S. 22 E	18

Cedar 6 S. 68 E 26
87 vrls. E. of S. ½ mi. A stone 10×24
Stone North 30
Thence N. 3.84 ch. to stone 8×8×16
Stone S. 77 W. 8
7.96 ch. W. of S.E. Cor. of Sec, stone
8×18. Maple 12 N. 33 E 38
Ob 12 S. 26 W. 40¼
Thence W. 2.11½ ch. to a stone 10×16
Maple 4 S. 45 E 50
Ob 6 S. 45 W. 67¾
S. E. cor. of Sec., stone 8×12
Stone North 17½
Maple 3 N. 21½ W. 35½
Cor. E. S.E. ¼, stone 6×18
Stone West 25
John W. Trotter, S.W.C.
April 19+20-1894

Plat of Sect. 18 Sp. 14 N. R. 2 East.



Lewis Jessup, Sec. 18. 100 A. off the N. end of the S. fract. ¼ Sec. 18. & 10 A. off the S. W. cor. of S. E. ¼: 50 rds. being N. & S. & 32 rds. wide,

Cen. Sec.	Beech	18	S. 12 E	12
	Do	14	N. 83 E	39

½ mi. post on N. of Sec.

	Hickory	14	N. 45 W.	74
	Beech	18	S. 1½ E	52

S. W. cor. of the 100 A.

	Beech	20	N. 32¾ E	48½
	Do	26	S. 54¾ E	45
S. E. Cor. of same.	Beech	14	N. 33½ W.	29
	Same cherry	2	S. 48¾ E	11½
S. E. cor. of the 10 A.	Sugar	22	S. 88 E	20
	Do	30	N. 10 W.	10

N. E. cor. of same.	W. hickory	4	N. 74¾ W.	34
	Beech	32	N. 46½ E	32
N. W. Cor.	Sugar	30	N. 19 E	71
	Beech	11	N. 41 E	56½

Bk. C fo. 6

Partition of an estate being in part in Secs. 18 & 19 - 14 - 2 E.

Widow or M. Chandlers portion Commences at the N. ½ mi. post of Sec. 19; thence S. on division line 35.33; thence E. with Sec. bearing 30 ch., " N. 9.84 L., to the creek, thence with the first N. 15 E. 4.50, thence N. 20 W. 3 ch., thence N. 60 W. 3 ch., thence N. 20 W. 2 ch., " N. 7 E. 185, " N. 29 E 2 ch., " N. 40 E 2.64 " N. 3 W. 3 ch., " N. 39 E. 278 " N. 7 E 460 to N. line of Sec, " W. on Sec. line 34.50 to beginning estimated at 111 30/100 A.

Levi Hadley's Commences 8 ch. E. of S. ½ mi. post of Sec. 18; thence E. on Sec. line 28.55 L., thence N. with Sec. bearing 11.90 L., thence N. 10 E. 3.36 corner to

	W. Walnut	15	N. 39 E	68

Thence W. with Sec. bearing 37.40 to cor.

Stone 4 x 12	Ash	14	N. 50½ E	74

Thence S. on division line 2.70, thence E. with Sec. bearing 8 ch, thence S. with Sec. bearing 12.50 to beginning estimated at 46 a. more or less.

Malissa Hadley Portion Commences at N.W. cor. of the above described tract, thence E. with said line 37.36 to the N.E. cor. above described; thence N. 31 E. 325 to Sec. line; thence N. on said line 7 ch. corner.

W. oak 30 N. 10¾ W. 19

Thence W. 40 ch. to cor. post, st. 8x10

R. oak 30 N. 29¼ E. 8

Thence S. 12.14 L. to beginning, estimated at 48 a.

All N. of the above in S.E. ¼ Sec 18-14-2 E. is assigned to Atla Hadley except 2 a. off the N.E. cor. of the tract. The same being 48 a. Bk C. p. 138.

Commencing at the S.W. cor. & running N. 19 rds. 16 L.

Hadley's old cor. Relocated.

Beech 14 S. 5½ E. —

Thence E. 12 rds. & 9 7/19 L., thence S. 19 rds 11 L., to Sec. line, thence W. to beginning Estimated at 1½ a. Bk C. p. 208.

Survey for Levi Hadley. 101½ rds. E. & 50 feet S. of Sec. Cor.

Walnut 20 S. 10 E. 196

Thence S. 2 W. 11 rds. & 4 L.

Walnut 20 N. 16 W. 86

" E. 1 S. 73 & 7 L., N. 21 E 1 ch. 66 L.,

" N. 37½ E 2½ ch., N. 55½ E. 2½ ch., N. 21 E. 185 ch., N. 30 E. 3 ch., N. 10 E. 4 ch., N. 8 E. 123 ch., N. 21 E. 1 ch., N. 12 E. 1 ch., N. 17 E. 4 ch. & 80 L. to line passing E. & W. through Cen. of 18, thence W. 51.41 ch., thence S. to the beginning.

For Timothy Jessup. Beginning at N.E. cor. of the Sec. 19.

Survey affecting S.E. ¼ see Bk C. p. 391.

B. 10.37½ ch. S. of Cen. of Sec. stone 8x12x16

Maple 12 S. 84½ E. 88

Beech 30 N. 85 E. 82

See Sec. 13-14-1 E. J.W. Trotter S.W.Co.

Survey for R.T. Hollowell et al. 1898. Beg. striking at a stone 10x12x18

B. Walnut 10 N. 68 W. 9⅓ ft.

which cor. is 10 rds. E. & 28⅔ rds. N. of Cen. S. of S.E. ¼; thence N. 84 W. 15.09 ch., thence N. 34½ E. 4.17 ch., thence N. 3.21 ch.,

" N. 40 E. 3.39 ch., " N. 2.42 ch.,

" N. 25 W. 3.67 ch., " N. 30 E. 5.48 "

" N. 2 W. 2.72 " " N. 43¾ E. 4.64 "


" N. 11 E. 5.38 " " E. 5.00 ch.,

" S. 32.94 ch., to beginning, estimated to contain 32 70/100 a, more or less. 10 rds. E. of Cen. N. S.E. ¼, stone 8x10x14

Stone North 10 ft.

This cor. is the N.E. cor. of the above described tract. J.W. Trotter S.W.Co.

Plat of Sect. 19 Tsp. 14 N. R. 2 E.



Sec. 19. 10 p. E. of Cen. on N. of S.E. ¼
(by agreement run before)
Hornbeam 12 East 31½
Buckeye 14 S.56½ W. 31
Thence S. to Sec. line (at 5½°)
B. Walnut 8 S.34° 50' W. 353½
W. " 30 N.25 E. 136
Bk C. p. 22.

Sec. 19. Beginning 10 p. E. of Cen. on N. of the S.E. ¼, thence S. 4½ E. 132 p. & 19½ L.,
Beech 12 S.21½ E 107
B. Walnut 14 N.54 W. 179½
Thence N. 84 W. 57 poles
Buckeye 6 N.46 W. 63
W. Elm 36 S.77 W. 86
Thence N. 8 E. 90 p., thence N. 40 E. 24 p. & 16 L., thence N. 1½ W. 16 p. & 15 L.

W. walnut 8 N.34½ E 18
Sycamore 25 West ¼
Thence N. 82½ E. 15 p. & 15 L. to beginning, containing 31 a. & 36 p. Bk C. p. 115.

½ mi. post on S. side of Sec. 19. Re-located, from W. oak stump
W. walnut 16 N.34½ W. 79½
Do 12 S. 1 E. 38
½ mi. post on W. side 19.94½ L. N.
½ " " for Sec. 24 R. 1 E.
Sugar 12 S. 71 E. 34
Beech 24 S. 63½ W. 80
Bk C. p. 118.

Cen. S. of E½ N. E. ¼ stone
Sugar 20 mong N. 48 W. 27
Cen. of Sec. Hickory 36 N.52 E 76
Stone S. 20½ W. 4⅓
Walnut N. 41¾ E. 124.

Survey affecting N. E. ¼ see Bk C p. 391.

Cooper, Jessup & Co. Survey for
J. Chandler Wesley & Asher Kellum &
Constable Nichols, chainmen & Flagman.
Survey made on Jan. 26. '75.
Beginning at Cen. of Sec., thence N. 28 rds. & 20 L, to a cor. stone 16×15
Sugar 10 S.27 W. 13
Beech 15 N.39½ E. 79½
Thence N. W. with the branch, N. 88 W. 19 rds. & 10 L. Oak 30 N.26½ E. 40½
Do 36 N.53½ E. 44
Thence N. 41½ W. 20 rds. & 44 L.
Beech 10 N.43° 45' 22
Good stone N.89 E. 45

Thence N. 78 W. 16 rds. & 28 L.
Beech 20 N. 9½ E 26
Thence N. 63 W. 4 rds.
Cherry 15 N. 59 W. 145
Thence N. 82 W. 12 rds. & 22 L. to a large flat stone Ash 36 N. 19 E 4
Willow 10 S. 82 E 149
Thence W. to Sec. line, thence N. to N. line of E. ½ of the S. E. ¼ Sec. 24.
See Sec. 24 for cor.

A. B. Conduit, A survey for.
Oscar Robbins & L. W. Iferdog, sworn chainmen. Chas. Nicholson Flagman.
Commencing at a stone 10 x 12 x 19 on the line 70 rds. N. of the S. E. cor. of Sec. 19-14-2 E, & running N. with Sec. bearing 28⅓ rds. Stone 8 x 11 x 17 rough with a hole through.

Jessup Vs Jessup Land Partition
Nov. Term 1893. Alex Sweaningen & Samuel Woodward & J. W. Trotter, Com.
1. N. ½ mi. Sec. 19-14-2 E. Relocated st. 6 x 16 x 24 Ash stump (Gone). N. 85 W. 16
Beech 14 S. 81 W. 27½
2. 7 20/100 ch. N. of cen. of Sec. 19, stone 8 x 13 x 21. Stone North 41
3. Thence N. 88 W. 4 85/100 ch. to stone 10 x 14 x 22. Old mit. stumps. See another page.

4. Thence N. 41½ W. 5 44/100 ch. to st., 8 x 12 x 18
Old mit trees. See another page.
5. Thence N. 78 W. 4.28 ch. to stone 8 x 10 x 12
Old mit. trees. See another page.
6. " N. 63 W. 1 ch., to stone 5 x 11 x 19

Maple 6 S. 76 W. 56
Ash 12 N. 80 W. 116⅔
7. Thence N. 82½ W. 3.19 ch. to stone, large flat rock, old mit, still standing.
8. Thence W. 2.93 ch., to stone 12 x 12 x 17
9. Com. at a point N. 63 W. 37 L. from the cor. at No. 5 above in Cen. of Public Highway & running thence N. 5½ E. 3.14 ch. to stone 9 x 14 x 21
Stone West 21
10. Thence W. 6.97 ch. to stone 7 x 8 x 13
The same being Mary Jessup's S. W. cor.
11. Thence N. on Mary Jessup W. line 8 ch. to st. 4 x 14 x 20
Elm S. 74 E. 223
12. Thence N. on Mary Jessup's W. line 10.41⅓ ch. to a stone.
13. Thence N. on Mary Jessup's W. line 2.60⅓ ch. to a stone.
14. Thence N. on Mary Jessup's W. line 3.25⅕ ch. to a stone 10 x 14 x 16
Sugar 16 West 40½
Beech? S. 46 E 40
to the line between Secs. 18 & 19; thence W. 5.04 8/9 ch. to a stone 8 x 15 x 10
Sugar 24 S. 72½ E 98
Ash 20 S. 39½ W. 135
Oak 20 N. 58 W. 170⅔

Timothy Jessup.
N. E. cor. of Sec. Sugar 15 S. 74 E. 121.
a good stone. mitres N. 20 E. 31.
(buried, logs out; thence W. with Sec. bearing 11.2 rds., thence S. 22¼ W. (by needle) 12 rds., thence N. 48¾ W. 9 rds., thence N. 4½ rds. to Sec. line; thence W. with the Sec. line 1.22 rds.

to a stone in the creek East edge; thence
S. 29 W. (T.M.) 8.12 ch., thence S. 5 W. 6.20 ch.,
thence S. 74½ W. 2 ch. to a willow marked
on the N. side, bearing N. 83 E. 32 L., thence
S. 7 W. 3.32 ch., to McCann's Cor.

B. Walnut	S. 18½ W.	25	
Sycamore	S. 27 W.	36	T.M.

Thence S. 60 E. 12 rds. (by needle) thence
S. 20 E. 12 rds., thence S. 15 W. 18 rds., "
S. 6 rds., on line dividing the E½ of
N.E. ¼ of Sec. to a point on said line
52 rds. N. of the S. line of the ¼ Sec.,
thence E. 80 rds., thence N. 108 rds.,
" W. 40 rds., to beginning = 51.97 A
more or less.

O. B. Griggs to Henry Peterson. (col.)
Part N.W. ¼ N.W. ¼ Sec. 20 & pt. N.E. ¼ of
N.E. ¼ Sec. 19 - 14 - 2 E.
Beginning 11.20 rds. W. of N.E. cor. Sec. 19
Thence E. 51.20 rds., thence S. 23 $\frac{72}{100}$ rds.


Sugar 15	S. 74 E.	70	

Thence W. 77 $\frac{43}{100}$ rds to a willow

Willow 4	N. 82 E.	24½	

Thence N. 29 E. to sec. line, thence
E. 1.22 rds., thence S. 4½ rds., " S.
48¾ E. 9 rds., " N. 22¼ E. 12 rds., to
beginning, estimated to contain 10.60 A

Plat of Sec. 28 Tp. 14 N. R. 2 E.



½ mi. post on N. Relocated, by agreement, stone Walnut 30 N. 33½ W. 104
Locust 5 N. 21½ W. 86½
2 a. off the N.E. cor. of Samuel Jessop's W. ½ of N.W. ¼ of Sec 34 p. N. & S. and 9 4/100 p. E. & W. for
Joseph Jessop. S.E. Corner.
Sugar 10 S. 36 E. 39½
Hornbeam 6 N. 36 W. 7
Thence N. at 7° Variation 9 4/100 p.
Sugar 20 S. 36½ E. 8.
Beech 16 N. 9 E. 3
N.W. Corner. Beech 18 S. 52½ E. 30
Sugar 24 S. 37 W. 18½
6th mo. 3rd. 1848. Bk c. p. 22.

Widow Summer Dower & Partition. First the Dower. Beginning at the N.E. Cor. of the tract of land, thence W. with Sect. bearing 44 p., thence S. 2½ E. with the State Road leading from Moorsville to Indianapolis 72 p., thence S. 87½ W. 16 p., thence S. 2½ E. 12 p.
Thence N. 87½ E. 16 p., thence S. 2½ E. 32 p.
" E. with Sec. bearing 46 p. to the E. boundary line of said tract of land.
Beech 28 S. 65 W. 49
Hornbeam 10 S. 43½ E 27½
Thence N. with said E. line 116 p. to beginning containing 33¾ a.

John Ritter ⅓:- Beginning at N.W. cor. of the dower:- Thence W. with Sec. bearing 66 p. to the N.W. cor. of said tract of land, thence S. with W. line of said tract 116 p. Beech 28 N. 35 W. 53
Buckeye 12 S. 16¾ E. 33
Thence E. with Sec. bearing 64 p. to S.W. cor. of Dower, thence N. with said dower
Thence N. with Dower boundaries to the beginning, containing 47 acres.

Arcadia Sumner ⅓. in S.E. cor. of the land as follows:- Beginning at S.E. cor. of said tract of land, thence N. with Sec. bearing 44 p. to the S.E. cor. of the Dower, thence W. with the Dower line 55 p. to a post 9 p. N. of the Dower cor.

Thence S. with Sec. bearing 44 p. to S. boundary line of said tract of land, thence E. with said line 44½ p. to beginning, containing 15 acres.

Lydia & Silas Reynolds, Jr. Asst Heirs jointly ⅓. On S.W. cor. of said tract of land as follows: Beginning at S.W. cor. of land; thence E. with Sec. line 54½ p.: thence N. with Sec. bearing 44 p. to the line = ⅗ ; thence W. with Sec. bear. 55 p. to the W. boundary line of said tract, thence S. with said line 44 p. to beginning = 15 acres. B.K.C. p. 110.

A Whitson & J. Furnas, Survey for mi 20. Cen. of Sec, a good stone.
Cen. U.S. Cen. " "

	Beech 24	S. 1 E.	31.

100 a. of the E. side of S.E. ¼, Beginning at E. ½ mi. post of the Sec. & running W. 100 rds. thence S. to Sec. line, thence E. to S.E. cor. of Sec. thence N. to beginning. N.W. & S.W. cors. stones promised.
B.K.C. p. 195.


Fletchie Jessop et al. Survey for.
Dec. 13 & 14. 1900
Charles Frances, Sworn Chainmen,
John Clark

1.	Stone 12×12×6	Stone	West	22½
2.	" 15×4×4	Do.	"	25¾
3.	" 15×6×6			
	Large stone, highest place		N. 85¾ E.	32
4.	Stone 21×9×9	Beech	S. 39 W.	45
		Stone	N.	16

5.	Stone 13×9×6		
	Stone	North	15½
6.	Stone By S.W. cor. of R.R. Culvert		20
7.	Stone 12×10×6		

W. F. Franklin. S.H. Co.

Plat of Sect. 5, Tp. 15 N. R. 2 East.



Sec. 5.

Cen. E. S. E. 1/4, stone 19x15x9

R. elm 12 N. 67 E. 38

Sugar 28 N. 82 W. 54½

Cen. of S. E. 1/4 Stone 28x15x12

Beech 12 N. 87 E. 106½

Hickory 20 N. ½ E. 81.

Cen. S. S. E. 1/4 Stone 25x15x7, the corner.

Bk C, p. 335.


Cen. of Sec, Stone 12x12x10

Beech 24 S. 58 W. 105

Cen. N. S. E. 1/4, Stone 12x15x10

Beech 24 S. 64 W. 91.

Plat of Sect. 6 Tp. 15 N. R. 2 East.




N. E. cor. of Sec. 6, Relocated. Stone
20 x 28
Elm 44 N. 10½ W. 34
W. oak 15 S. 22¼ E 14
E. ½ mi. post. Stone 24 x 18, Township or the
N. W. Cor, flat stone 26 x 14
W. oak 36 N. 1 E 146½
Do 44 N. 38¼ E. 165
S. E. Sect. cor. Stone.
Cen. on S. of S. W. frac. ¼
Ash 10 N. 63½ E. 74
B. oak 4 N. 24 W. 74
Cen. S. S. E. ¼ Stone 20 x 14
W. oak 24 N. 32½ E. 84½
B. oak 6 S. 21 W. 60
Cen. N. S. E. ¼ Lynn 30 N. 62 W. 7

Beech 15 S. 28½ E 42½
Cen. N. Sec. Cen, Stone 12 x 10
Beech 15 N. 16¾ W. 29
Do 12 N. 84 W. 29
S. ½ mi. post Relocated,
Beech 15 N. 48½ W. 93
Do 12 S. 31¾ E. 69½
S. W. Sec. Cor, Relocated, Stone + one
old stump, Hickory 20 N. 5½ E. 88
Elm 26 N. 35½ E. 38
Cen. N. N. W. frac. ¼ Stone 16 x 28
Beech 18 N. 58¾ W. 89
Do 16 N. 28½ W. 48
½ Mi. post on N. of Sec. 6.
Beech 10 N. 83 W. 35
Do 12 N. 27½ W. 34½
9 mo. 8 da. 1849. Bk. C. fo. 34.

Griswold's, Set off by Commissioners
73.14 rds. N. from S. W. cor. of tree on E.
Hickory 24 S. 12½ E. 70 to Cen.
Thence E. 17½ rds. Elm 10 S. 31½ W. 23, to Cen. on S.
" S. 73.14 rds; thence W. to beginning
containing 8 a. S. E. Cor. Stone 10 x 12
Small Walnut N. 66 E. 129½.

Miller & Symons Survey for. 4-24-1902,
9.37½ ch. W. N. E. cor. Sec. Stone 16 x 11½ x 7
Stone 14 x 12 x 4 South 30
Do 18 x 12 x 5 North 26.
9.37½ ch. W. of Cen. E. N. E. ¼ Stone 21 x 11 x 9
Stone 17 x 9 x 6 East 25
Do 17 x 11 x 5 West 25
W. F. Franklin. S. W. Co.

Plat of Sect. 7 Tp. 15 N. R. 2 East.



S ½ mi. post. old corner Sec. 7.
Hickory 10 N. 5 W. 9
Horn Beam 4 S. 5 W. 5
Bk. C. p. 56.

Cen. Sec. 7, large stone.
Beech 12 N. 5½ E. 44½
Red oak 5 N. 80½ E. 75

N. E. ¼ Cen. S. Good stone.
Beech 10 N. 9¼ W. 72
Sugar 16 N. 53¾ E. 70

N. E. cor. of Sec. a good stone. Two stones in road but Cor. st. most E-wardly. Bk. C-94.

Harrison Briggs. Portion assigned him as follows: Commencing at the Cen. on S of S. W. ¼, thence N. with Sec. bearing 34.80 L.
Cor. Beech 8 North 20
Do 8 S. 39 E. 14
Thence W. with Sec. bearing 13.75 L. to W. line of Sec. cor. Beech 8 N. 31½ E. 89.
Thence S. on Sec. line 34.80 L. to S. W. Cor. of Sec; thence E. on Sec. line 13.75 L. to Beginning.


Alfred Briggs, Portion as follows; Commenced at Cen. on the N. of S. W. ¼ corner. Beech 10 N. 73½ E 3
Thence W. with Sec. bearing 10.25 L. corner Poplar 40 N. 40 E. 20
Beech 24 S. 6 E. 20
Thence S. with Sec. bear. 5.30 L, stone 4x8 Oak 40 S. 74 E 41
Thence E. with Sec. bear. 10.25 L. to the corner of the former tract, thence N. with Sec. bear. to 5.20 L. to beginning.
Bk. A. p. 134.
a. Beech 12 S. 28 W. 28
Hickory 16 S. 67½ E. 11
B. W. oak 7 N. 28½ W. 29½
ash 8 S. 78 E. 54¼
Bk. C. p. 253.

Faucet Partition.

1.	Stone	15x8	Walnut 18	West	14½
2.	"	21x12x6	Beech 12	N. 53 E.	95
3.	"	4x9x15	Elm 12	N. 67 E	12¾ ft.
4.	"	12x7x5	Elm 12	N. 21 E.	30 L.
5.	"	7x9x14	Elm 12	N. 52¾	81
6.	"	16x12x4	Locust 10	S. 9 W.	89
7.	"	16x10x9	Stone	W. 2.08 is No. 6.	
8.	"	15x8x8	Elm 30	S. 7½ E.	81½
9.	"	14x10x10	Apple 10	S. 12 E.	59
10	"	12x10x10	Stone	S. 2 E.	31

Jan. 10-1901 W. F. Franklin. S. W. Co.

Plat of Sect. 8 Tp. 15 N.R. 2 East.



Samuel Spraw Sec. 8. 40 a. of the S. end of the S.E. 1/4.

N.E. Corner.	Beech	7	N. 25 W. 23
	Sugar	24	S. 8 E. 52
N.W. Corner.	B oak	14	S. 74 E. 7
	Sugar	10	S. 31 W. 33

Bk B. f. 302.

Joseph Richards The N.W. 1/4 Sec. 8. S.E. Corner & Sec. Cen.

Beech	14	N. 22 W. 21
Do	18	N. 84 E. 31

Bk. B. f. 302.

Partition by Commissioners. Mills, Hadley & Rogers.

Corner 90 rds. S. of N.W. Cor. of S.W. 1/4 Sec. 8
Stone 14 x 18 W. oak 38 N. 31 3/4 E. 43 3/4
N.W. 1/2 mi. by running & measuring.

Large stone	Mulberry 6	N. 44 W. 71
	Stone	S. 48 1/2 W. 59 1/4

Cor. 90 rds. S. of N. 1/2 mi. Stone.


	W. oak 18	N. 26 1/2 E. 126
	B. Walnut 10	N. 68 E. 141

Cen. of Sec. Large stone

	Stone	N. 82 1/2 E. 45
	Do	S. 84 W. 53 1/2

Bk. E. f. 219.

Plat of Sect. 17 T. 15 N. R. 2 East.




Preston Brown. Sec. 17.
E. ½ of S.E. ¼ & S. W. Corner.
1. Beech 20 N. 65 E. 20
Do 28 N. 74 W. 54
Jeremiah Johnson. E. ½ of S.W. ¼ Sec. 17.
S.W. Cor. 2 Elm 10 N. 51 E. 31
Hawbush 3 N. 21 W. 49
John Hamburgs. S.W. Corner
Beech 24 S. 57 W. 27
R. oak 18 N. 22 W. 22
B.K. B. p. 303
N. ½ mi. post by Huff's agreement. Sec. 17
Good st. 10×18 Sugar 18 S. 77 E. 27
Thence S. 39 p. & 15 L., stone 10×8
Beech 20 S. 60 E. 20½
S. ash 6 N. 68 W. 11
Thence E. across the 39 p. & 25 L. S. of corner.

Stone 20×16 Poplar 24. N. 2½ W. 34
Beech 20 S. 2½ E. 31½
N. ½ mi. post, one stump Stone 20×12
R. oak 30 S. 58½ W. 31½
N.W. Corner, Stone 18×11.
Hickory 18 N. 23 W. 32½
Hornbeam 4 S. 5½ E. 32
B.K. C. p. 57.
Sec. 17. E. ½ mi. Relocated, Stone 30×24
Hickory 13 S. 89 E. 31¼
Elm 12 S. 32 W. 79.
N.E. Sec. Cor. Stone 33×26
Sugar 18 S. 50½ E. 54
Beech 12 N. 54 E. 42
B.K. C. p. 74.
Sec. 17. 80 a. of the W. side of S.E. ¼
Commencing at the S.W. Cor, thence N. 160 rds. & 10 L., thence E. 79 rds. 20 5/5 L.,
Stone 8×16 Hickory 8 S. 6½ W. 63
B. Walnut 20 S. 86½ W. 53
Thence S. 80 rds. & 10 L., Stone 16×24
B. Walnut 20 S. 31½ E. 58
R. oak 24 S. 27½ W. 43½
B.K. C, p. 217
Survey for D. Mills, et al.
3. W. oak 30 S. 35 E. 52
Small st., Elm 15 N. 68½ 68½
4 Oak stump 36 N. 12½ E. 124
Stake Stone from. Stone W. in the line 25
Cor. on lot. 5. N.E. Cor. of house S. 5 W. 108
Stone Apple 16 N. 70 W. 16.
" stone from. 6. Stone N. 45 W. 25
Do S. 45 E. 25

Cen. N. Cen. Relocated by measurement.
Stone 15x17 Stone West 25
Cen. N.W. 1/4, a stake, stone promised,
Cen. N.N.W. 1/4 " " " "

B.K.C. p. 399.

Plat of Sect. 18 Tp. 15 N. R. 2 East.



S. 1/2 mi. of Sec. 18, Stone
Hickory 18 S. 28 1/2 W. 59 1/2
Cen. S. Cen. Stone 20 x 18
Beech 18 N. 36 W. 23
Do 28 S. 80 1/2 E. 12
43 63/100 ch. S. of Cen. Stone 12 x 10
Beech 24 S. 48 W. 57
Hickory 20 S. 79 1/2 W. 53
Cen. of Sec, good stone.
Beech 15 N. 12 1/2 W. 18 1/4
Cen. E. Cen, Stone 24 x 18
Hickory 20 N. 45 W. 51
Beech 24 N. 43 1/2 E 8
39 ch. x 10 L. S. of Cen. E. of Cen. Sec, 18
Stone 14 x 8
Elm 24 S. 79 E. 38
R. oak 4 S. 79 E. 2 1/2
Cen. S. E. 1/4 Stone 15 x 12
Beech 18 N. 53 1/2 E. 9 1/2
Elm 24 N. 56 1/2 W. 39


Cen. N. N. E. 1/4 Stone 18 x 10
S. oak 4 N. 64 1/2 E. 68
Beech 10 S. 8 1/2 W. 41
Cen. N. of N. W. fract. 1/4 Stone 16 x 12
W. oak 24 N. 22 1/2 E. 31
Beech 12 N. 38 1/2 W. 88
B.T.C. p. 58.

N. from W. 1/2 mi, (which is 20 L. N. E. 1/2 mi. 13) 9 rds. 10 1/2 L., stone 8 x 16
Sycamore 10 N. 89 E. 26 1/2
Cen. S. N. W. fract. 1/4 54 rds. + 21 L. across 1/2 1/4 Stone 8 x 8 x 16 sand stone, a B. Walnut. B. Walnut 8 S. 87 W. 139
S. from Cen. N. N. W. fract. 1/4 35 5/9 rds stone 10 x 12 Stake, stone promised. S. on line 34
Thence S. 8.88 rds. cutting off 3 A. for Johnathan Parnell.
Thence S. 15 rds. 59 1/4 rds. S. of Cen. N. N. W. 1/4, Cutting off 20 A. for Hawkins out of the N. W. 1/4 Sec. stone 10 x 12 boulder, Small st. S. on line 20.
73 rds. S. of Cen. N. N. W. fract. 1/4, stone 10 x 12 Sugar 16 S. 18 1/2 E. 34 1/2
29 17/27 N. from Cen. S. N. W. 1/4, stone 12 x 16 Plumtree S. 86 W. 142 1/2
34 rds. W. + 9 rds. + 10 1/2 L. N. from W. 1/2 mi, stake, stone 12 x 15, Doub. ash 6 x 6 N. 73 E. 68
S. from N. W. Cor. of Sec. 59 5/9 rds, stone 10 x 12 B. Walnut 12 N. 90 E. 27
35 5/9 rds. S. N. 1/2 mi, stone 10 x 16.
Beech 16 S. 47 W. 21
Thence S. 8.88 rds. Stone 8 x 10
Hickory 20 N. 22 1/2 W. 2 1/4
Thence S. 28 rds. 3 L. f Stone 12 x 16

Beech 20 N.50 W. 27½
N. from the Cen. of Sec. 29 17/27 rods, 10×12
(Quadruple) Elm W. on line 5½

Bascomb S. Mc Clain Jr. Washington Co.
Survey of School House Lot.
Beginning at N.W. cor. Sec. 18
Thence S. 2.36 4/5 chs: to stone 7×8×14
Elm 6 S.41¼ E. 44
Elm 6 N.52¾ E. 45
Thence S. 71½ E. 4.64 ch., thence S. 50½ E.
37¼ L. to stone 6×8×12
Pointed Stone 8×6×14 North 37½
Thence N. 4.20 ch. to stone 8×14×16
Ash 6 S.26¼ E. 28
B. Walnut 6 S. 75½ W. 124½
Thence W. 4.67 ch. to beginning = 1.50/100 A.
J. W. Trotter, S. H. Co.

Plat of Sect. 19 Tp. 15 N. R. 2 East.



Moore, Wilson & Dennis, Survey for ⅈ Secs. 19 & 30.

½ mi. Relocated.	W. oak 30	S. 75 W.	31
	Sycamore 41		
S. W. Cor. 16 ch. & 14 L.	S. of Sec. Cor. on National Road.	Sycamore 12	N. 50 E. 111
		Beech 20	S. 24 E. 185
Moore's S. E. Corner.	B. Locust 2	S. 72¼ W.	106
" N. W. "	Beech 12	S. 39½ W.	7
(Not plain)	Lynn 16	N. 79 E.	35
Moores N. W. Corner.	W. ash 12	N. 63¾ E.	13
	Do 10	S. 28¾ W.	6

Moore's tract contains 49 A. & the N. E. or E. line bears 19°38' West. Bk. C. p. 6.

Sec. 19. The E. ½ of S. E. ¼
The part N. of the road contains 58 6/100 A.
" " S. " " " " 22 56/100 "
according to my chain.
N. W. Cor. of the 80, small stone 16×8

	Beech 20	S. 48½ E.	23½
	Do 20	N. 30 W.	35

S. W. Cor. or Cen. of S. E. ¼

	R. oak 4	S. 19½ E.	176½
	W. oak 4	N. 1 W.	326

E. ½ mi. post. Relocated, Stone 16×10

	W. oak 36	S. 18 W.	14

Thence S. 91 p. a stone on the line N. & one S. 59 L. distant each: thence S. 64 W. 90 p. to W. line of the 80 where is a stone on line N. & on ds on the S. 71 L. each, thence N. 136 p. The 80 is about even one pole too long & 14 L. too wide. 11 mo - 19 - 1848. Bk. C. p. 27.

N. W. Cor. of Sec. 19, Stone.

	S. ash 6	N. 28¼ W.	76½

Bk. C. p. 336.

Cen. E. Cen. Sec. 19. Stone 8×16

	W. oak 20	S. 5½ W.	58½

Cen. of Sec, Stone.

	L. stone	S. 17½ E.	6
	Do	N. 9 W.	16½

Bk. C. p. 217.


Secs. 19 & 30. Description in Sec. 19. Commencing at the W. ½ mi. Sec. 19 & running E. 11 rds; thence S. 19°38 E. 200 rds. & 26 L. to corner on N. side of the National Road, thence S. 12 W. 6 rds. & 18 L, thence S. 119 rds, " W. 58 rds. 17 L., to W. ½ mi. of Sec 30, thence N. 320 rds. to

the beginning containing 88 a. & 140 rds.
BK C. fo. 226.

N. ½ mi. Stone 16×12×10
(Gov. Wit.) B. oak 15 S. 8 W. 54
– to Sec. 24 Elm 3 S. 41 E 54
Cen. S. N. W. ¼ Stone 16×20 Tapering.
W. oak E. Von Lafe 62.
11 rds. E. of N. ½ mi. Stone 12×12×16
P. oak 20 S. 37 E. 33.

42.2 rds. N. of Cen. S. of N. W. ¼
Cutting off 40 a. off the N. end of
the E. ½ of said ¼ Sec. Stone 12×15
R. oak 24 S. 28½ W. 6.
42.2 rds. N. of Cen. of Sec. Stone 12×15
(Sand stone) W. Elm 10 N. 36½ W. 6
W. oak 20 N. 3 W. 28

Plat of Sect. 20 Tp. 15 N. R. 2 East.



E. ½ mi. Sec. 20 Relocated, Stone 12×9.
Sugar 26 S. 10 W. 57
Do 18 N. 65½ E. 121

Cen. S. S. E. ¼ Stone 15×11
Beech 12 N. 24 E. 9
Do 22 S. 24 E. 28

N. E. Cor. Stone 24×20
B. Walnut 19 N. 37 E. 86
Hawthorn 6 N. 45 E. 6½
Bk. C. p. 74

N. W. Cor. Sec. 20 Relocated, good stone
Elm 12 S. 52½ E. 63
W. oak 22 S. 19 E. 157

N. E. ¼ Cen. S. Stone 12×20
Beech 20 N. 57½ E. 17
Walnut 30 N. 43½ E. 19

Cen. of Sec. Stone 24×16
Beech lone top, 20 S. 82¼ W. 135

N. W. ¼ Cen. S. Stone 26×20, two flat sides.
Beech 16 N. 47 E. 52
Do 24 N. 54½ W. 42½

N. ½ mi. Relocated, Stone
W. oak 12 N. 55 E. 72½
Walnut 7 S. 34 E. 89

N. E. ¼ Cen. N. Stone
P. oak 22 S. 52½ W. 43½
B. oak 7 N. 28 E. 86
Bk. C. p. 98.

Quinnerman & Morris. Survey in 20.
A tract out of the S. W. ¼ of said Sec.
Beginning at the N. W. cor. of said ¼
thence S. on W. line of same 24.36 ch.
to Cen. of Cumberland Road, thence
N. 62¾ E. 32.05 ch; thence N. 27¼ W. 11.15 ch.
to Beech 12 N. 14½ W. 8¾
Do 15 S. 23½ E. 14
Thence W. on the N. line of the ¼ 23.56
ch, to beginning. containing 46 67/80 A.
Bk. C. p. 143.

Sec. 20. Joseph T. Quinnerman. Town
of Six Points, A Survey for.
Six Points begins 82½ ft. S. of Cen. of
of Sec. 20, thence W. 264 ft., thence N. 82½ ft,
Thence W. 845 ft, Beech 12 N. 14½ W. 8¾
Do 15 S. 23 E. 14
Thence S. 28 E. 609 ft. to the Cen. of Railroad,
" N. 72½ E. 100 ft, thence S. 28 E. 110 ft,
to the Cen. of the Plank road, thence N. 62 E.
773 ft. to Cen. of County road, thence N. 185
ft. to beginning.

And also another lot. Beginning 4.57 ch. S. of Cen. of Sec., thence S. 9½ rds., thence E. 9 rds., thence N. 12½ rds., thence S. 72 W. 9½ rds. to beginning.

The above surveys are laid off into lots, the numbers of which are set forth on the plat: and the width of all the streets & alleys are also shown on the plat.

J. H. Dennis. S. H. Co. Bk. C. p. 161.

Sec. 20. N. ½ of N. E. ¼.

J. Anderson, 15 acres off of the N. end.
Wm. P. Grimes, 10 " next
Ellis Lawrence 10 " " being even measures. It is 30 + 20. & 20 rds. wide.


S. E. Cor. of 15 acre lot, Stone 12×6.
Beech 24 N. 4 W. in line 87½
Walnut 6 S. 51 W. 33½
Thence S. 20 rds. to S. E. Cor. of W. P. Grimes lot, Stone 12×9×3
B. Walnut 8 S. 42 W. 26
Beech 24 N. 81 E. 71
Thence S. 20 rds. to S. E. Cor. of Lawrence's lot. Stone 22×18×10
W. oak 30 S. 27 W. 22
Do 34 S. 82 E. 29½
E. Lawrence's S. W. Cor. is W. of the last across the ½ ¼ Stone 12×8×6
Sugar 30 S. 71 E. 81
Thence W. 20 rds. Stone 20×10×3
Walnut 8 N. 26 W. 111
Thence N. 20 rds. Stone 15×7×6
W. oak 15 N. 45 W. 65

Bk. C. p. 288.

Campbell & Henry Hadley A survey for. 29 A. in the N. E. ¼ of Sec. 20.

S. E. Cor. thereof. Stone flat 4×10×12
Stone West 24½
S. W. Cor. Stone 7×8×10
Beech N. 39½ E. 40½.

Plat of Sec. 29 Tp. 15 N. R. 2 East.



S. E. Cor. of Sec. 29. Stone 8×11.
S. ½ mi. Post set by measurement ✕ S. of where it was formerly thought to be.
Stone 22×15 Elm 9 S. 82½ W. 76
Hickory 24 N. 82½ E. 43¼
Cen. S. S. W. ¼ Stone 10×11
Beech 18 S. 56 E. 31½
Elm 18 S. 18 W. 21
N. W. Cor. Sec. 29. Stone 14×12
Beech 28 S. 75 E. 120
B. oak 30 S. 45 E. 117
N. ½ mi. Stone 22×15
Beech 20 N. 39¾ E. 84½
Do 18 N. 74 E. 72.
Rock found ✕ Relocated from stump
Stone S. 46 E. 43.
W. ½ mi. Post. Stone 11×9
S. W. Cor. of Sec. 29. Stone 16×12 West edge.

Elm 14 S. 70 W. 2.
Cen. of Sec. Stone 24×20
Walnut 8 S. 10 E. 364
Buck 24 N. 84 E. 205
E. ½ mi. post. Stone 24×18
Ash 15 N. 22½ E. 49
Old willow tree still standing.
Bk. C. p. 74.

S. E. ¼ Sec. 29. F. A Cor. established on Sec. line, 21.45 L. N. of S. E. Cor. of Sec.
B. Walnut 30 S. 86 W. 41
Box elder 10 S. 29 W. 68½
G. A Cor. established on Sec. line 21.45 L. N. of S. ½ mi. post. of the Sec.
Walnut Stump 16 S. 9 E. 209

N. ½ of N. W. ¼ Sec. 28.
B. G. ash 12 S. 10½ W. 47
P. oak 16 N. 76½ W. 71
C. P. oak 20 N. 68½ E. 186
Ash 16 S. 80½ E. 85
Cen. on E. of N. E. ¼ of Sec. 29 in the creek
D. P. oak 22 S. 41 E. 118½
Walnut 16 S. 14 W. 122½
W. walnut ✕8 S. 20 W. 75
B. Walnut 6 N. 53½ W. 102
Bk. C. p. 133.

120 A. off of the S. end of S. W. ¼ Sec. 29. Commencing at the S. E. Corner. Thence W. 160¼ rds. to the S. W. Cor. thence N. 119 rds. 20½ L. Stone 8×12
R. oak 14 N. 4½ W. 36
B. oak 20 S. 46 W. 51
Thence E. to the E. line of the ¼

Stone 14×16 Stone N. 44½ W. 48½
Do 8×12 S. 55 W. 35½
Thence S. to beginning.
Also 100 a. out of the W. ½ Sec.
Commencing 119 rds. 20⅕ L. N. of S.W.
Cor. of W. ½ Sec; thence N. 99 rds. 21⅒ L,
Stone 16×20 Beech 16 S. 54 E. 78
W. oak 16 N. 41 E. 114
Thence E. 160¼ rds. to E. line of same
Stone 14×16 B. Walnut 12 S. 87 W. 25½
Sycamore 16 N. 10½ W. 187
Thence S. 99 rds. 21⅒ L., thence W. to
beginning. BK. C. f. 213.

David Mills, A survey for ni Sec. 29.
W. ½ mi. of same, between Matron &
Furnas; lit being the overplus; The
deeds calling for certain amounts of
land, leaves Mills S. of Furnas, 100
a. a strip 47½ wide on the W. end &
60 L. on the E. which he sold to Mills &
Matron; a corner on Cen. on E. ni road
30 L. N. of Matron's former corner stone.
Made a Cor. on the W. of Mills N.W. cor:
47½ L. N. of a former corner, an old
horse head bone, Hickory 10 N. 56½ E. 51
BK. C. f. 305


E. ½ mile relocated from an ash still
standing, Ash 16 S. 77½ W. 88
80 a. off the S. side of the N.E. ¼, the ¼
being 161½ rds. E. & W. a corner to from
the E. ½ mi, stake 79¼ rds,
Willow 15 N. 66 E. 88
N. from Cen. of Sec. 79¼ rds, Stone 20×10
Sycamore 24 One S. 311

W. ½ mi. Ash 15 S. 1½ E 14
Elm 24 N. 87 E. 22
Thence S. 60 rds. & 5 L.
Ash 8 N. 77 W. 40
Do 10 S. 31 W. 16
20 rds. & 23 L. N. of Cen. S.E. ¼ of Sec. 30
Beech 20 N. 4½ E 22

Mattern et al, A survey for. Apl 1901.
Wm. P. Miles, W. A. Ehrhardt Sur. Ch-men.

N.E. Cor. of Sec. Relocated.
Sycamore 36 N. 89 W. 13
Elm 18 S. 68½ W. 19
Stone N. 24½ E. 5¾
Cen. N.E. ¼ Stone 22×15×10
Apple tree 16 S. 47½ W. 28½
39 rds. 15 L. S. of N.E. Cor. Sec. St. 18½×6×8 { Elm 16 N. 60¼ E. 58
{ Do 22 S. 81½ E. 6½
{ Stone West 25
39 rds. 15 7/10 L. S. N. ½ mi, Stone 22×17×10
Stone South 30¾
W. F. Franklin, S. W. Co.

Plat of Sect. 30 Tp. 15 N. R. 2 East.



Cen. Sec. 30 Beech 20 S. 55 W. 5
Do 6 N. 66 E. 16
Thence N. 36 ch. 22 L. S of National Road, stone corner; thence S. 57½ W. 13 ch. 31 L. Stone Elm 3 S. 70 E. 6½
Thence S. to the line on S. of said ¼
Beech 18 N. 22 W. 24
P. oak 28 S. 45 E. 36
B K C. p. 11.
Cen. E. Cen. Sec. 30 Stone 18 x 14
Beech 18 N. 6½ E 34
Do 18 S. 42½ E. 45
Cen. S. S. E. ¼ Stone 20 x 15
W. oak 30 N. 36¼ W. 21
Beech 18 N. 72 E. 18
Cen. of S. E. ¼ Stone 12 x 15
Beech 20 N. 33 W. 16
Do 12 N. 58 E 9


Thence N. at 6° vari. 194 p. stone 11 x 28, Cen.
N. S. W. ¼ Beech 28 S. 20 E. 16
Do 24 N. 10 W. 17
N. ½ mi. post. Stone 12 x 10
Ash 5 N. 71½ E. 24
Hickory 30 S. 75½ W. 10
S. W. Cor. Sec. Stone 24 x 18 Old witnesses standing.
S. ½ mi. post Relocated. Stone 14 x 12.
Elm 6 N. 15 W. 6
Ash 5 S. 30 E. 17½
B K. C. p. 74.

Cen. of Sec. 30 Stone 10 x 16
Beech 24 S. 30 E. 57
Ash 14 N. 71 E. 83
N. ½ mi. post. Stone 15 x 20
Stone 8 x 12 N. 5 E. 20
Do 12 x 14 S. 4¾ E. 15
B K. C. p. 217.

Sec. 30 - 15 - 2 E.
Osborn, Perry et al, Survy for. Cen N. W. ¼ Sec. 30. B. J Woodrows lot in S. E. cor. is ½ of that portion of the fract. ¼ S. of National road, & Perky's deed calls for certain boundaries coming to an old corner made by me (Job Hadley) for Wilson in Sec 6 - 1 E. (B K C.) which was according to circumstances & my memory an error & arranged to be corrected before I left. The corner being 3 rds. E. of that point, Also the corner N. from there on National Road should have expressed 13.81 ch. with S. line of Nat. Road instead of 13.31 ch, & thence S., But the stone &

nitness on the road here are gone & Woodrow has taken possession over to the missing corner on the S. & thence N. making a strip for R. Osborn 3 rd. on the S. And owing to the ¼ being a fraction narrower on the N. Osborn's lot is on about 3 rds. with being on the N. each of Osborn's corners having a stone at Each Jabin Vestal & Buck Dennis Affirmed as Chainmen in the above Survey. Perry's N. line is 90.60 rds, E. line 119.50 rds., S. " 58.68 rds. making 38½ acres S. of the road. Then the lot that runs from the N. E. Corner of it N. 12 E. 5 rds. 15 L., stone. Thence N. 8 19° 38' W. 10¾ rds. Stone, thence S. 4½ E. 16⅓ rds., thence on South of the National Road 15¼ rds. to the Beginning. Woodrow's S. line is really 49 rds. instead of 52 rds. B & C. p. 304


Survey for? Sec. 30-15-2E



1. Stone 10×16	W. oak	40	N. 12½ E.	22
	Beech	14	North	54
2. Stone 20×20×20	Ash	10	S. 81 W.	3
	Hickory	18	N. 5½ E.	38⅔
3. Stone 8×10×15	S. oak	6	N. 86 E.	71
	Do	8	N. 85 E.	88¾

4. Stone 10×16×16
5. Stone 14×20.

Plat of Sec. 31 Tp. 15 N. R. 2 East.



N. ½ mi. post Sec. 31 Relocated.
Stone 15×12 N. oak 36 S. 53 W. 46
Ash 10 N. 41 E. 53
Cen. & Cen. Stone 24×14
N. oak 33 N. 70 W. 26½
Do 30 N. 37 E. 65
BK C. fo. 75.

Cen. S. of Sec. Stone 6×8×10
Appletree 15 N. 34 W 46
71 rds. N. of N. ½ mi, Rock 12×2?×15
Hickory N. 64½ E. 33
Lynn 20 S. 10 E 8
Thence E. 100 rds. Rock 12×8×8
Rock N. on line 20


Clark, Late Sept. 1874

Thence N. 29 rds. Stone 8×8×8
Stone N. on line 21
Thence N. 60 rds, stone on top of stone
Beech 20 N. 49 W. 41
100 rds. N. of N. ½ mi. & 39 rds. E. stone
10×12×8 & Sycamore 10 N. 55 W 16
Thence N. 7 rds. 18 L.
Ash 10 S. 85½ E. 35
Thence W. Rock 10×12×8
Ash 15 S. 1 E. 72

Cen. of Sec. Oak 36 N. 61¼ W. 193
B. Walnut 10 N. 17 W. 105
Cen. N. of N.E. ¼
Small Hickory 8 N. 40 E. 14½
Oak stump S. 1½ W. 56
Cen. N. E. ½ S.E. ¼
White oak 30 N. 12 W. 15
Do 36 N. 71½ E. 49
Cen. N. S. E. ¼ W. oak 20 N. 66 E 85
Hickory 15 N. 3° E 74

Clark, Late Sept. 1874

Plat of Sect. 32 T. 15 N. R. 2 East.




Cen. Sec. 32 Stone 16×9
Beech 32 N. 73½ W. 51
Do 11 S. 48¼ W. 91
Cen. N. Cen. Stone 20×30
W. oak 28 8½ E. 87½
Do 28 S. 54 W. 114
Cen. N. E. ¼ Stone 24×18
Cherry 15 S. 49½ W. 32
Walnut 10 S. 63½ E 58
Cen. E. Cen, Stone 24×12
Cherry 7 S. 87 E 134½
Locust 4 S. 5¾ E. 161
E. ½ mi. post Sec. 32, Stone 18×12 × S. E.
Cor. of Sec. Stone 24×12, S. ½ mi. post
St. 14×15 × one witness standing
Walnut 10 N. 5¾ E. 52
Cen. S. S. E. ¼ Stone 16×15
Beech 14 N. 28 E. 36
Hickory 24 S. 34 W. 6
W. ½ mi. one stump, Stone 16×12,

W. oak 4 S. 19 E 36
R. oak 30 S. 42½ W. 96
Cen. S. N. W. ¼ Stone 16×12
Ash 6 S. 22¼ E. 37¾
R. oak 11 N. 58 E 33¾
Bk. C. p. 75

Nawly & Ballard.
Cen. S. S. W. ¼, Stone 24×10×15
Buck 12 S. 84 W. 13½
Sugar 8 N. 8 E 35
70 rds. N. of Cen. S. S. W. ¼, Rock 10×12×10
Oak 12 S. 5 E 73
Rock (planted) N. 5½ W. 38

Plat of Sect. 5 Tp. 16 N. R. 2 East.




Cen. N. N. W. 1/4 Sec. 5,
W. Elm 30 N. 33 E. 44
Do 26 N. 23 W. 45
S. 1/2 mi. post Relocated.
Elm 6 N. 61 1/2 E. 60
Beech 14 S. 66 W. 42
W. 1/2 mi. post Relocated. Huffs mark.
Ironwood 4 N. 20 W. 20
Ash 4 S. 87 E. 10
Cen. W. Cen. W. Elm 26 N. 30 W. 5 1/2
Do 20 S. 12 E 33
Cen. of Sec. Hickory 28 S. 76 1/2 E 11 1/2
S. ash 5 N. 26 W. 1
Cen. E. Cen. Beech 14 N. 11 1/2 W. 4 1/2
Sugar 16 S. 26 E. 24
Cen. N. N. E. 1/4 Beech 12 N. 40 E. 26 1/2
Do 12 N. 66 3/4 W. 23
Cen. of N. E. 1/4 B. oak 40 N. 28 1/2 E. 34
Beech 16 S. 31 1/2 E. 45

Cen. of N. W. 1/4 N. Hickory 10 S. 20 1/2 W 23
Beech 12 N. 66 E 35
B. & C. p. 20.
Ballard Partition. For Plat see p. 157
1. ~~E. 1/2~~ W 1/2 Mi. Sec. 5 Stone 8 x 12 x 16
Maple 2 N. 48 W. 51
Stone South 20
3. Stone 4 x 14 x 16 Hickory 18 N. 67 W. 125
4 " 10 x 14
5 " 12 x 12 x 20 Ash 10 S. 3 E 86
6 N. E. Cor. Sec. 5 Stone 10 x 8
Oak 18 S. 6 E. 17 1/2
Stone East 25
7 Stone 8 x 12
8. " 6 x 8 x 12
9 " 4 x 15 x 20 Double Maple 10 N. 53 1/2 E 66 1/2
10 " 5 x 8 x 12 Beech 18 N. 86 E. 111
Do 18 S. 43 E. 109
11 " 10 x 16 x 18 Old Witnesses
12 " 10 x 10 x 18 Stone S. 3 1/2 E 20
14 " 12 x 16 Stone N. 66 E 20 1/3
15 " 12 x 12 x 16 Stone 12 x 18 East 19
16 " 10 x 12 x 20 Stone 12 x 12 East 18
17 " 16 x 8
18 " 6 x 14 x 16
19. " 12 x 12 x 16
20 " 15 x 16 Hickory 18 S. 46 W. 158

J. W. Frotter.

Plat of Sect. 6 Tp. 16 N. R. 2 East.



Arnold Call, E. ½ of S. W. ¼ Sec. 6.

N. E. Corner.	1.	Sugar	15	N. 75½ W.	115
		B. Ash	16	N. on line	90
N. W. Corner.	2.	B. Walnut	7	S. 29 W.	36
		W. oak	2	N. 52 W.	35

Shannon Foster, W. ½ of N. E. ¼ Sec. 6. &

S. E. Corner.	3.	Sugar	18	N. 49 W.	22
		Do	12	S. 49 E.	28
N. E. Corner.	4.	B. Walnut	50	S. 20 E.	27
		Sugar	10	W. on line	26

Shannon Foster, E. ½ of N. W. ¼ & N. W. Cor, B. oak 50 lks the corner.

James B. Smith. Sec. 6. 30 A. off of the N. end of the W. ½ of S. E. ¼ & S. E. corner.

		Beech	15	S. 10 E.	32
		Sugar	7	S. 86 E.	30
S. W. Corner.		B. Ash	20	S. 36 W.	79
		Sugar	20	N. 75 W.	68

A. S. Barret, W. ½ of S. W. ¼ Sec. 6 & S. E. Corner.

	5.	Beech	30	N. 79 E	56
		W. ash	23	N. 80 W.	27

The foregoing all from Bk. B. p. 307.

Cen. N. N. W. ¼		Ash	20	S. 30½ E	54
		Sour oak	24	S. 67 W.	87

Cor. on W. between Welch & Larsen stone 10×12

		Small Hickory	10	W. 36½ E.	164½

Corner on the E. Do 12"×16×18 stone

		B. Walnut		N. 14½ W.	127
				N. 8 E	121.

Cen. of S. E. ¼ Relocated from old witnesses

Stone 18×20	1.	B. walnut	35	S. 58 W.	148
		Sugar	16	S. 18 W.	101½
Stone 6×12	2.	S. oak	40	N. 26½ W.	164
		Sugar	16	S. 77½ W.	107
Stone 8×14	3.	Sugar	16	S. 33 W.	85
		W. beech	5	S. 52¾ E	32


Cen. S. S. E. ¼ Relocated from one old witness

Stone 12×16	4.	B. walnut	18	S. 38 E	129
		Sugar	14	S. 82 E	199


Stone 10×16 5 7 rds. E. of S. ½ mi. on line S. ½ mi, Relocated from one old witness

Stone 12×16	6	B. Walnut	8	N. 2 E.	177
Stone 12×18	7	Witness Stone		N. on line	50
		Do		E. " "	50.
Stone 16×24	8.	Cherry	14	S. 66 E.	238
Stone 14×18	9.	7 rds E. of Cen. of the Sec.			
		W. oak	12	N. 62¼ W.	126
		Do	12	N. 64½ E	106
25½ rds. N.	10.	of Cen. W. of S. W. fract. ¼			
		W. Elm	18	N. 59½ E.	58
		Do	20	N. 50 E.	38.
Cen. of S. W.	11	fract. ¼			


W. Elm 16 S. 75 W. 57
B. walnut 12 N. 21¾ W. 103
Cen. S. S. W. 12. fractional ¼
W. oak 30 S. 30½ E. 188
27 rds. W. of 13 S. ½ mi. on Sect. line
S. oak 8 S. 48 W. 56
In Hardin's dooryard. BK C. p. 168.
See Plat below.



BALLARD PARTITION S. 5 & 6
See Pge 153 For Corners.



Plat of Sect. 7 T. 16 N. R. 2 East.



Joseph Walker, E. ½ of N.E. ¼ & N.W.

Corner.	1.	W. oak 12	N. 88 E.	15
		Beech 24	N. 82 W.	37
S.W. corner.	2.	Ash 5	S. 65 W.	14
		Elm 3	S. 27 E	14
Leonard Foster		N.W. ¼ of N.E. ¼ & S.E.		
Corner.	3,	Walnut 3	S. 80 E	13
		Sugar 18	N. 39 W.	53
S.W. Corner.	4	Ash 10	S. 38 E	20
		Beech 19	N. 6 W.	2

Book B. p. 308

Sec. 7. Jokes Sawmill Lot, Survey for. Beginning on the N. side of the Crawfordsville State Road on the Sec. or Range Line. W. side of Sec. 18 N.W. ¼

	W. oak 30	N. 29½ W	106
	R. oak 30	S. 22 E	138

Thence S. 79 E. with N. side of said road 81 p. & 3 L.

	Walnut 6	N. 17 E	33
	W. oak 36	S. 79 E	41

Thence N. 4° 50 W. 406½ p. to a pond.

	Elm 28	S. 57 E	36
	Do 32	N. 29 W	31½

Thence S. 85½ W. 80 p. to Sec. line

	Walnut 5	S. 8½ E	35
	W. oak 22	N. 11½ E	19

Thence S. with said line 393½ p. to the beginning Estimated at 200 a.

Aug. 10-1854 E. Huff BK. C p. 122

Joseph Walkers Estate. Survey for ni 7 & 8. The E. ½ of N.E. ¼ of Sec. 7 & W. ½ of N.W. ¼ of Sec. 8. The various circumstances satisfied me ( ) of the N.E. corner, S.E. corner & the S.W corner had evidences with the record; & the N.W. cor. had a stone, that was accepted as the best to be obtained. S.E. cor. of Amanda Mc. Clures Lot or the N. 30 A. L.

S.E. Corner	Sugar 24	S. 17 W	30
S.W. Corner of same	Stone 20×11×9		
	Beech 13	S. 49 E	74
	Sugar 28	N. 27 E.	63
Robert	Lot. 5½ a. 29⅓ rds. × 30 rds.		
N.E. Cor. of same.	Hickory 36	S. 33½ W.	39
S.E. Corner.	B. walnut 5	S. 74 W.	12
	Beech 3	N. in line	27
S. on W. line 26 p. more, stone			
	Beech 15	N. 60 W.	39
	W. oak 40	S. 88 E.	98
E. line 26 p. more S.	Sugar 20	N. 10½ W.	36
	W. Hickory 7	S. 80 W.	22
A corner 26 p. N. of S.E. Cor. of the tract.			
	Buck 30	S. 82 E	12
	W. oak 42	S. 50½ W.	46½
Cor. 26 p. N. of S.W. cor.	Stone 12×9×6		
	Beech 36	N. 61 W.	65

	Sycamore	8	S. 58 W.	57½
Thence N. 49 p.	Stone 20×15×9			
	B. walnut	10	S. 57 W.	55½
	Beech	10	N. 60 W.	65
On the E. 31 p.	Mulberry	6	N. 31¼ E	8
	W. oak	36	S. 53 W.	28

BK. C. p. 267.

Cen. of Sec. 7.	Elm	36	S. 2 E	30
	Oak	8	N. 46 W.	24½
Thence W. 43.36 rds.				
	Ash	15	S. 27½ E	51¾
	Do	12	S. 13 E.	14

S. E. Cor. of Sec. Relocated.	Stone			
10×10×16	Hickory	12	N. 17½ E.	129
	Do	12	S. 13 W.	147
Sec. Cen. Relocated from old witness				
Stone 6×8×12	S. oak	12	S. 83 E	12
	Elm	36	S. 2 E	30
	Oak stump	8	N. 46 W.	24½
S. ½ mi. Stone 7×8×15				
	S. ash	4	N. 71 E.	45
	S. oak	3	N. 72 E.	71
E. ½ mi. by running & measuring.				
Stone 8×8×15	Stone		S. 31½ E	39
	S. ash	15	S. 22 W	80⅔


J. W. Trotter Surveyor.

Ridenhower et al, Survey for. Mch 2-1900
Ten days' notice being served, all parties
interested being present & expressing
themselves satisfied.
John H. Butten,
John G. Gilbert } Sworn Chainmen.
Said Survey being as follows.

40 rds. S. of Cen. of N. N. E. ¼	stone			
15×18×8	Appletree	8	N. 62½ W.	30
Cen. of N. E. ¼	Stone 5×12×10			
	Appletree	2	N. 84½ W.	34
20 rds. W. of Cen. N. N. W. ¼,	Stone 10×8×6			
	Maple		S. 5½ W.	55¼

40 rds. S. of the last above named
corner is a stone 27×12×10
W. F. Franklin S. W. Co.

Plat of Sect. 8 Tp. 16 N. R. 2 East.



Beverly Ballard. N. E. ¼ of S. W. ¼ &
S. E. Corner. 1. Sugar 18 S. 30 E. 18
Hickory 2 N. 38 W. 134
S. W. Corner. 2. W. oak 20 S. 53 W. 13
Beech 8 S. 7 E. 7
Thomas S. Jones. E. ½ of S. E. ¼ &
S. W. Corner. 3. Lynd 5 N. 14 E. 17
Walnut N. 48 W. 26
N. W. Corner. 4 W. oak 19 S. 87 W. 25
Do. 30 S. 50 E. 23

John Jones. E. ½ of N. E. ¼ & N. W. Corner.
5. Hickory 9 S. 33 W. 6
Beech 19 N. 5 W. 35

Joseph Walker. N. ½ of N. W. ¼ & N. E. Corner.
6. Beech 15 N. 29 W. 19
B. Walnut 28 S. 29 E. 10

Daniel Brown. N. ½ of S. W. ¼ & N. E. Cor.
7. Beech 12 S. 71 W. 12
Do 14 N. 4 E. 24

John Hamilton. N. ½ of N. E. ¼ & S. W. Cor.
8. Beech 22 S. 69 W. 29
Sugar 8 S. 77 E. 28

Samuel Hollingsworth. E. ½ of S. W. ¼ &
S. W. Corner. Beech 22 S. 66½ W. 7 ×
Do 8 N. 33 E 26
N. W. ¼ of S. E. ¼ & S. E. Corner.
9. Poplar 60 S. 68 W. 16
Elm 4 S. 14 W. 25
× This piece ½ taken by Ballard suit.
The foregoing all from B.K. B. p. 308.

Plat of Sect. 17 Tp. 16 N. R. 2 East.

Cen. Sec. 17.	Sugar	28	S. 35 W.	34½
	Beech	10	N. 41 W.	13½
Cen. N. Cen.	Beech	14	S. 21 W.	43¼
	Rock	28	N. 6 W.	26
Cen. S. N. E. ¼	Beech	13	S. 47½ W.	25¼
	Sugar	15	S. 39 E.	44¾
Cen. N. E. ¼ a post 2 ft. in the ground. x				
	Rock solid		S. 6 E.	46

x on the line. B.K. C, p. 20.

Plat of Sect. 18 Tp. 16 N. R. 2 East.

10 A. off the S.W. Cor. of S.E. ¼ Sec. 18
Beginning at said corner, thence E.
12 p. Beech 30 S. 83 E 37½
Ash 22 S. 76 W. 13¼
Thence N. 8 E 89 p. Hickory 6 N. 24½ E. 60
Sugar 10 N. 79½ E 27
BK C. p. 20.

Anthony Swain, E. ½ of N.E. ¼ Sec. 18.
Beginning at ½ mi. post on E. side
Thence S. 85½ W. 80 p. which is the S.W.
Corner. Beech 20 N. 57½ W. 65½
Do 24 N. 65 E. 82
This Cor. is not according to rule.
The remainder of the ½ Sec. being nonresident
N.E. ¼ Cen. N. (according to true rule)
measured, Sugar 12 S. 64½ E 15
Walnut 6 S. 48½ W. 27½
BK C. p. 123.

Partition of S.E. ¼ & E. ½ of N.E. ¼ Sec. 18
By Commission. Charles H. Ballard's
Tract commences S.E. Cor. of the Sec.
Stone B. oak 14 S. 75 W 157
N. oak 35 S. 72 E. 119½
Thence N. 36½ rds. B. oak 8 S. 38½ E 53½
Hickory 10 N. 35 W 50
Thence E. to N.E Cor. of the Sec, 36½ rds.
Beech 14 N. 23½ W. 28½
Elm 18 N. 87 W. 52
Thence S. to beginning = 73 A.

Henry H. Moon's Tract Commences 36½
rds. W. of the S.E. Cor. of the Sec, &
running N. to N. line of the Sec. Thence
W. 43½ rds. to N.W. Cor. of E. ½ of N.E. ¼
Thence S. 160 p. to S.W. Cor. same E. ½;
" W. 80 rds. to N.W. Cor. of S.E. ¼;
" S. 160 rds. to S. ½ mi. post,
" E. 123½ rds. to beginning.
Estimated at 167 A. BK C. p. 214.

N. ½ mi. Sec. 18 B. oak 14 S. 62¼ E 79½
Do 6 N. 69 E 142½
Cen. S.N.E. ¼ W. oak 14 S. 87 W. 162½
Cen. of Sec. Stone under School house
Witness S. 37½ E 23½
W. oak 16 S. 48 W. 240
Cen. S.N.W. ¼ Beech 16 S. 25 E 14½
Elm 10 S. 65 W. 52
BK C. p. 236.

James Frank ⅓ of the Rayland Sec. 18.
53 A. off of the N. ½ of N.E. ¼ &
N.W. Corner. W. oak 18 S. 51½ W. 19
Beech 10 S. 1½ W. 6

S.W.Cor. of the 53 A. a little stone x
post W. double oak 8 N.1E 14½
W. hickory 4 N.32½E 19
BK.C. p.306

Secs. 18 & 7 together
200 A. N. of the Crawfordsville State Road
run formerly by Hull; S. line S.79E. along
the State road about 81¾ rds., N. like
even. S.W.Cor. of the 30 A, 60×80 rds
W. oak 24 N.39W. 31½
Do 19 S.39E 12
S.E Cor. of the 30 A. Stone 20×11×9
W. oak 24 N.6½W. 45¾
R. oak 9 N.82W. 35
BK.C. p. 313.

A survy made for L. M. Campbell attor-
ney for Youngtom & Ruily.
Beginning at the N. ½ mi. stake of
Sec. 18, thence N. to Cen. of Sec. 7, (See
Sec. 7) thence W. See Sec. 7, thence S. to
a stone on N. side of the Crawfordsville
State Road See Sec. 7, thence S.E. to
Frank's S.W. Corner see other page,
thence N. to Franks N.W. Cor, see other page
thence W. 27 rds. to beginning, makin
111.18 A. Feb. 16-1875 Louis Hunter &
Alfred H. Gladden Soo. chainmen.


Plat of Sect. 19 Tp. 16 N. R. 2 East.

S. W. Cor. Sec. 19 Relocated. Flat stone
27×16 W. oak 33 N. 74½ E 291½
Do 33 S. 6½ W. 283
S. E. Cor. Relocated, Stone 29×16 flat.
Beech 21 N. 52½ W. 31
Do. 18 S. 8 W. 65
½ mi. post on the S. line according to the fractional gains 27½ L. found by measurement, The full ¼ E. gained 35½ L.; Walnut 24 N. 5 W 490
½ mi. post on E. Relocated, found by measurement, Witness trees all gone,
Stone 19×13 round & tapering
Walnut 4 S. 41½ W. 125
S. E ¼ Cen. N. stone 20×14
Poplar 30 S. 85 W. 33
Beech 22 S. 3 E 50

Cen. of Sec. 19 allowing for fraction.
Stone 15×12 Walnut 5 S. 29½ W. 50
Beech 24 S. 26½ E. 76
N. W. ¼ Cen. S. Small stone 10×6
W. oak 33 N. 57 E 11
Hickory 20 S. 34½ E 26
N. W. Cor. of Sec. relocated from the old sugar,
Stone 24×16 Hickory 14 N. 18 E. 84½
W. oak 20 N. 88 E. 77
N. E. ¼ Cen. N. Stone 20×12 flat,
Cherry 15 S. 67 E 73½
Beech 18 S. 39 W. 81
½ mi. post gone, found by measurement, the Cor.
N. W. ¼ Cen. N. Stone 16×12
Sugar 18 N. 84 E. 20
Walnut 26 S. 84½ W. 58½
S. E. ¼ Cen. S. Stone 22×16
Walnut 6 S. 10½ W. 51¼
Do 6 N. 71½ W. 75
BK. C. p. 86.

Gorham's Estate. Survey for sec 19.
A corner 60 rds. E. of S. ½ mi. Stone
8×16 (sharp). B. walnut 14 N. 37½ E 44
Mulberry 12 S. 71½ W. 162
A corner 60 rds. E. of Cen. of Sec.
Stone 8×12 Beech 20 S. 63 E. 66½
Sugar 16 S. 50 W. 181
BK. C. p. 215.

Plat of Sect. 20 Tp. 16 N.R. 2 East.



N. E. Cor. of Sec. Stone, (old)


	B. Walnut 8	N. 73 E.	33
	Stone	West	32.

U. G. Ballard et al, Survey for.

2. Stone 10×14×20	Stone	North		25
	Do	South		30
3. Stone 8×10×12	Stone	South		25
	Do	North		25
4. Stone 12×18	Beech 18	S. 35 E.		36
5 Stone 10×16	Lynn 30	S. ½ E		34
6 Stone 6×4×16	Do 30	N. ½ E		162
7. Stone 6×10×14	B. oak 30	S. 14½ W.		60
8. Stone 6×10×14	B. Walnut 8	N. 10½ E		95
9 Stone 10×10×16	B. Do 8	S. 33 E		29½

J. W. Trotter S. H. Co.

Henderson Simpson & { Mary J. Ross / Lavonie T. Ross. 5/28 1902.
J. T. Jones & Bert McCray Sworn Chainmen.



1. Stone 24×11½×9	Stone 22×17		East	25
2. Harrow tooth.				
3. Stone 12×6×5	Ash 10		West	93½
4 " 22×12×7	Elm 16		S. 5 W.	88
	Oak 32		N. 55½ W.	1.55½ ch.
5. Stone. 15×12×9	Stone 12×10×9		West	27
6 Harrow tooth	Stone 19½×15×9		North	41
	Do 14×6×5		South	38

7. Iron rod 1 in x 3½ ft.
W. F. Franklin. S. H. Co.

Plat of Sect. 29 Tp. 16 N. R. 2 E ast.

S. ½ Sec. 29. land 40 L. on Sec. line
S.E. Cor. of Sec. Relocated by Huff & Hos-
brook, the Marion Co. Sur, all parties satisfied
Low in the top Beech 14 S.10½ E ½ p
& 23 L. N. oak 30 S.59½ E = 22 9/10 p.
½ mi. post on E. Relocated, Stone 22×28
Beech 18 S.86 W. 36½
Do 18 S.26½ E 45
37.46 A. off of the E. side of S.E.¼ N. & S.
measures 161.68 p., E. & W. small fract. over 37 p.
N.W. Corner Beech 18 S.14 W. 47
Elm 40 N.62 E. 47
S.W. Corner. Hackberry 4 S.81¾ E. 142
50 A. more adjoining on the W. N. & S. 161.68 rd.
E. & W. 49.49 p. & N.W. Cor. of same
Beech 20 S.40½ E 32½
Elm 15 S.51½ W. 38½
S.W. Cor. of same Walnut 6 S.80 W. 224
Cen. of Sec. Swamp ash 8 N.10 W. 43
Ash 4 N.69¼ W. 20
122 A. in S.W. Cor. of Sec. Running N. to ½ mi. post
more or less.

N.E. Cor. Beech 8 N.32 E 50
Hawtree 6 N.20 W. 81
S. ½ mi. post Relocated by measurement.
Good stone, Walnut 7 N.56½ W. 78
B.K.C. p. 92
Sec. 29 line on N. large 35 L.
½ mi. post on N. Relocated by measurement.
All agreed. Burr oak 20 N.88½ W. 130
Beech 9 S. 5 W. 135½
N.E.¼ Cen. N. Walnut 10 N.11 E. 57
Do 10 N.2 E. 133.
B.K.C. p. 94.
(61 rds. & 17 L.) 3702 + 24 R. & 15 L. W. of S.E. Cor.
of Sec. St. 8×10 Small cherry 3 N.59½ W. 95
Thence W. 24 rds. & 15 L., small stone.
B. walnut S.81½ W. 229.
85 rds. & 19 L. W. of E. ½ mi. stone. a stone
8×10 Beech 12 N. on line 28
61 rds. & 11 L. W. of E. ½ mi. stone
Elm 6 N. 75½ W. 108

119. rds. 20½ L. N. of S.W. Cor. of Sec. & run N.
69.89 rds. St. 12×8×8 Beech 16 N.40½ W. 41
Hickory 17 S. 67 E. 23
Thence E. to Cen. of Sec. 160.25 rds. Stone
12×9×5 Stone S. 38¾ W. 42
Thence S. to Bradways Cor., thence W. 160.25 rds.
to commencement.

Commencing 188 rds. 42¾ L. N. of S.W. Cor. of Sec.
& running W. 69.89 rds. Stone 20×12×4
Stone 25×13×6 North 34½
Thence E. 160.25 rds, a stone 14×10×5½
Stone 19×10×7 S. 24¾ W. 46
Thence S. 69.89 rds. a stone, N. of S ½ mi. stone
188 rds. 42¾ L. Thence W. 160.25 rds. to place
of beginning.

Commencing at N. E. Cor. & running S. 62.52 rds, a stone, thence W. 160.25 [illegible] stone, thence N. 61.9 rds. to Cen. N. N. W. 1/4, thence on Sec. line 160.25 rds. to N. 1/2 mi. stone, estimated at 62 1/4 A. more or less.

Survey for Matterson, et al. Apr. 1901.
Wm. R. Miles & W. A. Ehrman Sur. Ch-men
N. E. Cor. Sec. Relocated from old Gov. mit.

Sycamore	36	N. 89 W.	13
Elm	18	S. 68 1/2 W.	19

Cen. N. E. 1/4 Stone 22×15×10

Stone		N. 24 1/2 E.	5 3/4
Appletree	16	S. 47 1/2 W.	28 1/2

653.86
39 rds. 15 7/10 L. S. N. E. Cor. Sec, Stone 18 1/2 ×6 ×8

Elm	16	N. 60 1/4 E	58
Do	22	S. 81 1/2 E.	61 1/2

42 rds. 18 1/2 L. N. Cen. N. E. 1/4 or 39 rds. 15 7/10 L
S. of N. 1/2 mi. Stone 22×17×10

Stone	South		30 3/4

W. F. Franklin, S. T. Co.

This belongs to 29-15-2E (see p. 143)

Plat of Sec. 30 T. 16 N. R. 2 East.

S. from N. 1/2 mi. 43 rds. 3 L., stone 10×12
Stone 10×12 N. 86 E. 34

E. from N. 1/2 mi. 165 rds. 6 L, stone 10×12
Stone S. on line var. 4° W. 33

N. from S. E. Cor. of Sec. 120 rds. & 4 L.
Stone 10×12 Small stone N. 28 E. 37

Thence N. 39 rds. & 3 L., good stone 10×20
Stone N. 85 E. 15


Thence N. 39 rds. & 3 L., good stone
Stone N. 3 E. 24

Thence N. 39 rds. & 3 L., to a point 43 rds. & 3 L. S. of the N. line of the 1/4 Sec. 12×20
Stone N. 5 W. 21

Transferred from Sec. 31

S. W. Cor. of 31, 29 L. N. of S. E. Cor. of Sec. 26
Thence W. 39 rds, Stone, Ash 10 S. 89 E. 42
" N. 78 rds. 7 L, stone 10×12,
Witness stone promised, E. on line 34
W. 1/2 mi. Elm 20 N. 70 W. 43.

Plat of Sect. 31 Tsp. 16 N. R. 2 East.




Cen. N.E.½ S.E.¼ W. oak 36 N. 11 W. 23
Do 36 N. 63½ E 51
89 L. E. of Cen. N. of S.E.¼ W. oak 24 N. 17½ W. 27½
Cen. of N.E.¼ Elm 30 N. 10 E 32½
Do 24 S. 89 E 67
22 rds. & 9 L. N. of Cen. N.E.¼
Large rock 36 N. 20 W. 18
Ash 10 E. on line 18½
Widow Gladden's S.W. Cor. 51 rds. & 24 L. E. of S. ½ mi. stake. Apple tree in yard 20 N. 14 E 107½
S. ½ mi. stake.
Widow Gladden's S.E. Cor. 32 rds & 3 L. E. of last corner. Permanent stone, near edge N. 71½ W. 203
Cen. S. of E ½ S.E. ¼ B. Walnut 8 S. 86 E 27¼
A. Cor. 40 rds. N. of Widow Gladden's S.W. Cor.
Apple tree 10 S. 58 E 47
Do 10 S. 61 W. 47
Thence E. 6 rds. 4 L. Double Mulberry S½ 36 N. 80½ E 17½
Do apple tree 8 S 21½ W. 30

Edgar Toudy, Survey for.
N.W. Cor. Sec. 31 Stone 7×7×12
W. oak 36 N. 52 E 27
1. S. ash 8 S. 25 E. 70
Cen. N.W.¼ Sec. 31 Stone 4×8×12
Sycamore 10 N. 15½ E. 166
2. S.E. Cor. bam. N. 21 W. 91
W. ½ mi. Stone Irregular stone 7×10×14 set 2 L. N. of stone East 25
3. Sugar 6 S. 68¾ W. 84
Cen. S.W.¼ Sec. 31, Stone 3×10×14
Stone North 17
4 Do West 20

W. ½ mi. St. 10×10×12 Sugar 6 S. 65 W. 85
Stone 7×10×14 S. 77½ E. 25½
S. ½ mi. Stone 8×10×12 No witness
Cen. of Sec. St. 8×10×16 Stone West 25
B. walnut 8 N. 55 E. 128⅓
Cen. W. Cen, St. 6×8×11 Stone S. 84½ E. 9
Do North 9.

Frazee & Smith, Apr. 23-1902. (10 da. not.)
E. ½ mi. Stone 23×8½×5
Stone 15×10×10 East 25
Hickory 20 S. 4½ E. 53
Cen. E. Cen. Stone 13×14×5
Stone 12×9×8 East 25
Do 10×8½×6 North 25
Distance from Cen. Sec. to E. ½ mi. 40.34 chains.
See Sec. 32 for rest of survey.
W. F. Franklin. Sur. H. Co.

Plat of Sect. 32 Tp. 16 N. R. 2 E.



Cen. of Sec. 32. E. lin 12 S. 70½ E 81
W. oak 36 N. 57 W. 54
N. W. ¼ Cen. S. Beech 18 S. 39 W. 22
Do 10 S. 73½ E 40
N. W. ¼ Cen. N. Good stone but no trees near.
B K. C. p. 93.

Symmons & Davis. Survey for, in Sec. 32.
For Burial purposes. Begins 16.63 ch.
N. of Cen. S. of N. E. ¼, Thence N. 59 W.
1.36 ch., thence S. 60 W. 50 L., thence S. 2.81 ch.
Thence E. 1.90 ch., Walnut 6 S. 22 W. 22
" N. 2.07 " Hickory 4 N. 44 W. 24½
Walnut 6 N. 61 E. 21
Thence N. 59 E. 36 L. to beginning
Containing ½ Acre more or less.
B K C. p. 158


Fraze & Smith. 7/23 1902. (10 da. not.)
Frank McCalement, } Sworn Chainmen.
Jno. D. Clark }
Cen. N. Cen. Stone 14 x 11 x 6
Beech 22 N. 50 E. 7
Stone 11 x 10 x 6 East. 25
See Sec. 31 for rest of Survey
W. F. Franklin, S & A, Co.

Plat of Sect. 17, T. 17 N. R. 2 E.

N. ½ mi. Sec. 17. St. 16×24, Old mk. standing
Cen. N. N. W. ¼ Stone 16×28
E. Elm 20 S. 25½ E. 157
Do 18 S. 71 E. 152
W. ½ mi. Stone. Elm 20 N. 81½ E. 26
Ash 16 N. 58 W. 40
Cen. E. N. W. ¼ Stone 17×24
Walnut 36 N. 56 W. 20
Sugar 14 S. 6 E. 16
Sec. Cen. Stone 16×24
W. oak 50 N. 15 W. 34
Beech 20 S. 41½ W. 35
Cen. S. N. W. ¼, Stone 16×28
W. oak 4 S. 81 E. 48
Sugar 10 S. 74 W. 124
Cen. N. of W. ½ S. W. ¼ Stone 12×20
R. oak 8 S. 42½ W. 42
Hickory 16 S. 35 E. 38

Cen. S. of N. W. ¼ of S. W. ¼, Stone 8×20
B. oak 6 N. 1 W. 27
Do 6 N. 80 E. 25
Cen. of N. W. ¼ Stone 16×26
S. oak 6 S. 5 W. 164
W. oak 30. N. 67 W. 127½
Cen. of S. W. ¼ Stone 16×24
Ash 14 N. 54 W. 103
B. oak 6 S. 63½ W. 98
Cen. W. S. W. ¼ Stone 14×16
S. oak 5 S. 58 E. 21
Sugar 20 N. 61½ E. 48
B. T. C. p. 187.

Plat of Sect. 18 Tp. 17 N. R. 2 East.



N. ½ mi. Sec. 18 St. Cor. 12×16, Old mit. standing
S. ½ " " " " " 22×24 " " "
S. W. Corner. " " 12×18 " " "
Walnut 6 S. 84½ E. 154
N. W. Cor. Relocated. one old mit. St. 16×24
Elm 10 N. 37 E. 36
W. oak 34 S. 27½ W. 86
W. ½ mi. set by running & measuring
Stone 14×24 Elm 5 S. 85 E 12½
Ash 5 S. 35 E 38 (gone)
New Witness And a rock in place of the above.
Cen. W. S. W. ¼ Stone 8×14
B. oak 4 N. 52½ E 56
Ash 18 S. 52½ W. 22½
Cen. of S. W. ¼ Stone 12×22
Elm 8 S. 60 E. 8
Oak 14 N. 72½ W. 24
New Witness Oak 10 S. 65 E. 22.
Cen. S. of Cen. Stone 16×24
Beech 14 N. 81 E. 75

Elm 16 S. 31 E. 93
Cen. N. N. W. ¼ Stone 12×16
Beech 18 S. on line 36½
Hickory 6 S. 35½ E. 55
S. E. Cor. of Sec. Stone 16×26
B. Walnut 30 S. 5½ W. 81½
Stone Mit. N. 61 E. 91
Cen. E. Cen. Stone 12×26
Elm 16 S. 21 E. 14
W. oak 4 S. 25 W. 8
Cen. of Sec. Stone 16×24
Sugar 12 N. 35 W. 27
W. Oak 30 N – E. 58½
Cen. W. Cen. allowing for frac. St. 12×16
W. oak 30 S. 7½ W. 25
Do 30 N. 85 W. 34½
Cen. N. N. E. ¼ Stone 20×32
B. oak 20 S. 11 E. 54½
Beech 14 S. 53½ E. 58½
Cen. of N. W. ¼ Stone 24×32
Sugar 16 S. 73 E. 85
Beech 18 N. 18 E. 80
Cen. E. N. E. ¼ Stone 18×32
Beech 16 S. 22 W. 22
W. oak 30 N. 38 E. 48
Cen. S. S. E. ¼ Stone 13×23
W. oak 50 N. 49 W. 74
Beech 18 S. 22 W. 89
B. K. C. p. 18 6

Wm. Batz & Jas. Gorrell, Nov. 13 1902.
1. Stone 10×12×18 Elm 11 S. 1¼ E. 18
Mulberry 15 S. ¾ W. 54¾
2. Stone 7×12×15 Stone 6×9×10 S. 55¼ E. 30
W. F. Franklin, S. H. Co. Per W. A. Ehrman Dep.

Plat of Sect. 19 T. 17 N. R. 2 East.

Cen. Sec. 19, Small Stone
1. W. oak 30 S. 12 W. 25½
W. Walnut 10 N. 60 E. 25
Cen. N. Cen. Stone 20×12 Tapering at top
2. Ash 22 S. 46 E. 11
S. oak 18 N. 71 W. 46
Cen. N.E. ¼ Stone 26×12 Tapering at both ends.
3. Lynn 10 N. 38½ E. 24
Buckeye 10 S. 70 W. 9
S.E. ¼ Cen. S. Stone 17×15
4. Elm 15 N. 13 E. 75
Do 22 W. on line 20½
10 A. off of the S. end of the N.E. ¼ of N.E. ¼
For Nathaniel Gossett measures N. & S.
20 p. & 9 L. & E. & W. 78 p. & 15 L.
N.E. Cor. of same Large stone
Lynn 6 S. 44 E. 18½
Hickory 10 N. 22 W. 43
N.W. Cor. of same. Lynn 22 is the corner.

½ mi. post S. Side 5. Large stone, 3 corners, one old witness tree standing.
Cen. of S.E. ¼ Stone 20×15 Tapering to top.
6 Burr oak 20 N. 85½ E. 26½
Do 30 N. 15½ E. 89
S.E. ¼ Cen. E. Stone 16×9 square
7. Hickory 14 S. 53½ E. 15½
Ash 10 N. 16 W. 37¾
Cen. N. Cen, allowing for fract. Stone 20×14 square.
8. Lynn 18 S. 51 W. 19
W. oak 33 S. 71 E. 26½
N.W. ¼ Cen. N. allowing for fract. Stone promised.
9. Elm 24 W. on line —
Sour oak 18 N. 68½ E. 33
Bk. C. p. 127.

Change of road.
Beginning 84 p. S. of the Cen. of N.E. ¼ Sec. 19 W. oak stump and S.E. spur
Thence S. 80 W. 24½ p. to the curve in the Fishback Gradel road. Bk. C. p. 267.

Sec. 19. Cen. of Sec. found from stumps of old witness trees
Stone upon stone 15×12×3.
B. oak 6 N. 17½ E. 130
R. oak 18 N. 21½ E. 139
Bk. C. p. 315

89 10/10 rds. N. of Cen. S. of N.W. ¼, Rock 10×12
Oak 8 S. 60 W. 57
Elm 18 N. 15 W. 27

For Hightshue, Beginning at the W. ½ mi. stone, thence S. on the Range line 16 rds. 18 L., to stone 10×16 W. oak 6 N. 49 W. 13
Thence N. 87 E. (allowing 3° var. as found

on the Range line 22.8 rds., thence N. 72 E. 15 rds., thence N. 59 E. 7.22 rds., thence N. 46 E. 10 rds. to the Cen. of the road on the line passing E. & W. through the center of said Sec. Stone 12×18
Wit. Stone S. 50½ W. 38½
thence N. 50 28/100 rds. to the place of beginning, estimated at 4 A.

David E. Beck, Survey for June 26 1891.
20 A. off of the N. end of the E. ½ of N.W¼ of 19-17-2E. it being 1331⅓ ft E. & W. & 654 ft. & 4½ in. N. & S.
S.W. Cor. of same Stone 11×12×18
S. oak 18 N. 13½ E 46½ ft.
Ash 12 S. 48 E. 10½ "
S.E. Cor. of same Stone 6×15×18
Ash 10 S. 76 W. 12 ft.
Do 8 N. 50 W. 10½ "
J.W. Trotter, Sur. H. Co.

Plat of Sec. 20 Tp. 17 N. R. 2 East.


½ mi. post on N. side Sec. 20 relocated from old witnesses, (dead but standing)
Stone 28×15 Burr oak 30 N. 36½ W. 52
Ash 10 N. 78½ E. 106¼
Cen. N. Cen. Stone 18×17
Ash (forked) 14 S. 60 E. 59
W. oak 18 N. 53 W. 77
N.W. Cor. of Sec. Stone 22×14 Wedge shaped. (Witnessed standing.)
½ mi. post N. Rd located from old stumps.
Stone 20×20×8 at top. P. oak 26 N. 51½ W. 53
Do 36 S. 74½ E. 69½
Cen. N. Cen. Stone 20×9 square & tapering top.
S. oak 34 S. 2½ E. 47
Walnut 20 N. 20½ E. 53
N.W. ¼ Cen. N. Stone 18×14
Buckeye 20 S. 56 E. 42
Mulberry 14 N. 36½ E. 91½
Cen. W. N.W. ¼ Stone 24×18 Tapering.

Sour oak 24 N. 29 E. 44
Burr oak 38 S. 87 W. 38
Cen. of N.W.¼ Stone 18×15, laid on the roots of a B. oak 40 on the W. side.
Swamp ash 10 S. 10½ W. 25½
Cen. of Sec. found by Marion Co. Surveyor.
B.K.C. p. 126

10.05 ch. E. of Cen. N. of S.W.¼, a corner
Beech 24 S. 60 W. 47
10.05 ch. E. of S.W. cor. of Sec. a corner
B. walnut 14 N. 66 E. 52

S.W. Cor. of Sec. Stone 7×9×14
W. cherry 10 N. 46 W. 45 ft.
Beech 20 N. 72½ E. 92½ "


Plat of Sect. 29 Tp. 17 N. R. 2 East.



N. S. Harmon et al. Survey for Location of County road in Secs 29 & 30
Beginning at S.E. cor. of 19-17-2 E., & running E. with Sec. bearing to a point 33 rds. & 15½ L. S. of the S.E. Corner of N.E.¼ of N.E.¼ Sec. 30, same Tp., thence S. 11 E. 29 rds. & 22 L., thence S. 39 W. 33 rds. 20 L., thence S. 2 E. until it intersects the present County road from Eagle Creek to White Lick.
B.K.C. p. 192.

Beginning 90 L. E. of N.W. cor. of Sec.
Thence E. 15.60 rds. Elm 38 N. 75 E. 97
" S. 8.60 rds. to cen. of road.
" N. 65 W. to place of Beginning = 66 sq. rds.

Plat of Sec. 30 T. 17 N. R. 2 East.



Martin's Stone ½ Stone Hogan. N. ½ of S. W. ¼ Sec. 30
86.08 A. S. W. Sec. Cor. Relocated. Wit. gone, but one stump down. Set corner 32 L. N. of the other corner, agreeably to old field notes. Stone 24 x 16 x 10
Beech 20 N. 70½ E. 26
Cen. S. S. W. ¼ allowing for the fraction,
Stone 21 x 12 x 9 W. oak 30 N. 22 W. 71½
W. ½ mi. post set by old field notes 3½ L. S. of the W. stone.
½ mi. Stone 20 x 14 x 8 Ash 8 S. 52 W. 16½
Cen. W. Cen. being 14 L. over being 4 to the 80 W. of the fract. ½ ¼: having 86 rds. 18 L. x 80.4 L. Stone 22 x 18 x 5, forked at top.
W. oak 28 N. 42 E. 118
N. W. Cor. of Sec. found from wit. stump to the other cor. 25 S. of where the other ought to be: but the stone there is 5 6 L. too far N: being 30 L. apart.

Stone 12 x 10 x 8 Beech 16 S. 34 W. 75½
R. oak 6 N. 1¾ W. 18½
Cen. N. N. W. ¼ allowing for the fraction 88.36 rds. on the W. Stone 14 x 8 x 6
Elm 12 E. on line 1½
Do 24 S. 38 E. 22
B.K.C. p. 285

Cen. N. E. ¼ Beech S. 52 E. 38
" S. N. E. ¼ Beech 10 S. 21½ E. 69
" S. E. ¼ Elm N. 63½ W. 206
" S. W. ¼ Stake Stone from N. 2½ W. 13
" N. Cen. B. oak N. 23½ 163

Hogan. – Partition N. ½ S. W. ¼ - 30-17-26
1. Stone 6 x 8 x 12 Oak 18 S. 71 E. 113 ft.
2. " 8 x 10 x 12 Stone N. 20 E. 18 "
3. " 9 x 14 x 18 Do North 20 "
4. " 6 x 6 x 18 Do South 20 "

James Dickerson, W. H. Hamilton & J. W. Trotter Com.

J. W. Trotter, Surv.

L.	B. Walnut 8	N. 70 E.	8	
1.	Bur oak 18	S. 85 W.	455.	Stone 15x18
2.	Beech	N. 65 E.	14	" 10x12
3.	"	N. 39 W.	23	
4.	Sugar	N. 38 E.	14	
5.	Beech	N. 29 W.	28½	
6.	"	N. 1 W.	30	
7.	W. oak.	S. 44 E.	33	
8.	Cherry 6	S. on line	24	
9.	Elm	S. 6 E.	56	
M.	W. oak 60	N. 2 E.	22	
K.	B. walnut	N. 59 E.	378.	


Plat of Sec. 31 Tp. 17 N. R. 2 East.

S. W. Cor. Sec. 31 Relocated from stumps of former witnesses. Stone 15 x 12

	W. Hickory 6	N. 61 E.	22
	Beech 10	N. 40 W.	37
½ mi. post on W.	Sycamore 36	N. 21 E.	35
	W. oak 36	S. 6½ W.	59
Corner 20 p. N. of Cen. W. of S. W. ¼			
Stone 20 x 15	Hickory 10	N. 51 W.	26
	Do 12	S. 13½ W.	32
Thence E. 80 p.	Stone 18 x 14		
	P. oak 36	S. 28 E.	23
	Beech 14	S. 39 E.	38
Thence S. 20 p.	Sugar 14	S. 82½ W.	13
	Do 20	S. 26¼ E.	18

Thence E. 46 p. to Lappan's Cor. B.K.C. p. 52.

Plat of Sec. 32 Tp. 17 N. R. 2 East.



October 31 - 1848.


S. Evans, A Gladwell, John Jones: Luther Shanklin, Benjamin Tout, et al, in Sec. 32 17-2. For particulars see plat

Letter A, both witnesses standing.
B. " " "
C. Set rock.
D. Both witnesses standing. set rock,
E " standing, set rock.
F. Rock, Hickory 24 N. 33 E. 29
Beech 15 N. 18 W. 34
G. One witness standing. set rock.
New " Oak 24 N. 57 W. 39
I. Set rock.
J. " " Elm 24 S. 64 W. 37
Stone at K. Oak 24 S. 9 E. 46
Set rock. L. Sugar 20 S. 86 E. 24

Beech 20 S. 11 W. 19.
Found rock at M. & the stumps of both witnesses, but the Sec. line is not straight.
Set rock. N. Elm 24 S. 53 E. 58
Beech 24 S. 83 E. 37
Set rock O Sugar 12 S. 79 E. 49
Do 12 - 18 W. 59
P. R. oak. 30 N. 30 W. 48
Beech 16 S. 36 E. 21
Q Both gone obtained corner by measurement. when surveying Sec. 33
Set rock. R. Oak 20 S. 43 E. 20
Poplar 48 N. 15 E. 30
Set rock. S. Sugar 12 N. 2 E. 16
Do 15 S. 73 W. 14
T. found the stump supposed to be original witness which would place the corner 40 L. N. of the N. line of Sec. 4. Tp. 16; Set stake on said line. took witnesses
Oak 30 N. 87 W. 94
Set rock. U. Beech 12 N. 58 E. 38
Lynn 20 S. 44 W. 26.
V. one standing.
Set rock. W. Beech 15 S. 56 W. 48
Rock. X. Both standing.
The witness trees to the corner for T. 16 & those for 17 are not on a line but have a surplus between the two lines. I call the N. line T. 16 the true line as the land was surveyed & measured from the South Northward, consequently T. 17 bounds on T. 16 & where 16 stops there 17 commences according to my logic.
P. Hasbrook. Received from the Marion County records & copied this 21st of July 1900.
W. F. Franklin. S. H. Co.

Survey for John H. Combs & Evans in S½
Sec 32 17 2E

Plat below.



S. ½ mi. St. 10×14 W. Elm 22 N. 32½ E 64
Do 21 N. 23 E 72
Stone is in Marion Co. and in Cent. of road & marks the S.E. Cor. of Coombs' land in Marion Co.
S. ½. St. 16×10×8 St. 12×9×10 N. 19
2 ch. 78 L. N. Cen. S.W.¼ St. 18×15×7 (Marks N.W. Cor. Combs Land in Hendricks Co
St. Cen. S.W.¼ Sec. 32 South 2 C. 78 L.
22 C. 89 L. N. & 1 ch. 41½ L. E. of S. ½ mi.
St. 23×8×6 W. cherry 12 S. 11½ E 30⅛
Last named stone is on E. side of road (bearing N. 21½ W.) & marks N.E. Cor. Combs land in Marion Co.
Eds S. Hadley & S. J. Starkey Sur. Chmen
W. F. Franklin Sur. & Co.

