



Retail Food Establishment

Inspection Report

State Form 48669 (R2/2-05)

SDH Form 51-0001

Hendricks County Health Department

Telephone (317) 745-9217

Fax (317) 745-9218

Based on the inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements.

The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name Hometown Station	Telephone Number Est 317-539-4200	Date of Inspection 02/12/2025 09:56 am	ID# 1603
Establishment Address 5871 Liberty Pkwy, Clayton IN 46118			
Owner Clayton Petroleum, Inc	Purpose ☒ Routine ☐ Follow-up ☐ Complaint ☐ Pre-Operational ☐ Temporary ☐ HACCP ☐ Other (list)	Follow Up YES	Released 02/22/2025
Owner's Address		Menu Type 1__ 2__ 3 ☒ 4__ 5__	
Person in Charge Rocky Singh			
Responsible Person's Email			
Certified Food Handler Kulwinder Singh	Exp. CFPM 03/04/2028		

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C/NC	R	Narrative	To Be Corrected By
187	C	0	Fried chicken and fried gizzards were holding an internal temperature of 114 -130 degrees Fahrenheit in the hot holding case of service counter.	Corrected
192	C	0	Container of potato salad and macaroni salad were date marked 1/31 at shelving of walk-in cooler.	Corrected
205	C	0	Observed several cracked clear containers at shelving of walk-in cooler and warewashing area.	Today
138	NC	0	Employee working with exposed food, clean equipment and utensils, and unwrapped single-service or single-use articles was not wearing a hair restraint, such as hats, hair coverings or nets or beard restraint.	Today
218	NC	0	The seal of the walk-in freezer door was torn. The bottom door hinge of walk-in freezer door was broken. Light bulbs were out and missing at hot holding cases of pizza and chicken.	One Week
239	NC	0	Pizza boxes and clear containers were stored open and face up at prep-top cooler of pizza.	Today
257	NC	0	A probe thermometer was not provided to ensure the attainment and maintenance of proper food temperatures.	Today
297	NC	0	Pink and brown residue was accumulated on ice machine baffle.	Today
307	NC	0	Gaps observed between filters of hood.	One Week

Section #	C/NC	R	Narrative	To Be Corrected By
310	NC	0	An accumulation of grease and dust was observed on the hood ventilation system walls and interior fire suppression system.	One Week
402	NC	0	Cardboard observed on ceiling vent of kitchen.	One Week
404	NC	0	Missing or broken baseboard was observed along back wall of frying station allowing an accumulation of debris or water.	One Week
433	NC	0	Wet mop head was not stored in a position to allow them to air-dry without soiling walls, equipment, or supplies.	Today

Summary of Violations C <u> 3 </u> NC <u> 10 </u> R <u> 0 </u>			
Received by (name and title printed): Person in charge		Inspected by (name and title printed): YOCELI PALAFOX	
Received by (signature):		Inspected by (signature):	
cc:		cc:	