Retail Food Establishment Inspection Report

State Form 48669 (R2/2-05)
SDH From 51-0001

Hendricks County Health Department
Telephone (317) 745-9217
Fax (317) 745-9218

Based on the inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements.
The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name Meijer Gas Station #204	**Telephone Number** Est 317-821-6829	**Date of Inspection** 03/13/2025 10:36 am	**ID#** 552
Establishment Address 10509 Heartland Blvd, Camby IN 46113			
Owner Meijer Stores Limited Partnership	**Purpose** _X_ **Routine** ___ **Follow-up** ___ **Complaint** ___ **Pre-Operational** ___ **Temporary** ___ **HACCP** ___ **Other (list)**	**Follow Up** NO	**Released** 03/23/2025
Owner's Address		**Menu Type** 1_X_ 2__ 3__ 4__ 5__	
Person in Charge Rob Walden			
Responsible Person's Email			
Certified Food Handler **Exp.** Exempt by menu			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"

Section #	C/NC	R	Narrative	To Be Corrected By
227	NC	0	The hand sink of women's restroom was no longer sealed to the wall.	One Week

Summary of Violations C 0 NC 1 R 0

Received by (name and title printed): Person in charge	Inspected by (name and title printed): YOCELI PALAFOX
Received by (signature):	Inspected by (signature):

cc:	cc:	cc: